Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

SHOUT
SHARE
IT

Lc

BOTANY
CURRENT LITERATURE

LIBRAR
RECEIVED
2 - 1932
U. S. Department of Agricult

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY.
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

Vol. 14, no. 1. Ja.4-16, 1932.

Agr. & Live-stock, India. (Calcutta)

Alam, M.
The problem of rice-breeding. (With special reference to Bihar and Orissa conditions). Agr. & Live-stock, India. 1: 497-511. pl.xxxvi-xxxvii. S. 1931. no.5.

Burns, W.
The work of the Bombay cotton-breeders. Agr. & Live-stock, India 1: 512-521. S.1931. no.5.

Srivastava, R. C.
A note on sugar research in India. Agr. & Live-stock, India 1: 533-542. S.1931. no.5.

Agr. Gaz. N.S.W. (Sydney)

Anderson, R. H.
Farm forestry. V. The native and introduced trees of New South Wales. Agr. Gaz. N.S.W. 42: 936-946. illus. D.1, 1931. no.12.

Copeland, H.M. & Seddon, H. R.
Poisoning of sheep by quinine bush or bitter bark (Alstonia constricta). Agr. Gaz. N.S.W. 42: 925-926. D.1, 1931. no.12.

Savage, C.G. & Ballantyne, J.A.
The effects of lime-sulphur and white oil sprays on Jonathan apple trees. Agr. Gaz. N.S.W. 42: 947-954. D.1, 1931. no.12.

Alpe Riv. For Ital. (Piacenza)

Fiori, A.
Cenni botanici sul castagno e sul faggio. Alpe Riv. For. Ital. 18: 608-614. illus. D.1931. no.12.

Passavalli, L. P.
Le malattie del castagno. Alpe. Riv. For. Ital. 18: 633-640. illus. D.1931. no.12.

23

562156
Agri,
350-372

319126

Alpe Riv. For. Ital. (cont.)
Passavalli, L. P.
Le malattie del faggio. Alpe Riv. For. Ital. 18: 653-657. illus. D.1931. no.12.

Amer. Forests (Washington)
Howes, P. G.
Dominica - a botanical paradise. Amer. Forests 38: 23-26. illus. Ja.1932. no.1.

Amer. Nat. (Lancaster, Pa.)
Darlington, C. D.
The control of the chromosomes by the genotype and its bearing on some evolutionary problems. Amer. Nat. 64: 25-51. Ja./F. 1932. no. 702.

Ferguson, M. C.
To determine genetical ratios when selfing organisms heterozygous for two or more factors. Amer. Nat. 64: 91-93. Ja./F.1932. no.702.

Haldane, J. B. S.
The time of action of genes, and its bearing on some evolutionary problems. Amer. Nat. 64: 5-24. Ja./F. 1932. no.702.

Ann. Agron. (Paris)
François, L.
Trois questions de géographie botanique concernant la provenance, pour la France, des trèfles et des luzernes. Ann. Agron. 1: 818-833. illus. N./D. 1931. no.6.

Ann. Crypt. Exot. (Paris)
Arnaud, G.
Les astèrinées - VII. Ann. Crypt. Exot. 4: 74-97. pl. ii-vii. O.1931. no.2.

Bouly de Lesdain, M.
Lichens recueillis en 1930 dans les îles Kerguelen, Saint-Paul et Amsterdam par M. Aubert de la Rue. Ann. Crypt. Exot. 4: 98-103. O.1931. no.2.

Ann. Crypt. Exot. (cont.)

Miller, J. H.

Notes on Hypoxylon species. I- Ann. Crypt. Exot. 4: 72-73. pl. i. O.1931, no.2.

Pearson, W. H.

Notes on a collection of Hepaticae made by Mr. Saxby on the West Coast of Africa. Ann. Crypt. Exot. 4: 61-71. O.1931. no.2.

Posthumous paper edited by H.C. Broome & Fr. Verdoorn.

Ann. Mycol. (Berlin)

Cook, W. R. I.

The life-history of Sorodiscus radicicolus sp. nov. Ann. Mycol. 29: 313-323. illus.,pl. i-ii. 1931. no.5/6.

Gäumann, E.

Ueber die biologie des Uromyces rumicis. I- Ann. Mycol. 29: 399-405. 1931. no.5/6.

Petrak, F.

Mykologische notizen. XI. Ann. Mycol. 29: 339-397. 1931. no.5/6.

Sartory, A., Sartory, R., Meyer, J. & Charles.

Un nouveau Mycoderma pathogène: Mycoderma nobile n.sp. Ann. Mycol. 29:325-338. illus. 1931. no.5/6.

Savulescu, T.

Ein neues Entyloma, Entyloma leontices Savul. Ann. Mycol. 29: 398. 1931. no.5/6.

Ann. N.Y. Acad. Sci.

Johansen, D. A.

Studies on the morphology of the Onagraceae. V. Zauschneria latifolia, typical of a genus characterized by irregular embryology. Ann. N.Y. Acad. Sci. 33: 1-26. illus. My.15, 1931.

Ann. Univ. Stellenbosch. (Capetown)
Byl, P. A. van der
'n lys van korsmosse (lichenes) versamel 'n die Unie van Suid-Afrika en in Rhodesië gedurende die tydperk 1917-1929. Ann. Univ. Stellenbosch v.9A, no.3. 17 p. N.1931.

Ann. Rep. Dept. Agr. Kenya.
McDonald, J.
Annual report of the senior mycologist for 1930. Ann. Rep. Dept. Agr. Kenya 1930: 206-216. 1931.

Ann. Rep. Oregon State Hort. Soc.
Barss, H. P.
Brown rot in Oregon. Ann. Rep. Oregon State Hort. Soc. 22(1930): 45-56. illus. [1931]

Miller, P. W.
Bacterial blight of filberts. Ann. Rep. Oregon State Hort. Soc. 22(1930): 118-123. [1931]

Miller, P. W.
A report of progress on studies of the life history and control of walnut blight in Oregon. Ann. Rep. Oregon State Hort. Soc. 22(1930): 142-156. [1931]

Schuster, C. E.
Pollination problems of the Franquette walnut. Ann. Rep. Oregon State Hort. Soc. 22(1930): 139-142. [1931]

Ann. Rep. Pom. & Fruit Grow. Soc. Quebec.
Brown, F. S.
Fire blight in Abbotsford plots. Ann. Rep. Pom. & Fruit Grow. Soc. Quebec 37(1930): 133-134. [1931]
Experiments with fertilizers.

Dye, H. W.
New summer sprays. Ann. Rep. Pom. & Fruit Grow. Soc. Quebec 37 (1930): 18-23. [1931]

Godbout, F. L.
Spray service report of 1930. Ann. Rep. Pom. & Fruit Grow. Soc. Quebec 37(1930): 51-61. [1931]
Mainly concerned with apple.

Ann. Rep. Pom. & Fruit Grow. Soc. Quebec. (cont.)

Gussow, H. T.

Fire blight in Quebec 1930. Ann. Rep. Pom. & Fruit Grow. Soc. Quebec 37(1930): 131-132. [1931]

Arch. Protistenk. (Jena)

Böhm, A.

Zur verbreitung einiger peridineen. Arch. Protistenk. 75: 498-501. illus. 1931. no.3.

New species in Parahistoneis & Histioneis.

Cederkreutz, C.

Zwei neue heterokontenarten. Arch. Protistenk. 75; 517-522. illus. 1931. no.3.

Characiopsis borziana, Chlorallanthus spinosus.

Chaudhuri, H.

On a Myzocitium parasitic on Spirogyra affinis. Arch. Protistenk. 75: 472-475. illus. 1931. no.3.

Lohwag, H.

Mykologische studien. VI. Spongipellis litschaueri (= Polyporus schulzeri Fr. sensu Bresadola). Arch. Protistenk. 75: 297-314. illus.,pl.18-19. 1931. no.3.

Mainx, F.

Gametencopulation und zygotenkeimung bei Hydrodictyon reticulatum. Arch. Protistenk. 75: 502-516. pl.20. 1931. no.3.

Ber. Deut. Bot. Ges.(Berlin)

Dammann, H.

Aus dem nachlass von Hans Kniep: Experimentelle erzeugung von rieseneiern bei Fucus und deren entwicklung nach befruchtung. Ber. Deut. Bot. Ges. 49: 392-402. illus. N.26, 1931. no.8.

Donat, A.

Ueber pflanzenverbreitung und vereisung in Patagonien. Ber. Deut. Bot. Ges. 49: 403-413. illus. N.26, 1931. no.8.

Ber. Deut. Bot. Ges.(cont.)

Kugler, H.

Blütenökologische untersuchungen mit hummeln. II. Zur blumenstetigkeit der hummeln. Ber.Deut. Bot. Ges. 49: 424-432. illus. N.26, 1931. no.8.

Lindner, P.

[Der gärungsmikrobe im agavensaft] Ber. Deut. Bot. Ges. 49: 388-391. N.26, 1931. no.8.

Metzner, P.

Ueber ein registrierendes potometer und ein einfaches registrierventil. Ber. Deut. Bot. Ges. 49: 433-440. illus. N.26, 1931. no.8.

Schweizer, G.

Zur anatomie des mohnsamens. (Papaver somniferum L.) Ber. Deut. Bot. Ges. 49: 414-423. illus. N.26, 1931. no.8.

Biol. Bull. (Woods Hole, Mass.)

Jahn, T. L.

Studies on the physiology of the euglenoid flagellates. III. The effect of hydrogen ion concentration on the growth of Euglena gracilis Klebs. Biol. Bull. 61: 387-399. D.1931. no.3.

Taylor, G.W. & Harvey, E.N.

The theory of mitogenetic radiation. Biol. Bull. 61: 280-293. D.1931. no.3.

Boll. R. Staz. Patol. Veg. Roma. (Firenze)

Cocchi, F.

Un marciume dei limoni dovuto a Pleospora herbarum (Pers.) Rabenh. Boll. R. Staz. Patol. Veg. Roma n.s. 11: 179-213. illus., col. pl.iii. 1931. no.3.

Curzi, M.

Malattie del pesco caratterizzate da filliscosi ("phony disease" e "malattia del pennacchio"). Boll. R. Staz. Patol. Veg. Roma n.s.,11: 221-243. illus., pl.iv-v. 1931. no.3.

Petri, L.

La coltivazione del castagno giapponese in Italia. Boll. R.Staz. Patol. Veg. Roma n.s., 11: 275-284. illus. 1931. no.3.

Boll. R. Staz. Patol. Veg. Roma. (cont.)
Petri, L.
Il metodo d'isolamento della "Phytophthora cambivora". Boll. R. Staz. Patol. Veg. Roma n.s.,11: 214-221. illus. 1931. no.3.

Peti, L.
Provvedimenti necessari per far fronte alla moria degli olmi. Boll. R. Staz. Patol. Veg. Roma n.s.,11: 284-289. 1931. no.3.

Rabinovitz Sereni, D.
Ricerche sulla fisiologia dell'Helminthosporium gibberosporum Curzi. Boll. R. Staz. Patol. Veg. Roma n.s.,11: 244-274. illus. 1931. no.3.

Bot. Jaarb. (Cent)
Mol, W. E. de
Cytologische onderzoekingen met betrekking tot de vraag naar den oorsprong der Z.G. "tulpendieven". Bot. Jaarb. 22(1930): 40-53. illus. 1931.

Vandevelde, A. J. J.
Aan Prof. Dr. Kamiel de Bruyne. Bot. Jaarb. 22(1930): 7-39. port. 1931.

Vandevelde, A. J. J.
Repertorium der kruidboeken tot 1800 verschenen Bot. Jaarb. 22(1930): 54-95. 1931.

Van Oye, P.
De plantenaardrijkskunde in Belgie. Bot. Jaarb. 22(1930): 99-104. ports. 1931.

Bǔlgarsko Zeml. Druzh. Nauchni Trud. (Bulgar. Agr. Soc. Sci. Publ.)
Dodov, D. N. & Kovachevsky, J.
Predvaritelni prouchvanii͡a vurkhu chalgǔna po oriza v Bǔlgarii͡a (Preliminary study of the blast disease of rice in Bulgaria). Bǔlgarsko Zeml. Druzh. Nauchni Trud. (Bulgar. Agr. Soc. Sci. Publ.) no.25. 58 p. 5 pl. 1930.
Bulgarian with English summary.

Bull. Agence Gén. Colon. France. (Paris)
Heim de Balsac, F. & others.
Les cachous et l'interêt actuel de leur production. (cont.) Bull. Agence Gén. Colon. France 24: 1583-1591. D.1931. no.273.

Bull. Gard. Club Amer.

Fairchild, D.

Spring morning in a south Florida garden. Bull. Gard. Club Amer. 4(18): 13-23. illus. N. 1931. no.18.

Phelps, C. L.

South Carolina's fragrant shrubs. Bull. Gard. Club Amer. 4(18): 9-12. N.1931. no.18.

Preston, F. C.

One of the heroes of horticulture. Bull. Gard. Club Amer. 4(18): 2-8. N.1931. no.18.

Dr. Henry Perrine.

Wilder, L. K.

Hibiscus of Hawaii. Bull. Gard. Club Amer. 4(19): 28-33. Ja. 1932. no.19.

Wister, J. C.

More daffodil comparisons. Bull. Gard. Club Amer. 4(19): 48-56. Ja.1932. no.19.

Bull. Jard. Bot. Buitenzorg.

Danser, B. H.

Contributions à l'étude de la flore des Indes Néerlandaises. XIX.The Loranthaceae of the Netherlands Indies. Bull. Jard. Bot. Buitenzorg III, 11: 233-519. illus. N.1931. no.3/4.

Bull. Min. Agr. Egypt Techn. & Sci. Serv.

Fahmy, T.

The genetics of resistance to the wilt disease of cotton and its importance in selection. Bull. Min. Agr. Egypt Tech. & Sci. Serv. 95. 30 p. 25 pl. 1931.

Bull. Soc. Bot. France. (Paris)

Isller, E.

Les associations silvatiques haut-rhinoises. Classification sociologique des forêts du département du Haut-Rhin à l'exclusion du Sundgau et du Jura alsacien. Bull. Soc. Bot. France 73: 62-141. fold.map. 1931. Extra no.

Bull. Soc. Bot. France. (cont.)
Walter, E.
Modifications survenues dans la flore d'Alsace et de Lorraine depuis 1870. Bull. Soc. Bot. France 73: 5-61. 1931. Extra no.

Bull. Soc. Hist. Nat. Afr. Nord.(Alger)
Maire, R.
Contributions à l'étude de la flore de l'Afrique du Nord. XVIII. Bull. Soc. Hist. Nat. Afr. Nord. 22: 275-330. illus. N.1931. no.8.

Bull. Soc. Path. Exot. (Paris)
Franchini, G.
Encore au sujet des spirochètes des euphorbes. Bull. Soc. Path. Exot. 24: 809-811. illus. N.12, 1931. no.9.
Spirochaete roubaudi, n.sp.

Franchini, G.
Etude sur un flagellé spécial du latex d'un figuier de l'Erythrée (Ficus hochstetteri (Mg.) A. Rich.) Bull. Soc. Path. Exot. 24: 843-848. illus. N.12, 1931. no.9.

[Bull.] Welsh Plant Breed. Stat.
Beddows, A. R.
Seed setting and flowering in various grasses. [Bull.] Welsh Plant Breed. Stat. Ser. H, no.12. p. 5-99. 1931.

Jenkin, T. J.
Fertility in plants of the genus Phleum. [Bull.] Welsh Plant Breed. Stat. Ser.H, no.12. p.148-159. pl.ii. 1931.

Jenkin, T. J.
The inter-fertility of Lolium perenne and L. perenne var. multiflorum. [Bull.] Welsh Plant Breed. Stat. Ser.H, no.12. p.121-135. 1931.

Jenkin, T. J.
Self-fertility in Festuca rubra. [Bull.] Welsh Plant Breed. Stat. Ser.H, no.12. p.160. 1931.

[Bull.] Welsh Plant Breed. Stat. (cont.)

Jenkin, T. J.
Self-fertility in Italian rye-grass (Lolium perenne var. multiflorum). [Bull.] Welsh Plant Breed. Stat. Ser.H, no.12. p.120. 1931.

Jenkin, T. J.
Self-fertility in perrennial rye-grass.(Lolium perenne L.) [Bull.] Welsh Plant Breed. Stat. Ser.H, no.12. p.100-119. 1931.

Jenkin, T. J.
Swollen stem internodes and other characters in Arrhenatherum Beauv. [Bull.] Welsh Plant Breed. Stat. Ser.H, no.12. p.126-147. pl.i. 1931.

Silow, R. A.
A preliminary report on pollen-tube growth in red clover (Trifolium pratense L.). [Bull.] Welsh Plant Breed. Stat. Ser.H, no.12. p.228-233. illus. 1931.

Stapledon, R. G.
Self- and cross-fertility and vigour in cocksfoot grass (Dactylis glomerata L.) [Bull.] Welsh Plant Breed. Stat. Ser.H, no.12. p.161-180. 1931.

Williams, R. D.
Fertility of various herbage legumes. [Bull.] Welsh Plant Breed. Stat. Ser.H, no.12. p.221-227. 1931.

Williams, R. D.
Self- and cross-sterility in red clover. [Bull.] Welsh Plant Breed. Stat. Ser.H, no.12. p.181-208. 1931.

Williams, R. D.
Self- and cross-sterility in white clover. [Bull.] Welsh Plant Breed. Stat. Ser.H, no.12. p.209-216. 1931.

Williams, R. D.
Self-fertility in lucerne. [Bull.] Welsh Plant Breed. Stat. Ser.H, no.12. p.217-220. 1931.

Canad. Field Nat. (Ottawa)

Lewis, H. F.

An annotated list of vascular plants collected on the north shore of the Gulf of St. Lawrence, 1927-1930. (cont.) Canad. Field Nat. 46: 12-18. Ja. 1932. no.1.

Canad. Journ. Res. (Ottawa)

Kirk, L.E. & Stevenson, T. M.

Spontaneous self-fertilization in relation to seed production in sweet clover (Melilotus). Canad. Journ. Res. 5: 660-664. pl.i. D.1931. no.6.

Manske, R. H. F.

The alkaloids of Senecio species. I. The necines and necic acids from S. retrorsus and S. jacobaea. Canad. Journ. Res. 5: 651-659. D.1931. no.6.

Retrorsine, a new alkaloid; retronecine a new base.

Compt. Rend. Acad. Sci. Paris.

Bigeard, E.

Les Pediastrum de France. Compt. Rend. Acad. Sci. Paris 193: 1446-1449. D.28, 1931. no.26.

Choux, P.

Stapeliopsis madagascariensis n.sp. céropégióc cactiforme de Madagascar. Compt. Rend. Acad. Sci. Paris 193: 1444-1446. D.28, 1931. no.26.

Colin, H. & Quillet, M.

Composition de la gelée d'Auricularia mesenterica. Compt. Rend. Acad. Sci. Paris 193: 1455-1457. D.28, 1931. no.26.

Damiens, A. & Blaignan, Mlle. S.

Sur le brome normal (règne végétale): graines comestibles, blé, pain. Compt. Rend. Acad. Sci. Paris 193: 1460-1462. D.28, 1931. no.26.

George, L.

Les rapports des Gnetales avec les dicotylédones et les gymnospermes. Compt. Rend. Acad. Sci. Paris 193: 1451-1453. D.28, 1931. no.26.

Lami, R.

Sur la répartition géographique de quelques algues marines dans la region nord des côtes du Portugal. Compt. Rend. Acad. Sci. Paris 193: 1442-1444. D.28, 1931. no.26.

Compt. Rend. Acad. Sci. Paris. (cont.)

Lesage, P.

Contributions à l'étude de l'échange de graines d'une même plante entre deux stations différentes. Compt. Rend. Acad. Sci. Paris 193: 1449-1451. D.28, 1931. no.26.

Miège, E.

Sur la valeur taxonomique de caractères foliaires des céréales. Compt. Rend. Acad. Sci. Paris 193: 1453-1455. D.28, 1931. no.26.

Compt. Rend. Soc. Biol. Paris.

Marinesco, N.

Force électromotrice de filtration produite par les courants de sève. Fonctionnement de plantes en detecteur. Compt. Rend. Soc. Biol. Paris 108: 682-684. illus. N.20, 1931. no.33.

Contr. Inst. Agr. Oka (La Trappe, P.Q.)

Baribeau, B.

Les maladies et ennemis de la pomme de terre. Contr. Inst. Agr. Oka 24. 52 p. illus. Jl.1931.

Country Life (London)

Taylor, G. C.

The flowering brooms. A distinguished race of hardy shrubs. Country Life 70: 720-721. illus. D. 26, 1931. no.1823.

Cuba Estac. Exp. Agron. Circ. (Habana)

Bruner, S.C. & Arango, O.

La enfermedad "verruga" de las habas de Lima. Cuba Estac. Exp. Agron.Circ. 74. 38 p. 5 pl. (1 col.) 1931.

Elsinoe.

Deutsche Forst.-Zeit. (Neudamm)

Herrmann, E.

Das ulmensterben. Deutschr Forst.-Zeit. 46: 1151-1154. D.11, 1931. no.50.

Difesa Piante Torino.

Bongini, V.

Osservazioni sulla Cuscuta americana nel 1930-31. Difesa Piante Torino 8(5): 3-5. O.1931. no.5.

Difesa Piante Torino (cont.)

Bongini, V.

Sur una vaiolatura del trifoglio e dell'erba medica. Difesa Piante Torino 8(4): 1-3. Ag. 1931. no.4.

Voglino, P.

Infezione di Claviceps purpurea sul Brachypodium silvaticum. Difesa Piante Torino 8(5): 102. O.1931.

Voglino, P.

Le macchie brune degli astri della Cina (Phyllosticta asteris Bresadola). Difesa Piante Torino 8(6): 1-3. D.1931.

Flora (Jena)

Carl, H.

Morphologische studien an Chiastocaulon Carl, einer neuen lebermoosgattung. (Aufgestellt auf Ch. dendroides Carl -- Plagiochila dendroides Nees.) Flora 126(n.s.26): 45-60. illus. D.17, 1931. no.1.

Kaule, A.

Die cephalodien der flechten. Flora 126(n.s. 26): 1-44. illus. D.17, 1931. no.1.

Liebig, H.

Ueber die funktion der ligula von Isoëtes lacustre L. Flora 126(n.s.26): 111-114. illus. D.17, 1931. no.1.

Pringsheim, E. G.

Lageveränderungen an blättern nach symmetriestörungen. Flora 126(n.s.26): 61-110. illus. D.17,1931. no.1.

Florida Grow. (Tampa)

Phony peach disease in Florida. Ten counties placed under federal quarantine. Florida Grow. 40(1): 11. Ja.1932. no.1.

Flor. Exch. (N.Y.)

Post, K.

Darkening chrysanthemums brings early blooms. Flor. Exch. 79(2): 11-22. illus. Ja.9,1932. no.2.

Flor. Rev. (Chicago)

Effect of gas on roses. Flor. Rev. 69(1780): 24. Ja.7, 1931. no.1780.

Experimental work carried on at Boyce Thompson Institute by P.W. Zimmerman, A.E. Hitchcok & Wm. Crocker.

For. Bull. For. Res. Inst. India.

Parker, R.N.

The herbarium of the Forest research institute For. Bull. For. Res. Inst. India no.73. 10 p. port. 1931.

Forstw. Centralbl. (Berlin)

Stefanoff, B.

Studien über den zustand und die schwankungen des wassergehaltes in den blättern und zweigen einiger holzpflanzen. (cont.) Forstw. Centralbl. 53: 827-835. D.1931. no.23.

Gard. Chron. (London)

Friend, H.

Horticulture in relation to commerce. XXI. At last - the fruits. Gard. Chron. III, 90: 474-475. illus. D.26, 1931. no.2348.

Grove, A.

Lilium formosanum. Gard. Chron. III, 90: 475-476. D.26, 1931. no.2348.

Wormald, H. & Hamond, J. B.

The distribution of bacterial blight of walnuts. Gard. Chron. III, 90: 476-477. illus. D.26, 1931. no.2348.

Gartenfl. (Berlin)

Liebsch, G.

Kulturwerte und seltene buntblattgewächse. III. Schönegezeichnete Cryptanthus-arten. Gartenfl. 80: 392. illus. D.1931.

Gartenw. (Berlin)

Pape, H.

Zur kräuselkrankheit der poinsettie. Gartenw. 35: 716. D.25, 1931. no.52.

Gladiolus Rev. (Goshen, Ind.)

Huff, R.

Species - or wild gladiolus. Gladiolus Rev. 9: 12-18. illus. Ja.1932. no.1.

Heil & Gewurz-Pflanzen. (Munich)

Hecht, W.

Bioklimatische versuche zur erforschung der ursachen der gehaltsschwankungen bei arzneipflanzen Heil & Gewürz-Pflanzen 14: 15-50. N.25, 1931. No.1/2.

Hoppe-Seyl. Zeitschr. Phys. Chem. (Berlin)

Euler, H.v., Gard, U. & Rislund, G.

Katalase- und zuckerbestimmungen in chlorophylldefekten pflanzen. Hoppe-Seyl. Zeitschr. Phys. Chem. 203: 165-177. D.8, 1931. no.3/4.

Waldschmidt-Leitz, E. & Purr, A.

Ueber amylokinase, einen natürlichen aktivator des stärkeabbaus in keimender gerste (II. mitteilung über enzymatische amylolyse in der von M. Samec und E.Waldschmidt-Leitz begonnenen untersuchungsreihe). Hoppe-Seyl. Zeitschr. Phys. Chem. 203: 117-131. D.8, 1931. no.3/4.

Indian Journ. Agr. Sci. (Calcutta)

Ayyangar, G.N.R. & Krishna Rao, P.

The inheritance of characters in ragi, Eleusine coracana (Gaertn.) I. Purple pigmentation. Indian Journ. Agr. Sci. 1: 434-444. col.pl. xxxviii-xli. A Ag.1931. no.4.

Ayyangar, G. N. R. & Panduranga Rao, V.

Studies in sorghum. I. Anthesis and pollination. Indian Journ. Agr. Sci. 1: 445-454. pl. xlii. Ag. 1931. no.4.

Dixit, P. D.

A cytological study of Capsicum annuum. Indian Journ. Agr. Sci. 1: 419-433. pl. xxxiii-xxxvii. Ag. 1931. no.4.

Khanna, K. L.

Some observations on bamboos. Indian Journ. Agr. Sci. 1: 473-479. pl. xlix-liii. Ag.1931. no.4.

Indian Journ. Agr. Sci. (cont.)

Ram, K.

Studies in Indian tobaccos. 6. The improvement of Indian cigarette tobacco by hybridization. Indian Journ. Agr. Sci. 1: 455-472. pl. xliii-xlviii. Ag. 1931. no.4.

Jahrb. Wiss. Bot. (Leipzig)

Pascher, A.

Ueber gruppenbildung und "geschlechtswechsel" bei den gameten einer chlamydomonadine (Chlamydomonas paupera). Jahrb. Wiss. Bot. 75: 551-580. illus. 1931. no.4.

Studien und beobachtungen über die geschlechtliche fortpflanzung und den generationswechsel der grünalgen. I.

Schumacher, W.

Ueber eiweissumsetzungen in blütenblättern. Jahrb. Wiss. Bot. 75: 581-608. 1931. no.4.

Simon, S. V.

Weitere untersuchungen zur keimungsphysiologie der winterknospen von Hydrocharis I. Ueber abstumpfungserscheinungen infolge einer zum austreiben nicht hinreichenden belichtung. Jahrb. Wiss. Bot. 75: 622-641. 1931.

Umrath, K.

Erregunssubstanz und wuchsform bei Mimosa pudica. Jahrb. Wiss. Bot. 75:609-621. 1931. no.4.

Journ. Agr. Prat. (Paris)

Brethenoux,

Le rhizoctone de la pomme de terre. Journ. Agr. Prat. n.s., 56(2): 369-370. illus. N.7, 1931. no.45.

Journ. Amer. Chem. Soc.

Schultz, A. S. & Landis, Q.

Vegetable amylases. Study of diastase action in the absence of maltose. Journ. Amer. Chem. Soc. 54: 211-220. Ja.1932. no.1.

Journ. Amer. Pharm. Assoc. (Easton, Pa.)

Goodrich, F. J. & Metzger, L.

The development and examination of a citrus fruit. Journ. Amer. Pharm. Assoc. 20: 1308-1309. D.1931. no.12.

Harris, L. & Gallagher, M. C.

The seed of Euphorbia marginata Pursh. Journ. Amer. Pharm. Assoc. 20: 1281-1286. D. 1931 no.12.

Harwood, A. A.

A survey of the inorganic constituents of the several parts of Monarda fistulosa. Journ. Amer. Pharm. Assoc. 20: 1268-1272. D.1931. no.12.

Phytochemical notes no.107.

Journ. Biol. Chem. (Baltimore)

Sando, C. E.

The plant coloring matter, robinin. Journ. Biol. Chem. 94: 675-680. Ja.1932. no.3.

Journ. Bd. Greenkeep. Res. (Bingley, Yorks)

Sampson, K.

The occurrence of snow mould on golf greens in Britain. Journ. Bd. Greenkeep. Res. 2: 116-118. N. 1931. no.5.

Journ. Coll. Agr. Imp. Univ. Tokyo.

Hagiwara, T.

The genetics of flower colours in Pharbitis nil. Journ. Coll. Agr. Imp. Univ. Tokyo 11: 241-262. pl.xvi, [illegible] N.20, 1931. no.3.

Miyake, K.

On the conjugation of the gametes and the development of the zoospores in Ulvaceae. Journ. Coll. Agr. Imp. Univ. Tokyo 11: 341-357. pl.xxi-xxiv. N.20, 1931. no.3.

Journ. Dept. Agr. Ireland. (Dublin)

Lafferty, H. A.

The loss of vitality in stored farm seeds. Journ. Dept. Agr. Ireland 30: 237-245. 1931. no.2.

Journ. East Africa & Uganda Nat. Hist. Soc.

Beckley, V. A.

Some symptoms of plant nutrient deficiencies in the coffee tree. Journ. East Africa & Uganda Nat. Hist. Soc. 38/39 (My./Ag.1930): 10-12. O. 1931.

Journ. For. (Washington, D.C.)

Holch, A. E.

Forest vegetation in southeastern Nebraska. Journ. For. 30: 72-74. Ja.1932. no.1.

Journ. Helminth. (London)

Triffitt, M. J.

On the occurrence of Heterodera radicicola associated with Heterodera schachtii as a field parasite in Britain. Journ. Helminth. 9: 205-208. N.1931. no.4.

On parsnip and carrot.

Journ. Phys. Chem. (Ithaca, N.Y.)

Bancroft, W. D. & Rutzler, J.E.jr.

Irritability and anesthesia in plants. Journ. Phys. Chem. 36: 273-285. Ja.1932. no.1.

Journ. Pomol. & Hort. Sci. (London)

Hatton, R. G.

The influence of vegetatively raised rootstocks upon the apple, with special reference to the parts played by the stem and root portions in affecting the scion. Journ. Pomol. & Hort. Sci. 9: 265-277. pl. i-ii. D.1931. no.4.

Tetley, U.

The morphology and cytology of the apple fruit, with special reference to the Bramley's seedling variety. Journ. Pomol. & Hort. Sci. 9: 278-297. illus., diagr.. D. 1931. no.4.

Tomkins, R.G. & Trout, S. A.

The use of ammonia and ammonium salts for the prevention of green mould in citrus. Journ. Pomol. & Hort. Sci. 9: 257-264. D.1931. no.4.

Wormald, H.

Bacterial disease of stone fruit trees in Britain. III. The symptoms of bacterial canker in plum trees. Journ. Pomol. & Hort. Sci. 9:239-256. 4 pl. on 2. D.1931. no.4.

Kranke Pflanze. (Dresden)
Philipp, W
Tau und parasitärer pilzbefall. Kranke Pflanze 8: 163-165. N./D. 1931.

Landbouw. Tijdschr. Vereen. Landb. Nederl.-Indië. (Buitenzorg)
Zeilinga, A. E.
Wortelvernieuwing bij gomzieke citrus-boomen. Landbouw. Tijdschr. Vereen. Landb. Nederl.-Indië. 7: 372-384. N.1931. no.5.
English summary: p.383-384.

Landw. Jahrb. (Berlin)
Köhler, E.
Der kartoffelkrebs und sein erreger (Synchytrium endobioticum [Schilb.], Perc.) Landw. Jarhb. 74: 729-806. illus.,2 pl. 1931. no.5.

Landw. Jahrb. Bayern. (München)
Ziegler, A. & Morio,
Die rebenzüchtung in Bayern 1927-1930. Landw. Jahrb. Bayern 21: 417-488. illus., 5 pl. on 3. 1931. no.10/11.

Leafl. For. Dept. Trinidad & Tobago.
Marshall, R. C.
Forest trees of Trinidad and Tobago, with special reference to their timbers. Leafl. For. Dept. Trinidad & Tobago. no.4. 43 p. tab. 1931.
Arranged under common names.

Meld. Norges Landbruks. (Oslo)
Lunden, A. P.
Forsøk med nye immune potetsorter på forsøksgården Vollebekk i Ås. Sammendrag for årene 1928-30. (Trials with some new immune potato varieties at the Vollebekk experimenstation, Aas, Norway. Report for the years 1928-30). Meld. Norges Landbruks. 11: 193-200. 1931. no.4/5.

Lunden, A. P.
Morfologiske sortskarakterer hos potet. Bidrag til beskrivelse av 27 nyere immune potetsorter. (Morphological characters of the potato. Contribution to the description of 27 immune varieties). Meld. Norges Landbruks. 11: 201-218. 1931. no.4/5.

Missouri Bot. Gard. Bull.

Plants of the Bible. Missouri Bot. Gard. Bull. 19: 149-159. pl.35-37. D.1931. no.10.

Mitt. Deut. Dendrol. Ges.

Bernhard,

Die kiefern Kleinasiens. Mitt. Deut. Dendrol. Ges. 43: 29-50. illus. (map), pl.10-14. 1931.

Gáyer, J.

Die alpensträucher in ihrer beziehung zur klimatischen waldgrenze. Mitt. Deut. Dendrol. Ges. 43: 317-323. 1931.

Eine pflanzengeographischen studie.

Höfker, H.

Zur gattung Larix. Mitt. Deut. Dendrol. Ges. 43: 13-20. 1931.

Hüber, B.

Untersuchungen über das knospentreiben der buche und einiger anderer gehölze. Mitt. Deut. Dendrol. Ges. 43: 51-61. illus., pl.15-16. 1931.

Kanngiesser, F.

Die abarten und formen der Fagus silvatica. Mitt. Deut. Dendrol. Ges. 43: 16-17. 1931.

Kanngiesser, F.

Dendrologische toxicologie. V. Mitt. Deut. Dendrol. Ges. 43: 327-333. 1931.

Kühn, K.

Egbert Wolf. Mitt. Deut. Dendrol. Ges. 43: xxi-xxii. port. 1931.

Küster, E.

Beiträge zur kenntnis der panaschierten gehölze 31-32. Mitt. Deut. Dendrol. Ges. 43: 343-348. illus. 1931.

31. Ueber grüne rückschläge an panaschierten gewächsen. 32. Gallen der Schizoneura lanuginosa auf bunten ulmen.

Lamken, A.

Die blütezeiten einiger rhododendron-sorten. Mitt. Deut. Dendrol. Ges. 43: 84-90. 1931.

Mitt. Deut. Dendrol. Ges. (cont.)

Laubert, R.
Eigenartige krankheitserscheinungen an Syringa vulgaris. Mitt. Deut. Dendrol. Ges. 43: 413-414. pl.48. 1931.
Stereum purpureum.

Luyken, O.
Was ist Cotoneaster praecox? Mitt. Deut. Dendrol. Ges. 43: 217-222. 1931.

Markgraf, F.
Die panzerkiefer. Mitt. Deut. Dendrol. Ges. 43: 250-255. illus. (map), pl.26. 1931.
Pinus heldreichii.

Marzell, H.
Die deutschen bäume in der volkskunde. 8. Der wacholder, Juniperus communis. Mitt. Deut. Dendrol. Ges. 43: 270-280. 1931.

Pilger, R.
Die gattung Juniperus L. Mitt. Dend. Dendrol. Ges. 43: 255-269. illus., pl. 28-32. 1931.

Rössl, H.
Notizen aus der pflanzenwelt Peru's Mitt. Deutn. Dendrol. Ges. 43: 155-159. 1931.

Seeliger, R.
Die rebe als ziergehölz. Mitt. Deut. Dendrol. Ges. 43: 231-249. 1931.

Stapp, C.
Derzeitiger stand der erforschung des "ulmensterbens". Mitt. Deut. Dendrol. Ges. 43: 334-342. 1931.

Suringar, J. V.
Nomenklaturalia. Mitt. Deut. Dendrol. Ges. 43: 199-217. illus.,pl.23-24. 1931.

Unger, A.
Hydrangea macrophylla rosea. Mitt. Deut. Dendrol. Ges. 43: 1. col. pl. 1931.

Mitt. Deut. Dendrol. Ges. (cont.)

Uphof, J. C. Th.
Die amerikanischen Nyssa-arten. Mitt. Deut. Dendrol. Ges. 43: 2-16. illus. pl.1-4. 1931.

Vill, G.
Der tulpenbaum und sein holz. Mitt. Deut. Dendrol. Ges. 43: 159-160. pl.17-18. 1931.

Wein, K.
Die erste einführung nordamerikanischer gehölze in Europa II. Mitt.Deut. Dendrol. Ges. 43: 95-154. 1931.

Wulff, E.
Die birke in der Krim. Mitt. Deut. Dendrol. Ges. 43: 370-372. 1931.

Wulff, E.
Zur systematik der taurischen buche. Mitt. Deut. Dendrol. Ges. 43: 373-377. illus. 1931.

Mitt. Ver. Naturw. & Math. Ulm. a D.

Müller, K.
Beiträge zur kenntnis der habichtskräuter Württembergs. Mitt. Ver. Naturw. & Math. Ulm. a. D. 20: 7-36. illus. (map) 1931.
Hieracium.

Möller's Deut. Gärtn.-Zeit. (Erfurt)

Hellmann, A.
Knospen-verkümmerungen und absterben von chrysanthemum-blüten. Möller's Deut. Gärtn.-Zeit. 46: 382-383. N.11, 1931. no.32.
Not Botrytis cinerea.

Monatsschr. Deut. Kakteen-Ges. (Berlin)

Bödeker, F.
Eine neue, eigenartige Echinopsis. Monatsschr. Deut. Kakteen-Ges. 3: 272-273. illus. D.1931. no.12.
E. pugionacantha.

Roeder, W. von
Neue methoden zur bekämpfung bakterieller und pilzlicher schädigungen. III. Bodenreaktion. Monatsschr. Deut. Kakteen-Ges. 3: 280-283. D. 1931. no.12.

Monatsschr. Deut. Kakteen-Ges. (cont.)
Socnik, H.
Künstliche bestrahlung von sukkulenten. Monatsschr. Deut. Kakteen-Ges. 3: 284-287. D.1931. no.12.

Mus. & Art Notes. Vancouver.
Wailes, G. H.
Protozoa and algae, Mount Ferguson, B. C. II. Mus. & Arts Notes. Vancouver 6: 71-75. pl.ii. Je. 1931. no.2.

Mycologia (Lancaster, Pa.)
Abbott, E. V.
A powdery mildew on cotton from Peru. Mycologia 24: 4-6. illus. Ja./F.1932. no.1.
Erysiphe malachrae.

Dodge, B. O.
Crossing hermaphroditic races of Neurospora. Mycologia 24: 7-13. illus. Ja./F.1932. no.1.

Jackson, H. S.
The rusts of South America based on the Holway collections. VI. Mycologia 24: 62-186. Ja./F. 1932. no.1.

Seaver, F. J.
Photographs and descriptions of cup-fungi-XVI. Stamnaria. Mycologia 24: 1-3. pl. i. Ja./F.1932. no.1.

Sideris, C. P.
Taxonomic studies in the family Pythiaceae. II. Pythium. Mycologia 24: 14-61. illus. Ja./F. 1932. no.1.

Nature (London)
Chippindale, H. G.
Latency of seedlings in some grasses. Nature 128: 1075-1076. D.26, 1931. no.3243.

Clarke, S. H.
The tertiary wall of wood fibres. Nature 128: 1078. D.26, 1931. no.3243.

Nature (cont.)

Dr. J.P. Lotsy. Nature 129: 14-15. Ja.2, 1932.

Notice of death.

Naturforsch. (Berlin)

Böhme, H.

Periodische auftauchende schwimmende pflanzeninseln. Naturforsch. 8: 297-299. D.1931. no.9.

Buxbaum, F.

Das grundgesetz der biochemie im pflanzenreich. Naturforsch. 8: 301-303. D.1931. no.9.

Notes R. Bot. Gard. Edinb.

Cowan, J. M.

A new Gordonia from Yunnan. Notes R. Bot. Gard. Edinb. 16: 184. 0.1931. no.79.

G. chrysandra.

Cowan, J. M.

A new Sarcosperma from Upper Burma. Notes R. Bot. Gard. Edinb. 16: 222. 0.1931. no.79.

S.kachinense.

Hutchinson, J.

New species of Asiatic lepidote rhododendrons. Notes R. Bot.Gard.Edinb. 16: 170-183. 0.1931. no.79.

Smith, W. W.

Additions to the genus Primula. Notes R. Bot. Gard. Edinb. 16: 223-231. 0.1931. no.79.

Smith, W. W.

The contribution of China to European gardens. Notes R. Bot. Gard. Edinb. 16: 215-221. 0.1931. no.79.

Tagg, H. F.

Further new species and varieties of Asiatic rhododendrons. Notes R. Bot. Gard. Edinb. 16: 185-211. pl.ccxxxi. 0.1931. no. 79.

Tagg, H. F.

A new rhododendron of the Glaucum series. Notes R. Bot. Gard. Edinb. 16: 211-214. 0.1931. no.79.

R.micromeres.

Obst- u. Gemüseb. (Berlin)

Rothe, G.

Fusicladiumschäden an aepfeln im winterlager und ihre verhütung. Obst- u. Gemuseb. 77: 200. D.15, 1931. no.12.

Oesterr. Zeitschr. Kartoffelb. (Wien)

Neumann, H.

Ein versuchsfeld zur bekämpfung des kartoffelkrebses. Oesterr. Zeitschr. Kartoffelb. 1931: 115-116.

Neumann, H.

Versuch über die wirkung von kupferkalkbrühe in verschiedener konzentration gegen die kraufsäule (Phytophthora infestans) der kartoffel. Oesterr. Zeitschr. Kartoffelb. 1931: 133-137.

Pflanzenbau. (Berlin)

Rathlef, H. von.

Ueber die urheimat von mais, kartoffeln und einigen weiteren kulturpflanzen. Pflanzenbau 8: 149-154. D.1931. no.6.

Schander, R., Profft, E. & Münchberg, P.

Beiträge zur atmung der kartoffelknolle. II.Einfluss der temperatur auf die atmungstätigkeit von kartoffelknollen. Pflanzenbau 8: 121-124. N. 1931. no.5.

Schubart, E.

Beobachtungen an luzernewurzeln verschiedener herkünfte. Pflanzenbau 8: 137-141. illus. D.1931. no.6.

Pharm. Zentralh. (Dresden)

Hagelstein, F.

Ergebnisse der histologischen untersuchung von 24 arten der gattung Aristolochia (meist ausländischer herkunft). Pharm. Zentralh. 72: 721-727. illus. N.12, 1931. no. 46.

Philipp. Agr. (Los Banos)

Alzina, F. I.

On the palms which are called Cocos and their great usefulness. Philipp. Agr. 20: 435-446. D. 1931. no.7.

Planta Arch. Wiss. Bot. (Berlin)

Gradmann, H.
Zur theorie der tropismen. Planta Arch. Wiss. Bot. 15: 407-413. N.23, 1931. no.1/2.

Harig, A.
Untersuchungen über die experimentelle beeinflussbarkeit von wachstumsvorgängen bei vegetativer fortpflanzung und regeneration. Planta Arch. Wiss. Bot. 15: 43-104. illus. N.23, 1931. no.1/2.

Helm, J.
Untersuchungen über die differenzierung der sprossscheitelmeristeme von dikotylen unter besonderer berücksichtigung des procambiums. Planta Arch. Wiss. Bot. 15: 105-191. illus. N.23, 1931. no.1/2.

Holdheide, W.
Ueber plasmoptyse bei Hydrodictyon utriculatum. Planta Arch. Wiss. Bot. 15: 244-298. illus. N.23, 1931. no.1/2.

Rassner, E.
Primitive und abgeleitete merkmale im blütenbau einiger ranunculaceen. Planta Arch. Wiss. Bot. 15: 192-243. illus., pl.xi. N.23, 1931. no.1/2.

Rumberg, J.
Entwicklungsgeschichte der prothallien von Equisetum silvaticum L. und Equisetum palustre L. Planta Arch. Wiss. Bot. 15:1-42. illus., pl.i-x. N.23, 1931. no.1/2.

Ruhland, W.
Sergej Pawlowitsch Kostytschew. Planta Arch. Wiss. Bot. 15: i-ii. N.23, 1931. no.1/2.

Smirnov, E. & Zhelochovtsev, A. N.
Das gesetz der altersveränderungen der blattform bei Tropaeolum majus L. unter verschiedenen beleuchtungsbedingungen. (Ein beitrag zur feldtheorie) Planta Arch. Wiss. Bot. 15: 299-354. illus. N.23, 1931. no.1/2.

Planta Arch. Wiss. Bot.(cont.)
Troll, W.
Ueber diplophyllie und verwandte erscheinungen in der blattbildung. Planta Arch. Wiss. Bot. 15: 355-406. illus. N.23, 1931. no.1/2.

Prakt. Ratg. Obst.- u. Gartenb. (Frankfurt a.d.O.)
Pauck, P.
Ergebnis eines versuches zur bekämpfung des fusikladiumbefalles. Prakt. Ratg. Obst.- u. Gartenb. 46: 603-604. illus. D.20, 1931. no.51.

Prilozh. Trudy Prikl. Bot. Gen. i Selek. (Suppl. Bull. Appl. Bot., Gen. & Plant-breed.) (Leningrad)
Avdulov, N. P.
Kario-sistematicheskoe issledovanie semeǐstva zlakof (Karyo-systematische untersuchung der familie gramineen.) Leningrad, 1931.(Prilozh. Trudy Prikl. Bot., Gen. i Selek. (Suppl.Bull.Appl. Bot., Gen. & Plant-breed.) no.44)
Russian with English summary.

Muratova, V. S.
Boby (common beans) (Vicia faba L.) Leningrad, 1931.(Prilozh. Trudy Prikl. Bot., Gen. i Selek. (Suppl. Bull. Appl. Bot., Gen. & Plant-breed.) no.50)
A botanical-agronomical monograph.
Russian with English summary.

Proc. Nat. Acad. Sci.
Mangelsdorf, P. C.
Modification of Mendelian ratios in maize by mechanical separation of gametes. Proc. Nat. Acad. Sci. 17: 698-700. D.1931. no.12.

Rhoades, M. M.
Linkage values in an interchange complex in Zea. Proc. Nat. Acad.Sci. 17: 694-698. D.1931. no.12.

Protoplasma. (Leipzig)
Weber, F.
Plasmolyse-resistenz und -permeabilität bei narkose. Protoplasma 14: 179-191. illus. N. 1931. no.2.

Rec.Auckland Inst. & Mus.

Cranwell, L. M. & Moore, L. B.

The vegetation of Maungopohatu. Rec. Auckland Inst. & Mus. 1: 71-80. N.20, 1931. no.2.

Repert. Spec. Nov. Beih. (Dahlem bei Berlin)

Eig, A.

Les éléments et les groupes phytogéographiques auxiliares dans la flore palestinienne. Repert. Spec. Nov. Beih. v.63. 201 p. illus., 1 pl. O.15, 1931.

Schulz, K.

Die flechtenvegetation der mark Brandenburg. Repert. Spec. Nov. Beih. v.67. 192 p. 23 pl. n.15, 1931.

Rep. Agr. Dept. Dominica.

Briton-Jones, H. R.

Work connected with insect pests and fungus diseases. Rep. Agr. Dept. Dominica 1929/30-30/31: 4-5. 1931.

Rev. Agr. Afrique Nord.

Chrestian, J.

L'anthracnose de la feve (Ascochyta fabae Spegg.) et son traitement. Rev. Agr. Afrique Nord 29: 102-108. illus. F.13, 1931 (Rec'd Ja.1932) no.602.

Delassus, M.

La maladie du fil de la tomate. Rev. Agr. Afrique Nord 29: 409-413. illus. Je.26, 1931. (Rec'd Ja.1932) no.621.

Bacterium solanacearum.

Laumont, P.

Les mauvais herbes et leurs graines en Algerie. Rev. Agr. Afrique Nord 29: 262-270. illus. Ap.24, 1931(Rec'd Ja.1932) no.612.

Perrone, P.

La néfle du Japon. Rev. Agr. Afrique Nord 29: 372-376. Je.12, 1931(Rec'd Ja.1932) no.619.

Eriobotrya japonica.

Rev. de Tabacos Madrid.

Alcaraz, E. & Beneyto Sanchis, R.
Algo mas sobre la fusariosis del tabaco. Rev. de Tabacos Madrid 1931(6): 9-11. illus. S. 1931.

Alcaraz, E. & Beneyto Sanchis, R.
Una fusariosis en el tabaco. Rev. de Tabaco Madrid 1931(5): 16-18. illus. Ag.1931.

Benitez, J. & Alcaraz, E.
Notas practicas. Rev. de Tabacos Madrid 1931(4): 20-21. Jl. 1931.
Podredumbre de la raiz. Condiciones favorables para el desarrollo del Thielavia. Medios de prevenir y combatir la podredumbre.

Benitez, J. & Beneyto Sanchis, R.
Wildfire. Rev. de Tabacos Madrid 1931(7/8): 15-17. illus. O./N. 1931.

Garcia Romero, A.
Las floras del tabaco. Rev. de Tabacos Madrid 1931(4): 12-15. illus. Jl. 1931.

Rev. Gén. Bot. (Paris)

Echevin, R.
L'azote, le phosphore et le soufre chez les plantes ligneuses à feuilles caduques. Rev. Gén. Bot. 43: 517-602. N.1931. no.515.

Rev. Gén. Hort. & Cult. Fruit. (Paris)

Blin, H.
La maladie de la barbe de capucin. Traitement préventif et curatif. Rev. Gén. Hort. & Cult. Fruit 9: 1668-1669. D.1931. no.103.

Rev. Zool. et Bot. Afr.

Duchesne, Fl.
Étude sur le bois de deux Milletia (légumineuses) du Congo Belge. Rev. Zool. et Bot. Afr. 21: 113-122. illus. D.15, 1931. no.2.
M. laurentii, M. versicolor.

Rev. Zool. et Bot. Afr. (cont.)

Exell, A. W.

Three new species of Combretum from the Belgian Congo. Rev. Zool. et Bot. Afr. 21: 89-91. D.15, 1931. no.2.

C. Wittei, C. luluense, C. lebrunii.

Staner, P.

L'arbre à vernis. Rev. Zool. et Bot. Afr. 21: 145-147. D.15, 1931. no.2.

Daniellia oliveri.

Vanderijst, R. P. H.

Nomenclature des divers groupements agrostologiques du Congo. Rev. Zool. et Bot. Afr. 21: 171-192. D.15, 1931. no.2.

Rhodesia Agr. Journ. (Salisbury)

Hopkins, J. C. F.

Seasonal notes on tobacco diseases. 2.Mosaic. Rhodesia Agr. Journ. 28: 1095-1100. D.1931. no.12.

Timson, S. D.

Witch weed. Progress report and a warning. Rhodesia Agr. Journ. 28: 1101-1111. D.1931. no.12.

Rhodora. (Boston)

Anderson, W. A.

A neglected variety of Helianthus atrorubens L. Rhodora 34: 1-4. illus. Ja.1932. no.397.

Benke, H. C.

Some field notes: a new variety and some forms of plants from the middle west; also two forms from Massachusetts. Rhodora 34: 4-12. Ja.1932. no.397.

Silphium integrifolium mesochorum var.nov.

Fassett, N. C.

Potentilla tridentata, f. aurora in the White Mountains. Rhodora 34: 12-13. Ja.1932. no.397.

Griscom, L. & Eaton, R. J.

The variations of Aster foliaceus in New England. Rhodora 34: 13-16. Ja. 1932. no.397.

McFarlin, J. B.

Two new evergreen hollies from central Florida. Rhodora 34: 16-18. Ja. 1932. no.397.

Ilex pygmaea n.sp.; I. arenicola f. sebringensis f.nov.

Rhodora (cont.)

Wadmond, S. C.

Notes from southeastern Wisconsin. Rhodora 34: 18-19. Ja. 1932. no.397.

Liparis lilifolia viridiflora, Verbena stricta, albiflora, Helianthus grosseserratus pleniflorus, n.ff.

Sbornik Československ. Akad. Zeměd. (Praha)

Pavlov, K.

Výsledky pokusů o počtu, velikosti průduchů a ssaci sile (osmotické hodnotě) jako pomůckách k zjištěni fysiologických vlastnosti zušlechtěných sort pšenice a ovsa se zvláštnim zřetelem ku resistenci vůči suchu (Ergebnisse der untersuchungen über die zahl, grösse der spaltöffnungen und saugkraft (osmotischer wert) als hilfsmittel zur ermittlung der physiologischen eigenschaften der gezüchteten weizen- und hafersorten mit besonderer berücksichtigung ihrer resistenz gegen trockenheit.) Sbornik Československ. Akad. Zeměd. 6: 565-614. tab. 1931. no.4.

German summary: p.611-614.

Polanský, B.

Badan (Bergenia crassifolia Fritsch.) a jeho význam pro lesni hospodářstvi. (Badan (Bergenia crassifolia Fritsch.) und ihre bedeutung fur die forstwirtschaft). Sbornik Československ. Akad. Zeměd. 6: 537-564. illus., ii col. pl. 1931. no.4.

German summary: p.562-564.

Science (Lancaster, Pa.)

Hastings, E. G.

Twisting in lower forms of plants. Science 75: 16-17. Ja.1, 1932. no.1931.

King, C. J., Hope, C. & Eaton, E. D.

The cotton root rot fungus indigenous in Arizona deserts. Science 75: 48-49. Ja.8, 1932. no.1932.

Vanterpool, T. C.

Cultural and inoculation methods with Tilletia species. Science 75: 22-23. Ja.1, 1932. no.1931.

Science News Letter.

Corn plant afflicted with hereditary diabetes. Science News Letter 21: 8. Ja.2, 1932. no.560.

Report made by Prof. W.H. Eyster of Bucknell University before a meeting of the American society of plant physiologists at New Orleans.

Sweet potato reveals old contacts with America. Science News Letter 21: 24. Ja.9, 1932. no.561.

Dr. B. B. Dixon states sweet potato found its way from South American to Polynesia in pre-Columbian times.

Scott. For. Journ.

Leven, J. K.

Waxy bloom on the Eruopean larch (L. europaea). Scott. For. Journ. 45: 223-224. O.1931. no.2.

Sinensia Contr. Metrop. Mus. Nat. Hist. Nanking.

Ching, R. C.

The studies of Chinese ferns. VI. Genus Vittaria of China and Sikkime-Himalaya. Sinensia Contr. Metrop. Mus. Nat. Hist. Nanking 1: 175-199. illus. Je. 1931. no.12.

Handel-Mazzetti, H.

Plantae novae chingianae. I- Sinensia Contr. Metrop. Mus. Nat. Hist. Nanking 2: 1-7. illus. Jl.1931. no.1.

So. Afr. Fruit Grow. (Cape Town)

Blatt, R. J.

The latest development in avocado growing. (cont.) So. Afr. Fruit Grow. 18: 233-237. illus. N./D. 1931. no.11/12.

So. African Gard. (Johannesburg)

Bolus, L.

Plants new or noteworthy (cont.) South African Gard. 21: 367, 369. illus. D.1931. no.12.

Gladiolus fredericii, G. ceresianus, Homeria herrei, Ixia angusta, I. framesii.

Stain Techn.

Johansen, D. A.

A new method of differentiating gentian violet when used as a somatic chromosome stain. Stain Techn. 7: 17-20. Ja. 1932. no.1.

Stain Techn. (cont.)

Margolena, L. A.

Feulgen's reaction and some of its applications for botanical material. Stain Techn. 7: 9-16. illus. Ja. 1932. no.1.

Studies Plant Phys. Lab. Charles Univ. Prague.

Němec, B.

Jaraia salicis. Studies Plant Phys. Lab. Charles Univ. Prague v.4, [art.1], 21 p. illus. 1931. no.1.

English summary.

Němec, B.

Orobanche hederae auf isolierten efeublättern. Studies Plant Phys. Lab. Charles Univ. Prague v.4, [art.2] 20 p. illus. 1931. no.1.

English summary.

Sugar News. (Manila)

Agati, J.A. & Tan, J. P.

Controlling the Aeginitia indica in cane fields. Sugar News 12: 852-854. D. 1931. no.12.

Tidsskr. Planteavl. (København)

Denmark. Statens plantepatologiske forsøg.

Plantesygdomme i Danmark 1930. Tidsskr. Planteavl. 37: 458-508. illus. 1931. no.3.

English summary.

Torreya.

Dearborn, R. B.

A case of sprout formation from adventitious buds on the roots of cabbage. Torreya 31: 176. illus. N./D. 1931. no.6.

Moldenke, H. N.

A trip to the White Mountains of New England. Torreya 31: 161-168. N./D. 1931. no.6.

Schwarz, W.

A shell-hole flora as a result of the world war. Torreya 31: 174-175. N./D. 1931. no.6.

Torrey, R. H.

The relation of the flora of the New Jersey Pine Barrens to the geological history of the region. Torreya 31: 169-173. N./D. 1931. no.6.

Trans. Bot. Soc. Edinb.

Alcock, N.L. & Foister, C. E.

List of fungous diseases received by the Pathological department of the Department of agriculture for Scotland. Trans. Bot. Soc. Edinb. 30: 338-350. 1931. no.4.

Alcock, N. L.

Notes on common diseases sometimes seed-borne. Trans. Bot. Soc. Edinb. 30: 332-337. 1931. no.4.

Boyd, L.

Evolution in the monocotyledonous seedling: a new interpretation of the morphology of the grass embryo. Trans. Bot. Soc. Edinb. 30: 286-303. illus. 1931. no.4.

Foister, C. E.

The white tip disease of leeks and its causal fungus, Phytophthora porri n.sp. Trans. Bot. Soc. Edinb. 30: 257-281. illus., pl. xviii. 1931. no.4.

Gilliland, H. B.

Anomalous stem structure in Ruscus aculeatus Linn. Trans. Bot. Soc. Edinb. 30: 284-285. illus. 1931. no.4.

Graham, R.J.D.

Studies in vegetative propagation: Acalypha, Dioscorea, and Stenoglottis longifolia. Trans. Bot. Soc. Edinb. 30: 281-283. pl. xix. 1931. no.4.

Moir, M. A.

Notes on salt-marsh plants. I. Glaux maritima Linn. Trans. Bot. Soc. Edinb. 30: 304-312. illus. 1931. no.4.

Park, J.

Notes on salt-marsh plants. III. Triglochin maritimum Linn. Trans. Bot. Soc. Edinb. 30: 320-325. illus. 1931. no.4.

Stewart, D. F.

Notes on salt-marsh plants. II. Plantago maritima Linn. Trans. Bot. Soc. Edinb. 30: 313-319. illus. 1931. no.4.

Trans. Brit. Mycol. Soc. (London)

Ashworth, D.

Puccinia malvacearum in monosporidial culture. Trans. Brit. Mycol. Soc. 16: 177-202. illus., pl. viii-ix. D.18, 1931. no.2/3.

Brett, M. A.

Cyclic saltation in Stemphylium. Trans. Brit. Mycol. Soc. 16: 89-101. illus., pl. iii. D.18, 1931. no.2/3.

Chaudhuri, H.

Note on a Cordyceps from Tibet. Trans. Brit. Mycol. Soc. 16: 203-205. illus. D.18, 1931. no.2/3.

C. sinensis.

Cunningham, G. H.

Standardization of common names of plant diseases. Trans. Brit. Mycol. Soc. 16: 145-148. D.18, 1931. no.2/3.

Ellis, M.

Some experimental studies on Pleospora herbarum (Pers.) Rabenh. Trans. Brit. Mycol. Soc. 16: 102-114. pl.iv. D.18, 1931. no.2/3.

On Euphorbia paralias growing on sand dunes.

Hopkins, J.C.F.

Alternaria gossypina (Thüm.) comb.nov. causing a leaf spot and boll rot of cotton. Trans. Brit. Mycol. Soc. 16: 136-144. illus., pl.iv. D.18, 1931. no.2/3.

Metcalfe, C. R.

The "shab" disease of lavender. Trans. Brit. Mycol. Soc. 16: 149-176. illus., pl.vii. D.18, 1931. no.2/3.

Mitra, M.

Saltation in the genus Helminthosporium. Trans. Brit. Mycol. Soc. 16: 115-127. illus., pl.v. D.18, 1931. no.2/3.

Reichert, I.

Tilletia tritici on Aegilops. Trans. Brit. Mycol. Soc. 16: 133-135. D.18, 1931. no.2/3.

Trans. Brit. Mycol. Soc. (cont.)

Smith, A. L.

Lichens from northern India. Trans. Brit. Mycol. Soc. 16: 128-132. D.18, 1931. no.2/3.

Trans. Sapporo Nat. Hist. Soc.

Fukushi, T.

On the intracellular bodies associated with the dwarf disease of rice plant. Trans. Sapporo Nat. Hist. Soc. 12: 35-41. illus. 1931. no.1.

Imai, S.

On the Clavariaceae of Japan. III. The species of Clavaria found in Hokkaido and southern Saghalien. Trans. Sapporo Nat. Hist. Soc. 12: 9-22. 1931. no.1.

C. avellano-nigrescens, n.sp.

Kamei, S.

A new nspecies of Milesina parasitic on Polypodium vulgare L. Trans. Sapporo Nat. Hist. Soc. 12: 27-34. illus. 1931. no.1.

M. jezoensis.

Tochinai, Y. & Shimada, S.

Further note on narcissus bulb-rot. Trans. Sapporo Nat. Hist. Soc. 12: 23-26. illus. 1931. no.1.

Trichoderma narcissi (Sporotrichum narcissi), Pachybasium bulbicolum n.spp.

Trans. (Tottori Nogaku-Kwaiho) Tottori Soc. Agr. Sci.

Endo, S.

[All] the host plants of Hypochnus centrifugus (Lév.) Tul. ever recorded in Japan. Trans. (Tottori Nogaku-Kwaiho) Tottori Soc. Agr. Sci. 3: 254-270. iv pl. Ap.15, 1931.

Hiratsuka, N.

On the microcyclic species of the Pucciniaceae collected in some mountains in Japan. Trans. (Tottori Nogaku-Kwaiho) Tottori Soc. Agr. Sci. 3: 211-253. pl. Ap.15, 1931.

In Japanese with Latin diagnosis of new species (P. hakkodensis)

Trans. (Tottori Nogaku-Kwaiho) Tottori Soc. Agr. Sci. (cont.)

Matsuura, I.

Experimental studies on the saltation in fungi (Preliminary report). V. On the relation of cultural characteristics and saltation to time. Trans. (Tottori Nogaku-Kwaiho) Tottori Soc. Agr. Sci.) 3: 154-160. pl. Ap.15, 1931.

Japanese with English summary.

Matsuura, I. & Kanada, Y.

Notes on the larger fungi of the San-in district II. Trans. (Tottori Nogaku-Kwaiho) Tottori Soc. Agr. Sci. 3: 107-124. ii pl. Ap.15, 1931.

Matsumoto, H.

Observations on the life history of Gnomonia charana Nishi. et Matsu., parasitic on Ulmus parvifolia Jacq. Trans. (Tottori Nagaku-Kwaiho) Tottori Soc. Agr. Sci. 3: 94-98. Ap.15, 1931.

In Japanese.

Matsumoto, H. & Uemura, Y.

On the relation of soil temperature to the development of watermelon wilt. Trans. (Tottori Nogaku-Kwaiho) Tottori Soc. Agr. Sci. 3: 161-173. Ap.15, 1931.

In Japanese.

Otani, Y.

Vergleichende studien über die Mucor gattung II. Trans. (Tottori Nogaku-Kwaiho) Tottori Soc. Agr. Sci. 3: 174-186. Ap.15, 1931.

Japanese with German summary.

Saito, H.

Studies on a new leaf-spot disease of Petunia violacea Lindl. caused by Cercosporina petuniae n.sp. Trans. (Tottori Nogaku-Kwaiho) Tottori Soc. Agr. Sci. 3: 271-282. pl. Ap.15, 1931.

Japanese with English summary.

Tropenpfl. Beih. (Berlin)

Zimmermann, A.

Der mandelbaum und seine kultur. Tropenpfl. Beih. 28: 1-116. illus. D.1931. no.12.

Diseases: p.31-87.

Trop. Agriculture West Indies (Trinidad)

Wardlaw, C. W.

Banana diseases. 3-4. Trop. Agriculture West Indies 8: 327-331. N.1931; no.12; 9:3-6. 4 pl. on 2. Ja.1932. no.1.

3. Notes on the parasitism of Gloeosporium musarum. 4. Notes on "black-tip" disease in Trinidad, Helminthosporium torulosum (Syd.) comb.nov.Ashby.

Pyke, E. E.

Vegetative propagation. Trop. Agriculture West Indies 9: 22-27. Ja. 1932. no.1.

U.S. Dept. Agr. Circ.

Darrow, G. M. & Waldo, G. F.

The Bellmar, Southland, and Redheart strawberries. U.S. Dept. Agr. Circ. 171. 8 p. illus., 1 col.pl. Jl. 1931.

Wright, R.C. & Whiteman, T. M.

Deterioration of Christmas holly in transit and storage. U.S. Dept. Agr. Circ. 207. 12 p. illus., col.pl. D.1931.

U.S. Dept. Agr. Plant Dis. Rep.

Barrus, M. F., Boyd, O.C. & Wood, J. I.

Diseases of plants in the United States in 1930. U. S. Dept. Agr. Plant Dis. Rep. Suppl. 81. 135 p. maps. D.31, 1931.

U.S. Dept. Agr. Techn. Bull.

Hart, H.

Morphologic and physiologic studies on stem-rust resistance in cereals. U.S. Dept. Agr. Techn. Bull. 266. 75 p. illus. D.1931.

Wiss. Arch. Landw. Abt. A. Pflanzenbau (Berlin)

Philipp, W.

Transpirationsversuche mit betarüben im laboratorium und freiland. Wiss. Arch. Landw. Abt. A. Pflanzenbau 8: 70-120. illus. D.16, 1931. no.1.

Zeitschr. Parasitenk.

Stapp, C. & Bortels, H.

Der pflanzenkrebs und sein erreger, Pseudomonas tumefaciens. II. Mitteilung: Ueber lebenskreislauf von Pseudomonas tumefaciens. Zeitschr. Parasitenk. 4: 101-125. illus. D.4, 1931. no.1.

Zeitschr. Wiss. Mikros. (Leipzig)

Kisser, J.

Neue erfahrungen auf dem gebiete des schneidens harter objekte. Zeitschr. Wiss. Mikros. 48: 320-342. N.1931. no.3.

Schindler, H.

Kritische beiträge zur kenntnis der sogenannten holzreaktionen. Zeitschr. Wiss. Mikros. 48: 289-319. illus. N.1931. no.3.

Zeitschr. Zellforsch. & Mokrosk. Anat. (Berlin)

Kotliarewskaja, M.

Das verhalten des nucleolus bei der karyokinesis der pflanzenzellen. Zeitschr. Zellforsch. & Mikrosk. Anat. 14: 465-480. pl.iv. D.15, 1931. no.3.

Zentralbl. Bakt. Abt.II. (Jena)

Hucker, G.J. & Pederson, C. S.

A study of the physiology and classification of the genus Leuconostoc. Zentralbl. Bakt. Abt.II, 85: 65-114. illus. D.16, 1931. no.4/10.

Verkaik, C.

Ueber die hefegattung Schizotorulopsis Ciferri. Zentralbl. Bakt. Abt.II, 85: 153-155. illus. D.16, 1931. no.4/10.

Der Züchter. (Berlin)

Köhler, E.

Ueber die verschiedenen typen der krebsresistenz und krebsempfänglichkeit bei den kartoffelsorten. Der Züchter 3: 249-252. illus. Jl. 1931. no.7.

Exper. Stat. Publ.

Arkansas, Agricultural experiment station.
Plant pathology. Its Ann. Rep. 43, 1930/31, (Bull.268): 57-64. N.1931.
V.H. Young head of dept.

Pierstorff, A. L.
Studies on the fire-blight organism, Bacillus amylovorus. Cornell Agr. Exp. Stat. Mem. 136. 53 p. pl.i-iii. Jl.1931(Rec'd Ja.14, 1932)

Folsom, D., Owen, F.V. & Smith, H. B.
Comparisons of apparently healthy strains and tuber lines of potatoes. Maine Agr. Exp. Stat. Bull. 358. 104 p. illus., 4 pl. Jl.1931(Rec'd Ja.1932)

Alexander, L.J., Young, H.C. & Kiger, C. M.
The causes and control of damping-off of tomato seedlings. Ohio Agr. Exp. Stat. Bull. 496. 38 p. illus. D.1931.
Pythium ultimum & Rhizoctonia solani, the first causing the greatest amount of damping-off.

Otero, J.I. & Toro, R. A.
Catálogo de los nombres vulgares y científicos de algunas plantas Puertorriqueñas. Porto Rico Estac. Exp. Insul. Bol. 37. 248 p. 1931.

Orton, C. R.
Seed-borne parasites. West Virginia Agr. Exp. Stat. Bull.245. 47 p. D.1931.

New Books.

Fisher, R.
Flowers of grass. How to know the names of the British grasses. London, Wheldon & Wesley, 1931.

Gessner, O.
Die gift- und arzneipflanzen von Mitteleuropa Heidelberg, K. Winters universitätsbuchhandlung, 1931.

Gravely, F. H. & Mayuranathan, P. V.
The Indian species of the genus Caralluma (fam.Asclepiadaceae). Madras, 1931. (Bull. Madras Gov't Mus. Nat. Hist. Sect. v.4, pt.1)

New Books (cont.)

Hell, W. F. v.
Onderzoekingen over ziekten van lelies.
Baarn, Hollandia-drukkerij, 1931.
Proefschr. - Utrecht.

Imperial bureau of agricultural parasitology.
The root-infesting eelworms of the genus
Heterodera. A bibliography and host list.
St. Albans, England, Jl. 1931.

Jávorka, S.
A Magyar flóra képekben (Iconographia florae
Hungaricae) IX. Budapest, 1931.

Leningrad, Akadmeiia nauk - Botanischeskii muzei
Flora Sibiri i dal'nego vostoka (Florae sibiriaea et orientis extremi). pt.6. (Cruciferae.
(concl.) N.Busch.) Leningrad, 1931.

Miyabe, K. & Kudo, Y.
Icones of the essential forest trees of Hokkaido.
fasc. xx-xxviii (v.2-3) Dec.1928-Mr.1931.

Molisch, H.
Botanische versuche ohne apparate. Jena,
G. Fischer, 1931.

North American flora v.18, pt.1. Cyperaceae, Cypereae (pars.) K.K. Mackenzie. N.Y., New York
botanical garden, D.5, 1931.

Pelloe, E. H.
West Australian orchids. Perth, E. H. Pelloe
1930.

Saccardo, P. A.
Sylloge fungorum..., v.25 Supplementum universale pars. X. Myxomycetae, Myxobacteriaceae,
Deuteromycetae, Mycelia sterilia, curante A.
Trotter. Abellini, Je.25, 1931.

Sasaki, S.
A catalogue of the government herbarium.
Taihoku, Formosa, 1930. (Report no.9, Dept.of
forestry, Government research institute, Taihoku,
Formosa)

New Books (cont.)

Schwencke, E. H.
Zytologische untersuchungen einiger verbenaceen. Hamburg, 1931.
Inaug.-diss. Berlin.

Shepherd, E. F. S.
Report on visit to Australia and Java. [n.p. 1931
Mainly on sugar cane diseases, particularly gumming and leaf scald.

Shreve, F.
The cactus and its home. Baltimore, Williams & Wilkins, 1931.

Teschner, C.
Beiträge zur entwicklungsgescichte und anatomie der blüte von Erica und ihrer systematischen bedeutung. Berlin, 1931.
Inaug.-diss. Berlin.

Truchsess, C.
Systematische classification und beschreibung der kirschensorten... hrsg. von Friedrich Timotheus Heim. Stuttgart, 1819.

Ward, F. K.
Plant hunting in the wilds. London, Adelphi, [1931]

Wehrhahn, H. R.
Die gartenstauden, beschreibung der in Mitteleuropa kultivierten und winterharten schmuck- und blütensatauden... 2.v. Berlin, P.Parey, 1931.

Reprints from Journals not yet rec'd or not available.

Humphrey, H. B.
Rapport sur les recherches américaines relatives aux maladies végétales dues aux carences minérales. Reprinted from [Compt.Rend.] 2. Congr. Intern. Path. Comparée Paris, 1931. p.278-295.

Correction.

v.13, no.19, p.33.
Title of journal in 2d entry should read Trop. Agriculture West Indies.

v.13, no.25, p.28.
Seed world, no. should be 12 i.e.30(12)

Lc

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY.
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D.C.

Vol. 14, no. 2. Jan. 18-30, 1932.

Addisonia (N.Y.)

Addisonia v.16, no.4. col.pl.537-544. D.1931.

Billbergia iridifolia - Hymenocallis caymanensis - Dendrobium finbriatum oculatum - Pelargonium zonale clon Happy thought - Acacia podalyriaefolia - Pyrostegia venusta - Paphiopedilum insigne sanderae - Rondeletia odorata.

Agr. Rev. Agropec. (Madrid)

Egaña, H.

Estudios sobre la maduración de la naranja. Agr. Rev. Agropec. (Madrid) 3: 839-843. illus. D.1931. no.36.

Amer. Chamber Comm. Journ. (Manila)

Wester, P. J.

Our passion fruits and passion flowers. Amer. Chamber Comm. Journ. (Manila) 11(2): 7, 16-17, 19-22, 26. illus. F.1931.

Amer. Journ. Bot.

Foster, A. S.

Investigations on the morphology and comparative history of development of foliar organs. II. Cataphyll and foliage leaf form and organization in the black hickory (Carya buckleyi var. arkansasa). Amer. Journ. Bot. 18:864-887. pl.lxi-lxiv. D.1931. no.10.

Johansen, D. A.

Studies on the morphology of the Onagraceae. VI. Anogra pallida. Amer. Journ. Bot. 18: 854-863. illus. D.1931. no.10.

McAllister, F.

The formation of the achromatic figure in Spirogyra setiformis. Amer. Journ. Bot. 18:838-853. pl.lix-lx. D.1931. no.10.

Percival, W. C.

The parasitism of Conopholis americana on Quercus borealis. Amer. Journ. Bot. 18: 817-837. pl. lv-lviii. D.1931. no.10.

Anal. Inst. Cerc. Agron. Romaniei (Bucurest)
Savulescu, T.
Starea fitosanitara in Romania in anul 1929-1930 (L'etat phytosanitaire en Roumanie durant l'année 1929-1930). Anal. Inst. Cerc. Agron. Romaniei. 3: 223-256. illus. Jl.1931.
Rumanian with French transl.

Angew. Bot. (Berlin)
Rasmusson, L.
Studien über den reifungsprozess und die haltbarkeit des schwedischen obstes bei der aufbewahrung in kühlhause. Angew. Bot. 13: 473-525. illus. N./D.1931. no.6.
Apple and pear.

Ann. Rep. Bur. Sugar Exp. Stat. Queensl.
Bell, A. F.
Work of the Div. of pathology... for the year ending 31st October,1931. Ann. Rep. Bur. Sugar Exp. Stat. Queensl. 31: 37-41. 1931.

Atti R. Accad. Naz. Lincei VI, Rend. Cl. Sci. Fis. Mat. e Nat. (Rome)
Curzi, M.
Alcuni casi di "cancrena pedale" da "Sclerotium" osservati in Italia. Atti R. Accad. Naz. Lincei VI, Rend. Cl. Sci. Fis., Mat. e Nat. 14: 233-236. illus. 1931. no.5/6.

Zanoni, G.
Su alcuni fenomeni di correlazione nelle piante. Atti R. Accad. Naz. Lincei VI, Rend. Cl. Sci. Fis. Mat. e Nat. 14: 352-355. N.1, 1931. no.9.

Austral. Journ. Exp. Biol. & Med. Sci. (Adelaide)
Gurney, H. C.
The cytology of rye. Austral. Journ. Exp. Biol. & Med. Sci. 8: 241-254. illus., 2 pl. D.16, 1931. no.4.

Thomas, L. A.
The respiration of carrot tissue in buffer solutions. Austral. Journ. Exp. Biol. & Med. Sci. 8: 225-236. D.16,1931. no.4.

Bartonia (Philadelphia)

Philadelphia botanical club.

An account of the two hundredth anniversary of the founding of the first botanic garden in the American colonies by John Bartram. Bartonia v.12, suppl. 68 p. front. 1931.

John Bartram's life and botanical explorations. R.H.True - The work of William, son of John Bartram. W. Stone - Significance of John Bartram's work to botanical and horticultural knowledge. J.H. Barnhart. - Note on John Bartram's first interest in botany. J.H. Barnhart - Restoration of plants in Bartram's garden by the Fairmount park commission of Philadelphia. S.N. Baxter. - Bartram bibliography. J.H. Barnhart.

Biochem. Journ. (London)

Robertson, I.M. & Smith, A.M.

A study of the hydrogen ion concentratiin of the potato tuber. Biochem. Journ. 25: 763-769. 1931. no. 3.

Biochem. Zeitschr. (Berlin)

Neuberg, C. & Scheuer, M.

Pektin des tabaks. Biochem. Zeitschr. 243: 461-471. D.30, 1931. no.4/6.

Blumen u. Pflanzenb. (Berlin)

Babel,

Wie steht's mit dem ulmensterben? Blumen u. Pflanzenb. 47: 8-9. illus. Ja.1, 1932. no.1.

Bot. Arch. (Leipzig)

Aichele, F.

Keimung von gramineensamen in medien verschiedener wasserstoffionenkonzentration und die damit verbundenen reaktionsveränderungen. Bot. Arch. 33: 406-500. illus. D.1931. no.3/4.

English abstract: p.497-498.

Kruck, M.

Physiologische und cytologische studien über die utriculariablase. Bot. Arch. 33: 257-309. illus. D.1931. no.3/4.

English abstract: p.304-306.

Bot. Arch. (cont.)

Märkert, M.

Ueber die thermonastische blutenbewegung von Tulipa. Bot. Arch. 33: 501-553. illus. D. 1931. no.3/4.

English abstract: p. 551.

Reiter, A.

Der micellarkohäsionsmechanismus des laubmoosperistoms dargestellt an Amblystegium serpens. Bot. Arch. 33: 358-405. illus. D.1931. no.3/4.

Wallert, K.

Beiträge zur symbiose von hyphen und gonidien im lichenenthallus. Bot. Arch. 33: 310-357. illus. D.1931. no.3/4.

English abstract: p.351-353.

Bot. Közlem. (Budapest)

Fóriss, F.

Heves község zuzmói. (Die flechten der gemeinde Heves). Bot. Közlem. 28: 180-189. 1931. no.6.

German translation: p.182-189.

Moesz, G.

Mykológiai közlemények. (Mykologische mitteilungen) VIII. Bot. Közlem. 28: 161-174. illus. 1931. no.6.

German translation: p.170-174.

Soó, R. von

Adatok a Lápos-Radnai Havasok flórájához. (Beiträge zur kenntnis der flora der Lápos-Radnaer Alpen). Bot. Közlem. 28: 174-180. 1931. no.6.

German summary: p.180.

Zólyomi, B.

Adatok a Hanság flórájához. (Beiträge zur flora des "Hanság".) Bot. Közlem. 28: 191-192. 1931. no.6.

Brief German summary: p.192.

Zólyomi, B.

A Kis-Alföld páfrányairól. (Ueber die farne des Kis-Alföld). Bot.Közlem. 28: 189-191. 1931. no.6.

Brief German summary: p.191.

Bot. Not. (Lund, Sweden)
Hässler, A.
Studier över kärlväxtfloran i Mo härad i nordvästra Smaland. (Studien über die gefässpflanzenflora im bezirk Mo in NW-Smaland). Bot. Not. 1931: 397-454. no.6.
German summary: p.446-449.

Bull. Agr. Congo Belge. (Bruxelles)
Lugard, W. J.
Quelques observations morphologiques sur le "cotonnier égyptien" au point de vue "phyllotaxie et disposition des pétales dans la corollé". Bull. Agr. Congo Belge 22: 229-242. illus. Je. 1931. no.2.

Van Moesieke, D.
Monographie agricole du district de la Lulonga (Equateur). Bull. Agr. Congo Belge 22: 208-228. Je. 1931. no.2.
Essences forestières ligneuses (Arranged under vernacular names).

Bull. Counc. Sci. & Ind. Res. Austr. (Melbourne)
Bald, J. G. & Samuel, G.
Investigations on spotted wilt of tomatoes. II. Bull. Counc. Sci. & Ind. Res. Austr. no.54. 24 p. illus. 1931.

Bull. Min. Agr. Egypt. Techn. & Sci. Serv.
Nattrass, R. N.
The occurrence of the white rot of onion, (Sclerotium cepivorum, Berk.) in Egypt. Bull. Min. Agr. Egypt Techn. & Sci. Serv. no.107. 8 p. ix pl. 1931.

Bull. Misc. Inform. Kew. (London)
J.P. Lotsy. Bull. Misc. Inform.Kew. 1931: 504. no.10.

John Briquet. Bull. Misc.Inform.Kew. 1931: 499-501. no.10.

Ridley, H.N.
Additions to the flora of Borneo and other Malay Islands. III. Bull. Misc. Inform.Kew. 1931: 493-499. no.10.

Bull. Misc. Inform.Kew. (cont.)

Sandwith, N.Y.

Contributions to the flora of Tropical America. VIII. New and noteworthy species from British Guiana: Icacinaceae - Gesneriaceae. Bull. Misc. Inform. Kew. 1931: 467-492. no. 10.

Bull. Soc. Bot. France. (Paris)

Allorge, P.

Trois muscinées nouvelles pour les Pyrénées. Bull. Soc. Bot. France 78: 437-438. D.26,1931. no.7/8.

Plagiochila punctata, Diplophyllum ovatum, Sematophyllum demissum.

Broyer, C.

Leucanthemum alpinum (Lamk) var. hispanicum (G. Gauthier). Doutes sur son existence. Bull. Soc. Bot. France 78: 440. D.26, 1931. no.7/8.

Charbonnel, J.B.

Contre l'hybridité du Mentha piperita Huds. Bull. Soc. Bot. France 78: 452-453. D.26, 1931. no.7/8.

Charbonnel, J.B.

Contribution à l'étude des Hieracium. Bull. Soc. Bot. France 78: 543-544. D.26, 1931. no.7/8.

Charbonnel, J. B.

Notes rhodologiques. Bull. Soc. Bot. France 78: 540-542. D.26, 1931. no.7/8.

Chaudhuri, H.

Recherches sur la bactérie des nodosités radiculaires du Casurarina equisetifolia (Fort.) Bull. Soc. Bot. France 78: 447-452. illus. D.26, 1931. no.7/8.

Choisy, M.

Lichens nouveaux. Bull. Soc. Bot. France 78: 453-460. D.26, 1931. no.7/8.

New species and four new genera (Byssophragmia, Dievernia, Dirinella & Mischolecia).

Bull. Soc. Bot. France. (cont.)

Cugnac, A. de.
Une adventice nouvelle ou encore peu connue en France: Salpichroa rhomboidea Miers, à la Baule (Loire-Inférieure). Bull. Soc. Bot. France 78: 504-508. illus. D.26, 1931. no.7/8.

Dusseau, A.
Notes tératologiques. Bull. Soc. Bot. France 78: 425-427. illus. D.26, 1931. no.7/8.
1. Curieuse anomalie chez le souci cultivé (Calendula officinalis L.) II. Proliferation de la feuille de chou (Brassica oleracea L.)

Fournier, P.
x Orchis nummiana P. Fournier (O.helodes x latifolia P. Fournier). Bull. Soc. Bot. France 78: 432-434. D.26, 1931. no.7/8.

Fournier, P.
Le Silene nutans L. à fleurs vertes de la flore parisienne: S. viridella Link. Bull. Soc. Bot. France 78: 501-502. D.26, 1931. no.7/8.

Guétrot, M.
Un herbier probablement inconnu de l'abbé Pourret. Bull. Soc. Bot. France 78: 434-437. D.26, 1931. no.7/8.

Jovet, P.
Le genre Galinsoga à Paris. Bull. Soc. Bot. France 78: 442-447. D.26, 1931. no.7/8.

Killian, C.
Recherches écologiques sur les fluctuations saisonnières de la transpiration chez les végétaux du climat méditerranéean. Bull. Soc. Bot. France 78: 460-501. illus. D.26, 1931. no.7/8.

Nicolas, G.
Notes de phytopathologie. Bull. Soc. Bot. France 78: 420-425. D.26,1931. no.7/8.
1. Remarque sur le Zaghouania phillyreae Pat. 2. Une maladie du tabac dans le Lot-et-Garonne. [Resembles wild fire and Wisconsin rust]

Pellegrin, F.
De quelques plantes d'Afrique occidentale. Bull. Soc. Bot. France 78: 440-442. D.26, 1931. no.7/8.

Bull. Torr. Club.

Dodge, B. O.

Heterothalliam and hypothetical hormones in Neuospora. Bull. Torr. Club. 58: 517-522. illus. D.1931. no.9.

Rusby, H. H.

The genus Cinchona in Bolivia. Bull. Torr. Club.58: 523-530. D.1931. no.9.

Schaffner, J. H.

Propagation of Equisetum from sterile aerial shoots. Bull. Torr. Club 58: 531-535. D.1931. no.9.

Bult. Sci. Fak. Terkult Kjusu Imp. Univ.

Kishi, Y. & Monobe, S.

On the quantitative changes of the chemical constituents of mulberry leaves during twenty-four hours. Bult. Sci. Fak. Terkult. Kjûsu. Imp. Univ. 4: 581-599. D.1931. no.5.

Japanese with English summary.

Nose, T.

Relation between Bact. mori, the cause of the bacterial blight of mulberry, and its associated bacteria. Bult. Sci. Fak. Terkult. Kjûsu Imp. Univ. 4: 499-514. D.1931. no.5.

Japanese with English summary.

Non-pathogenic bacteria antagonistic to B.mori.

Takimoto, S.

Bacterial black spot of cruciferous plants. Bult. Sci. Fak. Terkult. Kjûsu Imp. Univ. 4: 545-559. illus. D.1931. no.5.

Japanese with English summary.

Bacterium maculicola, B. maculicola var. japonicum.

Tamaoki, B.

Untersuchungen über den einfluss des welkens auf die anhäuffung der assimilate in den blättern durch die anwendung der "pulvermethode". Bult. Sci. Fak. Terkult. Kjûsu Imp. Univ. 4: 560-569. D.1931. no.5.

Japanese with German summary.

Bult. Sci. Fak. Terkult. Kjušu Imp. Univ. (cont.)

Yoshii, H.

Studies on Gloeosporium kawakamii Miyabe II-III. Bult. Sci.Fak. Terkult. Kjušu Imp. Univ. 4: 515-523, 524-544. illus. D.1931. no.5.

II. On the morphological and cultural characters of the fungus. III. Some observations on the germination of conidia.

Canada Dept. Agr. Pamph.

Chamberlain, G. C.

Fire blight of pears and apples. Canada Dept. Agr. Pamph. no.138. 10 p. illus. 1931.

Studies in fruit diseases. VI.

Canad. Flor. (Peterboro, Ont.)

Nelson, R.

Control of root-knot in peonies. Canad. Flor. 27: 23, 29. Ja.26,1932. no.2.

Tilford, P. E.

Control of "damping-off" of flower seedlings. Canad. Flor. 27: 1-2. Ja.12,1932. no.1.

Chem. News.

Woodman, R. M.

The eradication of weeds by chemicals. Chem. News 144: 21-27. Ja.8, 1932. no.3743.

Citrus Leaves (Redlands, Cal.)

Smith, R. H.

Observations of the reactions of citrus trees in California to oil sprays I. Citrus Leaves 12 (1): 6-8, 25. Ja.1932.

Comm. Gen. Exp. Stat. A.V.R.O.S.

Algemeene vereeniging van rubberplanters ter Oostkust van Sumatra.

Report of the botanical division 1930/31 Its Commun. Gen. Ser. 50. (Ann. Rep.1930/31): 10-19. 1931.

Compt. Rend. Acad. Agr. France. (Paris)

Montet,

Action du rayonnement de l'uranium sur la végétation. Compt. Rend. Acad. Agr. France 18: 28-30. Ja.6, 1932. no.1.

Compt. Rend. Acad. Sci. Paris.

Bertrand, G. & Berredo Carneiro, P.de.
Existence et répartition de la caféine et de la théobromine dans les organes du guarana. Compt. Rend. Acad. Sci. Paris 194: 26-28. Ja.4, 1932. no.1.
Paullinia cupana.

Blaringhem, L.
Sur la fertilité du lis blanc (Lilium candidum L.) Compt. Rend. Acad. Sci. Paris 194: 23-25. Ja.4, 1932. no.1.

Branas, M.
Sur la caryologie des ampélidées. Compt. Rend. Acad. Sci. Paris 194: 121-123. Ja.4, 1932. no.1.

Chouard, P.
Diversité des caractères génériques des fleurs, des bulbes et des graines chez les Ornithogales. Compt. Rend. Acad. Sci. Paris 194: 197-99. illus. Ja.11, 1932. no.2.

Daniel, L.
Le Pirocydonia claraci L.D. Compt. Rend. Acad. Sci. Paris 194: 30-32. illus. Ja.4,1932. no.1.

Lebard, P.
Influence de l'altitude sur la tubérisation de la pomme de terre. Existence d'un optimum altitudinal. Compt. Rend. Acad. Sci. Paris 194: 199-201. Ja.11, 1932. no.2.

Lemesle, R.
Une particularité structurale chez les diverses espèces de Kadsura Juss. Compt. Rend. Acad. Sci. Paris 194: 194-196. illus. Ja.11, 1932. no.2.

Szymanek, J. & Gavaudan, P.
Observations caryologiques sur quelques Gossypium. Compt. Rend. Acad. Sci, Paris 194: 123-125. Ja.4, 1932. no.1.

Country Gentleman. (Philadelphia)

Cates, J. S.

The plant that stole the show. Country Gentleman 102(2): 3-5, 65. illus. F.1932.

Lespedeza sericea.

Empire Mark. Bd. [Publ.] (London)

Cheesman, E. E.

Banana breeding at the Imperial college of tropical agriculture. Empire Mark. Bd. [Publ.] no.47. 35 p. 8 pl. on 7. D.1931.

Wardlaw, C. W. & McGuire, L. P.

Transport and storage of bananas with special reference to chilling. Empire Mark. Bd. [Publ.] no.45. 37 p. 4 pl. on 3. N. 1931.

Ernähr. Pflanze. (Berlin)

Ostermann, W.

Einfluss von wasser- und nährstoffgehalt des bodens auf das wurzelwachstum verschiedener kartoffelsorten. Ernähr. Pflanze 28: 11-14. illus. Ja.1, 1932. no.1.

Farming South Africa (Pretoria)

Du Toit, R.

Eradication of steekbos and rhenosterbush. Farming South Africa 6: 371-372. illus. D.1931. no.69.

Steekbos (Metalasia muricata), rhenosterbush (Elytropappus rhinocerolis).

Flor. Exch. (N.Y.)

Lexington botanic garden. Flor. Exch. 79(4): 57. Ja.23, 1932.

Formerly connected with Harvard University, is now well established at Lexington, S.F. Hamblin director.

Wells, H. R.

Preventing sweet pea drop. Flor. Exch. 79(3): 9, 28. Ja.16, 1932.

Bud dropping.

Fortschr. Landw. (Vienna)

Bauer, A. B.

Beta hivernalis. Beitrage zu den versuchen des Prof. Németh mit winterbestandigen rüben in Ungarn. Fortschr. Landw. 7: 1-4. Ja.1, 1932. no.1.

Fortschr.Landw. (cont.)

Günther, E.

Ueber die bekämpfung des duwocks und die unschädlichmachung des duwockgiftes equisetin. Fortschr. Landw. 7: 9-11. Ja.1, 1932. no.1.

Equisetum palustre.

Schmidt, E. & Tornow, E.

Nachweis der beizung von getreide mit quecksilber und anderen metallgiften. Fortschr. Landw. 7: 40-42. Ja.15, 1932. no.2.

Gartenbauwiss. (Berlin)

Elssmann, E. & Veh, R.von

Beiträge zur frage nach den befruchtungsverhältnissen der für Deutschland wirtschaftlich wertvollsten kern-, stein- und beerenobstsorten. I. Nachweis der reducktionsteilung im weiblichen archespor von Malus (Bei der sorte "Schöner von Boskoop"). Gartenbauwiss. 6: 1-54. illus. D.15, 1931. no.1.

Hagemann, A.

Untersuchungen an blattstecklingen. Gartenbauwiss. 6: 69-114. illus. D.15, 1931. no.1.

Gartenw. (Berlin)

Saleike, F.

Rückschnitt kein allheilmittel gegen die ulmenkrankheit. Gartenw. 36: 23. Ja.8, 1932. no.2.

Geogr. Rev.

Anthony, H. E., Gleason, G. A. & Platt, R. R.

The Pacaraima-Venezuela expedition. Geogr. Rev. 21: 353-362. illus. (incl. map) Jl.1931.

Botanical aspect of the expedition: p.359-361.

Hadar (Jaffa)

Katzprowsky, S.

The composition of a plant and its bearing to physiological diseases. Hadar 4: 282-284. D. 1931. no.12.

Reichert, I. & Hellinger, E.

Citrus fruit diseases newly recorded in Palestine. Hadar 4: 276-278. illus. D.1931. no.12.

Hadar (cont.)

Reichert, I. & Perlberger, J.
A discussion on little leaf disease of citrus. (A reply to Mr. Katzorovsky). Hadar 4:284-286. D.1931. no.12.

Reichert, I. & Perlberger, J.
Little leaf disease of citrus trees and its causes. Hadar 4: 193-194. illus. S.1931. no.9.

Hawaiian Plant. Rec. (Honolulu)

Davis, L. E.
Manganese as an essential element in the growth of sugar cane. Hawaiian Plant. Rec. 35: 393-400. O.1931. no.4.

Weller, D. M.
Root pressure and root pressure liquids of the sugar cane plant. Hawaiian Plant. Rec. 35: 349-382. illus. O.1931. no.4.

Indische Cult. (Soerbaja)

Lambourne, J.
Voorloopig rapport betreffende cassave-variëteiten, gekweekt op de gouvernements--plantage te Serdang. Indische Cult. 16: 738-744, 762-769, D.1,16,1931. no.23, 24.

Inform. Agr.(Spain) (Madrid)

Collar, F.
Enfermedades de las especies arbóreas frutales. El cirolero. Inform. Agr.(Spain) 21: 369-372. illus. D.30, 1931. no.496.
Exoascus pruni, Gnomonia erythrostoma.

Iowa State Coll. Journ. Sci. (Ames, Ia.)

Porter, R. H.
The reaction of cucumbers to types of mosaic. Iowa State Coll. Journ. Sci. 6: 95-119. pl.i-v. O. 1931. no.1.

Ital. Agr.(Milan)

Bonvicini, M.
La frammentazione dei granelli nel mais. Ital. Agr. 68: 949-956. illus. D.1931. no.12.

Journ. Agr. Res.(Washington, D.C.)

Peltier, G.L. & Tysdal, H. M.

Hardiness studies with 2-year-old alfalfa plants. Journ. Agr. Res. 43: 931-955. illus. D.1, 1931(Rec'd Ja.22,1932) no.11.

Siegler, E.A. & Piper, R. B.

Pathogenesis in the woolly-knot type of crown gall. Journ. Agr. Res. 43: 985-1002. illus. D.1, 1931 (Rec'd Ja.22, 1932) no.11.

Journ. Counc. Sci. Industr. Res. Australia (Melbourne)

Finnemore, H.

The poisoning of stock on the Georgina river. The native fuchsia and gidgea. Journ. Counc. Sci. Industr. Res. Australia 4: 220-224. N.1931. no.4.

Eremophila maculata, Acacia georgina.

Gilruth, J. A. & Murnana, D.

Sarcostemma australe (caustic vine); A plant that is poisonous to stock. Journ. Counc. Sci. Industr. Res. Australia 4:225-231. N.1931. no.4.

Journ. Elisha Mitchell Sci. Soc. (Chapel Hill, N.C.)

Matthews, V. D.

The aquatic vegetation of Quaker Run. Journ. Elisha Mitch. Sci. Soc. 47: 74-84. Ja.1932. no.1.

Quaker Run rises near New York and Penn. state line, flows through Cattaraugus Co. and empties into Allegheny River near Quaker Bridge, N.Y.

Journ. Gen. Physiol. (Baltimore, Md.)

Luyet, B. J.

Variation of the electric resistance of plant tissues for alternating currents of different frequencies during death. Journ. Gen. Physiol. 15: 283-287. Ja.20, 1932. no.3.

Journ. Hered. (Washington)

Cook, R. C.

Three more plant patents. Journ. Hered. 22: 369-372. illus. D.1931. no.12.

Darrow, G. M.

A productive thornless sport of the Evergreen blackberry. Journ. Hered. 22: 405-406. illus. D.1931. no.12.

Journ. Hered. (cont.)

Sinnott, E. W.

The independence of genetic factors governing size and shape in the fruit of Cucurbita pepo. Journ. Hered. 22: 381-387. illus. D.1931. No.12.

Journ. Min. Agr. North Ireland (Belfast)

Mercer, S. P.

Creeping thistles. Journ. Min. Agr. North Ireland 3: 143-151. pl. 1931.

Muskett, A. E. & Turner, E.

The control of American gooseberry mildew in northern Ireland pt.II. Journ. Min. Agr. North. Ireland. 3: 83-96. pl. 1931.

Muskett, A. E.

The control of diseases and weeds in a forest nursery. Journ. Min. Agr. North. Ireland 3: 102-115. 1931.

Muskett, A. E. & Cairns, H.

The control of ordinary or late blight of the potato in northwest Ireland. Journ. Min. Agr. North. Ireland 3: 117-123. pl. 1931.

Journ. N. Y. Bot. Gard.

Stout, A. B.

The Bijou daylily, of a new small-flowered race. Journ. N.Y. Bot. Gard. 33: 1-4. illus. Ja. 1932. no.385.

Journ. Washington Acad. Sci.

Pittier, H. F.

Studies in Solanaceae I. The species of Cestrum collected in Venezuela up to 1930. Journ. Washington Acad. Sci. 22: 25-37. Ja.19, 1932. no.2.

Landscape Arch. (Brookline, Mass.)

Caparn. H. A.

Popular botany and botanic gardens. Landscape Arch. 22: 81-88. Ja.1932. no.2.

K. Landtbr. Akad. o Tidskr. (Stockholm)

Lundegårdh, H.

Studier över stråsädens näringsupptagande samt dettas betydelse för tillväxten och för uppkomsten av ickeparasitära sjukdomar (Studies in the nutrient absorption of cereals and the cause of non-parasitic diseases.) K. Landtbr. Akad. o Tidskr. 70: 1021-1153. illus. 1931. no.7.

English summary: p.1149-1153.

Lingnan Sci. Journ. (Canton, China)

Groff, G. W.

Fluviales of Kwangtung, China. Lingnan Sci. Journ. 10: 425-440. N.30, 1931. no.4.

Groff, G. W.

Pandanales of Kwangtung, China. Lingnan Sci. Journ. 10: 419-424. N.30, 1931. no.4.

Metcalf, F. P.

Botanical notes on Fukien and southeast China I-V. Lingnan Sci. Journ. 10: 413-417, 481-490. illus., pl.58-59. N.30,1931. no.4.

Walker, E. H.

Embelia scandens (Lour.) Mez and its eastern Asiatic allies. Lingnan Sci. Journ. 10: 475-480. N.30, 1931. no.4.

Madras Agr. Journ.

Balasubramaniam, R.

Parthenogenesis in cotton. Madras Agr. Journ. 19: 509-516. 1 pl. D.1931. no.12.

Matières Grass. (Paris)

Adriaens, L.

Étude chimique des graines de Sterculia tragacantha Lindl. var. cruciata Verm. (Sterculia bequaerti) de Wild. Matières Grass. 24: 9386-9389. illus. Ja.15, 1932. no.385.

Medd. Centralanst. Förksv. Jordbruksomr. Avd. Lantbrukskemi (Stockholm)

Sjöberg, K.

Ämnesbildning och ämnesomsättning hos några kulturväxter. II. Bidrag till kännedomen om klorofyll- och karotinoidbildningen hos högre växter. (The formation of chlorophyll and carotenoids in higher plants). Medd. 404 Centralanst. Förskav. Jordbruksomr. Avd. Lantbrukskemi no.45. 19 p. illus. 1931.

English summary: p.17-18.

Mem. Bot. Surv. So. Africa (Pretoria)

Doidge, E. M. & Bottomley, A. M.

A revised list of plant diseases occurring in South Africa. Mem. Bot. Surv. So. Africa no.11. 78 p. 1931.

Mem. Coll. Agr. Kyoto Imp. Univ.

Katagiri, H. & Masuda, K.

The absorption spectrum of cytochrome. Mem. Coll. Agr. Kyoto Imp. Univ. no.15(Chem. Ser. no.9) 19 p. illus., pl. N.1931.

Mezögazd. Kutat. Budapest.

Villax. O.

Szívóerőmérések magyar növényfajtákon. (Saugkraftmessungen an ungarischen pflanzensorten). Mezögazd. Kutat. Budapest 4: 450-468. illus. D.1931. no.12.

German summary: p.466-467.

Mitt. Deut. Landw. Ges. (Berlin)

Kuhn, I.

Daseinskampf zwischen blattfrucht und unkraut. Mitt. Deut. Landw. Ges. 47: 40-42. Ja.16, 1932. no.3.

Monatsschr. Deut. Kakteen-Ges. (Berlin)

Bödenker, F.

Mammillaria hennisii Böd. spec. nov. Monatsschr. Deut. Kakteen-Ges. 4: 7-8. illus. Ja. 1932. no.1.

Knoche, W.

Zur bedeutung der dornen als wasserkondensatoren. Monatsschr. Deut. Kakteen.-Ges. 4: 12-14. Ja.1932. no.1.

Tischer, A.

Schöne mesembrianthemem und ihre kultur. VIII. Monatsschr. Deut. Kakteen-Ges. 4: 1-6. illus. Ja.1932. no.1.

Conophytum udabibense sp.n.

Werdermann, E.

Das vorkommen von kugelkakteen in Colombia (Kolumbien) Monatsschr. Deut. Kakteen-Ges. 4: 1-6. illus. Ja. 1932. no.1.

Nachrichtenbl. Deut. Pflanzenschutzd. (Berlin)

Bremer, H.

Zur frage der beizung von tomatensaatgut. Nachrichtenbl. Deut. Pflanzenschutzd. 12: 2. Ja. 1932. no.1.

Nachrichtenbl. Deut. Pflanzenschutzd. (cont.)

Kotte, W.

Schäden an kulturpflanzen durch unkrautbekämpfung der reichsbahn. Nachrichtenbl. Deut. Pflanzenschutzd. 12: 2-4. illus. Ja. 1932. no.1.

Nature (London)

Xeromorphic adaptations of plants. Nature 129: 47-48. Ja.9, 1932. no.3245.

Naturforsch. (Berlin)

Netolitzky, F.

Von der herkunft unserer getreidearten. Naturforsch. 8: 329-331. Ja.1932. no.10.

New Flora & Silva. (London)

Bean, W. J.

Deutzias. New Flora & Silva 4: 103-111. col.pl. Ja.1932. no.2.

Hort, A. F.

Some veronicas. New Flora & Silva 4: 80-90. fig. xxx-xxxi. Ja. 1932. no.2.

Jackson, A. B.

Some Chinese conifers (cont.) New Flora & Silva 4: 11-16. fig. iv-vii. O.1931. no.1.

Lemperg, F.

The dwarf perennial gentians of the European Alps. New Flora & Silva 4: 62-72. fig. xxv-xxvi. O. 1931. no.1.

Rothschild, L. de.

Some new rhododendrons of quality. New Flora & Silva 4: 5-10. fig. i-ii. O.1931. no.1.

Rowntree, L.

Flowers of the enchanted isles. New Flora & Silva. 4: 25-33. fig. xix-xiv. O.1931. no.1.

Islands of the Santa Barbara Channel, California.

Saunders, A. P.

Some Asiatic peonies (cont.) New Flora & Silva 4: 56-61. fig. xxiv. O.1931. no.1.

New Flora & Silva. (cont.)

Schneider, C.

The genus Bergenia. New Flora & Silva. 4: 132-137. fig. li-liii. Ja. 1932. no.2.

Wall, A.

Plant-hunting in the New Zealand Alps. New Flora & Silva 4: 112-121. fig. xxxviii-xlv. Ja. 1932. no.2.

New Zeal. Journ. Agr. (Wellington)

Aston, B. C.

Teotoe or New Zealand plume-grass. New Zeal. Journ. Agr. 43: 429-430. D.21, 1931. no.6.

Arundo conspicua.

Brien, R. M.

Dormancy period of the citrus bark-blotch organism. New Zeal. Journ. Agr. 43: 421. D.21, 1931. no.6.

Ascochyta corticola.

Foy, N. R.

Use of filtered ultra-violet light in diagnosis of the various types of rye-grass in New Zealand. New Zeal. Journ. Agr. 43: 389-400. illus. D.21, 1931. no.6.

Reid, W. D.

A bacterial wilt disease of beans. Occurrence in Marlborough and measures for control. New Zeal. Journ. Agr. 43: 408-415. illus. D.21, 1931. no.6.

New Zealand pathogen more closely related to P. medicaginis than to var. phaseolicola.

North West. Nat. (Arbroath, Scotland)

Murray, J.

Cumberland mosses. (cont.) North West. Nat. 6: 231-232. D.1931. no.4.

Northwest Fruit Grower. (Wenatchee)

Overley, F. L. & Overholser, E. L.

Some factors influencing spray injury on apples. Northwest Fruit Grow. 3(12): 6-7, 13. D.1931.

Notizbl. Bot. Gart. Berlin.

Burret, M.
Palmae hoppianae novae vel criticae. Notizbl. Bot. Gart. Berlin 11: 231-236. N.10, 1931. no.104.
Socratea hoppii, Iriartella stenocarpa, Geonoma pleioneura, G. hoppii, n.spp.

Diels, L.
Aufklärung der gattung Leichhardtia F.v.M. Notizbl. Bot. Gart. Berlin 11: 308-310. N.10, 1931. no.104.
Phyllanthus Sect. Leichhardtia (P. choristylus P. merinthopodus, P. caroli, n.spp.)

Harms, H.
Araliaceae americanae novae. Notizbl. Bot. Gart. Berlin 11: 285-294. N.10, 1931. no.104.
New species in Schefflera, Oreopanax, Didymopanax.

Harms, H.
Eine neue Carica aus Peru. Notizbl. Bot. Gart. Berlin 11: 280-281. N.10, 1931. no.104.
C. augusti.

Harms, H.
Ueber die gattung Dioma Engler. Notizbl. Bot. Gart. Berlin 11: 282-284. 1 pl. N.10, 1931. no.104.
D. ulei.

Mattfeld, J.
Saxifragaceae novae sinenses. Notizbl. Bot. Gart. Berlin 11: 301-307. N.10, 1931. no.104.
Astilbe heteropetala, Saxifraga rockii, S. culcitosa, S. peraristulata, S. carnosula, Parnassia scaposa.

Mildbraed, J.
Plantae tessmannianae peruvianae. IX. Notizbl. Bot. Gart. Berlin 11: 295-300. N.10, 1931. no.104.

Pilger, R.
Bemerkungen zu Panicum und verwandten gattungen. Notizbl. Bot. Gart. Berlin 11: 237-247. N.10, 1931. no.104.

Notizbl. Bot. Gart. Berlin (cont.)

Ulbrich, E.
Helichrysum arenarium (L.) DC. var. cinnabarinum Ulbrich n.var. Notizbl. Bot. Gart. Berlin 11: 252-254. N.10, 1931. no.104.

Ulbrich, E.
Helvella pulla Holmsk. (-H. Klotzschiana Corda) aus Schlesien. Notizbl. Bot. Gart. Berlin 11: 248-251. N.10, 1931. no.104.

Ulbrich, E.
Ueber Chrysomyxa ramischiae Lagerh. Notizbl. Bot. Gart. Berlin 11: 254-261. N.10, 1931. no.104.

Werdermann, E.
Neue kakteen im botanischen garten Berlin-Dahlem. Notizbl. Bot. Gart. Berlin 11: 262-279. N.10, 1931. no.104.

Ohio Journ. Sci. (Columbus)

Brand, L. S.
Calcified wood found in upland sand near Cincinnati. Ohio Journ. Sci. 32: 55-62. illus. Ja. 1932. no.1.

Sears, P.B. & Couch, G. C.
Microfossils in an Arkansas peat and their significance. Ohio Journ. Sci. 32: 63-68. Ja. 1932. no.1.

Oklahoma Biol. Surv. Publ.

Taft, C. E.
Desmids of Oklahoma. Oklahoma Biol. Surv. Publ. 3: 274-303. pl. 1-6. 1931. no.3.

Pharm. Journ. (London)

Redgrove, H. S.
The botanical source and constituents of Capsicum. Pharm. Journ. 128(IV,74): 47-48. Ja.16, 1932. no.3559.

Pharm. Zentralh. (Dresden)

Peyer, W.
Fructus cardamomi D.A.-B.6. Pharm. Zentralh. 73: 2-3. illus. Ja.7, 1932. no.1.

Peyer, W. & Hünerbein, H.
Ueber Colutea arborescens. Pharm. Zentralh. 73: 1-2. illus. Ja.7, 1932. no.1.

Philipp. Journ. Sci. (Manila)

Copeland, H. F.

Philippine Ericaceae. III. A taxonomic revision (concl.) Philipp. Journ. Sci. 47: 57-118. pl. 1-8. Ja.1932. no.1.

Skvortzow, B. W.

Marine diatoms from the Kanazawa oyster experimental station of Japan. Philipp. Journ. Sci. 47: 119-150. pl.1-2. Ja.1932. no.1.

Phil. Trans. Roy. Soc. London.

Snow, M. & Snow, R.

Experiments on phyllotaxis. I. The effect of isolating a primordium [Lupinus albus]. Phil. Trans. Roy. Soc. London 221: 1-43. illus. 1931. no.B474.

Phytopath. Zeitschr. (Berlin)

Dufrenoy, J. & Frémont, M.Th.

Influence de la température sur les réactions du mais à l'infection fusarienne. Phytopath. Zeitschr. 4: 37-41. illus. 1931. no.1.

Gassner, G. & Straib, W.

Zur frage der konstanz des infektionstypus von Puccinia triticina Erikss. Phytopath. Zeitschr. 4: 57-64. col.pl. 1. 1931. no.1.

Klebahn, H.

Fortsetzung der experimentellen untersuchungen über alloiophyllie und viruskrankheiten. Phytopath. Zeitschr. 4: 1-36. illus. 1931. no.1.

Köhler, E.

Zur biologie und cytologie von Synchytrium endobioticum (Schilb.) Perc. Phytopath. Zeitschr. 4: 43-55. illus. 1931. no.1.

Peuser, H.

Fortgesetzte untersuchungen über das vorkommen biologischer rassen von Colletotrichum lindemut. (Sacc. et Mgn.) Bri. et Cav. Phytopath. Zeitschr. 4: 83-112. illus. 1931. no.1.

Phytopath. Zeitschr. (cont.)

Peuser, H.

Untersuchungen über das vorkommen biologischer rassen von Fusarium nivale Ces. Phytopath. Zeitschr. 4: 113-128. illus. 1931. no.1.

Stahel, G.

Zur kenntnis der siebröhrenkrankheit (phloëmnekrose) des kaffeebaumes in Surinam. I. Mikroskopische untersuchungen und infektionsversuche. Phytopath. Zeitschr. 4: 65-82. illus. 1931. no.1.

Phytomonas leptovasorum, n.sp.

Planta Arch. Wiss. Bot. (Berlin)

Coster, C.

Die geschwindigkeit des transpirationsstromes. Planta Arch. Wiss. Bot. 15: 540-566. D.19,1931. no.3.

Ernst, A.

Untersuchungen an tropischen caulerpen. (Vorläufige mitteilung). Planta Arch. Wiss. Bot. 15: 459-494. pl.xii. D.19, 1931. no.3.

Heitz, E.

Nukleolen und chromosomen in der gattung Vicia. Planta Arch. Wiss. Bot. 15: 495-505. illus. D.19, 1931. no.3.

Pohl, F.

Anatomische und ökologische untersuchungen am blütenstande von Philodendron selloum Schott, mit besonderer berücksichtigung der harzkanäle und der beschaffenheit der pollenkittstoffe. Planta Arch. Wiss. Bot. 15: 506-539. illus. D.19, 1931. no.3.

Pringsheim, E. G. & others.

Untersuchungen über samenquellung. 2. Mitteilung. Die atmung quellender samen. Planta Arch. Wiss. Bot. 15: 419-458. illus. D.19, 1931. no.3.

Wetzel, K. & Ruhland, W.

Zur frage der äpfelsäurebildung in crassulaceen. Planta Arch. Wiss. Bot. 15: 567-~~544~~. D.19,1931.
no.3. 57

Proc. Linn. Soc. N.S.W. (Sydney)
Cunningham, G. H.
The Gasteromycetes of Australasia. X-XI. The Phallales,pt.1-2. Proc. Linn. Soc.N.S.W. 56: 1-15, 182-200. 1931. no. 2(234)-3(235).

Jensen, H. L.
Contributions to our knowledge of the Actinomycetales. I. A case of hereditary variation in the genus Actinomyces. Proc. Linn. Soc.N.S.W. 56: 79-98. illus.,pl. iii. 1931. no.2(234).

Jensen, H. L.
A note on the systematic position of Mycobacterium coeliacum. Proc. Linn. Soc. N.S.W. 56: 201-203. illus. 1931. no.3(235)

Rupp, H.M.R.
Further notes on the orchids of the South Maitland coalfields, with description of a new Dendrobium from Bullahdelah. Proc. Linn. Soc. N.S.W. 56: 133-138. illus. 1931. no.2(234).
Dendrobium kestevenii.

Proc. Roy. Soc. Ser B. (London)
Astbury,W.T., Marwick, T. C. & Bernal, J.D.
X-ray analysis of the structure of the wall of Valonia ventricosa -I. Proc. Roy. Soc. Ser. B. 109: 443-450. pl.39. Ja.2, 1932. no.764.

Martinus Willem Beijerinck -- 1851-1931. Proc. Roy. Soc. Ser. B. 109: i-iii. port. Ja.2, 1932. no.764.

Quart. Jour. Micros. Sci. (London)
Couch, J. N.
The biological relationship between Septobasidium retiforme (B. & C.) Pat. and Aspidiotus osborni New. and Ckll. Quart. Journ. Micros. Sci. 74: 383-437. illus., pl.15-19. Ap. 1931. no.3.

Repert. Spec. Nov. Fedde (Berlin)
Bornmüller, J.
Zwei unbeschriebene Thesium-arten der flora Anatoliens. Repert. Spec. Nov. Fedde 29(Repert. Europ. & Med. 3,26/28): 301-302. N.30,1931. no.11/20.
T. cilicicum, (nomen nudum), T. lycaonicum, n.sp.

Repert. Spec. Nov. Fedde. (cont.)

Dinter, K.

Diagnosen neuer südwestafrikanischer pflanzen. Repert. Spec. Nov. Fedde 29: 253-272. N.30, 1931. no.11/20.

Dinter, K.

Kurzer bericht über meine reise 1929 in die küstenwüste SW.-Afrikas, spez. die Buchuberge. Repert. Spec. Nov. Fedde 29: 163-170. N.30, 1931. no.11/20.

Gross, R.

Cyperaceae novae brasilienses. Repert. Spec. Nov. Fedde 29: 244-246. N.30, 1931. no.11/20.

Rhynchospora sampaioana, Pleurostachys bradei.

Grummann, V. J.

Lichenologische berichte I. Repert. Spec. Nov. Fedde 29(Repert. Europ. & Med. 3,26/28): 310-320. N.30, 1931. no.11/20.

Gyelnik, V.

Additamenta ad cognitionem Parmeliarum. II. Repert. Spec. Nov. Fedde 29(Repert. Europ. & Med. 3, 26/28): 273-291. N.30, 1931. no.11/20.

Gyelnik, V.

De Stictacaeis nonnullis. Repert. Spec. Nov. Fedde 29(Repert. Europ. & Med. 3,26/28): 292-300. N.30, 1931. no.11/20.

Herzog, T.

Neue und weniger bekannte Eriocaulonaceae aus nordbrasilien und dem angrenzenden Venezuela. Repert. Spec. Nov. Fedde 29: 202-213. pl.cxx-cxxi. N.30, 1931. no.11/20.

Knuth, R.

Oxalidaceae novae, post editionem monographiae meae (a. 1930) detectae. Repert. Spec. Nov. Fedde 29: 213-219. N.30, 1931. no.11/20.

Repert. Spec. Nov. Fedde. (cont.)

Kükenthal, G.
Cyperaceae novae vel minus cognitae. X. Repert. Spec. Nov. Fedde 29: 187-202. N.30, 1931. no.11/20.

Leeder, Fr.
Taxus baccata L. var. pausingeri. Repert. Spec. Nov. Fedde 29(Repert. Europ. & Med. 3, 26/28): 320. N.30, 1931. no.11/20.

Lipschitz, S.
Senecio pavlovii, species nova Karatau montium Turkestaniae rossicae. Repert. Spec. Nov. Fedde 29: 162. pl.cxix. N.30, 1931. no.11/20.

Mansfeld, R.
Ueber die sippe Pteroneurae der gattung Euphorbia. Repert. Spec. Nov. Fedde 29:220-222. N.30, 1931. no.11/20.
E. weberbaueri.

Mansfeld, R.
Eine zweite art der gattung Monandrodendron. Repert. Spec. Nov. Fedde 29: 161. N.30, 1931. no.11/20.
M. peruvianum.

Nordhagen, R.
Die skandinavischen rassen des Papaver radicatum Rottb., sowie einige mit denselben verwechselte neue arten. Repert. Spec. Nov. Fedde 29(Repert. Europ. & Med. 3,26/28): 303-309. N.30, 1931. no.11/20.
Auszug aus Bergens museums aarbok, 1931, nr.2.

Pfeiffer, H.
Decas Cyperacearum criticarum vel emendatarum III. (Genera dubia vel emendata). Repert. Spec. Nov. Fedde 29: 171-186. N.30, 1931. no.11/20.

Poellnitz, K. von
Haworthia tuberculata von Poellnitz spec. nov. Repert. Spec. Nov. Fedde 29: 219. N.30, 1931. no.11/20.

Poellnitz, K. von
Ueber prolifikation bei Calendula officinalis L. Repert. Spec. Nov. Fedde 29: 220. N.30, 1931. no.11/20,

Repert. Spec. Nov. Fedde. (cont.)

Rechinger, K. H. jr.

Beiträge zur kenntnis von Rumex sekt. Lapathum. III. Repert. Spec. Nov. Fedde 29: 246-248. N.30, 1931. no.11/20.

Rumex paulsenianus n.sp.

Smith, J. J.

Einige neue javanische orchideen. Repert. Spec. Nov. Fedde 29: 248-252. N.30, 1931. no.11/20.

Gastrodia callosa, Dendrobium cystopoides, Microtatorchis steenisii, Taeniophyllum tjibodasanum.

Werdermann, E.

Die von E.L. Ekman in Westindien, besonders auf Cuba und Hispaniola gesammelten Cactaceae. Repert. Spec. Nov. Fedde 29: 222-243. N.30, 1931. no.11/20.

Repert. Spec. Nov. Beih. (Dahlem bei Berlin)

Kränzlin, F.

Orchidacearum Sibiriae enumeratio. Repert. Spec. Nov. Beih. 65. 103 p. N.15, 1931.

Schuster, K.

Orchidacearum iconum index. Zusammenstellung der in der literatur erschienenen tafeln und textabbildungen von orchideen. Repert. Spec. Nov. Beih. 60. 80 p. N.15, 1931.

Res. Bull. Agr. Exp. Stat. So. Manchuria Railw. Co.

Otuka, Y.

Studies on the beginning period of the growth and the rest period of apple root (Preliminary note). Res. Bull. Agr. Exp. Stat. So.Manchuria Railw. 5: 1-11. 10 pl. S.1931.

Japanese with English summary.

Rev. Gén. Bot.(Paris)

Echevin, R.

L'azote, le phosphore et le soufre chez les plantes ligneuses a feuilles caduques. Rev. Gén. Bot. 43: 603-677. tabs. D.1931. no.516.

Rev. Hort. (Paris)

Guillaumin, A.

Les cactées. Leur culture. (cont.) Rev. Hort. 104: 15-17. illus. Ja.16, 1932. no.1.

Thomas-Javit, G.

Yucca hybride angustifolia-filamentosa. Rev. Hort. 104: 11-12. illus. Ja.16, 1932.no.1.

Riz. et Rizicult. (Paris)

Sampietro, G.

Le "brusone" maladie du riz. Les vieilles hypothèses et leurs contradictions. Riz et Rizicult. 5: 237-253. O.1931. no.3.

English summary: p.257-258.

Science (Lancaster, Pa.)

Cannon, W. A.

On the variation of the oxygen content of cultural solutions. Science 75: 108-109. Ja.22, 1932. no.1934.

Cook, D.H. & Axtmayer, J.

A new plant source of vitamin A activity. Science 75: 85-86. Ja.15, 1932. no.1933.

Bixa orellana.

Howard, N. F.

Twisted trees. Science 75: 132-133. Ja.29, 1932. no.1935.

Jones, W.

A new technique for obtaining oospores of the hop downy mildew by inoculating cotyledons. Science 75: 108. Ja.22, 1932. no.1934.

Pseudoperonospora humuli.

Marine vegetation in Utah rocks. Science v.75, no.1933, Suppl. p.8. Ja.15, 1932. no.1933.

Observations made by Dr. G. R. Mansfield and Prof. R.W. Bailey.

Neal, D.C., Wester, R.E. & Gunn, K. C.

Treatment of cotton root-rot with ammonia. Science. 75: 139-140. Ja.29, 1932. no.1935.

Science. (cont.)

Walker, R. I.

Chromosome numbers in Ulmus. Science 75: 107. Ja.22, 1932. no.1934.

Yarbrough, J. A.

Regeneration in Bryophyllum. Science 75: 84-85. Ja.15, 1932. no.1933.

Science News Letter.

Finer structures pictured by use of invisible light. Science News Letter 21: 53. illus. Ja.23, 1932. no.563.

Experiments using invisible ultraviolet light that can be seen by photographic plates but not by human eyes, performed by A.P.H. Trivelli of the Eastman Kodak research laboratories.

Tidsskr. Planteavl. (København)

Jørgensen, C. A.

Om ribsbuskens bladrandsyge. Tidsskr. Planteavl. 37: 729-742. illus. 1931. no.5.

Schnicker, J. L.

Kviksølvbestemmelse i afsvampningsmidler. Tidsskr. Planteavl. 37: 752-754. illus. 1931. no.5.

Die Umschau (Frankfurt)

Köhler, E.

Anbau immuner sorten, eine waffe zur abwehr von pflanzenkrankheiten. Die Umschau 36: 4-6. Ja.2, 1932. no.1.

Niwelka verlängert die lebensdauer von schnittblumen. Die Umschan 36: 15. illus. Ja.2, 1932. no.1.

Niwelka... besteht aus mischungen von mangan oder magnesiumsalzen oder beiden salzen mit narkotisierend wirkenden mitteln.

U.S. Dept. Agr. Off. Rec.

New tomato named Pritchard. U. S. Dept. Agr. Off. Rec. 11: 16. Ja.16,1932. no.3s.

A wilt resistant variety.

Popular mosaic-resistant cane variety is menaced by root rot. U.S. Dept. Agr. Off. Rec. 11: 11. Ja.16, 1932. no.3.

P.O.J. 213.

White-pine blister rust found in five more states last year. U.S. Dept. Agr. Off. Rec. 11: 10. Ja.16, 1932. no.3.

Maryland, Virginia, West Virginia, Ohio & Iowa.

U.S. Dept. Agr. Techn. Bull.

Beckett, R.E. & Hubbard, J. W.

The shedding of 4-lock and 5-lock bolls in Upland cotton. U.S. Dept. Agr. Techn. Bull. 277. 16 p. illus. Ja.1932.

Scofield, C.S. & Wilcox, L. V.

Boron in irrigation waters. U.S. Dept. Agr. Techn. Bull. 264. 65 p. illus., 1 col.pl. N. 1931.

Univ. Iowa Stud. Nat. Hist. (Iowa City)

Shimek, B.

The botanical manuals and the Iowa flora. Univ. Iowa Stud. Nat. Hist. 14(2): 17-37. N.1, 1931.

Errors and omissions in Gray's Manual (7th ed.) and Britton's Manual.

Shimek, B.

Common names of plants. Univ. Iowa Stud. Nat. Hist. 14(2): 39-9. N.1, 1931.

Shimek, B.

Ecological conditions during loess-deposition. Univ. Iowa Stud.Nat. Hist. 14(2): 38-59. ii pl. N.1, 1931.

Shimek, B.

The relation between the migrant and native flora of the prairie region. Univ. Iowa Stud. Nat. Hist. 14(2): 10-16. N.1, 1931.

Verh. K. Akad. Wetensch. Amsterdam 2.sect.

Beyma Thoe Kingma, F. H. van

Ueber ein neues Gliocladium, Gliocladium nigrovirens, nov.spec. Verh.K. Akad. Wetensch. Amsterdam. 2.sect. 29(2,Mitt. Centr. Bur. Schimmelcult.3): 30-32. illus. 1931.

Beyma Thoe Kingma, F. H. van

Ueber eine neue Papulospora, insoliert von erbensamen, Papulospora pisicola nov.spec. Verh.K Akad. Wetensch. Amsterdam. 2 sect.,29(2,Mitt. Centr. Bur. Schimmelcult.3): 33-35. illus. 1931.

Beyma Thoe Kingma, F.H. van.

Ueber einen neuen Rhizopus, Rhizopus bovinus nov.spec. Verh.K. Akad. Wetensch. Amsterdam 2.sect.,29(2,Mitt. Centr. Bur. Schimmelcult.3): 38-40. illus. 1931.

Beyma Thoe Kingma, F.H. van

Ueber eine Oospora, isoliert von grubenholz in Süd-Afrika, Oospora africana nov.spec. Verh.K. Akad. Wetensch.Amsterdam 2.sect.,29(2,Mitt. Centr. Bur. Schimmelcult.3): 36-37. illus. 1931.

Beyma Thoe Kingma, F.H. van

Untersuchungen uber russtau. Verh.K. Akad. Wetensch. Amsterdam. 2.sect.,29(2,Mitt. Centr. Bur. Schimmelcult.3): 3-29. incl. pl.i-iv. 1931.

Caldaromyces fumago Wor.; Mycroxyphium purpuraefaciens, M. theae, n.spp.

Vict. Nat. (Melbourne)

Barrett, C.

The black spleenwort in Victoria. Vict. Nat. 48: 154-156. pl.v. D.1931.

Asplenium trichomanes.

Visnik Kiivsk. Bot. Sadu (Bull. Jard. Bot. Kieff)

Bordzilovski, E.I.

Pro deîaki virmens'ki ï dzhavakhets'ki roslini (De plantis nonnullis armeniacis et dzawakheticis). Visnik Kiïvsk. Bot. Sadu (Bull. Jard. Bot.Kieff) 12/13: 105-142. illus., ii pl. 1931.

Ukrainian with Latin diagnoses of new species and varieties and some notes in Latin.

Visnik Kiivsk. Bot. Sadu(Bull. Jard.Bot. Kieff) (cont.)

Cholodnyi, N. G.

Do fiziologiï rostovogo gormonu roslin (On the physiological action of the vegetable growth-hormon.) Visnik Kiïvsk. Bot. Sadu (Bull.Jard. Bot.Kieff) 12/13: 89-96 pl. 1931.

Ukrainian with English summary.

Cholodny, N. G.

Kil'ka spogadiv za S.G. Navashina (Einige erinnerungen an S.G. Nawaschin). Visnik Kiïvsk.Bot. Sadu (Bull. Jard. Bot. Kieff) 12/13: 23-26. 1931.

Ukrainian.

Cholodnyi, N. G.

Rostova reaktsii͡a na svitlo i fototropizm (Lichtwachstumsreaktion und phototropismus). Visnik Kiïvsk. Bot. Sadu (Bull. Jard. Bot. Kieff) 12/13: 97-100. 1931.

Ukrainian with German summary.

Finn, V. V.

Sergii Gabriolovich Navashin. Visnik Kiïvsk. Bot. Sadu (Bull. Jard. Bot. Kieff) 12/13: 5-12. prot. 1931.

Ukrainian.

Kleopov, Iu.D.

Ogliad predstavnikiv r. Dianthus Ukraïni ĭ sumezhnikh mistsevosteĭ (Conspectus dianthorum Ucrainiae). Visnik Kiïvsk. Bot. Sadu (Bull. Jard. Bot. Kieff) 12/13: 155-161. 1931.

Ukrainian.

Komarov, V. L.

Dvi novini z rodu Athyrium (Zwei neue athyrien) Visnik Kiïvsk. Bot. Sadu (Bull. Jard. Bot.Kieff) 12/13: 145-146. 1931.

Ukrainian with Latin diagnoses (A. rubripes, A. monomachi)

Kotov, M.

Materii͡ali do fl'ori Proskurivshchini (Data on the flora of the Proskourov district (Podólia) Visnik Kiïvsk. Bot. Sadu (Bull. Jard. Bot. Kieff) 12/13: 79-88. 1931.

Ukrainian with English summary.

Visnik Kiïvsk. Bot. Sadu (Bull. Jard. Bot.Kieff) (cont.)

Lavrenko, E.
Notatka pro Agrostis tenuifolia MB.
Visnik Kiïvsk. Bot. Sadu (Bull. Jard. Bot. Kieff) 12/13:101-104. 1931.
Ukrainian.

Lavrenko, E.M.
Novi zernivtsi z Ukraïni (Gramineae ucrainicae novi). Visnik Kiïvsk. Bot. Sadu (Bull. Jard. Bot. Kieff) 12/13: 147-150. 1931.
Ukrainian with Latin diagnoses.
New var. in Agrostis, Elymus and Agropyrum.

Masi͡uk, P. D.
Porivni͡al'no-anatomichni doslidi nad shpil-kami sosni zatinkovogo ta svitlovogo tupu (Die vergleichend anatomische untersuchung über die licht-und schattennadeln der kiefer). Visnik Kiïvsk. Bot. Sadu (Gull. Jard. Bot. Kieff) 12/13: 63-69. 2pl. 1931.
Ukrainian with German summary.

Modilevsky, J.
Die embryobildung bei Allium odorum L. Visnik Kiïvsk. Bot. Sadu (Bull. Jard. Bot. Kieff) 12/13: 27-48. 4 pl. 1931.

Oksner, A. M.
Pro noviĭ vid Lecani z Ukraïni (Ueber eine neue lecanienart aus der Ukraine). Visnik Kiïvsk. Bot. Sadu (Bull. Jard. Bot. Kieff) 12/13: 151-153. 1931.
Ukrainian with Latin diagnosis (L. zinaidae)

Persidsky, D.
On the formation of bivalent chromosomes in pollenmothercells by Polemonium coeruleum L. Visnik Kiïvsk. Bot. Sadu (Bull. Jard.Bot.Kieff) 12/13: 49-58. 2 pl. 1931.

Radde-Fomin, O.
Ueber einige kaukasische ahornarten aus dem Acer monspessulanum-zyklus. Visnik Kiïvsk. Bot. Sadu (Bull.Jard. Bot. Kieff) 12/13: 71-74. pl. 1931.
A. ibericum, A. talyschense (n.sp.)

Visnik Kiïvsk. Bot. Sadu (Bull. Jard. Bot. Kieff) (cont.)
Tiuremnov, S. N.
Pro deiaki novi znakhidki sfagnovikh mokhiv ta kvitkovikh v ukraïns'kim Polissi (Ueber einige neue funde bon torfmoosen und blutenpflanzen in ukrainischen waldgebiete (Polissja). Visnik Kiïvsk. Bot. Sadu (Bull. Jard. Bot. Kieff) 12/13: 75-77. 1931.
Ukrainian.

Visiulina, N.
Ueber anomalien der blüte und polygamie bei Ajuga genewensis L. Visnik Kiïvsk. Bot. Sadu (Bull. Jard. Bot. Kieff) 12/13: 59-62. pl. 1931.

Werdenda (Bingen, Wash.)
Suksdorf, W.
Untersuchungen in der gattung Amsinckia. Werdenda 1: 47-113. D.31, 1931. no.5/8.

Zeitschr. Pflanzenkr. (Stuttgart)
Uphof, J. C. Th.
Tillandsia usneoides als pflanzenschädling. Zeitschr. Pflanzenkr. 41: 493-607. ilus. D.1931. no.12.

Zeitschr. Pilzk. (Leipzig)
Brüllau, M.
Champignons mit karbolgeruch. Zeitschr. Pilzk. 15(n.s.10): 151. D.15, 1931. no.5.

Hausen,
Der formenkreis des erdgrauen ritterlings, (Tricholoma terreum (Schaeffer). Zeitschr. Pilzk. 15(n.s.10): 146-148. D.15, 1931. no.5.

Huber, H.
Standorte seltener pilze in der umgebung Wiener-Neustadts (Niederösterreich und Burgenland). Beitrag zur pilzgeographie. VII. Zeitschr. Pilzk. 15(n.s.10): 137-146. D.15, 1931. no.5.

Kallenbach, F.
Zur geruchs-übertragung von tausendfüsslern auf pilze. Zeitschr. Pilzk. 15(n.s.10): 151-152. D.15, 1931. no.5.

Zeitschr. Pilzk. (cont.)

Meier, W.

Polyporus umbellatus Fr. (=ramosissimus Schaeff.), der eichhase. Zeitschr. Pilzk. 15(n.s.10): 148-149. D.15, 1931.no.5.

Welsmann, L.

Ueber den nahrwert der pilze. Zeitschr. Pilzk. 15(n.s.10): 135-137. D.15,1931. no.5.

Der Züchter (Berlin)

Crebert, H.

Beobachtungen bei der kreuzungszüchtung mit der pferdebohne. Der Züchter 3: 360-364. illus. D. 1931. no.12.

Schick, R.

Der einfluss der tageslänge auf die knollenbildung der kartoffel. Der Züchter 3: 365-369. illus. D.1931. no.12.

Ufer, M. & Hackbarth, J.

Weitere untersuchungen über die befruchtungs- und kreuzungsverhältnisse einiger Melilotusarten (steinklee). Der Zuchter 3: 353-360. illus. D.1931. no.12.

Wettstein-Westersheim, W.v.

Zur verbesserung der schälweide Salix americana Hort. Der Züchter 3: 369-370. illus. D.1931. no.12.

State Publications.

Newhall, A. G. & Chupp, C.

Soil treatment for the control of diseases in the greenhouse and the seedbed. Cornell Ext. Bull. 217. 59 p. illus. Ag.1931(Rec'd Ja.1932)

Exper. Stat. Publ.

Leach, J. G.

Blackleg of potatoes. Minnesota Agr. Exp. Stat. Spec. Bull. 144. 12 p. illus. S.1931(Rec'd Ja.16, 1932)

Exper. Stat. Publ. (cont.)

New Jersey agricultural experiment station - Dept. of plant pathology.
The adhesiveness of sulphur sprays and dusts. Its Nursery Dis. Notes v.4, no.7. 4 p. Ja.1932.
Mimeographed.

New York state agricultural experiment station Division of botany. Its Ann. Rep. 50 (1930/31): 28-37. 1931.
F.C. Stewart, M.T. Munn, chiefs.

New books.

Armstrong, E. F. & Armstrong, K. F.
The glycosides. London, &c., Longmans, 1931.

Burma. Dept. of agriculture - Mycologist.
Report... for the year ended the 31st March, 1931. Rangoon,1931.
Maun Thet Su, mycologist.

Cran, Mrs. M. D.
Gardens in America. London, H.Jenkins, [1931]

Hirsch, E.
Ueber die wirkung der phosphatasen im keimenden mais und der einfluss von temperatur und licht. Dresden, [1931?]
Diss. - Sächsische Techn. Hochsch. Dresden.
Mimeographed.

Huber, J. A.
Zur systematik der gattung Sedum L. Landshut, [1931?]

Liu, J.C.
Systematic botany of the flowering plants in north China. Peiping, H. Vetch, 1931.

North American flora. v.18, pt.2 Cyperaceae (Cariceae) K.K. Mackenzie. D.21, 1931.

Pease, V. A.
Papaya and papain. A list of references. Washington, D. C., 1931.
Mimeographed.

New Books. (cont.)

Pellett, F. C.
Flowers of the wild, their culture and requirements. N.Y., A.T. DeLaMare Co., 1931.

Das pflanzenreich h. 98a. (IV,165) Sapindaceae I, von L. Radlkofer. Leipzig, W.Engelmann, D.8,1931.

Schnarf, K.
Vergleichende embryologie der angiospermen. Berlin, Gebrüder Borntraeger, 1931.

Non-current indexing.

Amer. Journ. Cancer (New York)

Levine, M.
Studies in the cytology of cancer. Amer. Journ. Cancer 15: 1410-1494. illus. Jl.1931. no.3.
Crown gall on beet and tobacco.

Deutsche Forst.-Zeit. (Neudamm)

Liese, J.
Auffallende Cenangium- erkrankung der kiefernpflanzen in Pommern und der Grenzmark. Deutschr. Forst.-Zeit. 46: 535-536. My.22, 1931. no.21.

Schoenwald, R.
Wahrnehmungen uber das triebschwinden der kiefer (Cenangium abietis [Pers.] in den jahren 1926/28. Deutsche Forst.-Zeit. 46: 484-485. My.8, 1931. no.19.

Proc. Soc. Exp. Biol. & Med. (New York)

Wallace, G. I. & Tanner, F. W.
Effect of heat on mold spores. Proc. Soc. Exp. Biol. & Med. 28: 970-972. Je.1931. no.9

Riv. Biol. (Milan)

Crescini, F.
Sul compartamento del carattere precocita in F2 da incroci di tr. vulgare (Vill.) Riv. Biol. 12: 193-206. My./D. 1930(Rec'd 0.1931) no.3/6.

Giombini, A.
Partenogenesi e cromosomi (nel mondo animale e in quello vegetale.) Riv. Biol. 12: 343-353. My./D.1930.no.3/6.

BOTANY

CURRENT LITERATURE

LIBRARY
RECEIVED
★ MAR 5
U. S. Agricult

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

Vol. 14, no. 3. Feb.1-13, 1932.

Admin. Rep. Dept. Agr. Ceylon.

Ceylon. Director of agriculture.

Report of the work of the Mycological division, 1929/30. In its Admin. Rep. 1930:D65-D 70. O. 1931.

J.C. Haigh acting mycologist.

Amer. Forests (Washington)

Coville, F.V. & Freeman, O.M.

Lafayette Park. A mecca for those who would know trees... Amer. Forests 38: 93-96, 115. illus., map. F. 1932. no.2.

Kauffman, E.

Some trees Washington knew. Amer. Forests 38: 72-75. illus. F.1932. no.2.

Amer. Journ. Bot.

Baldwin, H. I.

Alcohol separation of empty seed, and its effect on the germination of red spruce. Amer. Journ. Bot. 19: 1-11. Ja. 1932. no.1.

Foster, A. S.

Investigations on the morphology and comparative history of development of foliar organs. III. Cataphyll and foliage-leaf ontogeny in the black hickory (Carya buckleyi var. arkansana). Amer. Journ. Bot. 19: 75-99. pl. ii-iv. Ja. 1932. no.1.

Karling, J. S.

Studies in the Chytridiales. VII. The organization of the chytrid thallus. Amer. Journ. Bot. 19: 41-74. illus. Ja. 1932. no.1.

Amer. Journ. Bot. (cont.)

Johnson, B.

Specificity to penetration of the epidermis of a plant by the hyphae of a pathogenic fungus. Amer. Journ. Bot. 19: 12-31. illus., pl. i. Ja. 1932. no.1.

Colletotrichum circinana.

Naylor, E.

The morphology of regeneration in Bryophyllum calycinum. Amer. Journ. Bot. 19: 32-40. illus. Ja. 1932. no.1.

Ann. Bull. Dept. Agr. No. Rhodesia.

Allan, W.

Diplodia infection and the treatment of maize seed. Ann. Bull. Dept. Agr. No. Rhodesia 1: 20-30. 1931.

Stevenson, D.

Some important native timbers. Ann. Bull. Dept. Agr. No. Rhodesia 1: 43-52. 1931.

Gives vernacular names.

Ann. Rep. Arizona Comm. Agr. & Hort.

George, D. C.

Report of plant pathologist including Notes on plant diseases in 1930. Ann. Rep. Arizona Comm. Agr. & Hort. 21/22: 78-91. Je.30, 1931.

Arch. Suikerind. Nederl. Indië (Soerabaja)

Bremer, G.

De cytologie van het suikerriet. VI. Een cytologisch onderzoek van een aantal oorspronkelijke Britisch-Indische suikerrietsoorten. Arch. Suikerind. Nederl. Indië 1931. pt.3 (Meded.31): 1349-1391. 1931.

Ark. Bot. (Stockholm)

Nilsson, G.

Zur flechtenflora von Ångermanland. Ark. Bot. v.24A, no.3. 122 p. 1932. no.2.

Urban, I.

Plantae Haitienses et Domingenses novae vel rariores X. a cl. E.L. Ekman 1924-1930 lectae. (cont.) Ark. Bot. v.24A, no.4. 54 p. 3 pl. 1932. no.2.

Ark. Kemi, Min. o Geol. (Stockholm)

Euler, H. v. & Moritz, O.
Chemische beiträge zur kenntnis der chlorophylldefekte. Ark. Kemi, Min. o Geol. 10A, no. 11. 15 p. 1931. no.3.

Euler, H. v., Hertzsch, W., Myrbäck, S., Rundehjelm, D. & Forssberg, A.
Ueber chemische veränderungen in abutilonblättern bei infektiöser A-chlorose. Ark. Kemi, Min. o Geol. 10B, no.13. 6 p. 1931. no.3.

Euler, H. v. & Rydbom, M.
Zur kenntnis der vitaminwirkungen von carotin. Ark. Kemi, Min. o Geol. 10B, no.10. 6 p. 1931. no.3.

Nilsson, H.
Chemisch-experimentelle beiträge zur kenntnis einiger chlorophyllmutanten der gerste. Ark. Kemi, Min. o Geol. 10A, no.12. 34 p. illus. 1931. no.3.

Atti Mus. Civ. Stor. Nat. Trieste.

Marchesetti, C.
Aggiunte alla bibliografia botanica della Venezia Guilia. Atti Mus. Civ. Stor. Nat. Trieste 11: 217-356. 1931.

Mattirolo, O.
Alcune osservazioni sopra una curiosa forma fungina raccolta nella Grotta di Trebiciano. Atti Mus. Civ. Stor. Nat. Trieste 11: 357-359. illus. 1931.
A Hypholoma or Lentinus.

Ber. Oberhess.Ges. Nat. u. Heilk. Giessen Naturw. Abt.

Dorst, F. W.
Beiträge zur ökologie der protococcoiden algen. Ber. Oberhess. Ges. Nat. u. Heilk. Giessen n.f., Naturw. Abt. 14: 105-135. 1931.

Biol. Rev. & Biol. Proc. Cambridge Phil. Soc.

Cook, R. P.
Bacterial spores. Biol. Rev. & Biol. Proc. Cambridge Phil. Soc. 7: 1-23. Ja. 1932. no.1.

Biol. Zentralbl. (Leipzig)

Hämmerling, J.
Entwicklung und formbildungsvermögen von Acetabularia mediterranea. II. Das formbildungsvermögen kernhaltiger und kernloser teilstücke. Biol. Zentralbl. 52: 42-61. illus. 1932. no.1.

Biol. Zentralbl. (cont.)

Hecht, O.

Ueber die verwendung immunbiologischer begriffe in der phytopathologie. Biol. Zentralbl. 51: 708-717. 1931. no.12.

Rischkow, V.

Materialien zur kenntnis der periklinalchimären Biol. Zentralbl. 51: 677-695. illus. 1931. no.12.

Bol. Agr. Min. Industr. Colombia

Alvarez Valdés, A.

Yerbas forrajeras del valle del Cauca. Bol. Agr. Min. Industr. Colombia 4: 269-279. Jl./Ag. 1931(Rec'd F.1932) no.8/9.

Ancízar Sordo, J.

Informe sobre aceites vegetales. Bol. Agr. Min. Industr. Colombia 4: 282-292. Jl./Ag. 1931. no.8/9.

Johnston, J. R.

Enfermedades del cocotero. Bol. Agr. Min. Industr. Colombia 4: 279-281. Jl./Ag. 1931(Rec'd F. 1932) no.8/9.

Bol. Patol. Veg. y Entom. Agr. (Madrid)

Benlloch, M.

Experiencias sobre la desinfección de semillas de remolacha. Bol. Patol. Veg. y Entom. Agr. 5: 81-85. D.1931. no.19/22.

Benlloch, M.

El moho de las frutas. Bol. Patol. Veg. y Entom. Agr. 5: 134-136. illus. D.1931. no.19/22.

Brown rot of pear.

Benlloch, M. & Cañizo, J. del

La "rabia" de los garbanzales. Bol. Patol. Veg. y Entom. Agr. 5: 128-133. illus. D.1931. no.19/22.

Phyllosticta rabiei on chick pea.

Rodríguez Sardiña, J.

Dos nuevas enfermedades de las habas. Bol. Patol. Veg. y Entom. Agr. 5: 59-80. illus. D.1931. no.19/22.

Botrytis fabae.

Bot. Jahrb. Engl. (Leipzig)

Reimers, H. & Sakurai, K.

Beiträge zur moosflora Japans. I- Bot. Jahrb. Engl. 64: 537-560. pl.xix-xxii. D.30, 1931. no.5.

Stefanoff, B. & Jordanoff, D.

Topographische flora von Bulgarien. (cont.) Bot. Jahrb. Engl. 64: 401-536. D.30, 1931. no.5.

Bull. Imp. Inst. Gt. Brit. (London)

Fibres of Asclepias spp. Bull. Imp. Inst. Gt. Brit. 29: 441-458. Ja. 1932. no.4.

Shea nuts from Nigeria II. Bull. Imp. Inst. Gt. Brit. 29: 407-420. Ja. 1932. no.4.

Tanning materials. Bull. Imp. Inst. Gt. Brit. 29: 420-430. Ja.1932. no.4.

I. Quebracho from St.Lucia. 2. Kamachile extract from North Borneo. 3. Tanekaha bark from New Zealand. 4. Kahua bark from India.

Bull. Soc. Chim. Biol. (Paris)

Braecke, M.

Recherches sur les variations de coloration des plantes au cours de leur dessiccation. Présence d'un hétéroside dédoublable par l'émulsine dans le Bergenia cordifolia (Haw.) A.Br. Bull. Soc. Chim. Biol. 13: 1228-1242. D.1931. no.10.

Bergenin (bergenol)

Pomaret, M. & Lavieille, R.

Le principe à saveur sucrée du kaà-hê-é (Stevia rebaudiana Bertoni) IV. Quelques propriétés physiologiques du stévioside. Bull. Soc. Chim. Biol. 13: 1248-1252. D.1931. no.10.

Bull. Soc. Hist. Nat. Afr. Nord. (Alger)

Killian, C.

L'amélioration du sol dans les pays steppiques et le rôle de la botanique agricole. Ce que j'ai vu en Hongrie et ce qu'on pourrait faire dans l'Afrique du nord. Bull. Soc. Hist. Afr. Nord. 22: 424-439. D.1931. no.9.

Cactus & Succ. Journ. (Los Angeles)

Baxter, E. M.

California cacti. [3] Opuntia parryi. Cactus & Succ. Journ. 3: 122-123. illus. Ja. 1932. no.7.

Walther, E.

Notes on Sedum. II. Sedum niveum Davidson. Journ. Cactus & Succ. Soc. Amer. 3: 114-115. illus. Ja. 1932. no.7.

White, A. & Sloane, B. L.

The Stapelieae. 5. Huernia. Cactus & Succ. Journ. 3: 119-121. illus. Ja. 1932. no.7.

Canad. Field Nat. (Ottawa)

Groh, H.

Clasping-leaved cress or peppergrass (Leipdium perfoliatum L.) in Canada. Canad. Field Nat. 46: 48-49. F.1932. no.2.

Lewis, H. F.

An annotated list of vascular plants collected on the North shore of the Gulf of St. Lawrence, 1927-1930(cont.) Canad. Field Nat. 46: 36-40. F. 1932. no.2.

Canad. Journ. Res. (Ottawa)

Davidson, A. M., Dowding, E. S. & Buller, A.H.R.

Hyphal fusions in dermatophytes. Canad. Journ. Res. 6: 1-20. illus., iii pl. Ja. 1932. no.1.

Microsporon audouini, M. lanosum, Trichophyton gypseum.

Harrington, J. B.

Predicting the value of a cross from an F_2 analysis. Canad. Journ. Res. 6: 21-37. Ja. 1932. no.1.

Vanterpool, T. C. & Truscott, J.H.L.

Studies on browning root rot of cereals. II. Some parasitic species of Pythium and their relation to the disease. Canad. Journ. Res. 6: 68-93. illus., ii pl. Ja. 1932. no.1.

Citrus Leaves (Redlands, Cal.)

Smith, R. H.

Observations of the reaction of citrus trees in California to oil sprays. II. Citrus Leaves 12(2): 5-6. F.1932. no.2.

Citrus Riv. Camera Agrum. Messina.

Chines, C., Carnazza E. & Mirone, S.

Sulla composizione degli zuccheri dei frutti del mandarino e dell' arancio dolce coltivati in Sicilia. Citrus Riv. Camara Agrum. Messina II, 17: 341-344. D.1931. no.12.

Compt. Rend. Acad. Agr. France. (Paris)

Carré, M. G.

Un nouveau procédé de destruction des mauvaises herbes dans les céréales. Compt. Rend. Acad. Agr. France 18: 97-101. Ja.20, 1932. no.3.

Compt. Rend. Acad. Sci. Paris.

Coupin, H.

Sur la perte de la sexualité par un champignon. Compt. Rend. Acad. Sci. Paris 194: 299-300. Ja.18, 1932. no.3.

Sporodinia grandis.

Lobstein, E. & Grumbach, J.

Étude d'un alcaloide extrait de la racine de Stemona tuberosa Loureiro (drogue sino-annamite). Compt. Rend. Acad. Sci. Paris 194: 386-389. Ja.25, 1932. no.4.

Stemonine.

Mascré, M. & Génot, H.

Influence de divers engrais sur le développement et sur la teneur alcaloidique du Lobelia inflata. Compt. Rend. Acad. Sci. Paris 194: 384-386. Ja.25, 1932. no.4.

Montet, D.

Action des faibles radioactivités sur la germination des graines. Compt. Rend. Acad. Sci. Paris 194: 304-306. Ja. 18, 1932. no.3.

Obaton, F.

Le mannitol, aliment de choix pour le Sterigmatocystis nigra. Compt. Rend. Acad. Sci. Paris. 194: 302-304. Ja.18, 1932. no.3.

Varitchak, B.

L'évolution nuclaire chez le Pericystis apis Massen. Compt. Rend. Acad. Sci. Paris 194: 300-302. Ja.18, 1932. no.3.

Compt. Rend. Soc. Biol. Paris.

Auger, D.

Relation entre le courant d'action et la cyclose protoplasmique chez Nitella. Compt. Rend. Soc. Biol. Paris 108: 1131-1132. Ja.8, 1932. no.38.

Chemin, E.

Sur l'existence de galles chez Ceramium rubrum Ag. Compt. Rend. Soc. Biol. Paris 109: 155-157. illus. Ja.29, 1932. no.3.

Conard, A.

Dans la plantule de Degagnya majuscula (Kütz.) Conard (= Spirogyra majuscula Kütz.) les cytoplasmes des deux gamètes qui ont formé le zygote gardent leur individualité. Compt. Rend. Soc. Biol. Paris 108: 1172-1174. Ja.8,1932. no.1/2.

Conard, A.

Sur le rôle des suspenseurs dans la division ches Degagnya majuscula (Kütz) Conard (= Spirogyra majusucla Kütz) et sur la formation des fibres du fuseau. Compt. Rend. Soc. Biol. Paris 108: 1175-1177. Ja.8, 1932. no.1/2.

Milovidov, P. F.

La réaction nucléaire chez quelques végetaux inférieurs. Compt. Rend. Soc. Biol. Paris 109: 170-171. Ja.29, 1932. no.3.

Ernärh. Pflanze. (Berlin)

Stägmeyr, E.

Die kultur des wattlebaums (gerbakazie) in Südafrika. Ernähr. Pflanze 28: 33-35. illus. Ja.15, 1932. no.2.

Farming South Africa (Pretoria)

Wager, V. A.

Foot-rot disease of papaws. Farming South Africa 6: 435-437. illus. Ja. 1932. no.70.

Pythium ultimum.

Yellowing of the leaves of fruit trees. Farming South Africa 6: 434. Ja. 1932. no.70.

Forestry (Gt. Brit.) (London)

Cartwright, K. St.G.

The toxicity of preservatives against wood-destroying fungi. Forestry (Gt. Brit.) 5: 138-147. D.1931. no.2.

Gray, W. G.

An instance of damping-off retarded by the use of basic slag. Forestry (Gt. Brit.) 5: 132-135. D.1931. no.2.

Murray, J. M.

David Douglas. Forestry (Gt. Brit.) 5: 154-158. D.1931. no.2.

Forstarchiv. (Hannover)

Hesmer, H.

Nachweis des natürlichen vorkommens der fichte in der südlichen Lüneburger heide. Forstarchiv. 8: 39-45. illus. Ja.15, 1932. no.1/2.

Rudolph, K.

Die natürliche holzartenverbreitung in Deutschland nach den bisherigen ergebnissen der pollenanalyse. Forstarchiv. 8: 7-14. illus. Ja.15, 1932. no.1/2.

Fortschr. Landw. (Vienna)

Meyle, A. & Wettstein-Westersheim, W. v.

Bodensäureshcäden im walde. Fortschr. Landw. 7: 72-73. illus. F.1, 1932. no.3.

Gard. Chron. (London)

Abel Chatenay. Gard.Chron. III, 91: 16. Ja.2, 1932. no.2349.

Notice of death.

Comber, H. F.

Variations of Embothrium coccineum. Gard. Chron. III, 91: 82-84. illus. Ja.30, 1932. no.2353.

Cowan, J. M.

Androsace sarmentosa. Gard. Chron. III, 91: 84-85. Ja.30, 1932. no.2353.

Evans, W.

Lonicera nitida and L. pileata var. yunnanensis. Gard. Chron. III,91: 38. Ja.16, 1932. no.2351.

Exel, A. W.

False germination. Gard. Chron. III, 91: 63. Ja.23, 1932. no.2352.

Gard. Chron. (cont.)

Friend, H.
Corsican plant lore. Gard. Chron. III, 91: 8-9, 43-44, 82. illus. Ja.2,16,30, 1932. no.2349, 2351, 2353.

George Forrest, V.M.H. Gard. Chron. III, 91: 53-54. port. Ja.23, 1932. no.2352.
Notice of death.

Grove, A.
Lilies in 1931. Gard. Chron. III, 91: 42-43. illus. Ja.16, 1932. no.2351.

Hartt, E.
Primula anisodoxa. Gard. Chron. III,91: 60. Ja.23, 1932. no.2352.
P. anisodoxa x P. helodoxa.

The Hon. Vicary Gibbs. Gard. Chron. III, 91: 71. port. Ja.23, 1932. no.2352.
Notice of death.

Ingwerson, W.
The aretian Androsaces. Gard. Chron. III, 91: 40-41, 58-59. Ja.16,23, 1932. no.2351-52.

Johnson, G. C.
Potato sickness. Gard. Chron. III, 91: 88. Ja.30, 1932. no.2353.

Macpherson, N.J.
The cultivation of lettuce under glass. With special reference to varieties resistant to downy mildew. Gard. Chron. III, 91: 46-47. Ja.16, 1932. no.2351.

Millard, W.A., Burr, S. & Johnson, L.R.
Potato sickness. Gard. Chron. III, 91: 28-29. illus. Ja.9, 1932. no.2350.

Nomenclature of the Coniferae. Gard. Chron. III, 91: 45. Ja.16, 1932. no.2351.
Signed: "F"

Gard. Chron. (cont.)

Osborn, A.
Wilson's Chinese spruces. (In the city of Rochester (U.S.A.) parks.) Gard. Chron. III, 91: 62-63. illus. Ja.23, 1932. no.2352.

Redgrove, H.S.
Angelica in folk-lore and fact. Gard. Chron. III, 91: 87. Ja.30, 1932. no.2353.

Redgrove, H.S.
Hellebores in folk-lore and fact. Gard. Chron. III, 91: 24-25. Ja.9, 1932. no.2350.

Smith, F. E. V.
Raising orchid seedlings asymbiotically under tropical conditions. Gard. Chron. III, 91: 9-11. illus. Ja.2, 1932. no.2349.

Stearn, W. T.
Hosta (Funkia) rectifolia. A newly identified plantain lily. Gard. Chron. III, 91: 23. illus. Ja.9, 1932. no.2350.

Wilson, A. R.
Armillaria mellea as the probable cause of a disease of iris. Gard. Chron. III, 91: 65. Ja. 23, 1932. no.2352.

Gard. Chron. Amer.

Ellis, E. T.
Sweet-scented shrub species. The Vitex. Gard. Chron. Amer. 36: 49-50. F. 1932. no.2.

Gartenw. (Berlin)

Laubert, R.
Der schwarzschorf der rosen. Gartenw. 36: 34. illus. Ja.15, 1932. no.3.
Botryosphaeria dothidea.

Hacienda. (N.Y.)

Fawcett, G.L.
El mosaico de la caña de azúcar. Resultado de unas experiencias realizadas en la Estación experimental agrícola de la Provincia de Tucumán, Argentina. Hacienda 27: 63. illus. F. 1932. no.2.

Hereditas (Lund)

Bruun, H. G.

A theory on the cytologically irregular species Viola canina L. Hereditas 16: 63-72. illus. 1932. no.1/2.

Frandsen, H. N. & Winge, O.

Brassica napocampestris, a new constant amphidiploid species hybrid. Hereditas 16: 212-218. 1932. no.1/2.

Gustafsson, A.

Zytologische und experimentelle studien in der gattung Taraxacum. Hereditas 16: 41-62. illus. 1932. no.1/2.

English summary: p.60-61.

Hakansson, A.

Neue fälle von chromosomenverkettung in Pisum. Hereditas 16: 155-159. illus. 1932. no.1/2.

Hagerup, O.

Ueber polyploidie in beziehung zu klima, ökologie und phylogenie chromosomenzahlen aus Timbuktu. Hereditas 16: 19-40. 1932. no.1/2.

Heilborn, O.

Lethal gene-combinations and pollen sterility in diploid apple varieties. A critique and a theory. Hereditas 16: 1-18. illus. 1932. no.1/2.

Lamprecht, H.

Beiträge zur genetik von Phaseolus vulgaris. Zur vererbung der testafarbe. Hereditas 16: 169-211. 1932. no.1/2.

Muller, H. J.

Heribert Nilsson's evidence against the artificial production of mutations. Hereditas 16: 160-168. 1932. no.1/2.

Müntzing, A.

Cyto-genetic investigations on synthetic Galeopsis tetrahit. Hereditas 16: 105-154. illus. 1932. no.1/2.

Hereditas (cont.)

Müntzing, A.

Disturbed segregation ratios in Galeopsis caused by intraspecific sterility. Hereditas 16: 73-104. illus. 1932. no.1/2.

Rasmusson, J.

Results from a cross cabbage x Savoy cabbage. Hereditas 16: 241-248. 1932. no.1/2.

Wexelsen, H.

Segregations in red clover (Trifolium pratense L.) Hereditas 16: 219-240. illus. 1932. no.1/2.

Hoosier Hort. (Lafayette, Ind.)

Burkholder, C. L.

Notes on spray burn of apple foliage, 1931. Hoosier Hort. 14: 20-24. F.1932. no.2.

Hoppe-Seyl. Zeitschr. Phys. Chem. (Berlin)

Laland, P.

Versuche zur isolierung des narkotins aus verschiedenen vegetabilien. Hoppe-Seyl. Zeitschr. Phys. Chem. 204: 112-114. Ja.5, 1932. no.1/2.

In tomato, potato, cabbage, Vaccinium vitis idaea.

Nordh, G. & Ohlsson, E.

Amylasen in ruhenden und keimenden samen. I. Gerste. Hoppe-Seyl. Zeitschr. Phys. Chem. 204: 89-100. Ja.5, 1932. no.1/2.

Suneson, S.

Ueber nitratspeicherung bei höheren meeresalgen. Hoppe-Seyl. Zeitschr. Phys. Chem. 204: 81-88. Ja.5, 1932. no.1/2.

Inform. Agr. (Spain) (Madrid)

Collar, F.

Enfermedades de las especies arbóreas frutales. El almendri y el cerezo. Inform. Agr. (Spain) 22: 1-4. illus. Ja.15, 1932. no.497.

Journ. Agr. Res. (Washington, D. C.)

Coffman, F.A., Stanton, T.R., Bayles, B.B., Wiebe, G.A., Smith, R. W. & Tapke, V. F.

Inheritance of resistance in oats to Ustilago levis. Journ. Agr. Res. 43: 1085-1099. D.15, 1931. (Rec'd F.8, 1932) no.12.

Journ. Agr. Res. (cont.)

Steinberg, R. A.

An apparatus for growing plants under controlled environmental conditions. Journ. Agr. Res. 43: 1071-1084. ills. D.15, 1931(Rec'd F.9, 1932) no.12.

Journ. Arnold Arb. (Cambridge, Mass.)

Chester, K. S.

Studies on the precipitin reaction in plants. I. The specificity of the normal precipitin reaction. Journ. Arnold Arb. 13: 52-74. pl.42. Ja. 1932. no.1.

Dermen, H.

Chromosome numbers in the genus Tilia. Journ. Arnold Arb. 13: 49-51. illus. Ja.1932. no.1.

Guillaumin, A.

Bontribution to the flora of the New Hebrides. Plants collected by S.F. Kajewski in 1928 and 1929. (cont.) Journ. Arnold Arb. 13: 1-29. illus. Ja. 1932. no.1.

Rehder, A.

Kalmiopsis, a new genus of Ericaceae from northwest America. Journ. Arnold Arb. 13: 30-34. pl.40. Ja. 1932. no.1.

K. leachiana (Rhododendron leachianum)

Sax, K. & Abbe, E. C.

Chromosome numbers and the anatomy of the secondary xylem in the Oleaceae. Journ. Arnold Arb. 13: 37-48. illus. Ja.1932. no.1.

Woodworth, R. H.

Diaxylary laticiferous cells of Beaumontia grandiflora. Journ. Arnold Arb. 13: 35-36. pl.41. Ja. 1932. no.1.

Journ. Amer. Chem. Soc.

Holmes, H.N. & Leicester, H.M.

The isolation of carotene. Journ. Amer. Chem. Soc. 54: 716-720. Feb. 1932. no.2.

Journ. Bot. (London)

Grove, W. B.

New or noteworthy fungi. XII. Coelomycetes. Journ. Bot. 70: 1-7. pl.599. Ja.1932. no.829.

Dictyothyrium gen. nov., D. betulae, sp.nov.

Nicholson, C

Staminodal form of Erica tetralix L. in Cornwall. Journ. Bot. 70: 24. Ja. 1932. no.829.

Pugsley, H. W.

Edward Step. (1855-1931) Journ. Bot. 70: 18-19. Ja. 1932. no.829.

Ramsbottom, J.

Centenary of Robert Brown's discovery of the nucleus - Exhibit at Natural History Museum. Journ. Bot. 70: 13-16. Ja. 1932. no.829.

Ramsbottom, J.

Unusual habitats for agarics. Journ. Bot. 70: 25. Ja.1932. no.829

Armillaria mucida on log of horse-chestnut, Daedalea quercina on beech-stumps, Lactarius rufus on old stumps of pine, Pholita spectabilis on dead wood of beach wound.

Rendle, A. B.

John Isaac Briquet. (1870-1931) Journ. Bot. 70: 16-18. Ja. 1932. no.829

Tutin, T. G. & Warburg, E. F.

Contributions from the University Herbarium, Cambridge. Notes on the flora of the Azores. Journ. Bot. 70: 7-13. Ja. 1932. no.829.

Intended as a supplement to Trelease's "Botanical observations on the Azores".

Journ. Dept. Agr. Kyushu Imp. Univ. (Fukuoka, Japan)

Kojima, H.

Division, growth and differentiation of cells in the root of Vicia faba artificially inhibited from further elongation. Journ. Dept. Agr. Kyushu Imp. Univ. (Fukuoka, Japan) 3: 121-147 D.25, 1931. no.6.

Journ. Fac. Agr. Hokkaido Imp. Univ. Sapporo.

Ito, S. & Nagai, M.

On the rot-disease of the seeds and seedlings of rice-plant caused by some aquatic fungi. Journ. Fac. Agr. Hokkaido Imp. Univ. Sapporo 32: 45-67. pl.viii-xi. D.1931. no.2.

Pythiomorpha miyabeana, P. oryzae n.spp.

Journ. Pharm. Soc. Japan.

Kariyone, T. & Sato, T.

On the poisonous constituents of Coriaria japonica. III. Journ. Pharm. Soc. Japan 51: 134-135. D.1931. no.12.

Journ. Roy. Micr. Soc.(London)

Hedayetullah, S.

On the structure and division of the somatic chromosomes in narcissus. Journ. Roy. Micr. Soc. III, 51: 347-386. pl. i-v. D.1931. no.4.

Journ. Washington Acad. Sci.

Dachnowski-Stokes, A. P.

The classification of peat soils. Journ. Washington Acad. Sci. 22: 50-59. F.4, 1932. no.3.

Killip, E. P.

Five new species of Bomarea from Peru. Journ. Washington Acad. Sci. 22: 59-63. F.4, 1932. no.3.

B. caudata, B. nematocaulon, B. angustissima, B. speciosa, B. dolichocarpa, n.spp.

Morton, C. V.

A new species of Hymenophyllum from Peru. Journ. Washington Acad. Sci. 22: 63-65. illus. F.4, 1932. no.3.

H. amabile.

Kartoffel, Zeitschr. Kartoffelbauges. (Berlin)

Braun, H.

Herznekrosen der kartoffelknolle. Kartoffel, Zeitschr. Kartoffelbauges. 12: 13-16. illus. Ja.16, 1932. no.2.

Leafl. Dept. Agr. Bombay.

Loranthus. Leafl. Dept. Agr. Bombay no. 4. (With Poona Agr. Coll. Mag. v.23, no.3) 3 p. D.1931. no.3.

Leafl. West. Bot. (San Francisco)

Eastwood, A.

The Pittosporums in Californian gardens and parks. Leafl. West. Bot. 1: 1-7. Ja.16, 1932. no.1.

Howell, J. T.

A new Californian Baeria. Leafl. West. Bot. 1: 7-8. Ja.16, 1932. no.1.

B. bakeri.

Maataloustiet. Aikak. [Agric. Mag.] (Helsingfors)

Aarnio, B.

Viljelysmaiden rikkaruohojen suhde maan reaktioon. (The dependence of weeds upon the reaction of soil.) Maataloustiet. Aikak. [Agric. Mag.] 3: 117-121. 1931. no.4.

English summary: p.121.

Meded. Landbouwhoogesch. Wageningen.

Banga, O.

Over ziekteverschijnselen van de aardbei en over het voorkomen van een actinomyceet in de weefsels van deze plant (On symptoms of strawberry disease and on the occurrence of an Actinomycetaceae in the tissues of strawberry-plants). Meded. Landbouw. hoogesch. Wageningen. v.35, no.5. 35 p. 7 pl. on 4. 1931. n.

English summary: p.32-33.

Reprinted as Meded. Lab. Tuinbouwpl. Landbouwhoogesch. Wageningen. no.15.

Boonstra, A. E. H. R.

Root systems of seven varieties of peas grown under similar cultural conditions. Meded. Landbouwhoogesch. Wageningen. v.35, no.2. 56 p. 6 pl. on 3. 1931.

Honing, J. A.

Canna crosses. III. Plasmatic influences. IV. Canna aureo-vittata gigas a vegetative mutation Meded. Landbouwhoogesch. Wageningen v.35, no.1. 26 p. 1 pl. 1931. no.1.

English summary; p.14.

Mitt. Deut. Landw. Ges. (Berlin)
Schlumberger, O.
Prüfung von kartoffelsorten auf ihr verhalten gegen schorf im jahre 1931. Mitt. Deut. Landw. Ges. 47: 55-57. Ja.23,1932. no.4.

Möller's Deut. Gärtn.-Zeit. (Erfurt)
Hartmann, G.
Die älchen-krankheit an chrysanthemen und massnahmen zu ihrer bekämfpung und verhütung. Möllers Deut. Gärtn.-Zeit. 47: 31-32. Ja.21, 1932. no.3.

Nat. Hort. Mag. (Washington)
Bates, A.
The illusive ivy. Nat. Hort. Mag. 11: 68,70. 74, 76. illus. Ja.1932. no.1.

DeBevoise, F.
Notes on Saxifraga. I. Nat. Hort. Mag. 11: 9-16. illus. Ja.1932. no.1.

Harkness, B.
Plant notes from the New Jersery pine barrens. Nat. Hort. Mag. 11: 34-36, 50. Ja. 1932. no.1.

Rowntree, L.
Flowers of the California Sierras. Nat. Hort. Mag. 11: 5-8. illus. Ja.1932. no.1.

Van Tress, R. T.
Water-lily hybridizing. Nat. Hort. Mag. 11: 17-21. illus. Ja.1932. no.1.

Nat. & Appl. Sci. Bull. Univ. Philipp.
Pascasio, J. F. & Santos, J. K.
A critical morphological study of Thalassia hemprichii (Ehrenb.) Aschers. from the Philippines. Nat. & Appl. Sci. Bull. Univ. Philipp. 1: 1-19. 5 pl. O.1930(Rec'd F.1932) no.1.

Nature (London)
Lister, G.
Cytology of Mycetozoa. Nature 129: 131-132. Ja.23, 1932. no.3247.

Comments on Dr. E.J. Cadman's paper "The life history and cytology of Didymium nigripes Fr."

Nature (cont.)
Schuyten, M. C.
Growth curves of the Gramineae. Nature 192: 170. Ja.30, 1932. no.3248.

New Zeal. Journ. Sci. & Techn. (Wellington, N.Z.)
Gibbs, J. G.
Experiments with lime on club-root control. New Zeal. Journ. Sci. & Techn. 13: 104-119. illus. O.1931(Rec'd F.1932) no.2.

Northwest Fruit Grower (Wenatchee)
Overholser, E.L., Claypool, L.L. & Overley, F.L.
A 1931 survey of little leaf and chlorosis of fruit in central Washington. Northwest Fruit Grower 4(1): 5, 12. Ja. 1932. no.1.

Obst- u. Gemüseb. (Berlin)
Elssmann, E.
Kälteschäden zur blütezeit der obstgehölze. Obst.- u. Gemüseb. 78: 10. Ja.15, 1932. no.1.

Schwiegershausen, K.
Betrachtungen über das bitterwerden von gurken, insbesondere vom geschichtlich-botanischen standpunkt. Obst- u. Gemüseb. 78: 12,13,14. illus. Ja.15, 1932. no.1.

Ochrana Rostlin (Prague)
Blattný, C.
Fusariosa na kukurici (Zea mays), málo známá choroba mladých rostlin. Ochrana Rostlin 11: 129-132. illus. N.1931 (Rec'd F.1932) no.3/4.
Czechoslovakian.

Ríha, J.
O významu zkoušky klícivosti pro zjištování zdravotního stavu hliz bramborových. (Die bedeutung der keimfähigkeit für das feststellen des gesundheitszustandes der kartoffelknollen). Ochrana Rostlin 11: 103-114. N.1931(Rec'd F.1932). no.3/4.
German summary: p.114.

Stranák, F., Blattný, C. & Klecka, A.
Mosaika révy vinne (La mosaique à virus de la vigne). Ochrana Rostlin 11: 89-98. N.1931. (Rec'd F.1932) no.3/4.
French summary: p.96-98.

Ochrana Rostlin (cont.)
Stránák, F.
Za Dr. Fr. Rambouskem. Ochrana Rostlin 11: 145-150. port. N. 1931. no.5.

Pharm. Zentralh. (Dresden)
Muszyński, J.
Lycopodium, das sammeln und der ertrag. Pharm. Zentralh. 73: 49-52. illus. Ja.28, 1932. no.4.

Phosphorsäure.
Merkenschlager, F.
Phosphorsäurefragen in der pflanzenpathologie. Phosphorsaure 1932: 1-19. illus. no.1.

Phytopath.
American phytopathological society.
Abstracts of papers presented at the 23rd annual meeting, New Orleans, Dec.29-31, 1931. Phytopath. 22:1-31. Ja.1932. no.1.

Burkholder, W. H. & Zaleski, K.
Varietal susceptibility of beans to an American and a European strain of Phytomonas medicaginis var. phaseolicola, and a comparison of the strains in culture. Phytopath. 22: 85-94. Ja.1932. no.1.

Haasis, F.W.,
A study of laboratory methods for investigating the relation between moisture content of wood and fungal growth. Phytopath. 22: 71-84. Ja.1932. no.1.
Fomes roseus on sap-wood of Pinus ponderosa.

Pettinger, N. A., Henderson, R.G. & Wingard, S.A.
Some nutritional disorders in corn grown in sand cultures. Phytopath. 22: 33-51. illus. Ja. 1932. no.1.

Tomasi, J.A. de.
Immunity in plants. Phytopath. 22: 95-102. Ja. 1932. no.1.

White, R. P.
Chloroses of the rose. Phytopath. 22: 53-69. illus. Ja. 1932. no.1.

Plant Physiology.

Anderson, D.B. & Williams, C.F.
A simple dilatometer. Plant Physiology 7: 175-177. illus. Ja. 1932. no.1.

Bisson, C.S. & Jones, H. A.
Changes accompanying fruit development in the garden pea. Plant Physiology 7: 91-105. illus. Ja. 1932. no.1.

Dexter, S.T., Tottingham, W.E. & Graber, L.F.
Investigations of the hardiness of plants by measurement of electrical conductivity. Plant Physiology 7: 63-78. Ja. 1932. no.1.

Gustafson, F.G., Clark, I., Shaw, D.A. & Warweg, E.
Catalase activity in tomato fruits at different stages of their development. Plant Physiology 7: 155-160. Ja. 1932. no.1.

Hasselbring, H.
Effect of hot-water treatment on the carbohydrate changes in narcissus bulbs during storage. Plant Physiology 7: 145-154. Ja. 1932. no.1.

Lloyd, F.E.
Mode of occurrence of caoutchouc in the guayule Parthenium argentatum Gray, and its function. Plant Physiology 7: 131-138. pl. ii. Ja.1932. no.1.

McGeorge, W.T.
Chemical equivalent base exchange reactions in plants. Plant Physiology 7: 119-124. Ja.1932. no.1.
Experiments with alfalfa.

McHargue, J.S. & Calfee, R.K.
Effect of boron on the growth of lettuce. Plant Physiology 7: 161-164. illus. Ja.1932. no.1.

Moinat, A.D.
Available water and the wilting of plants. Plant Physiology 7: 35-46. Ja. 1932. no.1.

Plant Physiology (cont.)

Mulay, A. S.

Seasonal changes in the composition of the non-protein nitrogen in the current year's shoots of Bartlett pear. Plant Physiology 7: 107-118. Ja. 1932. no.1.

Murneek, A. E.

Growth and development as influenced by fruit and seed formation. Plant Physiology 7: 79-90. illus. Ja. 1932. no.1.

Richards, O. W. & Haynes, F. W.

Oxygen consumption and carbon dioxide production during the growth of yeast. Plant Physiology 7: 139-144. Ja.1932. no.1.

Sideris, C. P.

Container for the study of the behavior of individual roots. Plant Physiology 7: 173-174. illus. Ja. 1932. no.1.

Steward, F.C. & Priestly, J.H.

Movement of organic materials in plants: a note on a recently suggested mechanism. Plant Physiology 7: 165-171. Ja. 1932. no.1.

Comments on Craft's Movement of organic material in plants.

Wilson, J. D.

Rapidity of response of spinach to change in photoperiod. Plant Physiology 7: 125-130. Ja. 1932. no.1.

Wilson, J.D. & Livingston, B. E.

Wilting and withering of grasses in greenhouse cultures as related to water-supplying power of the soil. Plant Physiology 7: 1-34. illus. Ja. 1932. no.1.

Poona Agr. Coll. Mag. (Poona City)

Gokhale, V. G. & others.

Improvement of nagli (Eleusine coracana) in the Bombay Deccan. III. Conditions under which the breeding work was carried out. Poona Agr. Coll. Mag. 23: 147-176. 2 pl. D.1931. no.3.

Proc. Nat. Acad. Sci.

Dolk, H. E. & Thimann, K. V.

Studies on the growth hormone of plants I- Proc. Nat. Acad. Sci. 18: 30-40. Ja. 1932. no.1.

Reed, H. S.

The growth of Scenedesmus acutus. Proc. Nat. Acad. Sci. 18: 23-30. Ja.1932. no.1.

Proc. Staten Isl. Inst.

Hollick, A.

Records of triassic fossils on Staten Island, New York, with descriptions of specimens, Proc. Staten Isl. Inst. Arts & Sci. 6: 5-22. 9 pl. on 5. 1931. no.1.

Protoplasma (Leipzig)

Loos, W.

Zur kenntnis der wundreaktionen des pflanzlichen zellkerns. Protoplasma 14: 331-340. illus. D.1931. no.3.

Malin, P. B.

Zur kenntnis der saugkraft der koniferennadeln. Protoplasma 14: 360-460. illus. D.1931. no.3.

Pfeiffer, H.

Die pflanzenzelle und ihre eignung zu physikalisch-chemischer protoplasmaforschung. Protoplasma 14: 486-494. D.1931. no.3.

Queensl. Agr. Journ. (Brisbane)

Bell, A. F.

Dwarf disease of sugar-cane. Queensl. Agr. Journ. 37: 9-17. illus. Ja.1, 1932. no.1.

Appears to be a virus disease.

Cottrell-Dormer, W.

Red-stripe disease of sugar cane in Queensland. 1- Queensl. Agr. Journ. 37: 23-40. illus. Ja.1, 1932. no.1.

Rep. Mysore Agr. Dept.

Narasimhan, M. J.

Report of work done in the mycological section during 1929-30. Rep. Mysore Agr. Dept. 1929/30: 21-24. [1931]

Rep. Oper. Dept. Agr. Punjab.
Mohendra, K. R.
Annual report of the mycologist to government, Punjab, for the year ending 30th June 1930. Lahore, 1931(with Rep. Oper. Dpt. Agr. Punjab.1929/30.)

Rev. Bot. Appl. (Paris)
Chevalier, A.
Les graines d'Avicennia comme aliment de famine. Rev. Bot. Appl. 11: 1000-1001. D.1931. no.124.

Dufrenoy, J.
Insecticides et anticryptogamiques, d'après les récents travaux étravaux étrangers.(cont.) Rev. Bot. Appl. 11: 978-990. D.1931. no.124.

Perrier de la Bathie, H.
Les plantes introduites à Madagascar. (cont.) Rev. Bot. Appl. 11: 991-999. D.1931. no.124.

Rev. Eaux et For. (Paris)
Buffault, P.
Les dunes de la Nouvelle-Zélande. Rev. Eaux et For. 70: 25-41. 4 pl. on 2. Ja.1932. no.1.

Rev. Gén. Bot. (Paris)
Becker, W. A.
Influence des colorants de la série des azines sur la marche de la cinèse somatique dans les racines chez l'Allium cepa. Rev. Gén. Bot. 44: 24-30. Ja. 1932. no.517.

Colin, H. & Billon, P.
Potasse et betterave. Rev. Gén. Bot. 44: 1-23. Ja. 1932. no.517.

Rev. Vitic. (Paris)
Rives, L.
Cancer vegetal et potassium. Rev. Vitic. 76: 41-43. illus. Ja.21, 1932. no.1960.

Rhodesia Agr.Journ. (Salisbury)
Stent, S.M. & Lawrence, D.A.
Poisonous or suspected poisonous plants of Southern Rhodesia. Tulp poisoning of cattle. Rhodesia Agr. Journ. 29: 15-20. Ja. 1932.
Moraea zambesiaca.

Rhodora (Boston)

Eaton, R. J. & Griscom, L.
A few noteworthy plants from southern Vermont. Rhodora 34: 31-34. F. 1932. no.398.

Farwell, O. A.
Eukrania and Cynoxylon not genera of Rafinesque. Rhodora 34: 29-30. F. 1932. no.398.
Treated as subgenera of Cornus by Rafinesque, "as genera would start with Index Kewensis".

Fernald, M. L.
Callitriche stagnalis on the lower St.Lawrence. Rhodora 34: 39-40. F.1932.no.398

Fernald, M. L.
Some genera and species of Rafinesque. Rhodora 34: 21-28. illus. F.1932. no.398.

Goodale, A. S.
Notes from the Amherst College Herbarium. Rhodora 34: 34-37. F.1932. no.398.

Kelso, L.
A note on Salix dodgeana. Rhodora 34: 28-29. F.1932. no.398.
Salix dodgeana subrariflora.

Svenson, H. K.
Callitriche stagnalis in eastern United States. Rhodora 34: 37-39. F.1932. no.398.

Woodson, R. E.jr.
The identity and nomenclature of Apocynum androsaemifolium L. Rhodora 34: 30-31. F.1932. no.398
Var. glabrum correct name for western variety.

Riv. Ital. Essen. e Profumi (Milano)

Cortesi, F.
Il luppolo. Caratteri botanici - coltivazione - usi - storia. Riv. Ital. Essen. e Profumi 14: 10-15. illus. Ja.15, 1932. no.1.

Fenaroli, L.
Le genziane. Riv. Ital. Essen. e Profumi 14: 22-24. illus. Ja.15, 1932. no.1.

Sci. Booklist Amer. Assoc. Adv. Sci.

The ferns, mosses and fungi. Sci. Booklist Amer. Assoc. Adv. Sci. no.15. folder. 1931.

A few book titles, with annotations.

Our trees and shrubs. Sci. Booklist Amer. Assoc. Adv. Sci. no.16. folder. 1931.

A selection of books, with annotations.

Plants and their ways. Sci. Booklist Amer. Assoc. Adv. Sci. no.13. folder. 1931

Book titles with annotations on Exploring for plants, plant biology and physiology, classification, &c.

Wild flowers, how to know them. Sci. Booklist Amer. Assoc. Adv. Sci. no.14. folder. 1931.

A selection of books, with annotations

Scott. Journ. Agr. (Edinburgh)

O'Brien, D. G. & Dennis, R.W.G.

Control of leaf stripe or yellow leaf of oats. Scott. Journ. Agr. 15: 39-45. illus. Ja. 1932. no.1.

Smithson. Misc. Coll. (Washington)

Killip, E. P.

The botanical collections of William Lobb in Colombia Smithson. Misc. Coll. 87: 1-13. F.4, 1932 (Publ.3133). no.1.

So. African Gard. (Johannesburg)

Morgan, W. P.

A note on the hybridizing of freesias. So. African Gard. 22: 12-13. illus. Ja. 1932. no.1.

Summ. Doct. Theses George Wash. Univ.

Chitwood, B. G.

The role of nematodes in strawberry diseases. Summ. Doct. Theses George Wash. Univ. 1929-31. p. 70-73. 1931.

Dwarf (Aphelenchus fragariae), gall (Tylenchus dipsaci), root gall (Caconema radicicola)

Tijdschr. Plantenz.

Buisman, C.

Ceratostomella ulmi, de geslachtelijke vorm van Graphium ulmi Schwarz. Tijdschr. Plantenz. 38: 1-5. pl. i-iii. Ja.1932.no.1.

English summary: p.5; Translation in B.P.I.

Ceratostomella ulmi,n.sp.

Tijdschr. Plantenz. (cont.)

Herwijnen, A. van

Invloed van het zoutgehalte van nortonwater op den groei van tomatenplant. Tijdschr. Plantenz. 38: 12-16. Ja. 1932. no.1.

Lindeijer, E. J.

Een bacterie-ziekte van de wilg. II. Tijdschr. Plantenz. 38: 9-11. pl.iv. Ja.1932. no.1.

Trop. Agriculture West Indies (Trinidad)

Walters, E. S.

The propagation of tropical orchard crops at the Union agricultural station, St.Lucia. Trop. Agriculture, West Indies 9: 35-37. 2 pl. on 1. F.1932. no.2.

U. S. Dept. Agr. Techn. Bull.

Wright, R. C., Pentzer, W. T., Whiteman, T.M. & Rose, D.H.

Effect of various temperatures on the storage and ripening of tomatoes. U.S. Dept. Agr. Techn. Bull.268. 34 p. illus., 3 col.pl. D.1931.

Verh. Naturf. Ver. Brunn.

Černik, L.F.

Krankheiten und teratologische missbildungen an pflanzen der Olmützer flora III. Verh. Naturf. Ver. Brünn. 62: 148-164. illus. 1931.

Fröhlich, A.

Ueber die auffindung einer Myosotis suaveolens W.Kit. bei Nikolsburg. Verh. Naturf. Ver. Brunn 62: 24-29. illus. 1931.

Hruby, J.

Die pflanzengeorgraphischen verhältnisse Westmährens 4. beitrag. Behandelt das Oslawtal und das teichgebiet von Namiest (bis gegen Trebitsch hin) Vern. Naturf. Ver. Brünn 62: 30-79. illus. 1931.

Věstník Českosl. Akad. Zeměd. (Praha)

Stoklasa, J.

O püsobeni kourovych plynů na lesní vegetaci. (Ueber den einfluss von rauchgasen auf die waldvegetation). Věstník Českosl. Akad. Zeměd. 8: 22-25. Ja.1932. no.1.

Zashch. Rast. (Plant Prot. Leningrad)

Balakhonov, B. I.

O gibeli tsvetov plodovykh derev'ev na Chernomorskom poberezh'i v svi͡azi s tumanami (Blossom wilt of fruit trees at the Black Sea littoral zone in connection with fogs). Zashch. Rast. (Plant Prot. Leningrad) 7: 345-348. 1931. no.4/6.

Russian.

Bogoi͡avlenskii, A. A.

Ispytanie poroshkoobraznykh fungitsidov v bor'be s golovneĭ khlebov (Testing of dusting fungicides in the control of corn smut). Zashch. Rast. (Plant Prot. Leningrad) 7: 371-375. 1931. no.4/6.

Russian.

Cereals.

Davydov, P. N.

Novyĭ sposob protravlivanii͡a semi͡an (A new method for the disinfection of seeds). Zashch. Rast. (Plant Prot. Leningrad) 8: 415-420. illus. 1931. no.4.

Russian with English summary.

Davydov, P. N.

Sistema gosudarstvennykh i vnutri-khozi͡aistvennykh meropri͡iatii po bor'be s golovneĭ (The state and management system of the smut control). Zashch. Rast. (Plant Prot. Leningrad) 8: 221-234. 1931. no.3.

Russian.

Kovalev, N. V.

Bor'ba s golovneĭ kak gosudarstvennai͡a sistema (The control of smut as a state system) Zashch. Rast. (Plant Prot. Leningrad) 8: 217-219. 1931. no.3.

Russian.

Predtechenskii, I. N.

Bolenzni i vrediteli parkovykh nasazhdeniĭ Sokolnich' ei Roshchi po dannym entomo-fitopatologicheskogo obsledovavanii͡a 1929 goda (Entomo-phytopathological observations on diseases and pests of trees in the park Sokolnitskja Rostsha, made in 1929). Zashch. Rast. (Plant Prot. Leningrad) 7: 383-397. illus. 1931. no.4/6.

Prisi͡azhni͡uk, A. A.

Materialy op isuchenii͡u gribnykh zabolevaniĭ polebykh kul'tur Nizhne-Volzhskogo krai͡a (Contributions to the study of the fungous diseases of the field crops in the lower Volga region). Zashch. Rast.(Plant Prot. Leningrad) 7: 323-337. 1931. no.4/6.

Russian.

Zashch. Rast. (Plant Prot. Leningrad) (cont.)

Prisi͡azhni͡uk, A. A.

Novai͡a bakterial'nai͡a bolezn pshenitsy, "blek-chaf" v Nizhne-Volzhskom krae (A new bacterial disease of the lower Volga region). Zashch. Rast. (Plant Prot. Leningrad) 8: 305-307. illus. 1931. no.3.

Russian.

Bacterium translucens var. undulosum.

Shitikova-Rusakova, A. A.

Vlii͡anie vozdushnykh techeniĭ na poi͡avlenie i pazvitie rzhavchinnykh epidemii v razlichnykh raionakh Soi͡uza (The effect of air currents on the development of the rust epidemics in some regions of USSR) Zashch. Rast. (Plant Prot. Leningrad) 7: 361-363. 1931. no.4/6.

Russian.

Sol'kina, A.

Sumchatai͡a stadii͡a Sclerotinia fructigena Schröt. v okrestnosti͡akh Leningrada (The ascigenous stage of Sclerotinia fructigena Schröt. in vicinity of Leningrad). Zashch. Rast. (Plant Prot. Leningrad) 8: 309-310. illus. 1931. no. 3.

Russian.

Strachitskii, K.

O faktorakh, sposobstvui͡ushchikh poi͡avlenii͡u ozhogov na list'i͡akh rasteniĭ ot mysh'i͡ak-soderzhashchikh preparatov (On the factors causing the appearance of burns on the leaves of plants treated by the arsenic containing preparations). Zashch. Rast. (Plant Prot. Leningrad) 8: 421-432. 1931. no.4.

Russian with English summary.

Zeitschr. Indukt. Abstamm. u. Vererbungsl. (Leipzig)

Becker, G.

Experimentelle analyse der genom- und plasmonwirkung bei moosen. III. Osmotischer wert heteroploider pflanzen. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 60: 17-38. illus. 1931.

Zeitschr. Indukt. Abstamm. u. Vererbungsl. (cont.)

Euler, H. v., Hertzsch, W., Forssberg, A. & Hellstrom, H.
Vergleichende versuche über verschiedene arten von chlorophylldefekten. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 60: 1-16. illus. 1931. no.1.

Schmidt, M.
Experimentelle analyse der genom- und plasmonwirkung bei moosen. II. Ueber eine hemihaploide und andere heteroploide rassen von Physcomitrium piriforme (L.) Brid. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 57: 306-342. illus. pl.i-ii. 1931.

Tobler, M.
Experimentelle analyse der genom- und plasmonwirkung bei moosen. IV. Zur variabilität des zellvolumens einer sippenkreuzung von Funaria hygrometrica und deren bivalenten rassen. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 60: 39-62. illus. 1931. no.1.

Zentralbl. Bakt. Abt.II. (Jena)

Schröder, M.
Die assimilation des luftstickstoffs durch einige bakterien. Zentralbl. Bakt. Abt.II, 85: 177-212. Ja.15, 1932. no.11/16.

Exper. Stat. Publ.

Durrell, L. W.
Report of the botanist. Ann. Rep. Colorado Agr. Exp. Stat. 44(1930/31): 25-31. [1931]

Sackett, W. G.
Report of bacteriologist. Ann. Rep. Colorado Agr. Exp. Stat. 44(1930-/31): 19-25. [1931]
Includes bacterial diseases of plants.

Cornell agricultural experiment station.
Plant pathology. Its Ann. Rep. 44: 63-82 1931.

Woodroof, N. C.
Treating cotton seed by the dusting method. Georgia Exp. Stat. Bull. no.70. 16 p. illus. D.1931(Rec'd F.1932)

Miles, L. E.
Annual report of the Dept. of plant pathology. Ann. Rep.Mississippi Agr. Exp. Stat. 44(1930/31): 43-47. [1931?]

Exper. Stat. Publ. (cont.)

Borst, H.L. & Thatcher, L. E.
Life history and composition of the soybean plant. Ohio Agr. Exp. Stat. Bull. 494. 96 p. illus. N.1931(Rec'd F.9,1932)

South Carolina agricultural experiment station.
Research in plant physiology and plant pathology. Its Ann. Rep. 44(1930/31): 44-55. illus. 1931.

Burnett, G. & Jones, L. K.
The effect of certain potato and tobacco viruses on tomato plants. Washington Agr. Exp. stat. Bull. 259. 37 p. 6 pl. on 3. D.1931.(Rec'd F.1932.)

State Publications.

Pierstoff, A.L. & Parker, T. H.
Damping-off and sweet-corn diseases. Plant Dis. & Insect Notes Agr. Ext. Serv. Ohio Coll. Agr. v.3, no.1. 4 p. illus. Ja.1932.

New Books.

Busam, J. F.
Laboratory guide in general botany...[by] Joseph F. Busam and Thomas L. Malumphy... Ann Arbor, Mich., Edwards brothers, 1931.
Multigraphed.

Cammerloher, H.
Blutenbiologie I. Wechselbeziehungen zwischen blumen und insekten. Berlin, Borntraeger, 1931.

Carnevale, J. A.
Arboles forestales, su cultivo y utilizacion Buenos Aires, J. Roldan & Cia., 1931.

Colin, H.
Les diastases. v.1. Les hydrolases. Paris, G. Doin, 1931.

Copeland, E. B.
The coconut. 3d ed., rev. London, Macmillan, 1931.
Diseases and pests: p.34-116.

New Books (cont.)

Donaldson, C. S.
Florida plants and trees growing in the Avon Park region. Description of specimens with reference to their value in medicine, chemistry, food, industry. [Avon Park, 1931]

Guenther, K.
A naturalist in Brazil.... transl. by Bernard Miall. Boston, Houghton Mifflin, 1931

Kostychev, S.
Lehrbuch der pflanzenphysiologie... 2 bd. Stoffaufnahme, stoffwanderung, wachstum und bewegungen, unter mitwirkung von Dr. F. A. F. C. Went. Berlin, J. Springer, 1931.

Murray, R.K.S.
Diseases of rubber in Ceylon. Ceylon, Rubber research scheme, 1930.

Parry, E.J.
Sandalwood oil. London, Gov't of Mysore, [1931?]

Sharp, L. W.
Einfuhrung in die zytologie. Mit genehmigung des verfassers aus dem Englischen übersetzt und vollständig neu bearb. von R. Jaretzky. Berlin Borntraeger, 1931.

Zahlbruckner, A.
Catalogue lichenum universalis. v.8, bog. 1-10. Leipzig, Borntraeger, [1932?]

Reprints from Journals not yet rec'd or not available.

Maxon, W. R.
Systematic botany; its development and contacts. Reprinted from Old and new plant lore. Smithson. Sci. Ser. 11: 133-164. pl.19-25. 1931.

Translations filed in Library of Bur. of Plant Industry.

Bolle, P. C.
Voorloopige proeven en beschouwingen over bestrijding van de geelvlekkenziekte (Preliminary experiments and studies concerning the fight against the yellow spot disease). Arch. Suikerind. Nederl. Indië 1931, pt.3 (Meded.27): 1189-1206. 1931.
Cercospora kopkei on sugar cane.

L-c

LIBRARY
MAR 1 1
U.S.

BOTANY

CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

Vol. 14, no. 4. Feb.15-27, 1932.

Agr. & Live-stock, India. (Calcutta)

Kottur, G.L. & Maralihalli, S. S.
The use of sulphur in the control of red-leaf blight. Agr. & Live-stock, India 1: 638-641. N. 1931. no.6.
Thought to be physiological, here said to be associated with certain sucking insects (Disease of cotton)

Mehta, T. R.
Breeding of disease-resistant crops. Agr. & Live-stock, India 1: 618-630. pl. xxxviii. N. 1931. no.6.

Agr. Gaz. N.S.W. (Sydney)

Callaghan, A. R.
Varieties of oats in New South Wales. A morphological basis for their identification. Agr. Gaz. N.S.W. 43: 7-17. illus. Ja.1, 1932. no.1.

Amer. Bot. (Indianapolis, Ind.)

Clute, W. N.
Frost flowers. Amer. Bot. 38: 1-12. illus. Ja.1932. no.1.

Clute, W. N.
Meaning of plant names. XLIX. The bindweeds. Amer. Bot. 38: 18-23. Ja. 1932. no.1.

Clute, W. N.
Swamp and dune. (cont.) Amer. Bot. v.38, suppl. p.65-72. Ja. 1932. no.1.

Gates, F. E.
Variegated plants of crabgrass. Amer. Bot. 38: 25-26. Ja. 1932. no.1.

On the trail of an Arum. Amer. Bot. 38: 38-39. Ja. 1932. no.1.
Arum cornutum (red calla)

Amer. Bot. (cont.)

Petersen, N. F.
Wind or insect pollination. Amer. Bot. 38: 27-30. Ja.1932. no.1.
Refers to a note in Amer. Bot. 37:164-165. O.1931.

Reed, C. A.
An unusual Monterey pine. Amer. Bot. 38: 23-25. Ja. 1932. no.1.

Amer. Journ. Bot.

Davis, W. B.
Deposits of oil in the juice sacs of citrus fruits. Amer. Journ. Bot. 19: 101-105. illus. F.1932. no.2.

Kesseler, E.v.
Observations on chromosome number in Althaea rosea, Callirhoë involucrata, and Hibiscus coccineus. Amer. Journ. Bot. 19: 128-130. pl.ix. F. 1932. no.2.

Kramer, P. J.
The absorption of water by root systems of plants. Amer. Journ. Bot. 19: 148-164. illus. F.1932. no.2.

McNair, J. B.
Some properties of plant substances in relation to climate of habitat - volatile oils, saponins, cyanogenetic glucosides, and carbohydrates. Amer. Jour. Bot. 19: 168-193. F.1932. no.2.

Maxon, W.R. & Weatherby, C. A.
Two new tropical American species of Adiantum. Amer. Journ. Bot. 19: 165-167. F.1932. no.2.
A. decoratum, A. killipii.

Peck, M.E. & Gilbert, H. C.
Myxomycetes of northwestern Oregon. Amer. Journ. Bot. 19: 131-147. pl. x-xii. F.1932. no.2.

Reed, G.M.
Inheritance of resistance to loose and covered smut in a hybrid of early Gothland and Victor oats. Amer. Journ. Bot. 19: 194-204. F.1932. no.2.

Slagg, R. A.
The gametophytes of Selaginella kraussiana. I. The microgametophyte. Amer. Journ. Bot. 19: 106-127. F. 1932. no.2.

Ann. Agron. (Paris)

Rivière, G. & Pichard, G.

Influence de quelques facteurs climatologiques sur le développement de differentes variétés de pechers et de cerisiers. Ann. Agron. (Paris) 2: 61-68. 2 tab. Ja./F. 1932. no.1.

Ann. Bot. (London)

Corner, E.J.H.

The fruit-body of Polystictus xanthopus, Fr. Ann. Bot. 46: 71-111. illus., pl.v. Ja.1932. no.181.

Fikry, A.

Investigations on the wilt disease of Egyptian cotton caused by various species of Fusarium. Ann. Bot. 46: 29-70. illus., pl. iii-iv. Ja. 1932. no.181.

Hawker, L. E.

A quantitative study of the geotropism of seedlings with special reference to the nature and development of their statolith apparatus. Ann. Bot. 46: 121-157. illus. Ja.1932. no.181.

Hill, A. W.

The aphlebiae of Hemitella capensis. Ann. Bot. 46: 183-185. illus. Ja.1932. no.181.

Jane, F. W.

The chromosomes of Ranunculus parviflorus, L. Ann. Bot. 46: 187-188. illus. Ja. 1932. no.181.

Latter, J.

The meiotic divisions in the pollen mother-cells of Malva sylvestris. Ann. Bot. 46: 1-10. pl. i-ii. Ja.1932. no.181.

Malhotra, R. C.

A contribution to the physiology and anatomy of tracheae with special reference to fruit trees. II. Water conductivity in higher plants and its relation to tracheas. Ann. Bot. 46: 11-28. illus. Ja. 1932. no.181.

Ann. Bot. (cont.)

Mathias, W. T.
The cytology of Callithamnion brachiatum, Bonnem. Ann. Bot. 46: 185-187. illus. Ja. 1932. no.181.

Parkin, J.
The glossy petal of Ranunculus: a correction. Ann.Bot. 46: 188-190. illus. Ja. 1932. no.181.

Robinson, W.
Observations on the development of Taonia atomaria, Ag. Ann. Bot. 46: 113-120. pl.vi. Ja. 1932. no.181.

Yapp, R.H. & Mason, U. C.
The distribution of water in the shoots of certain herbaceous plants. Ann. Bot. 46: 159-181. illus. Ja. 1932. no.181.

Atti R. Accad. Naz. Lincei VI, Rend. Cl. Sci. Fis., Mat. e Nat. (Rome)

Mezzadroli, G. & Vareton, E.
Azione di terre radioattive italiane sulla germinazione dei semi e sulla crescita delle piante. Atti R. Accad. Naz. Lincei VI, Rend. Cl. Sci. Fis., Mat. e Nat. 14: 443-447. N.15, 1931. no.10.

Beih. Bot. Centralbl. Abt.II. (Dresden)

Latzel, A.
Vorarbeiten zu einer laubmoosflora Dalmatiens. Beih. Bot. Centralbl. Abt. II, 48: 437-512. illus. D.1931. no. 3.

Pilát, A.
Monographie der europäischen polyporaceen mit besonderer berücksichtigung ihrer beziehungen zur landwirtschaft. I- Beih. Bot. Centralbl. Abt.II, 48: 404-436. illus., pl.xiii-xv (2 col.) D.1931. no.3.

Poddubnaja-Arnoldi, W.
Ein versuche der anwendung der embryologischen methode bei der lösung einiger systematischer fragen. (Nachtrag). Beih. Bot. Centralbl. Abt.II, 48: 545-550. D.1931. no.3.

Schröder, E.
Anatomische untersuchungen an den spindeln der Triticum- und Aegilops-arten zur gewinnung neuer gesichtspunkte für die abstammung und systematik der Triticum-arten. Beih. Bot. Centralbl. Abt.II, 48: 333-403. illus.,pl.viii-xii. D.1931. no.3.

Beih. Bot. Centralbl. Abt.II(cont.)

Singer, R.

Pilze aus dem Kaukasus. II. Ein beitrag zur flora Swanetiens und einiger angrenzender täler. Beih. Bot. Centralbl. Abt.II, 48: 513-542. D. 1931. no.3.

Zohary, M.

Eine neue Salvia-art aus der flora Palästinas: Salvia eigii Zohary. Beih. Bot. Centralbl. Abt. II, 48: 543-544. D.1931. no.3.

Biochem. Zeitschr. (Berlin)

Padoa, M. & Vita, N.

Ueber die wirkung von kohlenoxyd auf frische pflanzen. Untersuchungen über die absorptionsspektra der chlorophylle a und b in gegenwart von CO, N_2, O_2, CO_2. Biochem. Zeitschr. 244: 296-302. illus. Ja.25, 1932. no.4/6.

Biol. Bull. (Woods Hole, Mass.)

Weier, T. E.

A comparison of the plastid with the Golgi zone. Biol. Bull. 62: 126-139. illus. F.1932. no.1.

Bol. R. Soc. Espan. Hist. Nat. (Madrid)

Ortiz Picon, J. M.

Efectos de la centrifugación en las células meristémicas de la raiz de Allium sativum. Bol. R. Soc. Espan. Hist. Nat. 31: 611-619. illus. N.20, 1931. no.8.

Datos para el estudio del peso especifico de las estructuras celulares.

Brit. Sugar Beet Rev. (London)

Plaut, M.

Mechanical and chemical treatment of sugar beet seed. Brit. Sugar Beet Rev. 5: 129-131. illus. F.1932. no.6.

Bryologist (Pittsburg)

Bartram, E. B.

Trichostomopsis brevifolia sp.nov. Bryologist 34: 62-63. pl.iv. S.1931(Rec'd F.15, 1932) no.5.

Brinkman, A. H.

Lichens in relation to forest site values. Bryologist 34: 66-71. S.1931(Rec'd F.15,1932) no.5.

Bryologist (cont.)

Gray, F. W.
Tortula fragilis Taylor, in West Virginia. Bryologist 34: 71-72. S.1931(Rec'd F.15,1932) no.5.

Moxley, G. L.
Fissidens bryoides Hedw., in southern California? Bryologist 34: 63. S.1931(Rec'd F.15,1932). no.5.

Pitman, E. M.
Some mosses of West Cumberland, Maine, U.S.A. Bryologist 34: 65. S.1931(Rec'd F.15,1932) no.5.

Sainsbury, G.O.K.
The moss Dicranoloma setosum (H.f. & W.) Par. Bryologist 34: 72-74. S.1931(Rec'd F.15,1932) no.5.

Bulet. Cult. si Ferm. Tutun. (Bull. Inst. Exp. Cult. & Ferm. Tabac) (Bucurest)

Piescu, A.
Hibridul Nicotiana tabacum (molovata) x N. glauca (Caracterele lui morfologice). Bulet. Cult. si Ferm. Tutun. (Bull. Inst. Exp. Cult. & Ferm. Tabac) 20: 457-470. illus.,1 pl. O./D. 1931. no.4.
French summary: p.470.

Bull. Boston Soc. Nat. Hist. (Boston)

David, W. W.
Ferns of the Lake Dunmore region, Salisbury, Vermont. Bull. Boston Soc. Nat. Hist. 62: 3-11. illus. Ja.1932.

Bull. Mens. Soc. Nat. Hort. France. (Paris)

Chevalier, C.
Les Broméliacées-nidularinées. Bull. Mens. Soc. Nat. Hort. France. V,4: 680-695. D.1931.

Rivière, G. & Pichard, G.
Essai d'évaluation de la quantité de chaleur nécessaire à quelques variétés de pêchers et de cerisiers pour leur permettre d'atteindre la maturité de leurs fruits. Bull. Mens. Soc. Nat. Hort. France. V,4: 674-679. D.1931.

Bull. Rubber Res. Inst. Malaya.
Sharples, A. & Sanderson, A. R.
The root disease problem on old rubber areas in Malaya. Bull. Rubber Res. Inst. Malaya no.3. 43 p. 2 pl. N.1931.

Bull. Sci. Pharm. (Paris)
Lobstein, J.E. & Grumbach, J.
Etude botanique, chimique et pharmacodynamique de la racine de "Stemona tuberosa" (Drogue vermifuge sino annamite). Bull. Sci. Pharm. 39: 26-34. illus. Ja.1932. no.1.

Bull. Soc. Centr. For. Belgique (Bruxelles)
De l'emploi des scories basiques comme entrave au "damping off". Bull. Soc. Centr. For Belgique 39: 63-67. 2 pl. on 1. F.1932. no.2.

Bull. Soc. Sci. Nat. Maroc. (Rabat)
Emberger, L. & Maire, R.
Materiaux pour la flore Marocaine. II. Bull. Soc. Sci. Nat. Maroc 11: 90-114. Je.30, 1931(Rec'd F.1932) no.4/6.

Meylan, C.
Liste des cryptograms récoltés au Maroc de 1923 a 1928 par MM. E. Wilczek et D. Dutoit. Bull. Soc. Sci. Nat. Maroc 11: 115-116. Je.30, 1931(Rec'd F.1932) no.4/6.
A. Briophytes B. Lichens.

Bull. So. Calif. Acad. Sci. (Los Angeles)
Fosberg, F. R.
The cacti of the Pyramid Peak region, Dona Ana County, New Mexico. Bull. So. Calif. Acad. Sci. 30: 67-73, incl. pl.21. S./D. 1931(Rec'd F.23,1932) no.3.

Cactus & Succ. Journ. (Los Angeles)
Backeberg, C.
Following in Dr. Rose's footsteps. (Translated from the German manuscript by James West.) Cactus & Succ. Journ. 3: 130-132. illus. F.1932. no.8.
Cacti hunting in Peru.

Baxter, E. M.
California cacti. [4]. Carnegiea gigantea - giant cactus. Cactus & Succ. Journ. 3: 134-135. F. 1932. no.8.

Cactus & Succ. Journ. (cont.)

Baxter, E. M.

Pereskiopsis gatesii, new species. Cactus & Succ. Journ. 3: 133-134. illus. F.1932. no.8.

Croizat, L. C.

Vitis quadrangularis, a succulent vine. Cactus & Succ. Journ. 3: 136-137. illus. F.1932. no.8.

White, A. & Sloane, B.L.

The Stapelieae. 6. Huernia. Cactus & Succ. Journ. 3: 127-129. illus. F.1932. no.8.

Calif. Citrogr. (Los Angeles)

Hodgson, R. W.

Observations on citriculture in Mediterranean Basin: Tunisia. I. History, extent and distribution of the citrus industry in Tunisia. Calif. Citrogr. 17: 181, 226-227, 231-232. illus. Mr.1932. no.5.

Young, F. D.

The frosts of 1931-1932. Calif. Citrogr. 17: 180, 225. illus. Mr.1932. no.5.

Cereal Chem.

Kraybill, H. R.

Effect of plant nutrition on the composition of wheat. Cereal Chem. 9: 71-82. Ja. 1932. no.1.

Compt. Rend. Acad. Agr. France (Paris)

Joëssel, P. H.

Etat actuel de l'organisation de la lutte contre les ennemis des arbres fruitiers dans la basse vallée du Rhone. Compt. Rend. Acad. Agr. France 18: 116-121. Ja.27, 1932. no.4.

Compt. Rend. Acad. Sci. Paris.

Chadefaud, M.

Sur le chondriome des algues vertes. Compt. Rend. Acad. Sci. Paris 194: 476-478. illus. F.1, 1932. no.5.

Chevalier, A.

Les places dépourvues de végétation dans le Sahara et leur cause sous le rapport de l'écologie végétale. Compt. Rend. Acad. Sci. Paris 194: 480-482. F.1, 1932. no.5.

Compt. Rend. Acad. Sci. Paris (cont.)

George, L.

Observations sur le Sorbus torminalis Crantz. Compt. Rend. Acad. Sci. Paris. 194: 478-480. F.1, 1932. no.5.

Lefèvre, J.

Sur un cas d'hérédité unilatérale présenté par le blé. Compt. Rend. Acad. Sci. Paris 194: 561-563. F.8, 1932. no.6.

Country Life (London)

Puddle, F. C.

The Cyananthus family. Country Life 71: 1-li. illus. F.13, 1932. no.1830.

Curt. Bot. Mag.

Curt. Bot. Mag. v.155, pt.2. col.pl. 9260-9270. F.1, 1932.

Cycnoches egertonianum, Watsonia wordsworthiana, Schizophragma viburnoides, Rhododendron sanguineum, Ceanothus fendleri, Selago serrata, Primula dubernardiana, Raffenaldia primuloides, Erodium mouretii, Fremontia mexicana, Phlomis italica.

Ecology. (Brooklyn,N.Y.)

Cooper, W. S. & Foot, H.

Reconstruction of a late-pleistocene biotic community in Minneapolis, Minn. Ecology 13: 63-72. illus. Ja.1932. no.1.

Morris, M. S. & Durrell, L. W,

A recording atmometer. Ecology 13: 100-101. illus. Ja.1932. no.1.

Withrow, A.P.

Life forms and leaf size classes of certain plant communities of the Cincinnati region. Ecology 13: 12-35. illus. Ja.1932. no.1.

Empire For. Journ.

Burtt Davy, J.

Botanical notes on Empire trees.IV. Empire For. Journ. 10: 279-284. 1931. no.2.

Chattaway, M. M.

Variations in vessel pattern in a single trunk of Entandrophragma cylindricum (Sprague). Empire For. Journ. 10: 263-265. pl. 1931. no.2.

Empire Mark. Bd. [Publ.] (London

Empire Marketing Board.

Australian and New Zealand fruit shipments. Report of an investigation... into the deterioration in transit of imported Australian and New Zealand fruit, 1927-30. Empire Mark. Bd. [Publ.] no.46. 64 p. 5 pl. (diagrs.) N.1931.

Flor. Exch. (N.Y.)

Kable, G. W.

Electric heat and light as factors in plant production. Flor. Exch. 79(7): 9. F.13, 1932. no. 7.

For.Prod. Res. Bull. Gt. Brit.

Cartwright, K.St.G., Findlay, W.P.K., Chaplin, C.J., & Campbell, W. G.

The effect of progressive decay by Trametes serialis Fr. on the mechanical strength of the wood of Sitka spruce. For.Prod. Res. Bull. Gt. Brit. 11. 18 p. 4 pl. on 2. Je. 1931.

Forstarchiv (Hannover)

Tschermak, L.

Aus der heimat der europäischen lärche. Forstarchiv 8: 14-20, 49-57. illus. Ja.15, F.1, 1932. no.1/2, 3.

Gard. Chron. (London)

Black currant leaf spot disease. Gard. Chron. III, 91: 128. F.13, 1932. no.2355.

Pseudopeziza ribis.

Brown, N. E.

Mesembryanthemum. Conicosia (cont.) Gard. chron. III, 91: 104-105, 121. F.6,13, 1932. no. 2354, 2355.

Comber, H. F.

Horticultural possibilities in the Tasmanian epacrids. Gard. Chron. III, 91: 122-123, illus. F.13, 1932. no.2355.

Friend, H.

Corsican Plant lore. IV. Floral origins. Gard. Chron. III, 91: 122. F.13, 1932. no.2355.

Nicholson, C.

The mistletoe and its hosts. Gard. Chron. III, 91: 102-104. F.6, 1932. no.2354.

Gard. Chron. (cont.)

Roberts, J. G.

Potato sickness. Gard. Chron. III, 91: 129-130. F.13, 1932. no.2355.

Comments on J.G. Johnson's article in Gard. Chron. of Ja.30, 1932.

White, H.

Mutinus bambusinus. A fungus on bamboo roots. Gard. Chron. III, 91: 120. F.13, 1932. no.2355.

Gartenbauwiss. (Berlin)

Hagemann, A.

Untersuchungen an blattstecklingen. Gartenbauwiss. 6: 115-195. illus. Ja.21, 1932. no.2.

Schanderl, H.

Untersuchungen über die befruchtungsverhältnisse bei stein- und kernobst in Westdeutschland. Gartenbauwiss. 6: 196-239. illus. Ja.21, 1932. no.2.

Gartenfl. (Berlin)

Rost, E. C.

Cereus caesius monstrosus. Gartenfl. 81: 36-38. illus. F.1932.

Genetics

East, E. M.

Studies on self-sterility. IX. The behavior of crosses between self-sterile and self-fertile plants. Genetics 17: 175-202. Mr.1932. no.3.

Fisher, R. A., Immer, F. R. & Tedin, O.

The genetical interpretation of statistics of the third degree in the study of quantitative inheritance. Genetics 17: 107-124. Mr.1932. no.3.

Data from lettuce, maize and barley.

Poole, C. F.

Pollen grain studies as an indication of fertility in hybrids. Genetics 17: 125-136. Mr.1932. no.3.

Hedwigia (Dresden)

Herzog, T.

Die moose der Ph. v. Lutzelburgschen reisen durch Nordbrasilien. Hedwigia 71: 332-350. illus. Ja. 1932. no.6.

Hedwigia (cont.)

Koppe, F.
Wichitige moosfunde in Ostpreussen. Hedwigia 71: 311-321. Ja.1932. no.6.

Pilát, A.
Ueber eine neue Aleurodiscus-art aus dem Sajany-gebirge. (Aleurodiscus sajanensis [Mur.] Pilát). Hedwigia 71: 328-331. illus. Ja. 1932. no.6.

Pilát, A.
Ueber eine neue Hymenochaete-art aus dem sibirisch-mongolischen gebirge Sajany: Hymenochaete murashkinskyi sp.n. Hedwigia 71: 322-327. illus. Ja. 1932. no.6.

Helvetica Chim. Acta (Basel)

Salomon, H. & Karrer, P.
Pflanzenfarbstoffe XXXVIII. Ein Farbstoff aus "rotam" reis, Monascin. Helvetica Chim. Acta. 15: 18-22. 1932. no.1.

Indian For. (Dehra Dun)

Parker, R. N.
A Burmese climbing bamboo. Klemachloa R.N. Parker, gen.nov. Indian For. 58: 7-9. pl.i. Ja. 1932. no.1.
Klemachloa detinens, n.sp.

Journ. Amer. Soc. Agron. (Geneva, N. Y.)

Barnes, E.E. & Simon, R. H.
The use of the antimony electrode for determining the p^H value of soils. Journ. Amer. Soc. Agron. 24: 156-162. illus. F.1932. no.2.

Bressman, E.N. & Fry, E. S.
Differences between barnyard grasses and Japanese millet. Journ. Amer. Soc. Agron. 24: 123-128. illus. F.1932. no.2.

Johnson, I.J. & Hayes, H.K.
A comparison of hand and wind pollination in making F crosses between inbred lines of corn. Journ. Amer. Soc. Agron. 24: 85-90. F.1932. no.2.

Journ. Bacteriol. (Baltimore)

Georgia, F. R. & Charles, F. P.

Study of bacterial fluorescence in various media. II. The production of fluorescence in media made from peptones. Journ. Bacteriol. 23: 135-145. F.1932. no.2.

Kelly, C. D. & Rahn, O.

The growth rate of individual bacterial cells. Journ. Bacteriol. 23: 147-153. illus. F.1932. no.2.

Journ. Bot. (London)

Adam, W. G.

Nillu (Strobilanthes). Journ. Bot. 70: 46-48. F. 1932. no.830.

Grove, W. B.

New or noteworthy fungi (concl. of XII). Journ. Bot. 70: 33-38. F.1932. No.830.

Septotrullula bacilligera cambrica var.nov., Coryneopsis gen.nov. (C. corni-albae, C. tamaricis), Cylindrocephalum stellatum, claviforme var.nov.

Mr. John Gossweiler's plants from Angola and Portuguese Congo. Dicotyledones, Polypetalae. Supplement. Journ. Bot. 70(suppl.): 205-212. illus. F.1932. no.830.

Enneastemon gen.nov., E. angolensis and several new species of other genera.

Praeger, R. L.

A climbing form of Calystegia soldanella. Journ. Bot. 70: 50-51. F.1932. no.830.

Smith, A. L.

New lichens. Journ. Bot. 70: 48-49. F. 1932. no.830.

Arctomia musciola, Pertusaria multipuncta macrospora.

Tutin, T. G. & Warburg, E. F.

Contributions from the University Herbarium, Cambridge, - Notes on the flora of the Azores. (cont.) Journ. Bot. 70: 38-46. F.1932. no.830.

Agrostis azorica rigidifolia var.nov., A. acutiglumis, sp.nov.

Journ. Genetics. (London)

Buxton, B. H.
Genetics of the primrose P. acaulis. Journ. Genetics 25: 195-205. illus., col.pl. vi. F. 1932. no.2.

Davey, V. M.
Inheritance of colour in Brassica napus. Journ. Genetics 25: 183-190. F.1932. no.2

Huskins, C. L. & Smith, S. G.
A cytological study of the genus Sorghum Pers. I. The somatic chromosomes. Journ. Genetics 25: 241-249. illus. F.1932. no.2.

Scott-Moncrieff, R.
A note on the anthocyanin pigments of the primrose P. acaulis. Journ. Genetics 25: 206-210. F.1932. no.2.

Watkins, A. E.
Hybrid sterility and incompatibility. Journ. Genetics 25: 125-162. F. 1932. no.2

Journ. Helminth. (London)

Goodey, T.
On the nomenclature of the root-gall nematodes. Journ. Helminth. 10: 21-28. F.1932. no.1.

Journ. Mysore Agr. & Exp. Union.

Coleman, L. C.
Notes on sugarcane cultivation in Java. Journ. Mysore Agr. & Exp. Union 12: 113-144. 7 pl. on 4. 1931. no.3.

Journ. N.Y. Bot. Gard.

Gleason, H. A.
An accession of Spruce's plants from South America. Journ. N.Y. Bot. Gard. 33: 23-26. F. 1932. no.386.

Merrill, E. D.
Factors to be considered in interpreting Loureiro's species. Journ. N.Y. Bot. Gard. 33: 32-36. F.1932. no.386.

Journ. N.Y. Bot. Gard.(cont.)

Small, J. K.

Winter iris notes. Journ. N.Y. Bot. Gard. 33: 26-31 incl. 2 pl. F.1932. no.386.

Journ. Washington Acad. Sci.

Martin, G. W.

New species of slime molds. Journ. Washington Acad. Sci. 22: 88-92. illus. F.19,1932. no.4.

Badhamia cinerascens, Amaurochaete ferruginea, A. trechispora, Enerthenema melanopsermum, Cribraria dictyospora, C. atrofusca, n.spp.

Raper, K.B. & Thom, C.

The distribution of Dictyostelium and other slime molds in soil. Journ. Washington Acad. Sci. 22: 92-96. F.19, 1932. no.4.

Kartoffel, Zeitschr. Kartoffelbauges. (Berlin)

Appel, O.

10 jahre arbeit an der kartoffel in der biologischen reichsanstalt. Kartoffel, Zeitschr. Kartoffelbauges 12: 21-24. Ja.30, 1932. no.3.

Kranke Pflanze. (Dresden)

Laubert, R.

Cystopus-wurzelkropf an radieschen. Kranke Pflanze 9: 3-4. Ja. 1932. no.1.

Mem. Coll. Agr. Kyoto Imp. Univ.

Imamura, S.

Ueber die dorsiventralität der unifazialen blätter von Iris japonica, Thunb. und ihre beeinflussbarkeit durch die schwerkraft. Mem. Coll. Agr. Kyoto Imp. Univ. 6: 271-331. illus.,pl. xxi-xxii. Jl.1931. no.6

Ohwi, J.

Contributiones ad caricologiam Asiae orientalis pars altera (cont.) Mem. Coll. Agr. Kyoto Imp. Univ. Ser.B,6: 239-270. Jl.1931. no.5.

Malayan Agr. Journ. (Kuala Lumpur)

Jack, H. W. & Jagoe, R. B.

Variation in fruiting ability of oil palms. Malayan Agr. Journ. 20: 14-19. Ja.1932. no.1.

Malayan Agr. Journ. (cont.)
Milsum, J. N.
Pisang Sa-Ribu. Malayan Agr. Journ. 20: 24. illus. Ja. 1932. no.1.
Musa chiliocarpa.

Mitt. Preuss. Rebenveredkungskomm.
Moog, H.
Beiträge zur ampelographie. Mitt. Preuss. Rebenveredlungskomm. no.6. 103 p. xxiv pl. on 12. 1930.(Rec'd F.1932)

Möller's Deut. Gärtn.-Zeit. (Erfurt)
Besser, R. & others.
Bekämpfung der älchen-krankheit in chrysanthemum-kulturen. Möller's Deut. Gärtn.-Zeit. 47: 37-38. F.1, 1932. no.4.

Kleinwächter, H. & others.
Cyclamen-jungpflanzen. Bekämpfung der braunflecken-krankheit. Möller's Deut. Gärtn.-Zeit. 47: 38-39. F.1, 1932. no.4

Steinecke, K.
Trockenheit als pilzfeind. Schwarzbeinigkeit und andre pilzkrankheiten im gemüsebau. Möller's Deut. Gärtn.-Zeit. 47: 39-40. F.1, 1932. no.4.

Monatsschr. Deut. Kakteen-Ges. (Berlin)
Bödeker, F.
Coryphantha vogtherriana Werd. et Böd. sp.n. Monatsschr. Deut. Kakteen-Ges. 4: 32-34. illus. F. 1932. no.2.

Knebel, C.
Ueber die entstehung neuer arten. Monatsschr. Deut. Kakteen-Ges. 4: 25-32. illus. F.1932. no.2.

Schwantes, G.
Professor Dr. Rudolf Marloth. Monatsschr. Deut. Kakteen-Ges. 4: 23-24. port. F.1932. no.2.

Werdermann, E.
Ein bemerkenswerter fall von lebenszähigkeit bei Sarcocaulon rigidum Schinz. Monatsschr. Deut. Kakteen-Ges. 4: 34-37. illus. F.1932. no.2.

Nat. Nurserym. (Harboro, Pa.)
Siegler, E. A.
The crown gall problem. Nat.Nurserym. 40(4): 5-6. F.15, 1932.

Nat. Canad.(Quebec)
Caron, O.
Le ble de miracle. Nat. Canad. 59: 33-43. illus. F.1932. no.2.

Nature (London)
Cadman, E. J.
Cytology of the Mycetozoa. Nature 129: 246. F.13, 1932.
Reply to Miss Lister's comments on the author's "The life history and cytology of Didymium nigripes".

Whyte, R. O.
Saxifrage crosses. Nature 129: 204. F.6, 1932. no.3249.

Naturwissensch. (Berlin)
Mothes, K.
Die natürliche regulation des pflanzenlichen eiweissumsatzes. Naturwissensch. 20: 102-103. F.5, 1932. no.6.

Naukovi Zapiski z Tsukr. Prom. Ukraïns. Nauk.-Dosl. Inst.
Nasonov, O. I.
Poperedne povidomleniîa pro sposterezheniîa nad peronosporiozom lîutserni (On peronosporiosis of lucerne). Naukovi Zapiski z Tsukr. Prom. Ukraïns. Nauk.-Dosl. Inst. 14: 519-525 N./D. 1931.
Ukrainian.

New Zeal. Journ. Agr. (Wellington)
Chamberlain, E. E.
Corticium disease of potatoes. III. Laboratory and field methods for testing the efficiency of seed treatments. New Zeal. Journ. Agr. 44: 42-47. Ja.20, 1932. no.1.

Gibbs, J. G.
Control of club-root. Experiments with lime and fertilizers. New Zeal. Journ. Agr. 44: 28-32. illus. Ja.20, 1932. no.1.

Nord. Jordbrugsforskn. (København)

Müntzing, A.

De empiriska förutsättningarna för förädling genom kromosomökning. Nord. Jordbrugsforskn. 1931: 241-260. 1931. no.6/7

Wexelsen, H.

Naturlig kryssning i havre. Nord. Jordbrugsforskn. 1931: 291-301. 1931. no.6/7.

Nuovo Giorn. Bot. Ital. (Firenze)

Barsali, E.

Prodromo della flora Umbra. (cont.) Nuovo Giorn. Bot. Ital. 38: 624-689. 1931. no.4.

Bolzon, P.

Contributo alla flora dell'Alto Adige. Nota VII. Nuovo Giorn. Bot. Ital. 38: 690-697. 1931. no.4.

Castiglioni, A.

Sul valore sistematico dell'"Echium pollentium" Bertero ined. Nuovo Giron. Bot. Ital. 38: 579-584. pl.x-xi. 1931. no.4

Milan, A.

L'alterazione della forma nelle spiche di grano colpite dalla "carie" Nuovo Giorn. Bot. Ital. 38: 585-588. pl. xii-xvii. 1931. no.4.

Mussa, E.

Saggio d'un censimento floristico dell'agro Torinese. Nuovo Giorn. Bot. Ital. 38: 605-623. 1931. no.4.

Passerini, N.

Sui mezzi di riproduzione di cui dispone L' "Allium holmense" Mill. Nuovo Giorn. Bot. Ital. n.s. 38: 698-703. 1931. no.4.

Sambo, E.

Macromiceti di prato in Toscana. Nuovo Giorn. Bot. Ital. 38: 589-604. 1931. no.4.

Parks & Recreation (Rockford, Ill.)

Felt, E. P.

Environment and shade trees. Parks & Recreation 15: 330-336. port. F.1932. no.6.

Philipp. Agr. (Los Baños)

Alzina, F.I.

On another kind of banana, which, although it does not yield food for the natives, provides clothing. Philipp. Agr. 20: 495-499. Ja. 1932. no.8.

Musa textilis.

From an unpublished ms. written in 1668, and entitled Historia natural del sitio, fertilidad y calidad de las islas é indios de Visayas, transl. by Leopoldo B. Uichanco...

Roldan, E. F.

Pokkah-boeng, a disease of sugar cane found on a Java cane variety in the Philippine Islands. Philipp. Agr. 20: 526-529. illus. Ja.1932. no.8.

Philipp. Journ. Agr.

Calinisan, M. R.

Attempts to reëstablish abacá plantations in Cavite, previously wiped out by bunchy-top. Philipp. Journ. Agr. 2: 209-221. 5 pl. 1931. no.3.

Calinisan, M. R., Agati, J. A. & Aldaba, V.C.

Preliminary notes on the stem-rot of abacá in the Philippines. Philipp. Journ. Agr. 2: 223-227. 3 pl. 1931. no.3.

Resembles Helminthosporium.

Decanay, J. Q.

Peter Jansen Wester. Philipp. Journ. Agr. 2: 257-261. port. 1931. no.3.

Wester, P. J.

Ornamental flowering annuals, herbaceous perennials other than orchids and climbers in Manila. Philipp. Journ. Agr. 2: 233-255. 1931. no.3.

Philipp. Journ. Sci. (Manila)

Ames, O. & Quisumbing, E.

New or noteworthy Philippine orchids, II. Philipp. Journ. Sci. 47: 197-220. 29 pl. (3 col.) F.1932. no.4.

Agrostophyllum luzonense, Dendrobium batanense, D. fairchildae, Bulbophyllum maquilingense, Vanda merrillii, n.spp.

Mendoza, J. M.

Two new species of sooty molds from the Philippines. Philipp. Journ. Sci. 47: 289-291. 2 pl. F.1932. no.4.

Scorias philippinensis, Parascorias spinosa.

Santos, J. K.

The laticiferous vessels and other anatomical structures of Exoecaria agallocha. Philipp. Journ. Sci. 47: 295-304. 4 pl. F.1932. no.4.

Skvortzow, B. W.

Diatoms from the bottom of the sea of Japan. Philipp. Journ. Sci. 47: 265-280. 4 pl. F.1932. no.4.

Phytopath.

Blank, L. M.

The pathogenicity of Fusarium conglutinans Wr. at low soil temperatures. Phytopath. 22: 191-195. F.1932. no.2.

Liming, O. N.

The relation of pentathionic acid and its component constituents to the toxicity of sulphur fungicides. Phytopath. 22: 143-165. illus. F. 1932. no.2.

Riker, A.J., Hildebrand, E.M., & Ivanoff, S.S.

The development of crown gall, hairy root, and wound overgrowth in glass cylinders. Phytopath. 22: 179-189. illus. F.1932. no.2.

Riker, A.J. & Banfield, W.M.

Studies on the development of crown gall, hairy root, and wound overgrowths in treated soil. Phytopath. 22: 167-177. illus. F.1932. no.2.

Phytopath. (cont.)

Wallace, J. M.
Physiologic specialization as a factor in the epiphytology of Puccinia graminis tritici. Phytopath. 22: 105-142. F. 1932. no.2.

Planta Arch. Wiss. Bot. (Berlin)

Klein, G. & Linser, H.
Verteilung und wandel des äsculins in Aesculus hippocastanum L. Planta Arch. Wiss. Bot. 15: 767-816. illus. Ja.16, 1932. no.4.

Kurssanow, A. L.
Biochemische untersuchung uber die fruchtreife der Japanischen mispel (Eriobotrya japonica). Planta Arch. Wiss. Bot. 15: 752-766. Ja.16, 1932. no.4.

Moritz, O.
Prinzipien und beispiele der anwendung phytoserologischer methodik. Planta Arch. Wiss. Bot. 15: 647-696. illus. Ja.16, 1932. no.4.

Warner, T.
Zur aufnahme von zucker aus hypotonischen lösungen durch Helodea. Planta Arch. Wiss. Bot. 15: 739-751. illus. Ja.16, 1932. no.4.

Wetzel, K.
Beiträge zur kinetik der carboxylasewirkung und ihre bedeutung für die steuerung des biologischen kohlehydratabbaues. Planta Arch. Wiss. Bot. 15: 697-738. illus. Ja.16, 1932. no.4.

Proc.Amer. Pomol. Soc.

Blair, J. C.
Some midwest contributions to American pomology. Proc. Amer. Pomol. Soc. 1929/30: 169-186. [1931]

Durst, C. E.
The new plant patent law and the development of horticulture. Proc. Amer. Pomol. Soc. 1929/30: 162-169. [1931]

Roberts, R. H.
Factors influencing the differentiation of the blossom bud. Proc. Amer. Pomol. Soc. 1929/30: 100-104. [1913]

Proc. Imp. Acad. Tokyo.
Morinaga, T. & Fukushima, E.
Preliminary report on the haploid plant of rice Oryza sativa L. Proc. Imp. Acad. Tokyo 7: 383-384. illus. D.1931. no.10.

Repert. Spec. Nov. Beih. (Dahlem bei Berlin)
Hayek, A. & Markgraf, Fr.
Prodromus florae peninsulae Balcanicae. v.2, lfg. 7. Repert. Spec. Nov. Beih. 30: 961-1152. D.31, 1931. no.2.

Rev. Agr. Ile Maurice (Maurice)
Orian, G.
Maladies et apparences anormales observées sur la P.O.J. 2878 à Maurice. Rev. Agr. Ile Maurice 1931: 230-232. N./D. 1931. no.60.

Riv. Patol. Veg. (Pavia)
Corneli, E.
Sulle previsioni peronosporiche nell'Italia centrale. Riv. Patol. Veg. 22: 1-9. Ja./F. 1932. no.1/2.

Curini Galletti, A.
Sul mal della gomma ricerche, considerazioni e commenti. Riv. Patol. Veg. 22: 11-17. Ja./F. 1932. no.1/2.

Roczn. Nauk. Rolnicz. i Leśn.(Polish Agr. & For. Ann.) (Poznań)
Miczyński, K.
Stujda genetyczne nad rodzajem Aegilops (Genetic studies in the genus Aegilops) II. Morfologia i cytologja mieszańców międzygatunkowych. (The morphology and cytology of the interspecific hybrids) Roczn.Nauk. Rolnicz. i Leśn. (Polish Agr. & For. Ann.) 27: 1-64, incl. xii pl. on 6. Ja/F. 1932. no.1.

Science (Lancaster, Pa.)
Bramble, W. C.
Breaking the dormancy of tree seedlings by chemical treatment. Science 75: 193-194. F.12, 1932. no.1937.
Experiments with maple & chestnut seedling.

Elmer, O. H.
Growth inhibition of potato sprouts by the volatile products of apples. Science 75: 193. F.12, 1932. no.1937.

Science, (cont.)

Tottingham, W. E.

Are leaf lipides responsive to solar radiation. Science 75: 223-224. F.19, 1932.

Scient. Agr. (Ottawa)

Dillon Weston, W.A.R.

Studies on the reaction of disease organisms to light. III. The reaction of disease organisms to certain wave-lengths in the visible and invisible spectrum. Scient. Agr. 12:352-366. F.1932.

Scient. Contr. Trop. Plant Res. Found. (Yonkers)

Faris, J. A.

The utilization of varieties in the field control of sugar cane mosaic and root diseases in Cuba (A preliminary report). Scient. Contr. Trop. Plant Res. Fund. no.20. 69 p. 1931.

Jensen, J. H.

Some studies of root habits of sugar cane in Cuba. Scient. Contr. Trop. Plant Res. Found. no.21. 37 p. illus. 1931.

So. Afr. Journ. Sci. (Johannesburg)

Adamson, R. S.

Two species of Juncus unrecorded for South Africa. So.Afr. Journ. Sci. 28: 250-251. N.1931.

J. capillaceus and J. chamissonis.

Bews, J. W.

The ecological viewpoint. So. Afr. Journ. Sci. 28: 1-22. N.1931.

Bews, J. W. & Bayer, A.W.

Researches on the vegetation of Natal. Ser.III. So. Afr. Journ. Sci. 28: 158-179. illus. N.1931.

I. On the reaction of Digitaria eriantha var. stolonifera (Stapf) and Themeda triandra (Forsk.) to the winter season. II. Some physico-chemical properties of the sap of a leaf succulent, Aloe arborescens.var. natalensis. III. The relationship of water conducting efficiency to vessel structure in some Natal trees.

Copeman, P.R. v.d.R.

The sugar: acid relationship in oranges. So. Afr. Journ. Sci. 28: 152-157. N.1931.

So. Afr. Journ. Sci. (cont.)

Dippenaar, B. J.
Anthracnose of almonds caused by Gloeosporium amygdalinum Brizi. So. Afr. Journ. Sci. 28: 267-273. pl.vi. N.1931.

Dippenaar, B. J.
'n bakteriese siekte wat 'n verdooring van die kaffies van koringare veroorsaak. So. Afr. Journ. Sci. 28: 280-283. illus. N.1931.

Dippenaar, B. J.
Descriptions of some new species of South African fungi and of species not previously recorded from South Africa. II. So. Afr. Journ. Sci. 28: 290-297. N.1931.

Osborn, J.B. & Osborn, E.
Studies on the germination of seed of the black wattle (Acacia mollissima) and the green wattle (Acacia decurrens normalis). So. Afr. Journ. Sci. 28: 222-237. illus. N.1931.

Schonken, J. D.
Plant life and the siccation process. So. Afr. Journ. Sci. 28: 238-245. illus. N.1931.

Sim, T. R.
Further notes on the distribution of the ferns of South Africa. So. Afr. Journ. Sci. 28: 253-265. N.1931.

Smith, N. J. G.
Making conditions unsuited to infectious diseases (Mainly illustrated from plant diseases). So. Afr. Journ. Sci. 28: 32-41. N.1931.

Verwoerd, L. & Du Plessis, S. J.
Descriptions of some new species of South African fungi and of species not previously recorded from South Africa. III. So Afr. Journ. Sci. 28: 290-297. N.1931.

Verwoerd, L.
Die fisiologiese vorms van Puccinia graminis Pers. wat in Suid-Afrika voorkom. So. Afr. Journ. Sci. 28: 274-279. N.1931.

So. Afr. Journ. Sci. (cont.)

Verwoerd, L.

A preliminary list of fungi from the Bloemfontein district of the Orange Free State. So. Afr. Journ. Sci. 28: 298-301. N.1931.

Succulenta (Leeuwarden)

Houten, J. M. van den.

Aloë davyana. Succulenta 14: 43-45. illus. F. 1932. no.2.

Houten, J. M. van den

Aloë's. VIII. Succulenta 14: 33-38. illus. F.1932. no.2.

Sugar Bull.

Abbott, E. P.

Red rot as a factor in the planting program. Sugar Bull. 10: 4,6. O.1, 1931. no.1.

Svensk. Bot. Tidskr.

Du Rietz, G. E.

Two new species of Euphrasia from the Philippines and their phytogeographical significance. Svensk. Bot. Tidskr. 25: 500-542. illus. 1931. no.4.

Euphrasia philippensis, E. merrillii.

Ekman, E.

Contributions to the Draba flora of Greenland. III. Some notes on the Arctic, especially the Greenland Drabas of the sections Aizopsis and Chrysodraba DC. Svensk. Bot. Tidskr. 25: 465-494. illus., pl.v. 1931. no.4.

Hultén, E.

The American species of Lysichitum. Svensk. Bot. Tidskr. 25: 453-464. illus., pl. iii-iv. 1931. no.4.

L. americanum (L.camtschatcense auct.americ. pro parte).

Lagerberg, T.

Hsia Tsao Tung Ch'ung. Svensk. Bot. Tidskr. 25: 543-545. illus. 1931. no.4.

Cordyceps sinensis.

Svensk. Bot. Tidskr. (cont.)

Lohammar, G.
Two chromosome numbers in Butomus umbellatus L. Svensk. Bot. Tidskr. 25: 495-499. illus. 1931. no.4.

Trab. Mus. Comm. Venezuela (Caracas)

Pittier, H. F.
Contribuciones para la flora de Venezuela. Trab. Mus. Comm. Venezuela 8: 357-388. 1931.

Trans. Nat. Hist. Soc. Formosa.

Sawada, K.
Materials of the Formosan fungi (29). Trans. Nat. Hist. Soc. Formosa 21: 330-338. D.1931.
Cercospora thladianthae, C. perniciosa, Mutinus quadrigonus, Peronoplasmopara cucumeris, P. luffae, P. momordicae, P. actinostemmae.

U.S. Dept. Agr. Off. Rec.

Severity of root rot reduced by accelerating plant growth. U.S. Dept. Agr. Off. Rec. 11: 52. F.20, 1932. no.8.
Cotton, experiments in Bur. of Chemistry & Soils.

U.S. Dept. Agr. Plant Dis. Rep.

Bonde, R.
Potato diseases in Maine, 1930 and 1931. U.S. Dept. Agr. Plant Dis. Rep. 16: 14-15. F.16, 1932. no.2.

Gaines, J. G.
Recurrence of tobacco downy mildew in Georgia. U.S. Dept. Agr. Plant Dis. Rep. 16:16. F.15, 1932. no.2.
Mentions also root knot and damping-off.

Kirby, R.S.
Apple diseases in unsprayed orchards in Pennsylvania 1929-1930-1931. U.S. Dept. Agr. Plant Dis. Rep. 16: 10-12. F.15, 1932. no.2.

Major, T. G.
Tobacco diseases in Canada 1931. U.S. Dept. Agr. Plant Dis. Rep. 15: 157-159. D.1, 1931 (Rec'd F.1932) no.14.

U.S.Dept. Agr. Plant Dis. Rep. (cont.)

Miller, J. H.
A plant disease survey of peanuts in Georgia. U.S, Dept. Agr. Plant Dis. Rep. 15: 167-170. D.15, 1931 (Rec'd F.1932) no.15.

Miller, P. R.
Peanut disease survey of Virginia and North Carolina. U.S. Dept. Agr. Plant Dis. Rep. 15: 170-173. D.15, 1931(Rec'd F.1932) no.15.

Moore, W.D.
Peanut diseases in Virginia, North Carolina, South Carolina, Georgia and Alabama. U.S. Dept. Agr. Plant Dis. Rep. 15: 163-167. D.15, 1931. (Rec'd F.1932) no.15.

Poole, R. F.
Notes on the importance of some fruit diseases in North Carolina in 1931. U.S. Dept. Agr. Plant Dis. Rep. 16: 13-14. F.15, 1932. no.2.
Dewberry anthracnose (Plectodiscella veneta); black rot of grape (Guignardia bidwellii); bitter pit of apples (non-parasitic).

Poole, R. F.
Root knot in North Carolina. U.S. Dept. Agr. Plant Dis. Rep. 16: 17. F.15, 1932. no.2.

Steiner, G.
Notes on nemic diseases. U.S. Dept. Agr. Plant Dis Rep. 16: 17. F.15, 1932. no.2.

Stevens, N. E.
Keeping quality of the Massachusetts cranberry crop of 1931. U.S. Dept. Agr. Plant Dis. Rep. 16: 12-13. F.15, 1932. no.2.

Thomas, H.E. & Darrow, G.M.
Strawberry "dwarf" in California. U.S. Dept. Agr. Plant Dis. Rep. 15: 147-148. D.1, 1931(Rec'd F.1932) no.14.

Tobacco disease survey. U.S. Dpt. Agr. Plant Dis. Rep. 15: 151-157. D.1, 1931(Rec'd F.1932) no.14.
Massachusetts, W.H. Davis - Ohio, A.L. Pierstorff Indiana, R.W. Samson.

U.S. Dept. Agr. Plant Dis. Rep. (cont.)

U.S. Dept. of agriculture - Bur. of plant industry. - Div. of mycology and disease survey.

Preliminary estimates of crop losses 1920-1929. Washington, D. C., [1932]

66 p. incl. maps.

Mimeographed.

Univ. Calif. Publ. Bot. (Berkeley)

Keck, D. D.

Studies in Penstemon. A systematic treatment of the section Saccanthera. Univ. Calif. Publ. Bot. 16: 367-462. illus. 1932. no.11.

Vict. Nat. (Melbourne)

Barrett, C.

Victoria's rarest fern. Vict. Nat. 48: 177-178. illus. Ja. 1932. no.9.

Botrychium lunaria.

Curtis, Mrs. H. G.

The ravine orchid (Sarcochilus fitzgeraldi) on Tamborine Mt., Queensland. Vict. Nat. 48: 175-176. illus., pl. viii-ix. Ja. 1932. no.9.

Wiss. Arch. Landw. Abt. A. Pflanzenbau (Berlin)

Flieg, O.

Der einfluss von N-aufnahme und lichtmangel auf den zuckerspiegel im grünen blatt und die bedeutung dieser beziehung für fütterung und silage. Wiss. Arch. Landw. Abt. A. Pflanzenbau. 8: 335-344. Ja.11, 1932. no.2.

Schwarz, R.

Untersuchungen über den wasservercrauch verschiedener gräser. Wiss. Arch. Landw. Abt. A. Pflanzenbau 8: 276-334. illus. Ja.11,1932. no.2.

Zeitschr. Parasitenk.

Nisikado, Y.

Beiträge zur physiologischen spezialisierung obstfäule erregender fusarien. Zeitschr. Parasitenk. 4: 301-330. illus. Ja.28, 1932. no.2.

Nisikado, Y.

Ueber zwei wirtschaftlich wichtige, parasitäre gramineenpilze: Lisea fujikuroi Sawada und Gibberella moniliformis Wineland. Zeitschr. Parasitenk. 4: 285-300. illus. Ja.28, 1932. no.2.

Der Züchter (Berlin)

Emme, H.
Ueber chromosomen der baumwolle, vererbung ihrer blüten-, frucht- und samenmerkmale. Der Züchter 4: 9-18. Ja. 1932. no.1.

Heermann, W.
Weitere beiträge zur heidelbeerzüchtung. Der Züchter 4: 1-8. illus. Ja. 1932. no.1.

Exper. Stat. Publ.

New Jersey agricultural experiment station - Dept. of plant pathology.
The adhesiveness of wettable sulphur sprays. Its Nursery Dis. Notes. v.4, no.8, 4 p. F.1932.

Cooley, L.M. & Rankin, W. H.
Virus disease control experiments in black raspberry plantings in 1931. New York State Agr. Exp. Stat. Bull. 601. 6 p. D,1931(Rec'd F.23,1932)

Ruttle, M. L.
Chromosome number in the genus Cucurbita. New York State Agr. Exp. Stat. Tech. Bull. 186. 12 p. illus. D.1931(Rec'd F.23,1932)

Cook, H. T.
Powdery mildew disease of snap beans. Virginia Truck Exp. Stat. Bull. 74: 931-940. illus. Ja.1, 1931(Rec'd F.1932)

Zimmerley, H. H.
The effects of heavy applications of phosphorus on the inter-relation of soil reaction, growth, and partial chemical composition of lettuce, beets, carrots, and snap beans. Virginia Truck Exp. Stat. Bull. 73: 863-928. O.1, 1930(Rec'd F.23, 1932)

New Books.

Bernberck, F.
Vergleichende morphologie der urticaceen- und moraceen-infloreszenzen. Jena, G.Fischer, 1932 (Botanische abhandlungen hrsg. von K.Geobel. h.19)

New Books. (cont.)

Farrington, E. I.
Ernest Wilson, plant hunter. Boston, Stratford Co., 1931.
Plants introduced by Wilson: p.126-179.

Gurwitsch, A. & Gurwitsch, L.
Die mitogenetische strahlung zugleich zweiter band der "Probleme der zellteilung". Berlin, J. Springer, 1932(Monographien aus dem gesamtgebiet der physiologie der pflanzen und der tiere 25.bd.)

Kichumov, N. I.
Dichki i podvoi plodovykh derev'ev prakticheskoe rukovodstvo... Izdanie 4. oe. Moskva, Gosudarstvennoe sel'skokhoziaistvennoe izdatel'stvo "Sel'khozgiz". 1930.
Wild fruit trees.
Russian.

Ochse, J.J. & Bakhuizen van den Brink, R. C.
Vegetables of the Dutch East Indies (edible tubers, bulbs, rhizomes and spices included) Survey of the indigenous and foreign plants serving as pot-herbs and side-dishes. English. ed. of "Indische groenten". Buitenzorg, Archipel drukkerij, 1931.
Register of vernacular names of the plants treated in this book, used in the Dutch provinces outside Java and Madoera: p.771-927.

Oppermann, A, & Grundtvig, V.
Den danske skovbrugs-litteratur indtil 1925. 1. Alfabetisk del. København, Levin & Munksgaards forlag, 1931. (Bibliographia universalis silviculture I. Dania)

Rolfs, P. H. & Rolfs, C.
A muda de citrus pedra angular da industria citricola. Minas Geraes, 1931.

Russell, Sir E. J.
Soil conditions and plant growth. 6th ed., London, &c., Longmans, 1932.

Reprints from Journals not yet rec'd or not available.

Bilger, L.N.
The composition and properties of certain red and yellow plant pigments. Separate from Bull. Basic Sci. Rev. Univ. Cincinnati IV,3: 37-46. illus. F.1931. no.1.

Reprints. (cont.)
Guiscafre, J. R.
Gomosis de la toronja en la Hacienda Eugenia, Pto. Rico. Separate from Rev. Obras Puerto Rico 8: 124-125. illus. My.1931.
Phytophthora citrophora.

Staner, P. & Verplancke, G.
Etude d'une état pathologique du sisal au Congo Belge. Reprinted from Bull. Inst. Roy. Colon. Belge 1: 279-300. iii pl. 1930.
Physiological.

Translations filed in Library of Bur. of Plant Industry.
Christensen, P.
Kemiske undersøgelser over løg i hvileperiodens senere stadier (Chemical investigations of bulbs during the later stages of the resting period). Overs. K. Danske Vidensk. Selsk. Forh. 1908: 427-468. 1909.

Non-current indexing.

Arch. Néerl. Sci. Exact. & Nat. (La Haye)
Kleinhoonte, A.
Ueber die durch das licht regulierten autonomen bewegungen der Canavalia-blätter. Arch. Néerl. Sci. Exact. & Nat. III B, 5: 1-110. ii pl. 1930.

Weevers, T.
Die funktion der xanthinderivate im pflanzenstoffwechsel. Arch. Néerl. Sci. Exact. & Nat. III B, 5: 111-195. 1930.

Blumen u. Pflanzenb. (Berlin)
Babel, A.
Krankheit an dahlien. Blumen u. Pflanzenb. 46: 101-102. illus. Jl.1, 1931. no.7.
Botrytis sp.

B͡iull. Inst. Lugov i Past. Imeni Prof. V.R. Vil'-i͡amsa (Mitt. Wies. u. Weid. Inst. Nam. Prof. W. R. Williams) (Moscow)
Meshcheri͡akov, D. P.
Geobotanicheskii ocherk pugov i bolot iugovostochnoi Meshchery Ri͡azanskogo okruga (Geobotanische skizze der weisen und mooren des süd-ostliche teils von Mestschera Ryasansky bezirk). B͡iull. Inst. Lugov i Past. Imeni Prof. V.R. Vil'-i͡amsa (Mitt. Wies. u. Weid. Inst. Nam. Prof. W. R. Williams) no.4. 48 p. map. 1930.
Russian.

Non-current indexing (cont.)

Journ. Phys. Chem. (Ithaca, N.Y.)

Seifriz, W.

The Spierer lens and what it reveals in cellulose and protoplasm. Journ. Phys. Chem. 35: 118-129. illus. Ja. 1931. no.1.

Mitt. Bot. Inst. Techn. Hochsch. Wien.

Höhnel, F.

Mykologische beiträge I-II. Mitt. Bot. Inst. Techn. Hochsch. Wien 7: 41-64, 83-96. 1930. no.2,3.

Chaetopsella, Stictochorella, Malacostroma, Stromaster described as n.gen.

Höhnel, F.

Ueber Excipula melanophaea Kunze. Mitt. Bot. Inst. Techn. Hochsch. Wien 7: 15-16. 1930. no.1.

Pilidium melanophaeum (Kze.) Höhn.

Höhnel, F.

Ueber Pestalozzia compta Sacc. Mitt. Bot. Inst. Techn. Hochsch. Wien 7: 29-32. 1930. no.1.

Amphichaeta compta (Sacc.) Höhn.

Describes also new form genus Seiridina (S. rubi) (Stromaceae).

Weese, J.

Ueber die gattung Creonectria Seaver. Mitt. Bot. Inst. Techn. Hochsch. Wien 7: 33-39. 1930. no.2.

"So ist es klar, dass die gattung Creonectria Seaver auch aus nomenklatorischen gründen abzulehnen ist".

Weese, J.

Ueber Nectria confluens Petch. Mitt. Bot. Inst. Techn. Hochsch. Wien 7: 97-102. 1930. no.3.

Weese, J.

Ueber Sphaeria aquifolii Fries. Mitt. Bot. Inst. Techn. Hochsch. Wien 7: 32. 1930. no.1.

Weese, J.

Ueber Sphaeria peziza Persoon. Mitt. Bot. Inst. Techn. Hochsch. Wien 7: 39-41. 1930. no.2.

Non-current indexing. (cont.)

Néoplasmes.

Nabelek, A.

Le cancer des plantes, Maladie des cicatrices. Néoplasmes 10: 73-96. pl. i-viii (4 col.) Mr./Ap. 1931. no.2.

Riv. Biol. (Milan)

Rivera, V.

Valore ed influenca della radiazione penetrante sull'accrescimento di vegetali terrestri all' inizio dello sviluppo. Riv. Biol. 12: 238-265. My./D. 1930.

Zanoni, G.

Antagonismo pollinico. Riv. Biol. 12: 126-135. My./D. 1930. no.3/6.

Zanoni, G.

Individualità morfologica e biochemica nelle specie eterostiliche. Riv. Biol. 12: 293-308. My./D. 1930. no.3/6.

Stain Techn.

Steere, W. C.

A new and rapid method for making aceto-carmin smears. Stain Techn. 6: 107-111. Jl.1931. no.3.

Sved. Zemled. (Renseign. Agr. Sofia)

Drĕnski, P.

Bolesti i nepriiateli po zhitnitĕ rasteniі͡a v Bulgariі͡a (Krankheiten und schädlinge der getreidepflanzen in Bulgarien). Sved. Zemled. (Renseign. Agr. Sofia) 11(7/8): 3-54. illus. 1930.

Bulgarian with German summary.

Kostov. D.

Khibridna mutatsiі͡a, khromozomna aberatsiі͡a i sterilnost pri pipera (Capsicum) (Hybrid mutation, chromosome aberration and sterility in pepper (Capsicum). Sved. Zemled. (Renseign. Agr. Sofia) 11(11/12): 17-57. incl. plates. 1930.

Bulgarian with English summary.

Non-current indexing. (cont.)

Sved. Zemled. (Renseign. Agr. Sofia) (cont.)

Khristov, A.

Bakteriozata po kulturniia mak [A bacterial blight of the opium poppy] Sved. Zemled. (Renseign. Agr. Sofia) 12(1/2): 27-46. illus. 1931. no.1/2.

Bulgarian with English summary.

Bacterium papavericola.

Khristov, A.

Několko novi rastitelni bolesti za Bulgariia (Einige neue pflanzenkrankheiten in Bulgarien). Sved. Zemled. (Renseign. Agr. Sofia) 11(11/12): 3-16. illus. 1930.

Bulgarian with German summary.

Leptosphaeria dianthi (on Dianthus sp.), Ovularia anemonea (On Anemone sibirica); Cercospora bulgarica (on Ecbalium elaterium), n.spp.

Techn. & Sci. Suppl. Record Min. Comm. & Commun. Siam.

Kerr, A. F.

The genera Hydnocarpus and Taraktogenos in Siam. Techn. & Sci. Suppl. Record Min. Comm. & Commun. Siam no.7. 16 p. 5 pl., map. N.1930.

Věda Přirodni (Prague)

Domin, K.

Angostura. Věda Přirodni 11: 273-274. 1930. no.9.

In Czechoslovakien.

Domin, K.

Československé druhy osívek ze sekce Aizopsis DC Věda Přirodni 11: 191-198. illus. 1930. no.5/7.

In Czechoslovakian.

Draba.

Domin, K.

Jedovaté americké škumpy. Věda Přirodni 11: 121-124, 203-209. illus. 1930. no.4, 5/7.

In Czechoslovakian.

American poisonous species of Rhus.

Non-current indexing (cont.)

Véda Přirodni (cont.)

Domin, K.

O variabilitě prvosenky bledožluté (Primula eleatior Hill.) v Československu. Veda Prirodni 11: 236-242. 1930. no.8.

In Czechoslovakian.

Jílek, B.

Systematická/hodnota C. contigua Hoppe, echinata Murr. a divulsa Good. Věda Přirodni 11: 135-139. illus. 1930 no.5/7.

Carex muricata L. (C. contigua, C. echinata); C. divulsa.

In Czechoslovakian.

Klastersky, I.

Rosa scabrata Crep. a paralelní R. dumetorum v Čechách. Ved. Prirodni 11: 243-247. illus. 1930. no.8.

In Czechoslovakian.

Müller, K.

Léčiva rostlinná novodobé medicině. Věda Priorodni 11: 292-303. 1930. no.10.

In Czechoslovakian.

Novák, F.

Květy růžova a růžová silice (Flores rosae et oleum rosae). Věda Přirodni 11: 274-284, 311-319. illus. 1930. no.9,10.

In Czechoslovakian.

Suza, J.

Lýkovec slovenský (Daphne arbuscula Čelak). endemit Slovenského Krušnohoří. Veda Prirodni 11: 15-18, 60-65. illus. 1930. no.1, 2/3.

In Czechoslovakian.

Trapl, S.

Květena vapencové časti Nizkych. Tater. Veda Přirodni 11: 114-120. illus. 1930. no.4.

In Czechoslovakian.

Non-current indexing. (cont.)

Vědecké Českoslov. Akad. Zeměd. (Proc. Czechoslov. Akad. Agr.) (Praze)

Hilitzer, A.

Monografická studie o českých druzich řádu Hysteriales a o sypavkach jimi pusobených (Étude monographique sur les espèces de l'ordre Mysteriales, trouvées en Boheme, et sur les épiphyties qui en sont causée). Vedecké Spisy Českoslov. Akad. Zemed. (Proc. Czechoslov. Akad. Agr.) v.3. 162 p. illus., v. pl. 1929

Czechoslovakian with French summary.

Describes Hysteropycnus n.gen. & a number of new species in various genera.

Zapiski Astrakh. Stan. Zashch. Rast. ot Vred. (Comm. Inst. Astrach. Defens. Plant.)

Bubentsov, S. T.

O porazhenii plodov tomata bakteriozom (Die erkrankung der tomatenfruchte an bakteriosis) Zapiski Astrakh. Stan. Zashch. Rast. ot Vred. (Comm. Inst. Astrach. Defens. Plant.) 2(4): 35-40. 1930.

Russian with German summary.

Phytobacter lycopersicum.

Novopolrovsky, I. V.

Zametki o zarazikhakh (Notizen über orobanchen I-II. Zapiski Astrakh. Stan. Zashch. Rast. ot. Vred.(Comm. Inst. Astrach. Defens. Plant.) 2(4): 3-20. 1930.

Russian with German summary.

I. Die orobanchen des gouvernements Astrachan. II.Zur geschichte der untersuchung des keimungsbedingungen der orobanche-samen.

Shembel, S. I.

Neskol'ko slov o bolezniakh tomata v Astrakhanskom okruge (Einige worte über die krankheiten der tomaten im Astrachaner bezirk). Zapiski Astrakh. Stan. Zashch. Rast. ot Vred. (Comm. Inst. Astrach. Defens. Plant.) 2(4): 32-34. 1930.

Russian with German summary.

Non-current indexing. (cont.)

Zapiski Astrakh. Stan. Zashch. Rast. ot Vred. (Comm. Inst. Astrach. Defens. Plant.) (cont.)

Shembel, S. I.

O lechenii muchnistoĭ rosy na ogurtsakh mysh'i͡akovokislym natrom (Die behandlung von mehltau an gurken durch arsensaures natron N $Na_2H AsO_4$) Zapiski Astrakh. Stan. Zashch. Rast. ot Vred. (Comm. Inst. Astrach. Defens. Plant.) 2(4): 21-31. 1930.

Russian with German summary.

Shembel, S. I.

Rasprostranenie glavneĭshikh bolezneĭ kul'turnykh rasteniĭ v Astrakhanskom okruge v 1926-1929 godakh (Die verbreitung der hauptkrankheiten der kulturpflanzen im Astrachaner bezirk in den jahren 1926-1929). Zapiski Astrakh. Stan. Zashch. Rast. ot Vred. (Comm. Inst. Astrach. Defens. Plant.) 2(4): 61-80. 1930.

Russian with German summary.

Stepanov, K. M.

Nekotorye nabliudeniia nad skruchivaniem list'ev tomatov v Astrakhanskom okruge (Einige im Astrachaner bezirk an der blattrollkrankheit der tomaten gemachte beobachtungen) Zapiski Astrakh. Stan. Zashch. Rast. ot Vred. (Comm. Inst. Astrach. Defens. Plant.) 2(4): 41-54. 1930.

Russian with German summary.

Stepanov, K. M.

Zametka o Fusarium rhizogenum Pound et Cl. v. Astrakhanskom okruge (Notiz über Fusarium rhizogenum Pound et Cl. in Astrachaner bezirk) Zapiski Astrakh. Stan. Zashch. Rast. ot Vred. (Comm. Inst. Astrach. Defens. Plant.) 2(4): 55-60. 1930.

Russian with German summary.

Rot affecting roots of nursery stock in fruit nurseries.

Zentralbl. Bakt. Abt.I.

Redaelli, P. & Ciferri, R.

Culture of fungi on liquid media in petri dishes. Zentralbl. Bakt. Abt.I, 121: 370-371. illus. Jl.13, 1931. no.5/6.

L c

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY,
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

Vol.14, no.5. Feb.29-Mar.12, 1932.

Aarb. Gartn. (København)

Weber, A.
Løgsygdomme. Aarb. Gartn. 13:141-151. illus. 1932.
Mainly tulip diseases.

Agr. et Elev. Congo Belge.

Staner, P.
Fomes et dessouchement. Agr. et Elev. Congo Belge 6:24-27. illus. F.27,1932. no.3.

Amer. Fruit Grow. (Chicago)

Berg. A.
Apple measles. Amer. Fruit Grow. 52(2):12. illus. F.1932. no.2.

Kirby, R. S.
Apple diseases and spraying results. Amer. Fruit Grow. 52(2):18,26. tab. F.1932. no.2.

Ann. Naturh. Mus. Wien.

Kreissler, K.
Kleiner beitrag zur pilzflora des Burgenlandes. Ann. Naturh. Mus. Wien 45:295-311. 1931.
Leptophoma platantherae, Naemosphaerella chalaroides n. spp.

Pia, J.
Die dasycladaceen der germanischen Trais. Ann. Naturh. Mus. Wien 45:265-279. pl.xxi. 1931.

Ann. Sci. Nat. Bot. (Paris)

Costantin, J.
L'évolution. Problèmes aquatiques et montagnards. Ann. Sci. Nat. Bot. X, 13:i-xxiv. illus. F.1932. no.2.

Ernst-Schwarzenbach, M.
Contribution a l'étude des chromosomes chez le genre Gladiolus L. Ann. Sci, Nat. Bot. X, 13:345-351. illus. F.1932. no.2.

Ann. Sci. Nat. Bot. (cont.)

Jonesco, S.
Sur la présence des tanins chez les fleurs. Ann. Dci. Nat. Bot. X, 13:325-344. F.1932. no.2.

Killian, C.
Biologie et développement du Placosphaeria onobrychidis. Ann. Sci. Nat. Bot. X, 13:403-434. pl.i-iii. F.1932. no.2.

Souèges, R.
L'embryon chez le Sagittaria sagittaefolia L. Le cône végétatif de la tige et l'extrémité radiculaire chez les monocotylédones. Ann. Sci. Nat. Bot. X, 13:353-402. illus. F.1932. no.2.

Ann. Appl. Biol. (London)

Bennett, F. T.
Fusarium species on British cereals. The Gibbosum group. I. F. scirpi Lamb. et Fautr. var. pallens & Var. nigras (n.v.) Ann. Appl. Biol. 19:21-34. illus., pl.ii. F.1932. no.1.

Brooks, F. T.
A disease of the Arum lily caused by Phyllosticta richardiae, n. sp. Ann. Appl. Biol. 19:16-20. pl.i. F.1932. no.1.

Dillon Weston, W. A. R.
The relative resistance of some wheat varieties to Tilletia caries (DC.) Tul. (=T. tritici (Bjerk.) Wint.). Ann. Appl. Biol. 19:35-54. F.1932. no.1.

Martin, H.
Studies upon the copper fungicides. I. The interaction of copper sulphate with calcium hydroxide. Ann. Appl. Biol. 19:98-120. illus. F.1932. no.1.

Riker, A. J. and Riker, R. S.
Studies on bacteria associated with the chocolate-spot disease of broad beans. Ann. Appl. Biol. 19:55-64. pl.iii-iv. F.1932. no.1.
Resembles P. seminum.

Ann. Appl. Biol. (cont.)

Salmon, E. S. and Ware, W. M.
The chlorotic disease of the hop. II.
Ann. Appl. Biol. 19:6-15. F.1932. no.1.

Storey, H. H.
The filtration of the virus of streak disease of maize. Ann. Appl. Biol. 19:1-5. F.1932. no.1.

Ann. Rep. Dept. Agr. Bengal.

Hector, G. P.
Annual report of the first economic botanist. .. 1930/31. Ann. Rep. Dept. Agr. Bengal 1930/31: 35-42. 1931.

Arch. Pharm. & Ber. Deut. Pharm. Ges. (Berlin)

Ghosh, S. & Bose, I. B.
Die alkaloide der rinde von Holarrhena antidysenterica (Kurchi bark). II. Arch. Pharm. & Ber. Deut. Pharm. Ges. 270:100-108. F.1932. no.2.

Jaretzky, R. & Triebel, T.
Chrondriosomen und sekretbildung in pflanzlichen drüsenhaaren. Arch. Pharm. & Ber. Deut. Pharm. Ges. 270:94-97. F.1932. no.2.

Jaretzy, R. & Wilcke, M.
Die herzwirksamen glykoside von Cheiranthus cheiri und verwandten arten. Arch. Pharm. & Ber. Deut. Pharm. Ges. 270:81-94. F.1932. no.2.

Arch. Protistenk. (Jena)

Pascher, A.
Zur Kenntnis der einzelligen volvocalen. I. Beiträge zur kenntnis der einheimischen algenflora. Arch. Protistenk. 76:1-82. illus. F.3,1932. no.1.

Arch. Suikerind. Nederl. Indië (Soerabaja)

Poll, J.
De rijpheidsbepaling van het suikerriet.
Arch. Suikerind. Nederl. Indië 1932(1):161-165. Ja.19,1932. no.3.
Naschrift: p.165-167, by C. van Dillewijn.

Beih. Bot. Centralbl. Abt. I. (Dresden)

Berg, A.

Untersuchungen über die entwicklungsgedingungen der zystolithen. Beih. Bot. Centralbl. Abt. I, 49:239-258. illus. Ja.1932. no.1.

Blochwitz, A.

Perithezien, sklerotien und eidamsche blasen der Aspergillaceen. Vorkommen, bedingungen, systematischer wert. Beih. Bot. Centralbl. Abt. I, 49:262-292. Ja.1932. no.1.

Cholnoky, B. von

Planogonidien- und gametenbildung bei Ulothrix variabilis KG. Beih. Bot. Centralbl. Abt. I, 49:221-238. illus. Ja.1932. no.1.

Hoss, W.

Die methoden der messung der wasserstoffionenkonzentration im hinblick auf botanische probleme. Beih. Bot. Centralbl. Abt. I, 49:1-98. illus. Ja.1932. no.1.

Pascher, A.

Ueber die verbreitung endogener bzw. endoplasmatisch gebildeter sporen bei den algen. Beih. Bot. Centralbl. Abt. I, 49:293-308. illus. Ja.1932. no.1.

Schaffstein, G.

Untersuchungen an ungegliederten milchröhren. Beih. Bot. Centralbl. Abt. I, 49:197-220. illus. Ja.1932. no.1.

Tiwary, N. K.

A note on the germination of unripe (green) gram seeds (Cicer arietinum). Beih. Bot. Centralbl. Abt. I, 49:259-261. Ja.1932. no.1.

Zimmermann, J. G.

Ueber die extrafloralen nektarien der angiospermen. Beih. Bot. Centralbl. Abt. I, 49:99-196. illus., pl.i-iv. Ja.1932. no.1.

Bergcultures. (Batavia, Java)

Betrem, J. G.

Takkensterfte en boeboek. Bergcultures 6:57-64. Ja.16,1932. no.3.

Ber. Deut. Bot. Ges. (Berlin)

Bünning, E.

Die abhängigkeit der entwicklung etiolierter bohnen (Phaseolus multiflorus) vom zeitpunkt der samenreife. Ber. Deut. Bot. Ges. 49:494-496. illus. Ja.28,1932. no.10.

Vorläufige mitteilung.

Skottsberg, C.

Zur pflanzengeographie Patagoniens. Ber. Deut. Bot. Ges. 49:481-493. maps. Ja.28, 1932. no.10.

Better Crops (New York)

Fisher, P. A.

Kainit controls weeds. Better Crops 17(6):27,41-42. illus. F./Mr.1932. no.6.

Williams, C. B.

The use of potash acid in reducing the ravages of diseases and in producing quality crops. Better Crops 17(6):5-8,49. illus. F./Mr. 1932. no.6.

Biochem. Journ. (London)

Birkinshaw, J. H., Callow, R. K., & Fischmann, C. F.

Studies in the biochemistry of micro-organisms. XXII. The isolation and characterisation of ergosterol from Penicillium puberulum Bainier grown on a synthetic medium with glucose as sole source of carbon. Biochem. Journ. 25:1977-1980. 1931. no.6.

Campbell, W. G.

The chemistry of the white rots of wood. II. The effect on wood substance of Armillaria mellea (Vahl.) Fr., Polyporus hispidus (Bull.) Fr., and Stereum hirsutum Fr. Biochem. Journ. 25:2023-2027. 1931. no.6.

Chibnall, A. C., Piper, S. H., Pollard, A., Smith, J. A. B., & Williams, E. F.

The wax constituents of the apple cuticle. Biochem. Journ. 25:2095-2110. 1931. no.6.

Damodaran, M.

The dicarboxylic acid-nitrogen of proteins. With a note on the alcohol-soluble protein from ragi (Eleusine coracana). Biochem. Journ. 25: 2123-2130. 1931. no.6.

Biochem. Journ. (cont.)

Eyre, J. V.

Notes on oil development in the seed of a growing plant. Biochem. Journ. 25:1902-1908. illus. 1931. no.6.

McKie, P.

The nitrogen metabolism of the lupin seedling. Biochem. Journ. 25:2181-2188. 1931. no.6.

O'Dwyer, M. H.

The hemicelluloses of the wood of English oak. I. The effect of the drying of wood on the yield and composition of hemicellulose A. Biochem. Journ. 25:2017-2022. 1931. no.6.

Pollard, A., Chibnall, A. C., & Piper, S. H.

The wax constituents of forage grasses. I- Biochem. Journ. 25:2111-2122. 1931. no.6.

Biochem. Zeitschr. (Berlin)

Vita, N.

Ueber die ausnützung atmosphärischen stickstoffs durch keimende samen (Beobachtungen an lupinensamen bei sonderen umgebungsbedingungen). Biochem. Zeitschr. 245:210-217. F.12,1932. no.1/2.

Bull. Econ. Indochine Sect. B.

Brillet, F.

Le Lim-xanh au Tonkin. Bull. Econ. Indochine Sect. B. 34:1003B-1015B. 5pl. N.1931(Rec'd F.1932)

Erythrophleum fordii.

Burma For. Bull. (Bot. Ser.)

Barrington, A.H.M.

Forest soil and vegetation in the Hlaing forest circle, Burma. Burma For. Bull. 25 (Ecol. Ser. 1). 95 p. 10 pl. 1931.

List of species: p.66-95.

Butler Univ. Bot. Stud. Paper (Indianapolis)

Artist, R. C.

The value of Rumex acetosella as an acid indicator. Butler Univ. Bot. Stud. 2:81-91. tab. Ja.1932. no.7/8.

Lindsey, A. J.

The trees of Indiana in their local and general distribution according to physiographic divisions. Butler Univ. Bot. Stud. 2:93-124. maps. F.1932. no.9/10.

Palmer, C. M.

Plankton algae of White River in Marion County and Morgan County, Indiana. Butler Univ. Bot. Stud. 2:124-131. F.1932. no.9/10.

Parker, D.

General distribution of the species of Aster found in Indiana. Butler Univ. Bot. Stud. 2:65-79, incl. 8 pl. on 4. Ja.1932. no.7/8.

Canad. Field Nat. (Ottawa)

Lewis, H. F.

An annotated list of vascular plants collected on the North Shore of the Gulf of St. Lawrence, 1927-1930. Canad. Field Nat. 46:64-66. illus. Mr.1932. no.3.

Spence, H. S. S.

Sub-arctic mushrooms. Canad. Field Nat. 46:53-54. Mr.1932. no.3.

Squires, S. K.

White strawberries. Canad. Field Nat. 46:55-56. Mr.1932. no.3.

Chem. News.

Wright, C. W. B. & Woodman, R. M.

Problems confronting the sprayer. I. The volume of liquid needed to spray trees of varying sizes and shapes. Chem. News 144:116-122. F.19, 1932. no.6.

Citrus News Melbourne.

Benton, R. J.

Prevention of decay in oranges. Review of experimental work of N.S.W. department. Best results from borax. Citrus News Melbourne 7(10):14-15, 26. O.1,1931. no.10.

Compt. Rend. Acad. Agr. France.

Arnaud, G. & Gaudineau, Mlle M.

Le traitement de la carie du blé. Compt. Rend. Acad. Agr. France 18:208-214. F.10, 1932. no.6.

Schribaux, E.

Il faut étendre la culture des blés de printemps une nouvelle variété a éprouver: Florence-Aurore. Compt. Rend. Acad. Agr. France 18:220-222. F.10,1932. no.6.

Viala, P.

Relation entre la sève en réserves mobilisées et la mise a fruit des cépages. Compt. Rend. Acad. Agr. France 18:193. F.10, 1932. no.6.

Vilmorin, J. de

Contribution a l'étude biologique des alcaloides du tabac, par M. Jean Chaze. Compt. Rend. Acad. Agr. France 18:239-240. F.17, 1932. no.7.

Compt. Rend. Acad. Sci. Paris.

André, E. & Hou, K.

Sur la présence d'une oxydase des lipides ou lipoxydase dans la graine de soja, Glycine soja Lieb. Compt. Rend. Acad. Sci. Paris 194:645-647. F.15,1932. no.7.

Colin, H. & Ricard, P.

Pelvetia canaliculata Dec. et Thur. source de l-fucose. Compt. Rend. Acad. Sci. Paris 194: 643-645. F.15,1932. no.7.

Costantin, J.

Dégénérescence climatérique chez la pomme de terre. Compt. Rend. Acad. Sci. Paris 194:674-677. F.22,1932. no.8.

Dufrenoy, J.

Corrélation entre la température de l'air et la vitesse de la croissance de la vigne. Compt. Rend. Acad. Sci. Paris 194:639-640. F.15,1932. no.7.

George, L.

Observations sur Sorbus aria Crantz. Compt. Rend. Acad. Sci. Paris 194:636-638. F.15,1932. no.7.

Compt. Rend. Acad. Sci. Paris. (cont.)

George, L.
Observations sur le Sorbus confusa Gremli (= S. aria - torminalis). Compt. Rend. Acad. Sci. Paris 194:741-743. F.22,1932. no.8.

Grigorakis, L.
Morphologie et cycle évolutif des Actinomyces. Compt. Rend. Acad. Sci. Paris 194:641-643. F.15, 1932. no.7.

Lagatu, H., Maume, L., & Cros, L.
Étude des variations de la teneur en azote en des points trés localisés du feuillage de la vigne. Compt. Rend. Acad. Sci. Paris. 194:679-681. F.22, 1932. no.8.

Trochain, J.
Sur la biologie de deux commelinacées (Commelina forskalaei Vahl et C. benghalensis Linn.) Compt. Rend. Acad. Sci. Paris 194:743-745. F.22, 1932. no.8.

Compt. Rend. Soc. Biol. Paris.

Dufrénoy, J.
L'inégale susceptibilité des epiceas vis-a-vis du Chrysomyxa rhododendri. Compt. Rend. Soc. Biol. Paris 109:352-353. illus. F.12,1932. no.5.

Lenoir, M.
Chromatine et cytoplasme. Compt. Rend. Soc. Biol. Paris 109:469-471. F.19,1932. no.6.

Lenoir, M.
Une méthode de fixation, conservation et coloration du matériel cytologique végétal. Compt. Rend. Soc. Biol. Paris 109:471-472. F.19,1932. no.6.

Contr. Biol. Lab. Sci. Soc. China Bot. Ser.

Chien, S-S. & Cheng, W.
A few new species of Chinese plants. Contr. Biol. Lab. Sci. Soc. China Bot. Ser. 6:59-77. illus. Je.10,1931. no.7.

Desert (Pasadena)

Templeton, B. C.
Methods of preserving cacti for herbarium use. Desert (Pasadena) 3:127. Mr.1932. no.11.

Deutsche Forst.-Zeit. (Neudamm)

Buisman, C.

Das grosse ulmensterben. Deutsche Forst.-Zeit. 47:141-142. F.12,1932. no.7.

Ernähr. Pflanze (Berlin)

Rohde, G.

Die weisstüpfelung von leguminosen (Weissklee und luzerne), eine kalimangelerscheinung. Ernähr. Pflanze 28:69-71. illus. F.15,1932. no.4.

Farming South Africa (Pretoria)

Wager, V. A.

Leaf or soft rot disease of potatoes. Farming South Africa 6:465-466. illus. F.1932. no.71.

Flor. Exch. (N.Y.)

De France, J. A.

The case of Ligustrum lucidum and L. japonicum. Flor. Exch. 79(11):31. illus. Mr.12,1932.

Fortschr. Landw. (Vienna)

Fuchs, W. H.

Zur prüfung der kälteresistenz von wintergetreide. Fortschr. Landw. 7:106-110. F.15, 1932. no.4.

Gard. Chron. (London)

Brown, N. E.

Mesembryanthemum. Conicosia. (cont.) Gard. Chron. III, 91:144. illus. F.20,1932. no.2356.

Comber, H. F.

Horticultural possibilities in the Tasmanian epacrids. (cont.) Gard. Chron. III, 91:142. F.20,1932. no.2356.

Coutts, J.

Herbaceous Lobelias. Gard. Chron. III, 91:143. F.20,1932. no.2356.

Crane, D. B.

The late Hon. Vicary Gibbs. Gard. Chron. III, 91:149-150. F.20, 1932. no.2356.

Downes, A. C.

Stranvaesia undulata and its relatives. Gard. Chron. III, 91:140. F.20,1932. no.2356.

Gard. Chron. (cont.)

Lawrence, W.
Mahonias. Gard. Chron. III, 91:141.
F.20,1932. no.2356.

Nicholson, C.
The mistleto and its hosts. (concl.) Gard.
Chron. III, 91:145-146. F.20,1932. no.2356.

Gard. Illus. (London)

Bartlett, M.
The lilies of India and Burma. Gard. Chron.
54:126-128. illus. F.27,1932. no.2764.

Gartenw. (Berlin)

Roth, E.
Eine neue pappelkrankheit. Gartenw. 36:91.
F.12,1932. no.7.
Dothichiza populea.

Gartenz. (Wien)

Fischer, R.
Die wichtigsten pilzkrankheiten der dahlien.
Gartenz. (Wien) 1932:6-8. illus. Ja.1932.

Krickl, M.
Die bedeutung der richtigen jungspflanzenzucht zur erzielung früher tomaten. Gartenz.
(Wien) 1932:23-24. illus. F.1932.

Neumann, H.
Eine blattfleckenkrankheit auf cytisusarten.
Gartenz. (Wien) 1932:22-23. illus. F.1932.

Tschermak, E.
Künstliche belichtung als stimulationsmittel
in gewächshäusern im dienste der pflanzenzüchtung.
Gartenz. (Wien) 1932:2-4. illus. Ja.1932.

Horticulture (Boston)

Purdy, C.
Western American lilies. Horticulture
10:94. Mr.1,1932. no.5.

Indian For. (Dehra Dun)

Puntembaker, S. V.
The seeds of Vateria indica Linn. as a source
of vegetable tallow. Indian For. 58:68-74.
F.1932. no.2.

Indian Journ. Agr. Sci. (Calcutta)

Ayyangar, G. N. R. and others.

The inheritance of characters in ragi, Eleusine coracana (Gaertn.) II-V. Indian Journ. Agr. Sci. 1:538-553,554-562,563-568,569-576. pl.lviii-lxiv (3 col.) 0.1931. no.5.

II. Grain colour factors and their relation to plant purple pigmentation. III. Sterility. IV. Depth of green in the pericarp. V. Albinism.

Ayyangar, G.N.R. & Narayanan, T.R.

The inheritance of characters in Setaria italica (Beauv.) the Italian millet, I. Grain colours. Indian Journ. Agr. Sci. 1:586-608. col. pl.lxvi. 0.1931. no.5.

Kadam, B. S. & Nazareth, B.

Inheritance of awn colour in wheat. Indian Journ. Agr. Sci. 1:663-670. D.1931. no.6.

Kottur, G. L., Mundkur, B. B., & Maralihalli, S.S.

Inheritance of corolla colour in some Indian cottons. Indian Journ. Agr. Sci. 1:577-585. 0.1931. no.5.

Luthra, J.C. & Chima, I. S.

Some studies in respiration and other metabolic activities in berries of the grape vine (Vitis vinifera, Linn.) Indian Journ. Agr. Sci. 1:695-714. D.1931. no.6.

McRae, W.

Effect of mosaic on the tonnage and the juice of sugar cane in Pusa. Indian Journ. Agr. Sci. 1:527-533. 0.1931. no.5.

Prasad, H. H.

A bacterial white soft rot of turnip. Indian Journ. Agr. Sci. 1:534-537. 0.1931. no.5.

"Seems to be variant of Bacillus aroideae or B. melonis".

Ram, K. & Row, R. M.

Some observations on the growth of Sesamum indicum, D.C. in different soil conditions with special reference to root development. Indian Journ. Agr. Sci. 1:715-717. pl.lxvii-lxviii. D.1931. no.6.

Industr. & Engin. Chem. (Anal. ed.) (Easton, Pa.)

Johnson, M. O. & Godfrey, G. H.

Chloropicrin for nematode control. Industr. & Engin. Chem. 24:311-313. illus. Mr.1932. no.3.

Inform. Agr. (Spain) (Madrid)

Collar, F.

Enfermedades de las especies arboreas frutales. El olivo. Inform. Agr. (Spain) 22:33-39. illus. F.15,1932. no.499.

Intern. Bull. Plant Prot.

Ballard, E.

Egypt: The onion white rot disease. Intern. Bull. Plant Prot. 6:2. Ja.1932. no.1.

Eglits, M.

Latvia: Plant diseases observed in 1931. Intern. Bull. Plant Prot. 6:4. Ja.1932. no.1.

Neuweiler, E.

Switzerland: Potato wart disease. Intern. Bull. Plant Prot. 6:5-6. Ja.1932. no.1.

Stevens, N. E.

United States of America: The distribution of strawberry dwarf caused by Aphelenchus fragariae. Intern. Bull. Plant Prot. 6:3-4. Ja.1932. no.1.

Stevens, N. E.

United States of America: Notes on plant diseases. Intern. Bull. Plant Prot. 5:215. D.1931. no.12.

Stevens, N. E.

United States of America: The spread of some introduced diseases of trees. Intern. Bull. Plant Prot. 6:3. Ja.1932. no.1.

Journ. Agr. Res. (Washington, D. C.)

Dillman, A. C. & Brinsmade, J. C. jr.

Dehiscence of the boll of Linum rigidum and related species. Journ. Agr. Res. 44:21-27. Ja.1,1932(Rec'd Mr.2) no.1.

Flor, H. H.

Heterothallism and hybridization in Tilletia tritici and T. levis. Journ. Agr. Res. 44:49-58. Ja.1,1932. no.1.

Journ. Agr. Res. (Cont.)

Hubbard, J. W.
Root constriction of cotton plants in the San Joaquin Valley of California. Journ. Agr. Res. 44:39-47. illus. Ja.1,1932(Rec'd Mr.2) no.1.

Melchers, L. E., Ficke, C. H., & Johnston, C. O.
A study of the physiologic forms of kernel smut (Sphacelotheca sorghi) of sorghum. Journ. Agr. Res. 44:1-11. illus. Ja.1,1932(Rec'd Mr.2) no.1.

Sieglinger, J. B.
Inheritance of height in broomcorn. Journ. Agr. Res. 44:13-20. illus. Ja.1,1932(Rec'd Mr.2) no.1.

Tompkins, C. M. & Pack, D. A.
Effect of temperature on rate of decay of sugar beets by strains of Phoma betae. Journ. Agr. Res. 44:29-37. illus. Ja.1,1932(Rec'd Mr.2) no.1.

Journ. Amer. Chem. Soc.

Clark, E. P.
Deguelin. II-III. Journ. Amer. Chem. Soc. 53:2369-2373,3431-3436. Je.,S.1931. no.6,9.
II. Relationships between deguelin and rotenone. III. The orientation of the methoxyl groups in deguelin, tephrosin and rotenone.

Journ. Arnold Arb. (Cambridge, Mass.)

Erhlich, J.
The occurrence in the United States of Cryptococcus fagi (Baer) Dougl., the insect factor in a menacing disease of beech. Journ. Arnold Arb. 13:75-80. Ja.1932. no.1.

Journ. Bot. Soc. So. Afr. (Cape Town)

Compton, R. H.
Rudolf Marloth. Journ. Bot. Soc. So. Africa 17:18. 1931.

Cook, H. H.
Propagation of lachenalias by leaf-cuttings. Journ. Bot. Soc. So. Africa 17:12. pl.iii. 1931.

Journ. Bot. Soc. So. Afr. (cont.)

Hill, Sir A.

Botany in South Africa. Journ. Bot. Soc. So. Africa 17:6-9. 1931.

Lewis, G. J.

Ixia. Journ. Bot. Soc. So. Africa 17:13-16. pl.iv. 1931.

Mathews, J. W.

Flowering plants of garden merit at Kirstenbosch. Journ. Bot. Soc. So. Africa 17:9-11. pl.iii. 1931.

Ursina, Aster elongatus, Wahlenbergias (South African harebells), Lobelia campanulata, Zaluszianskya villosa, Dimorphotheca spectabilis, double chinkerinchees.

Journ. Dept. Agr. Victoria (Melbourne)

Adam, D. B.

Degeneration in potatoes. Virus diseases and their control. Journ. Dept. Agr. Victoria 30: 7-11. illus. Ja.1932. no.1.

Adam, D. B.

Strawberry culture. Fungus diseases and insect pests. Journ. Dept. Agr. Victoria 30:21-25. illus. Ja.1932. no.1.

Journ. Dept. Agr. West. Austral. (Perth)

Pittman, H. A.

Potato diseases in Western Australia. The Rhizoctonia disease and common scab. Journ. Dept. Agr. West. Austral. II, 8:463-476. illus. D.1931. no.3.

Journ. Hered. (Washington)

Shamel, A. D.

A pink-fruited lemon. Journ. Hered. 23:23-27. illus. Ja.1932. no.1.

Journ. S. E. Agr. Coll. Wye.

Martin, H.

The chemistry of insecticides and fungicides. Journ. S. E. Agr. Coll. Wye 29:31-34. Ja.1932.

Salmon, E. S. & Ware, W. M.

Mycological department. Journ. S. E. Agr. Coll. Wye 29:15-22. Ja.1932.

Journ. Washington Acad. Sci.

Berry, E. W.

A sterculiaceous fruit from the lower Eocene(?) of Colorado. Journ. Washington Acad. Sci. 22: 119-121. illus. Mr.4, 1932. no.5.

Kartoffel, Zeitschr. Kartoffelbauges. (Berlin)

Appel, O.

10 jahre arbeit an der kartoffel in der biologischen reichsanstalt. (concl.) Kartoffel, Zeitschr. Kartoffelbauges. 12: 46-51. F.16, 1932. no.4.

Madras Agr. Journ.

Raju, K. G.

Sorghum improvement in the Madras presidency. Madras Agr. Journ. 20: 11-18. Ja. 1932. no.1.

Madroño (San Francisco)

Mason, H. L.

A phylogenetic series of the California closed-cone pines suggested by the fossil record. Madrono 2: 49-55. pl. i. F.1932. no.6.

Magyar Biol. Kut. Int. Munk. (Arb. Ungar. Biol. Forsch. Inst.) (Tihany)

Filarszky, N.

A Balaton és vidékének charafélei (Die characeen des Balatons und Balatongebiets). Magyar Biol. Kut. Int. Munk. (Arb. Ungar. Biol. Forsch. Inst.) 4: 249-270. 1931.

Hungarian and German.

Haranghy, L.

Adatok a Spirochaeta pseudoicterogenes biologiájához (Beiträge zur biologie der Spirochaete pseudoicterogenes). Magyar Biol. Kut. Int. Munk. (Arb. Ungar. Biol. Forsch.Inst.) 4: 356-389. 1931.

Hungarian and German.

Kol, E.

Sarga "vízvirágzas" székes tavon (Gelbe wasserblüte auf einem natronteiche). Magyar Biol. Kut. Inst. Munk. (Arb. Ungar. Biol. Forsch. Inst.) 4: 271-273. illus. 1931.

Hungarian and German.

Magyar Biol. Kut. Int. Munk. (Arb. Ungar. Biol. Forsch. Inst.) (cont.)

Raineri, R.

Osservazioni sopra i rapporti fra alcalinitá del l'acqua e vegetazione algologica dei Laghi Balaton e Belsö-tó. Magyar Biol. Kut. Inst. Munk. (Arb. Ungar. Biol. Forsch. Inst.) 4: 279-290. 1931.

Scherfel, A.

A Haematococcus pluvialis egy érdekes lelöhelye (Ein interessanter standort von Haematococcuy pluvialis). Magyar Biol. Kut. Inst. Munk. (Arb. Ungar. Biol. Forsch. Inst.) 4: 291-292. 1931.

Hungarian with German summary.

Szemes, G.v.

A Kádártai források diatomaceái (Die diatomaceen der quellen von Kadarta). Magyar Biol. Kut. Int. Munk. (Arb. Ungar. Biol. Forsch. Inst.) 4: 320-341. illus. 1931.

Hungarian.

Eunotia gregussii n.sp.

Soó, R.v.

Adatok a Balatonvidék vegetációjának insmeretéhez (Beiträge zur kenntnis der vegetation des Balatongebietes). III. Magyar Biol. Kut. Inst. Munk. (Arb. Ungar. Biol. Forsch. Inst.) 4: 293-319. 1931.

Hungarian with German summary.

Varga, L.

A hinár (Potamogeton pectinatus L.) érdekes alakulatai a Fertöben (Interessante formationen von Potamogeton pectinatus L. im Fertö (Neusidelersee). Magyar Biol. Kut. Int. Munk. (Arb. Ungar. Biol. Forsch. Inst.) 4:342-355. illus. 1931.

Hungarian and German.

Maryland Fruit Grow.

Young, H. C.

Controlling apple scab with mild sulphur sprays. Maryland Fruit Grow. 2: 3-4. F. 1932. no.2.

Matières Grass. (Paris)

Adriaens, L.

Étude chimique des graines de Sterculia bequaerti de Wild. (Sterculia tragacantha Lindl. var. cruciata Verm.) Matières Grass. 24: 9417-9418. F.15, 1932. no.286.

Meded. Deli Proefst. Medan, Sumatra.

Meurs, A.

Overzicht van de ziekten en plagen der Deli-tabak in het jaar 1931. A. Ziekten der tabak. Meded. Deli Proefst. Medan, Sumatra II, 73: 5-19. map. 1931.

Meded.Proefst. Vorstenl. Tabak. Java. (Klaten)

Thung, T. H.

Phytopathologische waarnemingen, in Jaarverslag i mei 1930 - 30 april 1931. Meded. Proefst. Vorstenl. Tabak Java 71: 28-46. 1931.

Medlemsskr. Selsk. Havedyrkn. Venner Norway (Oslo)

Holmboe, J.

Plantekost i Norge i gammel tid. Medlemsskr. Selsk. Havedrykn. Venner Norway 9: 79-91. illus. 1931. no.4.

In Norwegian.

Missouri Bot. Gard. Bull. (St.Louis)

Jensen, L. P.

New plant immigrants in the Gray Summit extension of the Garden. Missouri Bot. Gard. Bull. 20: 41-43. pl.13-14. F.1932.

Tragopogon pratensis, Lythrum salicaria, Verbena hastata, Asclepias cornuta, Chrysanthemum leucanthemum.

Pring, G. H.

Effect of city smoke on plants. Missouri Bot. Gard. Bull. 20: 43-45. F. 1932. no.2.

Möller's Deut. Gärtn.-Zeit. (Erfurt)

Schramm, E.

Bekämpfung der älchen-krankheit. Möller's Deut. Gärtn.-Zeit. 47:58-59. F.11, 1932. no.5.

Mus. & Art. Notes. Vancouver.

Clark, W.

Flora of British Columbia. Early spring flowers Mus. & Art Notes. Vancouver 6: 112-114. illus. D.1931(Rec'd Mr.1932). no.4.

Wailes, G. H.

Ecology of Sproat Lake, B. C. Mus. & Art Notes. Vancouver 6: 125-132. pl. i-ii. D.1931. (Rec'd Mr.1932). no.4.

Mycologia (Lancaster,Pa.)

Davidson, R. W.

Notes on tropical rusts with descriptions of two species. Mycologia 24: 221-228. illus. Mr./Ap. 1932. no.2.

Chrysocyclus senecionis, Puccinia laurifoliae.

Fenner, E. A.

Mycotypha microspora, a new genus of Mucoraceae. Mycologia 24: 187-198. illus., pl.2-3. Mr./Ap. 1932. no.2.

Kevorkian, A. G.

Prominence of a conidial stage in Patella abundans. Mycologia 24: 233-239. illus. Mr./Ap.1932. no.2.

Mains, E. B.

Physiologic specialization in Puccinia eatoniae. Mycologia 24: 207-214. Mr./Ap. 1932. no.2.

P. eatoniae, var. ranunculi, P. eatonii var. myosotodis (the first on Ranunculus abortivus, 2d on Myosotis virginica).

Martin, G. W.

On certain species of Heterotextus. Mycologia 24: 215-220. pl.5. Mr./Ap. 1932. no.2.

H. alpinus (comb.nov.)

Povah, A. H. W.

New fungi from Isle Royale. Mycologia 24: 240-244. illus. Mr./Ap. 1932. no.2.

Patella michiganensis, Erinella borealis, Septoria calypsonis, n.spp., Sclerostilbum gen.nov. (S.septentrionale)

Mycologia (cont.)

Sass, J. E.
The cytology of a diploid sterile hymenomycete
Mycologia 24: 229-232. illus. Mr./Ap. 1932. no.2.

Seaver, F. J.
The genera of fungi. Mycologia 24: 248-263. Mr./Ap. 1932. no.2.
Review of Clements and Shear's new work.

Swift, M. E.
Phoma conidiogena on box. Mycologia 24: 199-206. illus., pl.4. Mr./Ap. 1932. no.2.

Nature (London)

Mr. George Forrest. Nature 129: 270. F.20, 1932. no.3251.

Naturwissensch. (Berlin)

Schiemann, E.
Die bedeutung der experimentellen genetik für die botanische systematik. Naturwissensch. 20: 145-150. F.26, 1932. no.9.

Nederl. Kruidk. Arch. (Amsterdam)

Koopmans-Forstmann, D., Koopmans, A.N., Kruseman, G.,Jr.
Leeuw, W. C. de., Lütjeharms, W.J., Sloff, J.G.,
Soest, J.L. van. & Werff, A. van der.
De flora van Wieringen. Nederl. Kruidk. Arch. 1931: 220-447. illus.(incl. maps), 5 pl. 1931. no.2.
Meded. no. 14 der Zuiderzeecommissie.

Loeske, L.
Ceratodon purpureus mit brutfäden. Nederl. Kruidk. Arch. 1931: 178-181. illus. D.1931. no.2.

New Phytol. (London)

Bean, W.J. & Brooks, F. T.
A note on a white form of Pyronema confluens. New Phytol. 31: 70-71. F.15, 1932. no.1.

Ingold, C. T.
The sporangiophore of Pilobolus. New Phytol. 31: 58-63. illus. F.15, 1932. no.1.

New Phytol.(cont.)

Iyengar, M.O.P. & Iyengar, M.O.T.
On a Characium growing on Anopheles larvae. New Phytol. 31: 66-69. illus., pl.3. F.15, 1932. no.1.

Lubimenko, V. N. & Hubbenet, E.R.
The influence of temperature on the rate of accumulation of chlorophyll in etiolated seedlings. New Phytol. 31: 26-57. illus., pl.2. F.15, 1932. no.1.
Appendix: On the spectrocolorimetric method p.47-55.

Millner, M. E.
Natural grafting in Hedera helix. New Phytol. 31: 2-25. illus., pl. 1. F.15, 1932. no.1.

Singh, T. C. N.
A note on the response of gram (Cicer arietinum L.) seedlings to electricity. New Phytol. 31: 64-65. illus. F.15, 1932. no.1.

Northwest Fruit Grower (Wenatchee)

Cooley, J. S.
Perennial canker and its relation to winter injury and to woolly aphis. Northwest Fruit Grower 4(2): 6, 12-13. F.1932.

Northwest Science (Cheney)

Flint, H. R.
Some observations on lichens as factors in northern Rocky Mountain forest succession. Northwest Science 6: 14-16. Mr.1932. no.1.

Obst- u. Gemüseb. (Berlin)

Elssmann, E.
Kälteschäden zur blütezeit der obstgehölze (cont.) Obst- u. Gemüseb. 78: 23-24. F.15, 1932. no.2.

Pharm. Journ. (London)

Hooper, D.
Fuchs, an early pharmaceutical botanist. Pharm. Journ. 128(IV,74): 164-165. F.27, 1932. no.3565.

Proc. Assoc. So. Agr. Work. (Atlanta)

Andrews, F. S.

Apple pollination studies. Proc. Assoc. So. Agr. Work. 32(1931): 304-306. [1932]

Crane, H. L.

The growth response of pecan trees following certain methods of transplanting. Proc. Assoc. So. Agr. Work. 32(1931): 319-324. [1932]

Crane, H. L.

The relation between terminal growth and blooming time in the pecan. Proc. Assoc. So. Agr. Work. 32(1931): 325-333. [1932]

McKay, H. M.

The selection of the native blueberry in Georgia. Proc. Assoc. So. Agr. Work. 32(1931): 312-314. [1932]

Magness, J. R.

Moisture in relation to development of horticultural plants. Proc. Assoc. So. Agr. Work. 32(1931): 306-309. [1932]

Proc. Biol. Soc. Washington.

Ames, O.

Additions to the orchid flora of the United States. Proc. Biol. Soc. Washington 45: 3-4. F.29, 1932.

Spiranthes parasitica, S. saltensis.

Ames, O.

A new Bletia from Honduras. Proc. Biol. Soc. Washington 45: 1-2. F.29, 1932.

B. edwardsi.

Proc. Indian Sci. Congr.

Ekambaram, T.

The physiology of the root system. Proc. Indian. Sci. Congr. 18:245-255. 1931.

Presidential address, Sect.V,Botany.

Proc. Nat. Acad. Sci.

Bergner, A. D. & Blakeslee, A.F.

Cytology of the ferox-quercifolia-stramonium triangle in Datura. Proc. Nat. Acad. Sci. 18: 151-159. F.1932. no.2.

Proc. Roy. Soc. Queensl.

Blakely, W.F. & White, C. T.

Two interesting Queensland eucalypts. Proc. Roy. Soc. Queensl. 42:82-85. pl. Ja. 1932.

E. curtisii, E. tenyipes, n.spp.

Jones, T.G.H. & White, M.

Essential oils from the Queensland flora I-II. Proc. Roy. Soc. Queensl. 42: 49-51, 68-70. Ja. 1931.

I. Baeckea virgata. II.Adonis abnormis.

Proc. Utah Acad. Sci.

Blood, H. L.

Bacterial canker of tomato. Proc. Utah Acad. Sci. 8: 55-58. illus. Jl. 1931.

Tingey, D. C.

Inheritance of dwarfing in wheat. Proc. Utah Acad. Sci. 8: 59-60. Jl. 1931.

Proc. Wash. State Hort. Assoc.

Claypool, L. L., Overley, F.L. & Overholser, E. L.

Washington sweet cherry pollination studies in 1931. Proc. Wash. State Hort. Assoc. 27(1931): 171-173. (Rec'd F.16, 1932)

Harms, E. L.

Controlling perennial weeds in the orchard. Proc. Wash. State Hort. Assoc. 27(1931): 139-142. (Rec'd F.16,1932)

Huber, G. A.

Sources of spores of apple decay fungi. Proc. Wash. State Hort. Assoc. 27(1931): 10-12. (rec'd F.16, 1932)

Queensl. Agr. Journ. (Brisbane)
Cottrell-Dormer, W.
Red-stripe disease of sugar-cane in Queensland. II.Description of causal organism. Queensl. Agr. Journ. 37: 98-114. illus. F.1, 1932. no.2.

Mandelson, L. F.
Halo blight - a bacterial disease of beans. Queensl. Agr. Journ. 37:128-133. illus. F.1, 1932. no.2.

Rep. Brit. Assoc. Adv. Sci.
Hill, T. G.
The advancement of botany. Rep. Brit. Assoc. Adv. Sci. 100(1931): 196-214. 1932.

Rep. Proc. Imp. Sugar Cane Res. Conf., London, 1931.
Ashby, S. F.
Guarantine and the spread of sugar cane diseases. Rep. Proc. Imp. Sugar Cane Res. Conf., London, 1931, p.146-151. Ja. 1932.

McIntosh, A. E. S.
Sugar cane breeding in Barbados. In Sugar cane research in Barbados. Rep. Proc. Imp. Sugar Cane Res. Conf., London, 1931. p.119-126. Ja. 1932.

McRae, W.
Fungus and virus disease. In The existing organisation and scope of sugar cane research and experimental work in India. Rep. Proc. Imp. Sugar Cane Res. Conf., London, 1931. p.106-107. Ja. 1932.

Rev. Bot. Appl. (Paris)
Chevalier, A.
Le jardin de Chévreloup annexe du Muséum national d'historire naturelle. Rev. Bot. Appl. 12:1-14. 2 maps. Ja. 1932. no.125.

Lecomte, H.
Les recherches sur les phanérogames dans les colonies francaises. Act. Compt. Rend. Assoc. Colon.-Sci. 8:1-7. Ja.1932(with Rev. Bot. Appl. v.12, no.125). Ja.1932. no.125.
Rapport présenté au Congrés des recherches scientifiques coloniales, Paris, 9 et 10 Octobre 1931.

Rev. Bot. Appl. (cont.)

Perrier de la Bathie, H.

Les plantes introduites à Madagascar. (cont.) Rev. Bot. Appl. 12: 48-52. Ja. 1932. no.125.

Rev. Hort. (Paris)

Guillaumin, A.

Les cactées. Leur culture (cont.) Rev. Hort. 104: 38-40. illus. F.16, 1932. no.2.

Jarry-Desloges, R.

Passiflora mollissima Bailey (Tacsonia mollissima H. et B.) Rev. Hort. 104: 41-42. illus. F.16, 1932. no.2.

Rev. Path. Veg. & Entom. Agr. (Paris)

Ghimpu, V.

Contribution à la teratologie des Nicotiana. Rev. Path. Vég. & Entom. Agr. 18: 289-295. pl. xiii-xix. O./N. 1931(Rec'd Mr. 1932). no.8/9.

Labrousse, F.

Observations sur quelques maladies des plantes maraichères. Rev. Path. Vég. & Entom. Agr. 18: 286-289. O./N. 1931(Rec'd Mr.1932). no.8/9.

1. Maladie de l'epinard (Pythium ultimum) 2. Anthracnose du pois-chiche (Ascochyta rabiei). 3. Anthracnose des légumineuses provoquées par Ascochyta spp. 4. Maladie bactérienne des haricots.

Picado, C.

Fusariose des caféiers à Costa Rica. Rev. Path. Vég. & Entom. Agr. 18: 312-318. illus., pl. xx. D.1931. (Rec'd Mr.1932). no.10;

Rhodora (Boston)

Bowman, P. W.

Notes on the flora of the Matamek River district, "North Shore", Quebec, Canada. Rhodora 34: 48-55. Mr. 1932. no.399.

Knowlton, C. H.

Fred Dayton Lambert. Rhodora 34: 41-48. port. Mr.1932. no.399.

Schweiz. Zeitschr. Forstw. (Bern)
Grossmann, H.
Das ulmensterben. Schweiz. Zeitschr. Forstw. 83: 50-59. 2 pl. on 1. F.1932. no.2.

Science (Lancaster, Pa.)
Bishop, E.R. & Lawrenz, M.
Cobalt in plant ash. Science 75: 264-265. Mr.4, 1932. no.1940.

James, M. T.
The rôle of cannibalism in the spread of fungous diseases of grasshoppers. Science 75: 266. Mr.4, 1932. no.1940.

Rygg, G.L. & Darrow, G. M.
Paternal and maternal inheritance in Fragaria. Science 75: 269-270. Mr.4, 1932. no.1940.

Sci. Papers Inst. Phys. & Chem. Res. (Tokyo)
Kotake, M.
Chemische untersuchungen in der saponinreihe. I-II. Sci.Papers Inst. Phys. & Chem. Res. (Tokyo) 18: 1-4, 5-11. Ja., 1932. no.347, 348.
K. Taguchi joint author II.
I. Ueber das glucosid von Panax ginseng, C.A.Mey.
II. Ueber die saponine von Kalopanax ricinifolius.

So. African Gard. (Johannesburg)
Transvaal veld flowers. So. African Gard. 22: 55. illus. F.1932. no.2.
Pentarrhinum insipidum.

Suomen Maataloust. Sauran Julk. (Acta Agralia Fenn.) (Helsinki)
Valle, O.
Untersuchungen über die selbststerilität und selbstfertilität des timothes (Phleum pratense L.) und über die einwirkung der selbstbefruchtung auf die nachkommenschaft. Eine züchtungsmethodische studie. Suomen. Maataloust. Seuran Julk. (Acta Agralia Fenn.) no.24. 261 p. illus. 1931.

Das Superphosphat. (Berlin)
Echinger, A.
Kartoffelschorf und düngung. II. Das Superphosphat 8: 10-17. illus. Ja.1932. no.1.

Tasmanian Journ.Agr.

Thomas, P. H.

Apple varieties raised in Tasmania. 2. Tasman's pride. Tasmanian Journ. Agr. n.s., 3: 22-24. illus. F.1, 1932. no.1.

Tijdschr. Plantenz.

Buisman, C. J.

Verslag van de phytopathologische onderzoekingen over de iepenziekte, verricht in het laboratorium "Willie Commelin Scholten", gedurende 1931. Tijdschr. Plantenz. 38: 17-36. 1932. no.2.

Westerdyk, J., Buisman, C. & Boorenbos, S.G.A.

Wat kunnen de Nederlandsche boomkweekers doen in verband met de iepenziekte? Tijdschr. Plantenz. 38: 37-40. 1932. no.2.

Torreya.

Fetherston, E.

A new Hydrocotyle from western New York. Torreya 32: 6-8. Ja./F. 1932. no.1.

Hydrocotyle fetherstoniana.

Hanna, L. A.

The distribution of Potamogeton crispus in North America. Torreya 32: 5. Ja./F. 1932. no.1.

Torrey, R. H.

Dr. John Torrey in the Catskills. Torreya 32: 1-2. Ja./F. 1932. no.1.

Torrey, R. H.

Marchantia polymorpha after forest fires. Torreya 32: 9-10. Ja./F. 1932. no.1.

Torrey, R. H.

Potentilla tridentata on Schunemunk Mountain. Torreya 32:9. Ja./F.1932. no.1.

Orange Co., N.Y.

Wiggins, I. L.

Plants recently established in the San Francisco bay region. Torreya 32: 3-4. Ja./F. 1932. no.1.

Tropenpfl. (Berlin)

Freise, F. W.

Brasilianische gerbstoffpflenzen und ihre ausbeutung. Tropenpfl. 35: 70-74. F.1932. no.2.

Trop. Agriculture West Indies (Trinidad)

Briant, A. K.

Tomato diseases in Trinidad. Trop. Agriculture West Indies 9: 63-71. 2 pl. on 1. My.1932. no.3.

Smith, F. E. V.

Panama disease. The use of chemicals for killing bananas in the treatment of Panama disease. Trop. Agriculture West Indies 9: 83-86. Mr.1932. no.3.

Trop. Agr.

Park, M.

The effects of drought on coconuts at Puttalam. Trop. Agr. 78: 11-14. 1 pl. Ja. 1932. no.1.

U.S. Dept. Agr. Circ.

Swingle, W.T., Robinson, T. R. & Savage, E.M.

New citrus hybrids. U.S. Dept. Agr. Circ. 181. 18 p. 9 pl. (pt.col.) Ag.1931(Rec'd Mr.11, 1932)

U.S. Dept. Agr. Plant Dis. Rep.

Darrow, G. M.

Varietal resistance to the "double blossom" disease of the blackberry in North Carolina. U.S. Dept. Agr. Plant Dis. Rep. 16: 3-5. Ja.15, 1932. no.1.

Godkin, J.

Summary of Virginia cereal disease survey for 1931. U.S. Dept. Agr. Plant Dis. Rep. 16: 5-6. Ja.15, 1932. no.1.

Wiant, J. S.

New York market pathology notes. U.S. Dept. Agr. Plant Dis. Rep. 16: 1-2, 18. Ja.15, F.15, 1932. no.1,2.

Univ. Calif. Publ. Agr. Sci. (Berkeley)
Poole, C. F.

The interspecific hybrid, Crepis rubra x C. foetida, and some of its derivatives. II. Two selfed generations from an amphidiploid hybrid. Univ. Calif. Publ. Agr. Sci. 6: 231-255. illus. 1932. no.9.

Univ. Calif. Publ. Bot. (Berkeley)
Jepson, W. J.

Samuel Bonsall Parish. Univ. Calif. Publ. Bot. 16: 427-444. port. 1932. no.12.

Bibliography of the writings of Samuel Bonsall Parish: p.441-444.

Setchell, W. A.

Macrocystis and its holdfasts. Univ. Calif. Publ. Bot. 16: 445-492. pl.33-48. 1932. no.13.

Veröffentl. Geobot. Inst. Rübel, Zurich.
Keller, P.

Die postglaziale entwicklungsgeschichte der wälder von Norditalien. Veröffentl. Geobot. Inst. Rübel, Zürich h.9. 193 p. 1931.

Věstník Českosl. Akad. Zeměd. (Praha)
Chmelař, F. & Simon, J.

Rychlost vývoje hlíz u raných bramborů (Schnelligkeit der knollenentwicklung bei frühkartoffeln). Věstník Českosl. Akad. Zeměd. 8: 124-129. F.1932. no.2.

In Czech with German summary.

Savický, P.

O vlivu komplexu meteorologických prvků v době jarni na výnos polních plodin. (On the influence of the complex of meteorological elements in the spring time upon the harvest of the grain). Věstník Českosl. Akad. Zeměd. 8: 114-119. F.1932. no.2.

In Czech with English translation.

Vict. Nat. (Melbourne)
Nicholls, W. H.

Our rarer orchids. I. Prasophyllum flavum, R.Br. Vict. Nat. 48: 190-192. 1 pl. F.1932. no.10.

Yearbk. Calif. Avocado Assoc.

Blatt, R.
The avocado in South Africa. Yearbk. Calif. Avocado Assoc. 1931: 217-226.

Carpenter, C. W.
Diseases of the avocado. Yearbk. Calif. Avocado Assoc. 1931: 102-106. 1931.

Condit, I. J.
Check list of avocado varieties. Being a reprinting of the 1926 check list with some revisions and additions by the variety committee. Yearbk. Calif. Avocado Assoc. 1931: 11-22. 1931.

Horne, W. T.
Progress report, March 6, 1931, on avocado disease investigations. Yearbk. Calif. Avocado Assoc. 1931: 81-86.

McLean, R. R.
Dothiorella rot. Yearbk. Calif. Avocado Assoc. 1931: 90-94.

McLean, R.R.
Pest control - the growing problem of the industry. Yearbk. Calif. Avocado Assoc. 1931: 69-79.

McPherson, W.
C.P. Taft, an avocado pioneer. Yearbk. Calif. Avocado Assoc. 1931: 207-210.

Robinson, T. R.
Setting of fruit pollination. Yearbk. Calif. Avocado Assoc. 1931: 107-111.

Yearbk. Carnegie Inst. Washington.

Carnegie institution of Washington.
Division of plant biology. Its Yearbk. 30(1930/31): 239-280. 1931.
Growth - Photosynthesis and carbohydrate chemistry - Experimental taxonomy - Desert investigations - Ecology - Paleobotany - Climatological researches - Cytological investigations.

Zentralbl. Bakt. Abt.II.

Johann, F.

Untersuchungen über mucorineen des waldbodens. Zentralbl. Bakt. Abt.II, 85: 305-338. illus. F.10, 1932. no.17/20.

Leemann, A.C.

The problem of active plant immunity. Zentralbl. Bakt. Abt.II, 85: 360-376. F.10, 1932. no.17/20.

Exper. Stat. Publ.

Townsend, G. R. & Newhall, A. G.

The control of bottom rot of lettuce. Cornell Agr. Exp. Stat. Bull. 535. 11 p. illus. Ja. 1932.

Abbott, O. D.

General properties of some tropical and subtropical fruits of Florida. Florida Agr. Exp. Stat. Bull. no.237. 32 p. illus. Je.1931(Rec'd Mr.1932)

Woodroof, J. G.

Preservation freezing. Some effects on quality of fruits and vegetables. Georgia Exp. Stat. Bull.168. 23 p. illus. D.1931(Rec'd Mr.1932)

Directions for spraying fruits in Illinois. Illinois Agr. Exp. Stat. Circ. 388. 22 p. illus. F.1932.

Revision of Circular 277.

Doran, W.L. & Bourne, A. I.

Onion spraying and dusting experiments. Massachusetts Agr. Exp. Stat. Bull. 279: 176-185. D.1931. (Rec'd Mr.1932)

Nelson, R.

Investigations in the mosaic disease of bean (Phaseolus vulgaris L.) Michigan Agr. Exp. Stat. Tech. Bull. no.118. 71 p. xi pl. Ja. 1932(Rec'd Mr.)

Exper. Stat.Publ. (cont.)

Ohio. Agricultural experiment station.
Botany and plant pathology. In its Ann. Rep. 50(1930/31, Bull. 497): 54-69. Ja.1932(Rec'd Mr.)
H.C. Young chief.

Beach, W. S.
Tobacco seed bed management as related to wildfire control. Pennsylvania Agr. Exp. Stat. Bull. 274. 23 p. illus. F.1932.

Garber, R.J. & Hoover, M. M.
Pekwa - a new soybean. West Virginia Agr. Exp. Stat. Bull. 247. 8 p. illus. Ja.1932(Rec'd F.1932)

Jones, L. R. & Riker, R. S.
Wisconsin studies on aster diseases and their control. Wisconsin Agr. Exp. Stat. Res. Bull. 111. 39 p. illus. S.1931(Rec'd Mr.1932)

New Books.

Barger, G.
Ergot and ergotism. London, Edinburgh, Gurney & Jackson, 1931.

Bresodola, J.
Iconographia mycologia XIX-XX. Mediolani, 1931.

Britten, J. & Boulger, G. S.
A biographical index of deceased British and Irish botanists... 2d ed., rev., and completed by A.B. Rendle. London, Taylor and Francis, 1931.

Cockayne, L., Simpson, G. & Thomson, F.S.
Die vegetation der Südinsel von Neuseeland (The vegetation of South Island of New-Zealand) In Karsten, G. Vegetationsbilder, r.22, h.5/6. pl.25-36. 1932.
German & English.

Corrêa, M. P.
Diccionario das plantas uteis do Brasil e das exoticas cultivadas. v. 2 (Car-E). Rio de Janeiro, Ministerio da agricultura, 1931.

New Books. (cont.)

Dufrenoy, J.
L'immunite locale. Paris, Imprimerie Chaix, 1931.
Extrait du 1. Congrès intern. de microbiologie, Paris, 1930.

Homès, M.
Modifications cytologiques au cours du fonctionnement des organs sécréteurs chez Drosera. pt.1. Modifications dans les feuilles non nourries. Bruxelles, 1929(Mém. Coll. 8° Acad. Roy. Belg. Cl. Sci. v.10, f.7)

Hustedt, F.
Die kieselalgen... 2. teil, lfg. 1. Leipzig, 1931(Dr. L. Rabenhorsts Kryptogamen-flora von Deutschland, Oesterreich und der Schweiz 7 bd.)

Keller, G.
Monographie und iconographie der orchideen Europas und des Mittelmeergebietes. 3. bd., lfg. 1/2. Dahlem bei Berlin, 1931(Repert. Spec. Nov. Fedde Sonderh. A.)

Nelmes, E. & Cuthberton, W.
Curtis's Botanical magazine dedications 1827-1927. Portraits and biographical notes. London, Royal horticultural society, [1932]

North American flora. N.Y., New York botanical gardens, D. 1931.
v.7, pt.13. Uredinales. Host index. D.M. White - v.18, pt.3. Cariceae (cont.) K.K. Mackenzie.

Peirce, G. J.
Experimental plant physiology. N.Y., H. Holt, 1931.

Schmidt, A.
Atlas der diatomaceen-kunde. Vorläufige erläuterungen... hrsg. von Dr. F. Hustedt. h.94. pl.373-376. Bremen, D. 1931.

New Books. (cont.)

Simpson, C. T.
Florida wild life. N.Y., Macmillan, 1932.

Spath, L., firm, Berlin.
Späth-buch, 1720-1930. Berlin-Baumschulenweg, L. Späth, 1930.

Thornber,, J. J. & Bonker, F.
The fantastic clan. The cactus family. N.Y., Macmillan, 1932.

Tulasne, L. R. & Tulasne, C.
Selecta fungorum carpologia of the brothers L.R. & C. Tulasne, translated into English by W.B. Grove. Edited by A.H.R. Buller & C.L. Shear. 3 v. Oxford, Clarendon press, 1931.

Walter, H.
Die hydratur der pflanze und ihre physiologisch-ökologische bedeutung (Untersuchung über den osmotischen wert). Jena, G. Fischer, 1931.

Reprints from Journals not yet rec'd or not available.

Hitchcock, A.S. & Chase, A.
Grass. Reprinted from Old and new plant lore. Smithson. Sci. Ser. 11: 201-250. illus., pl.40-49. 1931.

Hitchcock, A. S.
The world of plants. Reprinted from Old and new plant lore. Smithson. Sci. Ser. 11: 1-130, illus., pl. 1-18. 1931.

Stolze, K. V.
Beitrag zur biologie, epidemiologie und bekämpfung der blattflockenkrankheit der zuckerrübe (Cercospora beticola Sacc.) Reprinted from Arb. Biol. Reichsanst. Land- u. Forstw. Berlin 19: 337-402. illus. 1931.

Correction.

v.14, no.3, p.22.
Plant Physiology
next to last reference, the author should be Knott, J. E. and not Wilson, J.D.

BOTANY
CURRENT LITERATURE

—c

RARY
APR 1 3 1932

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY.
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D.C.

Vol. 14, no. 6. Mar.14-26, 1932.

Acta For. Fenn. (Helsingfors)
Kokkonen, P.
Untersuchungen uber die wurzeln der getreidepflanzen. I. Die wurzelformen, ihr bau, ihre augabe und lage im wurzelsystem. Acta For. Fenn. v.37, no.2. 123 p. illus.,vii (i.e.9) pl. on 5. 1931.

Agr. Gaz. N.S.W. (Sydney)
Birmingham, W.A. & Broadfoot, H.
Powdery mildew of the apple. Experiments for its control. Agr. Gaz. N.S.W. 43: 147-150. illus. F.1, 1932. no.2.

Callaghan, A. R.
Varieties of oats in New South Wales. (cont.) Agr. Gaz. N.S.W. 43:116-122. illus. F.1,1932. no.2.

Hynes, H. J.
Foot-rot of cereals. Observations on the disease in New South Wales. Agr. Gaz. N.S.W. 43:107-115. illus. F.1, 1932. no.2.

Agr. Prat. Pays Chauds (Paris)
Jumelle, H.
Essai de classement de quelques riz malgaches. Agr. Prat. Pays Chauds 3: 163-171. Mr.1932.no.21.

Amer. Fruit Grow. (Chicago)
Brown, W. S.
Influence of wounds upon wood growth. Amer. Fruit Grow. 52(2):14-15, 25. Mr.1932. no.2.

Amer. Nat. (Lancaster,Pa.)
Allen, C. E.
Sex-inheritance and sex-determination. Amer. Nat. 66: 97-107. Mr./Ap.1932. no.703.

Amer. Potato Journ.
Martin, W. H.
Certified seed potatoes and seed disinfection. Amer. Potato Journ. 9:33-37. Mr.1932. no.3.

Ann. Bryol.

Carl, H.

Die arttypen und die systematische gliederung der gattung Plagiochila Dum. Ann. Bryol. v.2, Suppl. 170 p. illus. 1931.

Ann. Parasit. Humaine et Comp. (Paris)

Langeron, M. & Talice, R. V.

Nouvelles méthodes d'étude et essai de classification des champignons levuriformes. Ann. Parasit. Humaine et Comp. 10: 1-80. illus.,pl.i-v. Ja.1, 1932. no.1.

Ann. Rep. Dept. Agr. Bombay Pres.

Uppal, B. N.

Summary of work done under the plant pathologist ... for the year 1930/31. Ann. Rep. Dept. Agr. Bombay Pres. 1930/31: 209-213. 1931.

Ann. Rep. East Afr. Agr. Res. Stat., Amani.

Storey, H.H.

Report of the plant pathologist. Ann. Rep. East Afr. Agr. Res. Stat. Amani 3(1930/31): 13-15. 1932.

Ann. Rep. Nebraska State Bd. Agr.

Goss, R.W.

The control of the shot hole disease of cherries In Proc. Nebraska State Hort.Soc. 1931. Ann. Rep. Nebraska State Bd.Agr. 1931: 567-572. [1932?]

Kiesselbach, T.A.

Progress report of hybrid corn. Ann. Rep. Nebraska State Bd. Agr. 1931: 155-166. illus. [1932?]

Arch. Bot. Sist., Fitogeogr. e Gen. (Forli)

Gavioli, O.

Contributo allo studio della flora del M. Pollino. Arch. Bot. Sist., Fitogeogr. e Gen. 8: 46-64. Mr.1932. no.1.

Guadagno, M.

Flora capraearum nova flora di Capri. (cont.) Arch. Bot., Sist., Fitogoegr. e Gen. 8: 65-80. Mr. 1932. no.1.

Arch. Bot. Sist., Fitogeogr. e Gen. (cont.)

Pampanini, R.

Le raccolte botaniche di Raffaele Spigai nei dintorni di Tripoli dal 1886 al 1888. Arch. Bot. Sist., Fitogeogr. e Gen. 8: 25-45. Mr. 1932. no.1.

Arch. de Bot. Caen. Bull. Mens.

Benoist, R.

Doux Ficus nouveaux de la Guyane francaise. Arch. de Bot. Caen Bull. Mens. 3: 170-171. 1929. no.8/12.

F. acarouaniensis, F. thelephora,n.spp.

Chermezon, H

Sur quelques Scirpus à épillets basicaules. Arch. de Bot. Caen Bull. Mens. 3: 193-197. 1929. no.8/12.

S. perrieri, n.sp.

Dismier, G.

Une mousse nouvelle pour la bryologie (Orthotrichum pseudostramineum) dans le haut Vivarais. Arch. de Bot. Caen Bull. Mens. 3: 169-170. 1929. no.8/12.

Métay, A.

Sur la structure de quelques monimiacées. Arch. de Bot. Caen Bull. Mens. 3: 177-190. 1929. no.8/12.

Perrier de la Bathie, H.

Les Hydrostachys de Madagascar. Arch. de Bot. Caen Bull. Mens. 3: 137-161. 1929. no.8/12.

Arch. Protistenk. (Jena)

Monographie der thermalvegetation von Hajdúszoboszló in Ungarn lV. Systematische bearbeiting der vegetation der Hajdúszoboszloër therme. Arch. Protistenk. 76: 296-337. illus., pl.6-8. Mr.1, 1932.

1. Thermophile und thermotolerante bakterien... A.v. Jeney. 2. Eisenbakterien. E. Kol & E. Pakh. 3. Diatomeae. O. Gallik. 4. Algen. E. Kol. 5. Bryophyta. I. Györffy. 6. Phanerogamae. I. Györffy.

Arch. Protistenk. (cont.)

Petersen, J. B.

Einige neue erdalgen. Arch. Protistenk. 76: 395-408. illus. Mr.1, 1932. no.2.

Chlamydomonas fusiformis.

Ber. Deut. Bot. Ges. (Berlin)

Bauch, R.

Sphacelotheca schweinfurthiana, ein neuer multipolar sexueller brandpilz. Ber. Deut. Bot. Ges. 50: 17-24. pl.i. F.25, 1932. no.1.

On Imperata cylindrica.

Blochwitz, A.

Die stilbothamnien Hennings und die Penicilliopsis-arten Patouillards. Ber. Deut. Bot. Ges. 50: 13-16. illus. F.25, 1932. no.1.

Kräusel, R.

Wesen und phylogenetische bedeutung der ältesten gefässpflanzen. Ber. Deut. Bot. Ges. 50: 5-12. F.25, 1932. no.1.

Michaelis, P.

Oekologische studien an der alpinen baumgrenze. Das klima und die temperaturverhältnisse der vegetationsorgane in hochwinter. (Vorläufige mitteilung). Ber. Deut. Bot. Ges. 50: 31-42. illus. F.25, 1932. no.1.

Strugger, S.

Ueber plasmolyse mit kaliumrhodanid. Ber. Deut. Bot. Ges. 50: 24-31. illus. F.25, 1932. no.1.

Veh, R. v.

Schnittbänder aus gefrorenen paraffinblöcken. Ber. Deut. Bot. Ges. 50: 42-44. F.25, 1932.no.1.

Better Fruit. (Portland, Ore.)

Miller, P. W.

The brown-stain disorder of filberts. Better Fruit 26(9): 7-8. illus. Mr.1932. no.9.

Cause not determined.

Bol. Agr. Min. Industr. Colombia.

Barriga Villalba, A.M.

Analisis quimico de la yuca. Bol. Agr. Min. Industr. Colombia 4: 499-503. 7 pl. (4 fold.) S./D. 1931(Rec'd Mr.1932) no.9/12.

Pérez Arbeláez, E.

Frutas de Cundinamarca. Bol. Agr. Min. Industr. Colombia 4: 505-516, S./D.1931. no.9/12.

Bol. Estac. Exp. Insul. Puerto Rico.

Kuntz, P.R.

La producción de nuevas variedades de caña y sus resultados experimentales. Bol. Estac. Exp. Insul. Puerto Rico no.38. 67 p. illus. 1931.

Bol. Soc. Ital. Biol. Sper. (Napoli)

Orru, A.

Analisi chimica e biologica di semi di leguminose africane. I-IV. Boll.Soc. Ital. Biol. Sper. 5: 210-214. F.1930; 6: 1037-1040, 1041-1044, 1045-1049. D.1931. no.2,11.

Bot. Gaz. (Chicago)

Beal, J. M.

Chromosomes of Nothoscordum bivalve. Bot. Gaz. 93: 105-106. Mr.1932. no.1.

Beck, P. & Horton, J. S.

Microsporogenesis and embryogeny in certain species of Bromus. Bot. Gaz. 93: 42-54. illus. Mr.1932. no.1.

Holmes, S.

A bisporangiate cone of Tsuga canadensis. Bot. Gaz. 93: 100-102. illus. Mr.1932. no.1.

Khanna, L. P.

A new species of Anthoceros from Rangoon. Bot. Gaz. 93: 103-104. illus. Mr.1932. no.1.

A. weistei.

Masure, M.P.

Effect of ultraviolet radiation on growth and respiration of pea seeds, with notes on statistics. Bot. Gaz. 93: 21-41. illus. Mr.1932. no.1.

Bot. Gaz. (cont.)

Pagan, F. M.

Morphology of the sporophyte of Riccia crystallina. Bot. Gaz. 93: 71-84. illus. Mr.1932. no.1.

Robbins, W.J. & Petsch, K. F.

Moisture content and high temperature in relation to the germination of corn and wheat grains. Bot. Gaz. 93: 85-92. illus. Mr.1932. no.1.

Severin, C.F.

Origin and structure of the secondary root of Sagittaria. Bot. Gaz 93: 93-99. illus. Mr. 1932. no.1.

Shuhart, D. V.

Morphology and anatomy of the fruit of Hicoria pecan. Bot. Gaz. 93: 1-20. illus. Mr.1932. no.1.

Wiesehuegel, E. G.

Diagnostic characteristics of the xylem of the North American Abies. Bot. Gaz. 93: 55-70. illus. Mr. 1932. no.1.

Bot. Mag. Tokyo.

Emoto, Y.

A list of the literature on the Myxomycetes. (2) (1928-1931) Bot. Mag. Tokyo. 45: 569-575. D.1931. no.540.

Emoto, Y.

Ueber einige myxomyceten. Bot. Mag. Tokyo 45: 551-554. pl.vii. D.1931. no.540.

Physarum nasuense, sp.nov.

Hayata, B.

The Sciadopityaceae represented by Sciadopitys verticillata Sieb. et Zucc., an endemic species of Japan. Bot. Mag. Tokyo 45: 567-569. D.1931. no.540.

Japanese.

Kumazawa, M.

Supplementary notes on the cotyledons of Glaucidium palmatum. Bot. Mag. Tokyo 45: 537. illus. N.1931. no.539.

Japanese.

Bot. Mag. Tokyo (cont.)

Nakai, T.

Contributio ad cognitionem generis Saussureae Japono-Koreanae. Bot. Mag. Tokyo 45: 513-524. N.1931. no.539.

Nakai, T.

On a new genus Pleurosoriopsis Fomin. Bot. Mag. Tokyo 45: 536-537. N.1931. no.539.

Japanese.

P. makinoi.

Nakajima, Y.

Ueber die hartschaligkeit und die quellung der samen von Astragalus sinicus, L. I-II. Bot. Mag. Tokyo 45: 555-559, 560-566. D.1931. no.540.

Japanese.

Shimamura, T.

A note on the mitotic division in the proembryo of Ginkgo, with special reference to a chromatin-elimination. Bot. Mag. Tokyo 45: 525-530. illus., pl.vi. N.1931. no.539.

Japanese with English résumé.

Botaniste (Paris)

Clemencet, M.

Contribution à l'étude du développement et de l'anatomie des ascomycètes hypogés. Les elaphomycétacées. Botaniste 24: 1-81. illus., pl. i-xii. Ja.1932. no.1/2.

Dangeard, P. A.

Note sur la formation de granules chromatiques dans le cytoplasme de quelques algues sous l'influence des colorants vitaux et en particulier du rouge neutre. Botaniste 24: 157-172. pl.xviii. Ja. 1932. no.1/2.

Dangeard, P.

Sur quelques Erythrotrichia et Erythrocladia de Banyuls et du Croisic. Botaniste 24: 143-150. illus., pl.xv-xvii. Ja.1932. no.1/2.

Erythrocladia polystromatica n.sp.

Solacolu, T.

Sur les matières colorantes de quelques myxomycètes. Botaniste 24: 107-137. illus., pl.xiii-xiv. Ja.1932. no.1/2.

Bulet. Min. Agr. [Rumania] (Bucurest)

Ghimpu, V.

Cercetări cromozomice asupra speciilor de orz. (Recherches chromosomiques sur les espèces de l'orge). Bulet. Min. Agr. [Rumania] 5/6:3-28. illus., 3 pl. on 2. S./D.1931. no.9/12.

Rumanian with French summary: p.20-22.

Bull. Agence Gén. Colon. France (Paris)

Heim de Balsac, F.

Valeur papetière de la filasse de bananier. Bull. Agence Gén. Colon. France 25: 252-257. F. 1932.

Bull. Bern. P. Bishop. Mus. (Honolulu)

Bohm, A.

Distribution and variability of Ceratium in the northern and western Pacific. Bull. Bern. P. Bishop Mus. 87. 46 p. illus.,pl. 1931.

Brown, F.B.H. & Brown, E.D.W.

Flora of southeastern Polynesia I-II. Bull. Bern. P. Bishop Mus.84. 194 p. illus. (incl. maps), xxxv pl. on 18. S.1931; 89. 123 p. illus.(incl. map), xxi pl. on 11. D.1931.

I. Monocotyledons. II. Pteridophytes.

Gillespie, J. W.

New plants from Fifi II-III. Bull. Bern. P. Bishop Mus. 83. 72 p. incl. plates. 1931; 91. 81 p. incl. plates. Ja.1932.

Wilder, G. P.

Flora of Rarotonga. Bull. Bern. P. Bishop Mus. 86. 113 p. illus.,viii pl. on 4. 1931.

Bull. Cl. Sci. Acad. Roy. Belg. (Bruxelles)

Gregoire, V.

La valeur morphologique des carpelles dans les angiospermes. Bull. Cl. Sci. Acad. Roy. Belg. V,17: 1286-1302. 1 pl. 1931. no.11.

Note préliminaire.

Wildeman, E. de.

A propos de myrmécophilie. Bull. Cl. Sci. Acad. Roy. Belg. V,17: 1329-1332. ii pl. 1932. no.11.

Bull. Dept. Agr. Feder. Malay States.

Thompson, A.

Annual report for the year 1930, Div. of mycology. Bull. Dept. Agr. Feder. Malay States Gen. Ser. 6(Techn.Rep.1930): 65-75. 1931.

Bull. Dept. Agr. Gold Coast. (Accra)

Dade, H. A.

Cassava mosaic. Bull. Dept. Agr. Gold Coast. 23: 245-247. 1930(Recd Mr.1932)

Dade, H. A.

The determination of incidence of black pod disease of cacao. Bull. Dept. Agr. Gold Coast 23: 122-128. pl. i-iv. 1930(Recd Mr.1932)

Dade, H. A.

Further observations on cacao pod diseases in the Gold Coast. Bull. Dept. Agr. Gold Coast 23: 109-121. tab. 1930(Recd Mr.1932)

Dade, H.A. & Wright, J.

Minor records, division of mycology. Bull. Dept. Agr Gold Coast 23: 248-250. 1930(Rec'd Mr. 1932)

Wright, J.

Coco-yam varieties in the Gold Coast. Bull. Dept. Agr. Gold Coast 23: 198-201. 1 pl. 1930. (Rec'd Mr.1932)

Wright, J.

A note on the saprophytic existence in nature of Phytophthora palmivora (Butler), the causal organism of "black pod" disease of cacao. Bull. Dept. Agr. Gold Coast 23: 251-254. 1930(Rec'd Mr.1932)

P. palmivora (P.faberi).

Wright, J.

Root rot of coco-yams. Bull. Dept. Agr Gold Coast 23: 184-197. 3 pl. 1930(Recd Mr.1932)

Bull. Dept. Agr. Kenya (Nairobi)

Burton, G.J.L.

Advice to maize growers. Bull. Dept. Agr. Kenya no.2. 10 p. 1930(Recd Mr.1932)

Bull. Gard. Club Amer.

La Boiteaux, M. M. H.
The language of flowers. Bull. Gard. Club Amer. 4: 12-20. Mr.1932. no.20.

Olmsted, F. L.
Proposed Everglades National Park. Bull. Gard. Club Amer. 4: 59-64. Mr.1932. no.20.

Bull. Jard. Bot. Buitenzorg.

Boedijn, K. B.
The Phallineae of the Netherlands East Indies. Bull. Jard. Bot. Buitenzorg. III, 12: 71-103. illus. Ja. 1932. no.1.

Danser, B. H.
On some Rumex and Polygonum hybrids from Java. Bull. Jard. Bot. Buitenzorg III,12: 65-70, incl. 2 pl. illus. Ja.1932. no.1.

Posthumus, O.
Note on some Java ferns. Bull. Jard. Bot. Buitenzorg. III,12: 46-52. Ja.1932. no.1.

Slooten, D. F. van
The Dipterocarpaceae of the Dutch East Indies. VI. The genus Dryobalanops (with corrections to my paper about the genus Cotylelobium). Bull. Jard. Bot. Buitenzorg. III,12: 1-45. illus. Ja.1932. no.1.

Verdoorn, Fr
Neue beitrage zur kenntnis indomalesischer Frullaniaceae (De frullaniaceis IX) Bull. Jard. Bot. Buitenzorg III,12: 53-64. illus. Ja.1932. no.1.

Bull. Min. Agr. Gt. Brit.

Gt. Britain. Ministry of agriculture and fisheries.
Narcissi culture. Bull. Min. Agr. Gt. Brit. no.44. 34 p. illus., 6 pl. on 3. Ja.1932.

Bull. Misc. Inform. Kew. (London)

Holland, J. H.
Ledger bark and red bark. Bull. Misc. Inform. Kew 1932: 1-17. no.1.

Bull. Misc. Inform, Kew (cont.)

Hoyle, A. C.
Entandrophragma cylindricum. Bull. Misc. Inform.Kew 1932: 40-42. no.1.

Sprague, T.A. & Sandwith, N. Y.
Contributions to the flora of tropical America. IX. The Tabebuias of British Guiana and Trinidad. Bull. Misc. Inform. Kew. 1932: 18-28. no.1.

Turrill, W. B.
The origin of Spartina townsendii. Bull. Misc. Inform. Kew. 1932: 46-47. no.1.

Wallace, G. B.
Preliminary list of fungi or diseases of economic plants in Tanganyika Territory. Bull. Misc. Inform. Kew 1932: 28-40. no.1.

White, C. T.
The occurrence of the genus Aceratium (Elaeocarpaceae) in Australia. Bull. Misc.Inform. Kew 1932: 42-43. no.1.
A. doggrellii, A. ferrugineum, n.spp.

Bull. Sci. Pharm. (Paris)

Bertrand, B. & Berredo Carneiro, P. de
Contribution à l'etude chimique de la pâte de guarana. Bull. Sci. Pharm. 39: 65-69. F.1932. no.2.

Chalmeta, A.
Étude critique des méthodes de dosage des alcaloïdes dans les feuilles de coca. Bull. Sci. Pharm. 39: 69-75. F.1932. no.2.

Bull. Soc. Chim. Biol. (Paris)

Nicloux, M.
Marc Bridel (1883-1931). Bull. Soc. Chim. Biol. 4: 197-206. Ja.1932. no.1.

Bull. Torr. Club.

Bartlett, H. H.
A biological survey of the Maya area. Bull. Torr. Club 59: 7-20. Ja.1932. no.1.

Bull. Torr. Club. (cont.)

Gleason, H. A.

The progress of botanical exploration in tropical South America. Bull. Torr. Club 59: 21-28. illus. Ja.1932. no.1.

Record, S. J.

An international program for a world-wide study of woods. Bull. Torr. Club 59: 29-33. Ja. 1932. no.1.

Stevens, F. L.

Tropical plant pathology and mycology. Bull. Torr. Club 59: 1-6. Ja.1932. no.1.

Calif. Citrogr. (Los Angeles)

Young, F. D.

Damaging temperatures for grapefruit determined. Calif. Citrogr. 17: 248. Ap.1932. no.6.

Chem. Umschau. (Stuttgart)

Ivanow, S.L. & Jicharewa, A. F.

Zur erkenntnis der pflanzenfette der U.d.S.S.R. IX. Fette der gattung Paeonia. Chem. Umschau 39: 33-36. F.27, 1932. no.2.

Citrus Grow. (Uitenhage)

Plank, J.E. van der

Sooty blotch of oranges. Citrus Grow. 1932: 15, 17, 19, 21. F.1932. no.27.

Citrus Riv. Camera Agrum. Messina.

Rabinowitz - Sereni, D.

Come prevenire il marciume della frutta degli agrumi. Citrus Riv. Camera Agrum. Messina II, 18: 1-3. Ja.1932. no.1.

Penicillium.

Compt. Rend. Acad. Sci. Paris.

Tanret, G.

Sur les glucosides des feuilles de Laurier-rose. Compt. Rend. Acad. Sci. Paris 194: 914-916. Mr.7, 1932. no.10.

Nerium oleander. Neriine, oleandrine.

Compt. Rend. Soc. Biol. Paris.

Bohn, G. & Drzewina, A.

Accéleration et inhibition de la croissance des plantes par l'argent métallique. Compt. Rend. Soc. Biol. Paris 109: 638-641. illus. Mr.4, 1932. no.8.

Bouillene, R. & Beltcheva, H.

Concentration des sucres totaux dans les boutures de Salix sp. et de Cacalix articulata. Compt. Rend. Soc. Biol. Paris 109: 575-578. F.26, 1932. no.7.

Dufrénoy, J.

La formation de tetraèdres d'oxalate de calcium dans les cellules de tabac affectées. Compt. Rend. Soc. Biol. Paris 109: 608-610. illus. Mr.4, 1932. no.8.

Volkonsky, M.

Culture de Saprolegnia sp. en milieu synthétique. Son alimentation sulfurée. Compt. Rend. Soc. Biol. Paris 109: 528-530. F.26, 1932 no. 7.

Volkonsky, M.

Utilisation de différentes combinaisons du soufre par Saprolegnia sp. Compt. Rend. Soc. Biol. Paris 109: 614-616. Mr.4, 1932. no.8.

Contr. Boyce Thompson Inst. Plant Res.

Arthur, J.M.

Red pigment production in apples by means of artificial light sources. Contr. Boyce Thompson Inst. Plant Res. 4: 1-18. illus.,col.pl. i. Mr.1932. no.1.

Barton, L. V.

Germination of bayberry seeds. Contr. Boyce Thompson Inst. Plant Res. 4: 19-25. illus. Mr. 1932. no.1.

Denny, F. E.

Changes in leaves during the night. Contr. Boyce Thompson Inst. Plant Res. 4: 65-83. Mr. 1932. no.1.

Contr. Boyce Thompson Inst. Plant Res. (cont.)

Denny, F. E.

Direct versus indirect effects upon potato amylase by chemicals which induce sprouting of dormant tubers. Contr. Boyce Thompson Inst. Plant Res. 4: 53-63. illus. Mr.1932. no.1.

Giersbach, J. & Crocker, W.

Germination and storage of wild plum seeds. Contr. Boyce Thompson Inst. Plant Res. 4: 39-51. illus. Mr.1932. no. 1.

Giersbach, J. & Barton, L. V.

Germination of seeds of the silver bell Halesia carolina. Contr. Boyce Thompson Inst. Plant. Res. 4: 27-37. illus. Mr.1932. no.1.

Guthrie, J. D. & Wilcoxen, F,

Estimation of sulphydryl in tissues. Contr. Boyce Thompson Inst. Plant Res. 4: 99-106. Mr. 1932. no.1.

Hitchcock, A.E. & Zimmerman, P.W.

Relation of rooting response to age of tissue at the base of greenwood cuttings. Contr. Boyce Thompson Inst. Plant Res. 4: 85-98. illus. Mr. 1932. no.1.

Contr. Inst. Agr. Oka. (La Trappe, P.Q.)

Honoré,

Identification des pommiers par les feuilles. Contr. Inst. Agr. Oka. no.29. 14 p. illus., pl. Ja.1932.

Contr. Labor. Bot. Univ. Montreal.

Marie-Victorin,

Les spadiciflores du Québec (aracées, lemnacées). Contr. Lab. Bot. Univ. Montreal no.19. 60 p. illus. 1931.

Cytologia (Tokyo)

Darlington, C. D.

The analysis of chromosome pairing in Triticum hybrids. Cytologia (Tokyo) 3: 21-25. illus. D.1931. no.1.

Haldane, J.B.S.

The cytological basis of genetical interference. Cytologia (Tokyo) 3: 54-65. D.1931. no.1.

Cytologia (Tokyo) (cont.)

Kihara, H. & Yamamoto, Y.

Karyomorphologische untersuchungen an Rumex acetosa L.und Rumex montanus Desf. Cytologia (Tokyo) 3: 84-118. illus. D.1931. no.1.

Morinaga, T.

Interspecific hybridization in Brassica. IV. The cytology of F_1 hybrids of B. carinata and some other species with 10 chromosomes. Cytologia (Tokyo) 3: 77-83. illus. D.1931. no.1.

O'Mara, J.

Chromosome pairing in Yucca flaccida. Cytologia (Tokyo) 3: 66-76. illus. D.1931. no.1.

Pfeiffer, H.

Ueber die plasmorrhyse nackter protoplasten in hypertonischen medien I. Cytologia (Tokyo) 3: 26-35. D.1931. no.1.

Sax, K.

Chromosome ring formation in Rhoeo discolor. Cytologia (Tokyo) 3: 36-53. illus. D.1931. no.1.

Dansk Bot. Ark. (København)

Børgesen, F.

A revision of Forsskåls algae mentioned in Flora aegyptiaco-arabica and found in his herbarium in the Botanical museum of the University of Copenhagen. Dansk Bot. Ark. v.8, no.2. 14 p. illus., pl. 1932.

Hagerup, O.

On pollination in the extremely hot air at Timbuctu. Dansk Bot. Ark. v.8, no.1. 20 p. illus. 1932.

Deut. Landw. Presse (Berlin)

Clausen, H.

Gibt es auch zwischen den pflanzen sympathie und antipathie? Deut. Landw. Presse 59: 123. illus. Mr.5, 1932. no.10.

Ernähr. Pflanze. (Berlin)

Gehring, A.

Sand drown-erkrankungen von tabak und mais in abhängigkeit von kalk- und magnesiagehalt des bodens. Ernähr. Pflanze. 28: 101-104. Mr.15, 1932. no.6.

Florida Grow. (Tampa)

McAdow, M. A.

Consider the Colvillea tree. Florida Grow. 40(3): 26. Mr.1932.

Colvillea racemosa in environs of Fort Myers, Lee Co., also other specimens growing on west coast.

Formosan Agr. Rev.

Watanabe, S.

Comparison of some shape and nature of root between the pine-apple varieties. Formosan Agr. Rev. 303: 146-154. F.1932.

In Japanese with English résumé: p. 154.

Fast growing pineapples, disease resistant.

Fruit World Australasia (Melbourne)

Read, F. M.

Leaf scorch of fruit trees. Fruit World Australasia (Melbourne) 33: 69-70. illus. F.1, 1932. no. 2.

Gard. Chron. (London)

The behavior of garden plants. III, (i.e.V?) Daphne mezereum var. alba. Gard.Chron. III, 91: 193. Mr.12, 1932. no.2359.

Besant, J. W.

The hellebores. Gard. Chron. III, 91: 158-160. illus. F.27, 1932. no.2357.

Brown, N. E.

Mesembryanthemum. Saphesia, N.E.Br. (cont.) Gard. Chron. III,91: 205. Mr.12, 1932. no.2359.

Comber, H. F.

Horticultural possibilities in the Tasmanian epacrids. (concl.) Gard. Chron. III,91: 183-184. illus. Mr.5,1932. no.2358.

Coutts, J.

Herbaceous Lobelias. Gard. Chron. III,91: 143, 185-186. F.20, Mr.5, 1932. no.2356.

Dr. George Claridge Druce. Gard. Chron. III, 91: 192. Mr.5, 1932. no.2358.

Gard. Chron. (cont.)

Evans, W.

Lonicera nitida and L. yunnanensis. Gard. Chron. III, 91: 180. Mr.5, 1932. no.2358.

Friend, H.

Corsican plant lore. V. The seductive maquis. Gard. Chron. III, 91: 162, 203-204. illus. F.27, Mr.12, 1932. no.2357, 2359.

Grove, A.

Plantae forrestianae. Gard. Chron. III; 91: 202-203. Mr.12, 1932. no.2359.

Harrison, A. T.

The mistleto and its hosts. Gard. Chron. III, 91: 189, Mr.5, 1932. no.2358.

Redgrove, H. S.

Buchu. Gard. Chron. III, 91: 204. Mr.12, 1932. no.2359.

Barosoma.

Wormald, H.

Notes on plant diseases in 1931. Gard. Chron. III, 91: 207-208. Mr.12, 1932. no.2359.

Gard. Illus. (London)

Giuseppi, P. L.

Plant hunting in Greece and Crete. Gard. Illus. 54: 156-157. illus. Mr.12, 1932. no.2766.

Hellings, F. W.

Notes on bearded flag irises. II. Gard. Illus. 54: 160-161. illus. Mr.12, 1932. no.2766.

Gartenbauwiss. (Berlin)

Branscheidt, P.

Weitere mitteilungen über die befruchtungsverhältnisse beim obst, insbesondere bei kirschen. Gartenbauwiss. 4: 387-427. Ap.14, 1931. no.5.

Bremer, A. H.

Einfluss der tageslänge auf die wachstumsphasen des salats. Genetische untersuchungen I. Gartenbauwiss. 4: 469-483. illus. Ap.14, 1931. no.5.

English summary: p.482-483.

Gartenbauwiss. (cont.)

Kotowski, F.

Untersuchungen über den verlauf der nahrungsaufnahme bei kopfkohl, roter rübe, mohrrübe und zwiebel. Gartenbauwiss. 4: 484-496. Ap.14, 1931. no.5.

Krämer, S.

Physiologische studien on Iris germanica I- Ueber die vegetative vermehrung von Iris germanica und den einfluss innerer und äusserer faktoren auf deren organe. Gartenbauwiss. 6: 243-261. illus. F.20, 1932. no.3.

Krümmel, H.

Weitere untersuchungen über die befruchtungsverhältnisse bei kirschen. Gartenbauwiss. 6: 262-302. F.20, 1932. no.3.

Ruttle, M. L.

Cytological and embryological studies on the genus Mentha. Gartenbauwiss. 4: 428-468. illus. Ap.14, 1931. no.5.

Gartn.-Tid. (København)

Nielsen, O.

Champignon-sygdomme. Gartn.-Tid. 48: 145-146. Mr.8,1932. no.10.

Genetica (The Hague)

Anderson-Kottö, I. & Gairdner, A.E.

Interspecific crosses in the genus Dianthus. Genetica 13: 77-112. fold.tab. 1931. no.1/2.

Bleier, H.

Zur kausalanalyse der kernteilung. Genetica 13: 27-76, incl. 6 pl. illus. 1931. no.1/2.

Gairdner, A. E. & Darlington, C. D.

Ring-formation in diploid and polyploid Campanula persicifolia. Genetica 13: 113-150. illus. 1931. no.1/2.

Goddijn, W. A.

In memoriam. Dr. Jan Paulus Lotsy, 1867-1931. Genetica 13: i-xx. port. 1931. no.1/2.

Genetica (cont.)

Kostoff, D. & Kendall, J.
The progeny of a heteroploid (N. tabacum x N. rusbyi) x N. tabacum plant. Genetica 13: 17-26. illus. 1931. no.1/2.

Lawrence, W. J. C.
The chromosome constitution of Cardamine pratensis and Verbascum phoeniceum. Genetica 13: 183-208. illus. 1931. no.1/2.

Lotsy, J. P.
On the species of the taxonomist in its relation to evolution. Genetica. 13: 1-16. 1931. no.1/2.

Zamelis, A.
Bedeutung der genetik in der systematik und geographie der pflanzen. Genetica. 13: 151-182. illus. 1931. no.1/2.

Hereditas (Lund)

Lamprecht, H.
Beiträge zur genetik von Phaseolus vulgaris II. Ueber vererbung von hülsenfarbe und hülsenform. Hereditas 16: 295-340. illus. 1932. no.3.

Levan, A.
Cytological studies in Allium, II. Chromosome morphological contributions. Hereditas 16: 257-294. illus. pl. i. 1932. no.3.

Nilsson, N. H.
Ueber die induzierte mutabilität. Hereditas 16: 341-357. 1932. no.3.

Rasmusson, J.
Studies on the breeding of cross-fertilizing plants I. Effect of mass selection in mangels. Hereditas 16: 249-256. 1932. no.3.

Ital. Agr. (Milan)

Bonvicini, M.
Osservazioni sul ciclo vegetative della canapa. Ital. Agr. 69: 104-112. illus. F.1932. no.2.

Journ. Biol. Chem. (Baltimore)

Phillips, T. G.

The determination of sugars in plant extracts. Journ. Biol. Chem. 55: 735-742. Mr. 1932. no.2.

Jeurn. Chem. Soc. London.

Haworth, R. D.

A new alkaloid from Holarrhena antidysenterica seeds. Journ. Chem. Soc. London 1932: 631-634. F.1932.

Norconessine.

Journ. Ecol. (Cambridge, Engl.)

Clapham, A. R.

The form of the observational unit in quantitative ecology. Journ. Ecol. 20: 192-197. F.1932. no.1.

Evans, E. P.

Cader Idris: A study of certain plant communities in south-west Merionethshire. Journ. Ecol. 20: 1-52. illus. (maps), pl.i-iv. F. 1932. no.1.

Griffiths, B. M.

The ecology of Butterby Marsh, Durham, Journ. Ecol. 20: 105-127. illus., pl.xvii. F.1932. no.1.

Salisbury, E. J.

Nomenclature in ecological papers. Journ. Ecol. 20: 198-199. F.1932. no.1.

Seifriz, W.

Sketches of the vegetation of some southern provinces of Soviet Russia. III-V. Journ. Ecol. 20: 53-68, 69-77, 78-88. illus., pl. v-xvi. F.1932. no.1.

III.Plant life in the Bakuriani Basin, Minor Caucasus. IV. Autumnal plants at Repetek, Turkmenistan. V. The plant life of the Transilian mountain range, Semirechje, eastern Turkestan.

Stefanoff, B. & Stoickoff, J.

Ueber den wasserhaushalt der holzpflanzen. Journ. Ecol. 20: 89-104. F.1932. no.1.

Journ. Jamaica Agr. Soc. (Kingston)

Smith, F.E.V.

Stem end rot of citrus fruits. Journ. Jamaica Agr. Soc. 35: 543-545. D.1931; 36: 59-64. F.1932. no.12, 2.

Journ. Nat. Inst. Agr. Bot. (Cambridge)

Salaman, R. N.

Report of the potato synonym committee on the potatoes sent for immunity trials to the potato testing station, Ormskirk, Lancashire, 1930. Journ. Nat. Inst. Agr. Bot. 3: 106-110. 1931. no.1.

Journ. N.Y. Bot. Gard.

Dodge, B. O.

Our rose garden. Jour. N.Y. Bot. Gard. 33: 45-53. illus. Mr.1932. no.387.

Blooming period for the climbers. Pruning the climbers. Control of black spot and mildew. Spray schedule. Soil condition and black spot. Leaf chlorosis.

Rusby, H. H.

Llareta, a strange fuel. Journ. N.Y. Bot. Gard. 33: 54-57, incl. 2 pl. Mr.1932. no.387.

Azorella diapensioides.

Journ. Soc. Centr. Agr. Belg.

Verplancke, G.

Les maladies de dégénérescence de la pomme de terre. Journ. Soc. Centr. Agr. Belg. n.s., 11: 138-170. Ap. 1931. no.6.

Journ. Soc. Trop. Agr. Japan. (Taiwan)

Hirabayashi, S.

Ueber die bildung von aldehyd bei Aspergillus. Journ. Soc. Trop. Agr. Japan. 3: 395-404. D.1931. no.4.

Kudo, Y.

Materials for a flora of Formosa VI. Journ. Soc. Trop.Agr. Japan 3: 386-391. D,1931. no.4.

Masamune, G.

Contribution to our knowledge of the flora of the southern part of Japan. VII. Journ. Soc. Trop. Agr. Japan 3: 392-394. D.1931. no.4.

Journ. Soc. Trop. Agr. Japan. (cont.)

Matsumoto, T. & Somazawa, K.

On the relationship between the serological reaction and other biological characters of some putrefactive phytopathogenic bacteria. Journ. Soc. Trop. Agr. Japan 3: 317-336. pl.5. D. 1931. no.4.

Terada, S. & Yoshitake, K.

The vegetative growth, yield, and water requirement of cotton plant in relation to the soil moisture. Journ. Soc. Trop. Agr. Japan 3: 337-353. D.1931. no.4.

In Japanese with English résume: p. 351-353.

Watanabe, S.

Physiological studies in the pineapple roots. IV-V. Journ. Soc. Trop. Agr. Japan 3: 365-376. D.1931. no.4.

In Japanese with English résume.

Journ. Washington Acad. Sci.

Leonard, E. C.

The genus Sanchezia in Peru. Journ. Washington Acad. Sci. 22: 125-137. Mr.19, 1932. no.6.

Kosmos (Stuttgart)

Lindemuth, K.

Wie kann man die getreidearten in blütelosem zustand unterscheiden? Kosmos 1932: 89-91. illus. Mr.1932. no.3.

Latv. Biol. Biedr. Raksti (Acta Soc. Biol. Latviae) (Riga)

Swirlowsky, E. & Oksch, J.

Beitrag zur kenntnis der verteilung der saponine in der gattung Digitalis. Latv. Biol. Biedr. Raksti (Acta Soc. Biol. Latviae) 2: 27-42. 1931.

Vegis, A.

Islaicigās augsto temperatūru udens peldes, kā miera pārtraucējas Hydrocharis morsus ranae L. ziemas pumpuros (On the interruption of the winter rest period of the winter buds of Hydrocharia morsus ranae L. by the water bath of high temperature and short duration). Latv. Biol. Biedr. Raksti (Acta Soc. Biol. Latviae) 2:115-127. 1931.

Latvian with English summary.

Leafl. Dept. Agr. Irish Free State (Dublin)
Irish Free State. Department of agriculture.
Some fungus diseases of bush fruits.
Its Leafl. no.76. 10 p. 1 col.pl. Ag.1931.

Lesnická Práce (L'Oeuvre For.) (Pisek, Moravia)
Lehotský, K.
Výsledky niektorých pozorovaní korenov a nádorov agátu (Robinia pseudacacia L.) (Les résultats de quelques observations sur les racines et les tubercules du robinier (Robinia pseudacacia L.) Lesnická Práce (L'Oeuvre For.) 11: 26-39. illus. 1932. no.1/2.
French résume: p.38-39.

Madras Agr. Journ.
Sundararama, S.
Sorghum diseases in South India.. Madras Agr. Journ. 20: 56-61. F.1932. no.2.

Mém. Soc. Sci. Nat. Maroc.
Werner, R. G.
Histoire de la synthèse lichénique. Mém. Soc. Sci. Nat. Maroc no.27. 44 p. v pl. Je.20, 1931.

Mitt. Deut. Landw. Ges. (Berlin)
Nolte, O. & Münzberg, H.
Pflanzenschutz durch düngemittel. Mitt. Deut. Landw. Ges. 47: 192-193. Mr.12, 1932. no.11.

Mitt. Geogr. Ges. & Naturh. Mus. Lübeck.
Petersen, K.
Flora von Lübeck und umgebung II. teil. Mitt. Geogr. Ges. Naturh. Mus. Lübeck. II,35: 211 p. 1931.

Möller's Deut. Gärtn.-Zeit. (Erfurt)
Hennis, W. Jr.
Als orchideen-sammler in Kolumbien. (schluss) Möller's Deut. Gärtn.-Zeit. 47: 79-80. illus. Mr.1, 1932. no.7.

Knebel, C.
Keimkraft von phyllokakteen-samen. Möller's Deut. Gärtn.-Zeit. 47: 77-78. illus. Mr.1, 1932. n.7.

Monatsh. Chem. (Vienna)

Wessely, F. & Kallab, F.

Ueber die inhaltsstoffe der wurzel von Pimpinella saxifraga I- Monatsh. Chem. 59: 161-174. F.1932. no.3.

Monatsschr. Deut. Kakteen-Ges. (Berlin)

Bödeker, F.

Mammillaria knebiliana Böd, sp.n. Monatsschr. Deut. Kakteen-Ges. 4: 52-54. illus. Mr. 1932. no.3.

Günther, W.

Zur frage der cristata-formen. Monatsschr. Deut. Kakteen-Ges. 4: 62. Mr. 1932. no.3.

Herre, H.

Eine zweite sammelreise nach Namaqualand. Monatsschr. Deut. Kakteen-Ges. 4: 47-51. illus. Mr.1932. no.3.

Nachrichtenbl. Deut. Pflanzenschutzd. (Berlin)

Goffart, H.

Die pflanzenschädlichen älchen der gattung Heterodera. (The root-infesting eelworms of the genus Heterodera). Nachrichtenbl. Deut. Pflanzenschutzd. 12: 19. Mr. 1932. no.3.

Riehm, E.

Zur schorfbekämpfung im obstbau. Nachrichtenbl. Deut. Pflanzenschutzd. 12: 19. Mr.1932. no.3.

Schorffeste und schorfanfällige kartoffelsorten. Nachrichtenbl. Deut. Pflanzenschutzd. 12: 18-19. Mr.1932. no.3.

Nature (London)

Harland, S. C.

Fertility in hybrids between new and old world cottons. Nature 129: 398-399. Mr.12, 1932. no. 3254.

Hawker, L. E.

Perception of gravity by roots of Vicia faba. Nature. 129: 364-365. illus. Mr.5, 1932. no.3253.

Jackson, F.K. & Ghose, R.L.M.

Protection of herbarium specimens. Nature 129: 402. Mr. 12, 1932. no.3254.

Nature Mag. (Washington, D.C.)

Robinson, M.F.

Tree fruits of the woodland. Nature Mag. 19: 239-243. illus. Ap. 1932. no.4.

Naturwissensch. (Berlin)

Durig, A.

Richard von Wettstein. Mitt. Ges. Deut. Naturf. u. Aerzte 8: 1-4. Mr.1932(with Naturwissensch. v.20, no.12).

Occas. Papers Bern. P. Bishop Mus.

St. John, H.

Additions to the flora of Niihau. Occas. Papers Bern. P. Bishop Mus. v.9, no.14, 11 p. illus. O.1931.

Oesterr. Bot. Zeitschr. (Wien)

Buchinger, A.

Eine weissgestreifte (buntblättrige) roggenpflanze. Oesterr. Bot. Zeitschr. 81: 60-63. illus. Ja.15, 1932. no.1.

Klein, G.

Richard Wettstein. Ein charakterbild. Oesterr. Bot. Zeitschr. 81: 1-4. Ja.15, 1932. no.1.

Lämmermayr, L.

Beobachtungen über höhengrenzen von pflanzen in der umgebung von Graz. II. Oesterr. Bot. Zeitschr. 81: 47-55. Ja.15, 1932. no.1.

Moser, F.

Würzelstudien an einigen pflanzen aus der solfatare des grossen Salak in West-Java. Oesterr. Bot. Zeitschr. 81: 5-30. illus. Ja.15, 1932. no.1.

Tollner, H.

Gletscherwinde und ihr einfluss auf die pflanzenwelt. Oesterr. Bot. Zeitschr. 81: 64-65. Ja.15, 1932. no.1.

Widder, F. J.

Der gelb blühende alpenmohn der nordöstlichen kalkalpen. Oesterr. Bot. Zeitschr. 81: 56-59. Ja.15, 1932. no.1.

Papaver burseri sulphurellum nov. var.

Papers Mich. Acad. Sci.

Ackley, A. B.

Preliminary report on Michigan algae, exclusive of desmids and diatoms. Papers Mich. Acad. Sci. 15: 1-49. 1932.

Arnold, C. A.

Microfossils from Greenland coal. Papers Mich. Acad. Sci. 15: 51-61. pl.i-iv. 1932.

Baxter, D. V.

Some resupinate polypores from the region of the Great Lakes. III. Papers Mich. Acad. Sci. 15: 191-228. pl. xvii-xxvi. 1932.

Cochran, L. C.

A thermophilic Calothrix in Michigan. Papers Mich. Acad. Sci. 15: 63-64. pl.v-vi. 1932.

C. thermalis.

Gilmore, M. R.

Plant vagrants in America. Papers Mich. Acad. Sci. 15: 65-79; pl.vii-viii. 1932.

Janaki-Ammal, E. K.

A polyploid eggplant, Solanum melongena L. Papers Mich. Acad. Sci. 15: 81. pl.viii. 1932.

Kulkarni, C. G.

Chromosome configurations during the heterotypic prophase and metaphase in certain Oenothera and their genetic significance. Papers Mich. Acad. Sci. 15: 83-95. pl. ix-x. 1932.

Lohman, M. L.

The comparative morphology of germinating ascospores in certain species of the Hysteriaceae. Papers Mich. Acad. Sci. 15: 97-111. illus., pl. xi-xii. 1932.

Oosting, H. J.

Distribution of the genus Potamogeton in Michigan. Papers Mich. Acad. Sci. 15: 141-171. 1932.

Papers Mich. Acad. Sci. (cont.)
Nichols, G.E. & Ackley, A.B.
The desmids of Michigan, with particular reference to the Douglas Lake region. Papers Mich. Acad. Sci. 15: 113-140. 1932.

Woodcock, E. F.
The penetrating power of the rhizome of quack grass, Agropyron repens (L.) Beauv. Papers Mich. Acad. Sci. 15: 179-182. pl.xv-xvi. 1932.
Penetrating the root of one-year-old seedling of Juglans cordiformis.

Woodcock, E. F.
Seed development in Amaranthus caudatus L. Papers Mich. Acad. Sci. 15: 173-178. pl. xiii-xiv. 1932.

Pflanzenbau (Berlin)
Rogenhofer, E.
Schädigungen an kulturpflanzen infolge sturmwindes. Pflanzenbau 8: 209-210. illus. F. 1932. no.8.

Pharm. Journ. (London)
[George Claridge Druce]. Pharm. Journ. 128 (IV,74): 198. port. Mr.5, 1932. no.3566.

Philipp. Agr. (Los Baños)
Gonzalez, L. G.
An improved seedling variety of chico (Achras zapota Linn. var. ponderosa). Philipp. Agr. 20: 604-605. illus. F.1932. no.9.

Philipp. Journ. Sci. (Manilla)
Marañon, J.
The poisonous constituent of Coriaria intermedia Matsumura. Philipp. Journ. Sci. 47: 359-367. pl.1-3. Mr.1932. no.3.

Phytopath. Zeitschr. (Berlin)
Diddens, H. A.
Untersuchungen über den flachsbrand (verursacht durch Pythium megalacanthum de Bary). Phytopath. Zeitschr. 4: 291-313. illus. 1932. no.3.

Phytopath. Zeitschr. (cont.)

Feucht, W.

Die wirkung des steinbrandes Tilletia tritici (Bjerkander) Winter und Tilletia foetens (Berkeley et Curtis) Tulasne auf verschiedene winterweizensorten bei künstliche infektion in ihrer abhängigkeit von äusseren faktoren. Phytopath. Zeitschr. 4: 247-290. illus. 1932. no.3.

Jarach, M.

Sul meccanismo dell' immunità acquisita attiva nelle piante. Phytopath. Zeitschr. 4: 315-327. illus. 1932. no.3.

Plant Physiology.

Morris, V.H. & Wesp, E. F.

Methods of determining glucose and fructose in corn tissues. Plant Physiology 7: 47-62. Ja. 1932. no.1.

Planta Arch. Wiss. Bot. (Berlin)

Mosebach, G.

Ueber die schleuderbewegung der explodierenden staubgefässe und staminodien bei einigen urticaceen. Planta Arch. Wiss. Bot. 16: 70-115. illus. F.12, 1932. no.1.

Müller, D.

Analyse der verminderten stoffproduktion bei stickstoffmangel. Planta Arch. Wiss. Bot. 16: 1-9. F.12, 1932. no.1.

Experiments with Sinapis alba.

Müller, D.

Die assimilation der blattrollkranken kartoffelpflanzen. Planta Arch. Wiss. Bot. 16: 10-16. F.12, 1932. no.1.

Plotnikowa, T. W.

Zytologische untersuchungen der weizen-roggenbastarde. I. Anormale kernteilung in somatischen zellen. Planta Arch. Wiss. Bot. 16: 174-194. illus. F.12, 1932. no.1.

Schratz, E.

Untersuchungen über die beziehungen zwischen transpiration and blattstruktur. Planta Arch. Wiss. Bot. 16: 17-69. illus. F.12, 1932. no.1.

Planta Arch. Wiss. Bot. (cont.)

Schulze, T.

Untersuchungen über die bedeutung von akitvatoren und paralysatoren für den pflanzenlichen eiweissstoffwechsel. Planta Arch. Wiss. Bot. 16: 116-173. F.12, 1932. no.1.

Seybold, A.

Ueber die optischen eigenschaften der laubblätter I- Planta Arch. Wiss. Bot. 16: 195-226. illus. F.12, 1932. no.1.

Proc. Agr. Soc. Trinidad & Tobago (Trinidad)

Stell, F.

Witch-broom disease of cacao. Proc. Agr. Soc. Trinidad & Tobago. 32: 23-31. Ja.1932. no.1.

Proc. Imp. Acad. Tokyo.

Kotake, M.

Ueber die saponine. Proc. Imp. Acad. Tokyo 8: 12-15. Ja. 1932. no.1.

Proc. Akad. Wetensch. Amsterdam.

Dijkman, M. J.

The movements of the filaments of Sparmannia africana in seismonastic reactions. Proc. K. Akad. Wetensch. Amsterdam 34: 1051-1056. illus. 1931. no.7.

Haan, I.de.

On the protoplasm permeability to water during the recovery from plasmolysis. Proc. K. Akad. Wetensch. Amsterdam 34: 1063-1074. illus. 1931. no.7.

Experiments with onion.

Sirks, M. J.

Plastic influences upon the inheritance in Vicia faba I, III. Proc. Akad. Wetensch. Amsterdam. 34: 1057-1062, 1340-1346. 1931. no.7,9.

II. The elimination of a whole linkage-group in the plasm of Vicia faba minor. III. The elimination of a definite factor (variegated) as caused by the type of plasm.

Proc. Nat. Acad. Sci.

Randolph, L. F.

Some effects of high temperature on polyploidy and other variations in maize. Proc. Nat. Acad. Sci. 18: 222-229. Mr.1932. no.3.

Proc. Roy. Soc. Ser. B. (London)

Salaman, R. N.

The analysis and synthesis of some diseases of the mosaic type. The problem of carriers and auto-infection in the potato. Proc. Roy. Soc. Ser. B. 110: 186-224. pl.6-9. Mr.1, 1932. no.B766.

Protoplasma (Leipzig)

Germ, H.

Untersuchungen über die systrophische inhaltsverlagerung in pflanzenzellen nach plasmolyse. I. Protoplasma. 14: 566-621. illus. Ja.1932. no.4.

Nyrop, J. E.

Enzymic action. Protoplasma 14: 622-628. illus. Ja. 1932. no.4.

Sammelreferat.

Rev. Bot. Appl. (Paris)

Chevalier, A.

Nouvelles recherches sur les palmiers du genre Raphia. Rev. Bot. Appl. 12: 93-104. pl.v. F.1932. no.126.

Chevalier, A.

Sur an arbre à gousses fourragères: le Bauhinia malabarica. Rev. Bot. Appl. 12: 124-128. F. 1932. no.126.

Les fruits du Guatémala d'après les travaux du service technique de coopération agricole. Rev. Bot. Appl. 12: 134-139. F.1932. no.126.

Hédin, L.

La vocation des terres de la forêt tropicale africaine. D'après les indices fournis par la végétation spontanée; observations des indigènes sur la flore et les formations végétales. Rev. Bot. Appl. 12: 111-121. F.1932. no.126.

Rev. Bot. Appl. (cont.)

Meunissier, A.

Les ancêtres sauvages des arbres fruitiers du Turkestan et du Caucase et le problème de l'origine des arbres fruitiers. Rev. Bot. Appl. 12: 104-111. F.1932. no.126.

Perrier de la Bathie, H.

Les plantes introduites à Madagascar. (cont.) Rev. Bot. Appl. 12: 128-133. F.1932. no.126.

Rigotard, M.

Un bois incombustible, le mapou (Monimia). Rev. Bot. Appl. 12:152-154. F.1932. no.126.

M. rotundifolia, M. citrina, M. ovalifolia.

Heim, R.

Rapport sur les maladies physiologiques et bacteriologiques des plantes coloniales. Act. Compt. Rend. Assoc. Colon.-Sci. 8:37-44. F.1932. (with Rev. Bot. Appl. v.12, no.126).

Rev. Gén. Sci. (Paris)

Mascart, J.

Les végetaux laissent-ils entrevoir des variations de climat? Rev. Gén. Sci. 43: 113-122. F.29, 1932. no.4.

Schweiz. Zeitschr. Forstw. (Bern)

Knuchel, H.

Geheimrat Prof. Dr. Schwappach. Schweiz. Zeitschr. Forstw. 83: 96-97. port. Mr.1932. no.3.

Science.

Beaumont, A. B.

Toxicity of sodium nitrate for a species of moss. Science 75: 312-313. Mr.18, 1932. no.1942.

Polytrichum commune.

Davidson, J. & Chambliss, C. E.

Chemical composition of rice and its relation to soil fertility in China and Japan. Science 75: 294. Mr.11, 1932. no.1941.

Harvey M. Hall... Science 75: 302. Mr.18, 1932. no.1942.

Notice of death.

Science. (cont.)

...Professor A. A. Jaczewski... Science 75: 302. Mr.18, 1932. no.1942.

Notice of death.

Singer, E.

A microscope for observation of fluorescence in living tissues. Science 75: 289-291. illus. Mr.11, 1932. no.1941.

Science News Letter.

Easter lily unfolds tale to X-ray's piercing eye. Science News Letter 21: 201. Mr.26, 1932. no.572.

X-ray technique evolved by Mrs. Hazel Engelbrecht of Des Moines.

Scient. Agr. (Ottawa)

Willison, R. S.

Wound-gum in peaches and grapes. Its relation to the invasion of fungus wound-parasites. Scient. Agr. 12: 402-419. illus. Mr. 1932. no.7.

Seed World (Chicago)

Mills, H. S.

Controlling damping off and rotting of seed with formaldehyde dusts. Seed World 31(6): 44. Mr. 18, 1932. no.6.

Smith, G. M.

Two new inbred strains of yellow sweet corn developed at Purdue. Seed World 31(6): 17, 48. Mr.18, 1932. no.6.

Succulenta (Leeuwarden)

Dulfer, A.

Aloë americana spinosa. Succulenta 14: 69-70. illus. Mr. 1932. no.3.

Sugar News (Manila)

Gonzalez, L. G.

A new and important use of sugar cane plant discovered in the College of Agriculture at Los Baños. Sugar News 13: 92-94. illus. F.1932. no.2.

Sugar cane leaf bud found to be edible.

Tidsskr. Planteavl. (København)

Larsen, L.P.M.

Patent paa plantesorter. Tidsskr. Planteavl. 38: 155-160. 1932. no.1.

Nielsen, O.

Undersøgelser over "black leg" paa kaal og tørforraadnelse paa kaalroer. (Black leg on cabbage and swedes). Tidsskr. Planteavl. 38: 131-154. illus. 1932. no.1.

English summary: p.153-154.

Trans. Penin. Hort. Soc. (Dover, Dela.)

Manns, T. F.

Chemical disinfection of sweet potato seed beds. Trans. Penin. Hort. Soc. 21: 81-84. 1931(Recd Mr.1932). no.5.

Temple, C. E.

Some diseases of cantaloupe and cucumber. Trans. Penin. Hort. Soc. 21: 35-41. 1931(Recd Mr. 1932) no.5.

Wharton, W.R.M.

The arsenic spray residue problem. Trans. Penin. Hort. Soc. 21: 89-98. 1931(Recd Mr.1932) no.5.

Trop. Woods, Yale Univ. Sch. For. (New Haven, Conn.)

Chattaway, M. M.

Proposed standards for numerical values used in describing woods. Trop. Woods, Yale Univ. Sch. For. 29: 20-28. Mr. 1, 1932. no.29.

Desch, H. E.

Significance of numerical values for cell dimensions. Trop. Woods, Yale Univ. Sch. For. 29: 14-20. Mr.1, 1932. no.29.

Janssonius, H. H.

Note on the wood of the genus Gironniera. Trop. Woods, Yale Univ. Sch. For. 29: 28-29. Mr. 1, 1932. no.29.

Kanehira, R.

The forest trees of Micronesia, Japanese Mandate. Trop. Woods, Yale Univ. Sch. For. 29: 1-6. Mr.1, 1932. no.29.

Trop. Woods, Yale Univ. Sch. For. (cont.)

Standley, P. C.

Vernacular names of trees of the Tapajoz river, Brazil. Trop. Woods, Yale Univ.Sch. For. 29: 6-13. Mr.1, 1932. no.29.

Eschweilera carrii sp.nov.

U. S. Dept. Agr. Circ.

Herbert, F.W. & Hubbard, J.W.

Verticillium wilt (hadromycosis) of cotton in the San Joaquin Valley of California. U.S. Dept. Agr. Circ. no.211. 7 p. illus. F.1932.

Stevens, N.E.

Market diseases of strawberries from the southeastern states, 1926 to 1930. U.S. Dept. Agr. Circ.219. 4 p. Mr.1932.

U.S. Dept. Agr. Plant Dis. Rep.

Gaines, J. G.

Preliminary notes on spraying for the control of tobacco downy mildew. U.S. Dept. Agr. Plant Dis. Rep. 16: 27. Mr.15, 1932. no.3.

Lambert, E. B.

"Bruise spot" disease of cultivated mushrooms widespread in 1931-1932. U.S. Dept. Agr. Plant Dis. Rep. 16: 25. Mr.16,1932. no.3.

Verticillium sp.

Miller, P.R.

A survey of the diseases of sweet potatoes in storage in Virginia and Maryland. U.S. Dept. Agr. Plant Dis. Rep. 16: 19-20. Mr.15, 1932. no.3.

New Jersey agricultural experiment station - Dept. of plant pathology.

Apple disease records in New Jersey for the past five years. U.S. Dept. Agr. Plant Dis. Rep. 16: 22-23. Mr.15, 1932. no.3.

Taubenhaus, J. J. & Ezekiel, W. N.

Testing Iowa wilt-resistant watermelons in Texas. U.S. Dept. Agr. Plant Dis. Rep. 16: 21-22. Mr.15, 1932. no.3.

Vlugschr. Deli Proefstat. Medan.

Meurs, A.

Bestrijden en voorkomen van topziekte. Vlugschr. Deli Proefstat. Medan no.59. 3 p. F.1932.

On tobacco.

Zashch. Rast. (Plant Prot. Leningrad)

Transhel, V. A.

Rzhavchina kendyria (Melampsora apocyni Tr.) (Smut of kendyr (Melampsora apocyni Tr.) Zashch. Rast. (Plant Prot. Leningrad) 8: 531-533. 1932.

Russian.

Zeitschr. Gesamte Getreidew. (Berlin)

Niethammer, A.

Praktische bemerkungen zur frage des lichteinflusses auf unsere gramineenfrüchte. Zeitschr. Gesamte Getreidew. 19: 32-33. F.1932. no.2.

Zeitschr. Pflanzenkr. (Stuttgart)

Palm, B.

Pflanzenkrankheiten aus Gautemala. Zeitschr. Pflanzenkr. 42: 11-17. Ja.1932. no.1.

Zeitschr. Vergl. Phys. (Zeitschr. Wiss. Biol. abt.C.)

Luntz, A.

Untersuchungen über die phototaxis. III. Mitteilung. Die umkehr der reaktionsrichtung bei starken lichtintensitäten und ihre bedeutung für eine allgemeine theorie der photischen reizwirkung. Zeitschr. Vergl. Phys. (Zeitschr. Wiss. Biol. abt. C) 16: 204-217. illus. F.22, 1932. no.1/2.

Zeitschr. Zücht. A. Pflanzenzücht. (Berlin)

Huber, I.A.

Ueber den wintertypus der gerste. Zeitschr. Zücht. A. Pflanzenzucht. 17: 217-227. F.1932. no.3.

Lowig, E. & Deichmann, E.

Untersuchungen von korrelationen zwischen merkmalen und leistungseigenschaften bei grünfutterpflanzen. I. Trifolium pratense. Zeitschr. Zücht. A. Pflanzenzücht. 17: 277-303. illus. F.1932. no.3.

Zeitschr. Zücht. A. Pflanzenzücht. (cont.)

Nicolaisen, W.

Ueber quantitative xenien bei roggen und erbsen. Zeitschr. Zücht. A. Pflanzenzücht. 17: 265-276. illus. F.1932. no.3.

Plaut, M.

Ueber die entwicklung von beizverfahren, über beizmittel und ihre anwendung im saatzuchtbetrieb. Zeitschr. Zücht. A. Pflanzenzücht. 17: 304-340. illus. F.1932. no.3.

Taschdjian, E.

Beobachtungen über variabilität, dominanz und vizinismus bei Coffea arabica. Zeitschr. Zücht. A. Pflanzenzücht. 17: 341-354. illus. F. 1932. no.3.

Zeiner, W.

Das verhalten verschiedener sommergerstenkreuzungen hinsichtlich der anfälligkeit für Ustilago nuda. Zeitschr. Züch. A. Pflanzenzücht. 17: 229-264. illus. F.1932. no.3.

Der Züchter. (Berlin)

Ehme, H

Vererbung vegetativer und physiologischer merkmale der baumwolle und besprechung weiterer fragen über die genetik der baumwolle. Der Züchter 4: 39-49. illus. F.1932.

Sammelreferat.

Herzfeld-Wuesthoff, F.

Die amerikanischen pflanzenpatente Nr.2. bis 5. Der Züchter 4: 55-56. illus. F.1932. no.2.

Huber, J. A.

Eine atavistische variation bei der gerste. Der Züchter 4: 33-35. illus. F.1932. no.2.

Klinokowski, M.

Pflanz- und wurzelsprossenluzerne. Der Züchter 4: 35-39. illus. F.1932. no.2.

Exper. Stat. Publ.

Ware, J.O., Young, V.H. & Janssen, G.

Cotton wilt studies III. The behavior of certain cotton varieties grown on soil artificially infested with the cotton wilt organism. Arkansas Agr. Exp. Stat. Bull. 269. 51 p. illus. F.1932.

Exper. Stat. Publ. (cont.)

Harmer, P. M.
Prevention of wind injury to crops on muck land. Mich. Agr. Exp. Stat. Circ. Bull. 103, rev. 16 p. illus. Mr.1929(Rec'd Mr.1932)

Cation, D.
Coryneum blight injures Michigan peaches. Mich. Agr. Exp. Stat. Quart. Bull. 14: 131-136. illus. F.1932. no.3.

Rather, H.C., Down, E. E. & Wenner, G. F.
Markton oats need no treatment for smut. Mich. Agr. Exp. Stat. Quart. Bull. 14: 193-198. illus. F.1932. no.3.

Ohio agricultural experiment station.
Spraying program and pest control in the orchard. Its Bull. 500. 49 p. illus. F.1932.

Oregon agricultural experiment station. Dept. of botany and plant pathology.
Acid mercury dip for seed potatoes. Its Circ. Inform. no.66. 2 p. Ja.1932.
Mimeographed.

Finnell, H. H.
A study of local variations in protein content of wheat. Panhandle Agr. Exp. Stat. (Okla.) Bull. 36. 14 p. Mr.1932.

New Books.

Brazil. Ministerio da agricultura, industria e commercio- Serviço de informações.
Syntheses das inspecções de vigilancia sanitaria vegetal pelo Municipio de Pelotas, Rio Grande do Sul. Rio de Janeiro, 1929.
Arranged by common names of host plants.

Brown, N. E., Tischer, A. & Karsten, M. C.
Mesembryanthema, descriptions with chapters on cultivation and general ecology... Edited by E. J. Labarre. Ashford, Kent, L. Reeve and Co., 1931.

New Books (cont.)

Clute, W. N.
Swamp and dune. Indianapolis, W.N. Clute & Co., 1931.
"The matter comprised in the following pages was originally published in the American botanist".

Delevoy, G.
Études systématiques des bois du Katanga, fasc. 1-3. Bruxelles, J. Lebégue & Cie., 1928.

Ellis, D.
Sulphur bacteria. London, &c., Longmans, 1932.

Heinricher, E.
Monographie der gattung Lathraea. Jena, G. Fischer, 1931.

Hu, H. H. & Ching, R. C.
Icones filicum sinicarum fasc. 1. Peiping, O. 1930.

Krylov, P. N.
Flora zapodnoĭ Sibiri. pt.3. Cyperaceae - Orchidaceae. [Tomsk], 1929.

Louvel,
Atlas des plantes ornamentales et curieses de Madagascar. Paris, Imprimerie nationale, 1931.

Pape, H.
Krankheiten und schädlinge der zierpflanzen. Berlin, P. Parey, 1932.

Pieters, A. J.
Improved varieties of annual lespedezas: uses and culture. Washington, D. C.
Mimeographed.
U.S. Dept. of agriculture. Bur. of Plant industry.

Pieters, A. J.
A perennial lespedeza (Lespedeza sericea). Washington, D. C.
Mimeographed.
U.S. Dept. of agriculture. Bur. of plant industry.

New Books (cont.)

Strasburger, E.

Eduard Strasburger's Lehrbuch der botanik ... 18. umgearb. aufl. bearb. H. Fitting, H. Sierp, R. Harder, G. Karsten. Jena, G. Fischer, 1931.

Translations filed in Library of Bureau of Plant Industry.

Pringsheim, E. G.

Die bedeutung der zellwand für den wasserhaushalt der pflanzen. (The significance of the cell wall in the plant's water economy). Naturwissensch. 19: 697-702. Ag.14, 1931. no.33.

Schmidt, E. W.

Untersuchungen über die Cercospora-blattfleckenkrankheit der zuckerrübe. (Investigations on the Cercospora leaf spot disease of the sugar beet). Zeitschr. Parasitenk. 1: 100-137. illus. Ap.1928. no.1.

Stehlik, V.

Beitrag zum studium der abnormitäten bei der zuckerrübe. (Contribution to the study of abnormities in the sugar beet). Zeitschr. Zuckerind. Cechoslovak. Rep. 45(2): 409-414. illus. Ag.25, 1921. no.48.

Reprints from Journals not yet rec'd or not availab.e

Hance, F. E.

Weed control. Reprinted from Proc. 51st meeting Hawaiian Sugar Plant. Assoc. 53 p. 1931.

This sheet was omitted from last list.

Yearbk. Calif. Avocado Assoc.

Blatt, R.

The avocado in South Africa. Yearbk. Calif. Avocado Assoc. 1931: 217-226.

Carpenter, C. W.

Diseases of the avocado. Yearbk. Calif. Avocado Assoc. 1931: 102-106. 1931.

Condit, I.J.

Check list of avocado varieties. Yearbk. Calif. Avocado Assoc. 1931: 11-22.

Reprint of 1926 check list with some revisions and additions by the Variety committee.

Horne, W. T.

Progress report, March 6, 1931, on avocado disease investigations. Yearbk. Calif. Avocado Assoc. 1931: 81-86.

McLean, R. R.

Dothiorella rot. Yearbk. Calif. Avocado Assoc. 1931: 90-94.

McLean, R. R.

Pest control - the growing problem of the industry. Yearbk. Calif. Avocado Assoc. 1931: 69-79.

McPherson, W.

C.P. Taft, an avocado pioneer. Yearbk. Calif. Avocado Assoc. 1931: 207-210.

Robinson, T. T.

Some aberrant forms of flower mechanism in the avocado. Yearbk. Calif. Avocado Assoc. 1931: 107-111.

Yearbk. Carnegie Inst. Washington.

Division of plant biology. Its Yearbk. 30(1930/31): 239-280. 1931.

Growth - Photosynthesis and carbohydrate chemistry - Experimental taxonomy - Desert investigations - Ecology - Paleobotany - Climatological researches - Cytological investigations.

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY.
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

★ APR
U. S.

Vol. 14, no. 7. Mar.28-Apr.9, 1932.

Agr. et Elev. Congo Belge.
Lugard, W. J.
La frisolée du cotonnier. Agr. et Élev. Congo Belge 6: 40-42. Mr.19, 1932. no.4.

Amer. Forests (Washington)
Kauffman, E.
Roots. Amer. Forests 38: 215-219. illus. Ap. 1932. no.4.

McCully, A.
Kidnapping lilies of the wild. Amer. Forests 38: 225-227, 253. illus. Ap.1932. no.4.

MacDuff, I.H.
An old world tree of commerce. Amer. Forests 38: 207-209. illus. Ap.1932. no.4.
The China wood oil tree.

Sedgwick, J. H.
Stars that shine when it rains. Amer. Forests 38: 224. illus. Ap.1932. no.4.
Geaster.

Amer. Journ. Bot.
Buchholz, J. T.
The embryogeny of Chamaecyparis obtusa. Amer. Journ. Bot. 19: 230-238. illus. Mr.1932. no.3.

Haupt, A. W.
Structure and development of Zonaria farlowii. Amer. Journ. Bot. 19: 239-254. illus., pl. xix-xxii. Mr. 1932. no.3.

Hein, I.
Origin of the intercellular spaces in Pediastrum. Amer. Journ. Bot. 19: 218-229. illus., pl. xvii-xviii. Mr. 1932. no.3.

Amer. Journ. Bot. (cont.)

McNair, J. B.

The interrelation between substances in plants: essential oils and resins, cyanogen and oxalate. Amer. Journ. Bot. 19: 255-272. Mr. 1932. no.3.

Reed, G. M.

Inheritance of resistance to loose and covered smut in hybrids of hull-less with early Gothland and Monarch oats. Amer. Journ. Bot. 19: 273-301. Mr. 1932. no.3.

Rees, O. L.

The morphology and development of Entomophthora fumosa. Amer. Journ. Bot. 19: 205-217. illus., pl. xiv-xvi. Mr.1932. no.3.

Amer. Rose Ann. (Harrisburg, Pa.)

Erlanson, E. W.

American wild roses. Amer. Rose Ann. 1932: 83-90. illus.

Keays, Mrs. F. L.

Old roses in Calvert County, Maryland. Amer. Rose Ann. 1932: 102-113. pl.

Parsons, B. & Massey, L.M.

Rose-disease investigations, 3d progress report. Amer. Rose Ann. 1932: 47-58.

Rosenbluth, E. M.

Black-spot can be controlled. Amer Rose Ann. 1932: 65-70. pl.

Disease and insect control, season 1931, Wallingford rose-garden: p. 69-70.

Schoener, G.M. A.

Rosa gigantea and its allied species. Amer. Rose Ann. 1932: 91-98.

White, R. P.

The adhesiveness of sulphur fungicides to rose-foliage. Amer. Rose Ann. 1932: 59-64.

Anal. Inst. Biol. Univ. Nac. Mexico.

Bravo, Helia.

Contribución al conocimiento de las cactaceas de Mexico. Myrtillocactus grandiareolatus, sp.nov. Anal. Inst. Biol. Univ. Nac. Mexico 3: 15-18. illus. 1932. no.1.

Roca, J.

Analisis quimico del Pachycereus marginatus. Anal. Inst. Biol. Univ. Nac. Mexico 3: 19-23. 1932. no.1.

Roca, J.

Estudio quimico de Karwinskia latifolia Stand. Anal. Inst. Biol. Univ. Nac. Mexico 3: 57-60. 1932. no.1.

Roca, J.

Estudio quimico de Sprekelia formosissima. Anal. Inst. Biol. Univ. Nac. Mexico 3: 25-28. 1932. no.1.

Anales Mus. Hist. Nat. Montevideo.

Osten, C.

Las ciperáceas del Uruguay. Anales Mus. Hist. Nat. Montevideo II,3: 109-256. pl.xxx-xlv. 1931. no.2.

Ann. Fac. Sci. Marseille.

Margaillan, L.

Contribution à l'étude des graines oléagineuses et des corps gras végetaux. Ann. Fac. Sci. Marseille s.2, v.5, fasc.1. 110 p. plates, tables. 1931.

Ann. Soc. Linn. Lyon.

Braun-Blanquet, J.

L'origine et le développement des flores dans le massif Central de France avec aperçu sur les migrations des flores dans l'Europe súd-occidentale. (concl.) Ann. Soc. Linn. Lyon n.s., 76: 1-110. 1931.

Camus, A.

Le genre Bothriochloa Kuntze. Ann. Soc. Linn. Lyon n.s., 76:162-165. 1931.

Ann. Soc. Linn. Lyon. (cont.)

Josserand, M.

Note sur Coprinus tergiversans Fr. sensu Ricken (= C. tardus Karst. sensu Lange). Ann. Soc. Linn. Lyon N.s., 76: 152-161. illus. 1931.

Ann. Tecn. Agr. (Rome)

Sempio, C.

Meccanismo di azione dello zolfo nella lotta contro le erisifacee. Ann. Tecn. Agr. 5: 4-60. tab. Ja.1, 1932. no.1.

Arb. Biol. Reichsanst. Land- u. Forstw. (Berlin)

Stolze, K. V.

Beitrag zur biologie, epidemiologie und bekämpfung der blattfleckenkrankheit der zuckerrübe (Cercospora beticola Sacc.) Arb. Biol. Reichsanst. Land- u. Forstw. Berlin 19: 337-402. illus. O. 1931. no.4.

Already entered as reprint.

Gassner, G.

Das standardsortiment zum nachweis der physiologischen spezialisierung des weizenbraunrostes. Puccinia triticina Erikss. Arb. Biol. Reichsanst. Land- u. Forstw. Berlin 19: 403-406. O. 1931. no.4.

Tscholakow, J. W.

Ein beitrag zur physiologischen spezialisierung des weizenbraunrostes, Puccinia triticina Erikss. Arb. Biol. Reichsanst. Land- u. Forstw. Berlin 19: 407-411. O. 1931. no.4.

Arch. de Bot. Caen Mém.

Chermezon, H.

Les cypéracées du Haut-Oubangui. Arch. de Bot. Caen Mem. v.4, no.7. 56 p. 1930. no.2/7.

Litardière, R. de. & Malcuit, G.

Esquisse de la végétation de la Punta di Fornello. Arch. de Bot. Caen Mem. v.4, no.5. 20 p. 3 pl. 1930. no.2/7.

Contributions a l'étude phytosociologique de la Corse.

Arch. de Bot. Caen Mém. (cont.)

Litardière, R.de.

Nouvelles-contributions a l'étude de la flore de la Corse. III-IV. Arch. de Bot. Caen Mém. v.4, no.2. 16 p., no.3, 10 p. 1930.

Litardière, R.de.

Les pozzines du massif de l'Incudine. Arch. de Bot. Caen Mem. v.4, no.4. 20 p. 4 pl. 1930.

Contributions a l'etude phytosociologique de la Corse.

Malcuit, G.

Le littoral occidental environs de Calvi, Galeria, Girolata, Pointe de la Parata, Propriano. Arch. de Bot. Caen Mem. v.4, no.6. 40 p. 7 pl. 1930.

Contributions a l'étude phytosociologique de la Corse.

Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia.

Bergamaschi, M.

Una nuova malattia dei frutti del susino. Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia s.4, 2: 89-92. illus. 1931.

Caused by Microstroma tonellianum.

Ferrari, A.

Un nuovo metodo per la colorazione del micelio. Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia s.4, 2: 81-87. illus 1931.

Garavini, E. M.

Le epatiche inedite Rhizocephala e Riccia trichophylla di Guglielmo Gasparrini. Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia s.4, 2: 153-155. 1931.

Ingber, E.

Intorno all radioeccitazione e alla radiolesione. I. Azione biologica dei raggi röntgen duri. Ricerche esequite sulla Vicia faba var. minor. Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia s.4, 2: 173-268. illus. 1931.

Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia (cont.)

Maffei, L.
Alcune filliti dell'isola di Coo (Dodecaneso) Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia s.4, 2: 135-152. illus. 1931.

Nannizzi, A.
Sulla posizione sistematica dei dermatomiceti. Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia s.4, 2: 103-110. 1931.
Belong to family Gymnoascaceae.

Pollacci, G.
Camillo Golgi. Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia s.4, 2:i-ii. port. 1931.

Pollacci, G.
Rassegna sull'attiva del Laboratorio crittogamico di Pavia (Osservatorio fitopatologico per le provincie di Cremona, Parma, Pavia e Piacenza). durante l'anno 1930. Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia IV,2: 271-285. 1931.

Pollacci, G. & Bergamaschi, M.
Sulla formazione di aldeide formica in piante vive durante la fotosintesi clorofilliana. Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia s.4, 2: 1-64. illus. 1931.

Suardi, G.
Cactee e piante succolenti coltivate nel R. Orto Botanico di Pavia. Atti Ist. Bot. Giov. Briosi e Lab. Critt. Ital. R. Univ. Pavia s.4, 2: 127-134. illus. 1931.

Ber. Ohara Inst. Landw. Forsch. (Kuraschiki)

Kondo, M. & Okamura, T.
Beziehung zwischen wassertemperatur und wachstum der reispflanzen II. Ber. Ohara Inst. Landw. Forsch. 5: 67-85. pl. iii-iv. 1931. no.1.

Nisikado, Y.
Beiträge zur physiologischen spezialisierung einiger obstbewohnender Fusarium. Ber. Ohara Inst. Landw. Forsch. 5: 107-144. pl. ix-xii. 1931. no.1.

Ber. Ohara Inst. Landw. Forsch. (cont.)

Nisikado, Y.

Vergleichende untersuchungen über die durch Lisea fujikuroi Saw. und Gibberella moniliformis (Sh.) Winel. verursachten gramineenkrankheiten. Vorläufige mitteilung. Ber. Ohara Inst. Landw. Forsch. 5: 87-106. pl. v-viii. 1931. no.1.

Fusarium moniliforme v. majus is conidial form of Lisea fujikuroi, the latter belongs to the genus Gibberella as G. fujikuroi.

On maize, sugar and rice.

Yamaguti. Y.

Kreuzungsuntersuchungen an reispflanzen. III. Genetik der farbeigenschaften verschiedener pflanzenteile, des wuchshabitus und der ausschusszeiten. (Zugleich ein beitrag zur kenntnis der koppelungsgruppe beim reis.) Ber. Ohara Inst. Landw. Forsch. 5: 1-56. pl. i-ii. 1931. no.1.

Bergens Mus. Årbok Naturv. Rekke.

Ålvik, G.

Ueber stabilität und wirkung einiger pilzdiastasen bei verschiedenem pH. Bergens Mus. Årbok 1931 Naturv. Rekke no.5. 52 p. 1932. no.1.

Faegri, K.

Ueber die in Skandinavien gefundenen Symphtumarten. Nebst einigen betrachtungen über das artproblem innerhalb der betreffenden artgruppe. Bergens Mus. Årbok 1931 Naturv. Rekke no.4. 47 p. illus., pl.i-ii. 1932.

Nordhagen, R.

Studien über die skandinavischen rassen des Papaver radicatum Rottb. sowie einige mit denselben verwechselte neue arten. Bergens Mus. Årbok 1931 Naturv. Rekke no.2. 50 p. illus.,pl.i-v. 1932.

P. relictum, P. lapponicum, P. dahlianum n.spp.

Bol. R. Soc. Españ. Hist. Nat. (Madrid)

González Guerrero, P.

Algunos datos algológicos de la Peninsula Ibérica, de Baleares y de Marruecos (agua dulce). Bol. R. Soc. Espan. Hist. Nat. 31: 633-639. illus. D.15, 1931. no.9.

Bol. R. Soc. Espan. Hist. Nat. (cont.)

Martinez Martinez, M.
Contribucion al estudio de las Digitales. V.
Bol. R. Soc. Espan. Hist. Nat. 31: 641-651.
D.15, 1931. no.9.

Brooklyn Bot. Gard. Rec.

Reed, G. M.
Beardless iris project. Brooklyn Bot. Gard. Rec. 21: 54-60. illus. Mr.1932. no.2.

Reed, G. M.
Plant pathology. Brooklyn Bot. Gard. Rec. 21: 42-46. Mr. 1932. no.2.
Studies on the inheritance of resistance of oat hybrids to loose and covered smut -- Sorghum smuts.

Graves, A. H.
Forest pathology. Breeding work with the chestnut during 1931. Brooklyn Bot. Gard. Rec. 21: 46-53. illus. Mr.1932. no.2.

Bryologist (Pittsburg)

Andrew, B. L.
The Hepaticae of Cold Spring Harbor and vicinity. Bryologist 34: 85-88. N.1931(Recd Mr.1932) no.6.

Bartram, E. B.
Mosses from Lafayette, Louisiana. Bryologist 34: 78-82. pl.v. N.1931. (Recd Mr.1932) no.6.
Moenkemeyera neoni, sp.nov.

Cheney, L. S.
Wisconsin fossil mosses. Bryologist , 34: 93-94. N.1931(Recd Mr.1932). no.5,6.

Clark, L. & Frye, T. C.
Liverworts new to Wyoming and Washington. Bryologist 34: 82-83. N.1931(Recd Mr.1932) no.6.

Mackenzie, E. C.
Notes on the bryophytes of southeastern Vancouver Island. Bryologist 34: 91-92. N.1931. (Recd Mr.1932). no.6.

Bryologist (cont.)
Parker, M. A.
Mosses of the campus of Cold Spring Harbor Biological Laboratory. Bryologist 34: 83-85. N.1931(Recd Mr.1932). no.6.

Porter, C. L.
Fruiting plants of Encalypta contorta. Bryologist 34: 93. N.1931(Recd Mr.1932) no.6.

Bulet. Min. Agr. [Rumania] (Bucurest)
Prodan, J.
Die flora der Dobrudscha und ein kurzer überblick über die flora der meeresküste Rumäniens. Bulet. Min. Agr. [Rumania] Beil. 6. 95 p. 1931. no.11/12.

Bull. Agr. Congo Belge (Bruxelles)
Pynaert, L.
Le sorgho. Bull. Agr. Congo Belge 22:416-450. illus. S.1931. no.3.

Sladden, G. E.
L'emploi des engrais verts et des plantes de couverture dans la culture du caféier. Bull. Agr. Congo Belge 22: 367-385. illus. S.1931 no.3.
Notes on diseases.

Bull. Pop. Inform. Arnold Arb.
Anderson, E.
Baltic ivy (Hedera helix var. baltica). Bull. Pop. Inform. Arnold Arb. s.3, 6: 1-7. illus. Mr.29, 1932. no.1/2.

Bull. Soc. Centr. For. Belgique.
Lu[illegible].
La lumière et les forets. Bull. Soc. Centr. For. Belgique 35(ann.39): 128-139. Mr.1932. no.3.

Bull. Soc. Hist. Nat. Afr. Nord. (Alger)
Fourment, P. & Melis, E.
Contribution à l'étude anatomique de l'appareil sécréteur de quelques Eucalyptus. Bull. Soc. Hist. Nat. Afr. Nord 23: 25-27. illus., pl.vi. F.1932. no.2.

Bull. Torr. Club.

Harper, R. A.

Organization and light relations in Polysphondylium. Bull. Torr. Club 59: 49-84. F.1932. no.2.

Lindgren, C. C.

The genetics of Neurospora. I. The inheritance of response to heat-treatment. Bull. Torr. Club 59: 85-102. illus. F.1932. no.2.

Cactus & Succ. Journ. (Los Angeles)

Baxter, E. M.

California cacti. Opuntia bigelovii - Jumping Cholla. Cactus & Succ. Journ. 3: 149-150. illus. Mr.1932. no.9.

Hester, J. P.

A new Echinocereus or an alpine type of E. fendleri (?) Cactus & Succ. Journ. 3: 144-145. illus. Mr.1932. no.9.

White, A. & Sloane, B.L.

The Stapelieae. 7. Huernia. (cont.). Cactus & Succ. Journ. 3: 146-148. illus. Mr.1932. no.9.

Calif. Cult. (Los Angeles)

Knight, E. E.

Sun-blotch of the avocado. Calif. Cult. 78: 320-321. Ap.2, 1932. no.14.

O Campo (Rio de Janeiro)

Kuhlmann, J. G.

Uma fibra Amazonica. O Campo 3: 35, 37. illus. Ja. 1932. no.1.

Gnetum venosum.

Canad. Field Nat. (Ottawa)

Lewis, H. F.

An annotated list of vascular plants collected on the north shore of the Gulf of St. Lawrence, 1927-1930(concl.) Canad. Field Nat. 46: 89-95. Ap. 1932. no.4.

Canad. Journ. Res. (Ottawa)

Güssow, H. T.& Foster, W. R.

A new species of Phomopsis. Canad. Journ. Res. 6: 253-254. illus., pl.i-ii. Mr.1932. no.3.

Phomopsis tuberivora on potato.

China Journ. (Shanghai)

Porterfield, W. M.

Lawn and roadside plants of Shanghai. China Journ. 16: 32-40, 95-100,140-144. illus. Ja., F., Mr.1932. no.1,2,3.

Skvortzow, B. W.

Notes on trees and shrubs of northern Manchuria. 6-7. China Journ. 15: 200-203, 304-307. 6 pl. on 4. O., D. 1931. no.4, 6. (Rec'd Ap.1932)

6. Genera Vitis L. and Amelopsis Michx. 7. Genera Sambucus L. and Viburnum L.

Citrus Riv. Camera Agrum. Messina.

Cocchi, F.

Un marciume di limoni dovuto a Pleospora herbarum (Pers.) Rabenh. Citrus Riv. Camera Agrum. Messina II,18: 58-59. F. 1932. no.2.

Compt. Rend. Acad. Agr. France (Paris)

Viala, P.

Etude, par le diagnostic foliaire, des effets physiologiques du chaulage. Compt. Rend. Acad. Agr. France 18: 442-454. Mr.16, 1932. no.11.

Additional notes by M.M. Henri Lagatu et Louis Maume.

Compt. Rend. Acad. Sci. Paris

E[illegible], R.

Sur deux gisements de plantes tertiaires dans le Bas-Rhin. Compt. Rend. Acad. Sci. Paris 194: 1009-1010. Mr.14, 1932. no.11.

Lagatu, H. & Maume, L.

La feuille peut-elle accepter une surcharge d'aliment mineral sans profit pour le développement du végétal? Compt. Rend. Acad. Sci. Paris 194: 933-935. Mr.14, 1932. no.11.

Szymanek, J.

Observations caryologiques supplémentaires sur quelques Gossypium. Compt. Rend. Acad. Sci. Paris 194: 1011-1013, Mr.14, 1932. no.11.

Compt. Rend. Soc. Biol. Paris.

Bachrach, E., Lefèvre, M. & Roche, J.
Sur la chlorophylle des diatomées normales ou nues. Compt. Rend. Soc. Biol. Paris 109: 889-890. Mr.23, 1932. no.10.

Bart, C.
Action hypoglycémiante des feuilles du murier. Compt. Rend. Soc. Biol. Paris 109: 897-899. Mr.23, 1932. no.10.

Hollande, A.C. & Hollande, Mme. G.
Cytologie de Bacillus megaterium (de Bary) et Bacillus mycoides (Flügge). Compt. Rend. Soc. Biol. Paris 109: 803-806. illus. Mr.23,1932. no.10.

Mazé, P. & Mazé, P.J. (fils)
Sur l'infection du mais par le charbon(Ustilago maidis). Compt. Rend. Soc. Biol. Paris 109: 825-827. Mr.23, 1932. no.10.

Nattan-Larrier, R.
Action nocive des téguments sur la germination du pois gris d'hiver. Compt. Rend. Soc. Biol. Paris 109: 815-817. Mr.23, 1932. no.10.

Desert (Pasadena)

Harvey Monroe Hall. Desert (Pasadena) 3: 135. Ap. 1932. 1932. no.12.

Weingart, W.
Cactus spines. Desert (Pasadena) 3: 138-139. Ap. 1932. no.12.

Farming South Africa (Pretoria)

Dippenaar, B. J.
Fruit spots of the Kelsey and the other plum varieties. Farming South Africa 6: 525-526. illus. Mr.1932. no.72.

Merwe, C. R. v.d.
Jointed cactus and its eradication. Farming South Africa 6: 495-497. illus. Mr.1932. no.72.

Phillips, E. P.
Tung oil. Farming South Africa 6: 507. Mr.1932. no.72.

Farming South Africa (cont.)

Plank, J. E.v.d.

Sooty blotch of oranges. Farming South Africa 6: 504. Mr. 1932. no.72.

Flor. Exch. (N.Y.)

McWhorter, F. P.

Narcissus "gray disease" is a transmissible mosaic. Flor. Exch. 79(14): 11. illus. Ap.2, 1932. no.14.

For. Bull.For. Res.Inst. India.

Parker, R. N.

List of plants collected in west Nepal. For. Bull. For. Res. Inst. India no.76. 9 p. 1932.

Forsch. Geb. Pflanzenkr. K. Univ. Kyoto.

Abe, T. & Okamura, E.

On the effect of copper sulphate upon the susceptibility of the rice plant to the blast disease. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 1: 54-70. 1931.

Japanese.

Abe, T.

On the effect of sunlight on the infection of the rice plant by Piricularia oryzae. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 1: 46-53. 1931.

Japanese.

Endo, S.

Studies on the sclerotium diseases of the rice plant IV-V. Forsch. Geb.Pflanzenkr. K. Univ. Kyoto 1: 126-167. pl. iii-iv. 1931.

Japanese with English summary, p.167.

IV. On the morphology of certain important fungi causing sclerotium diseases of the rice plant. V. Ability of overwintering of certain important fungi causing sclerotium diseases of the rice plant and their resistance to dry conditions.

Hemmi, T. & Kurata, S.

Notes on three diseases of azaleas. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 1: 1-12. illus., pl. i-ii. 1931.

Leaf spots caused by Venturia rhododendri, Cercospora handelii and Rhytisma shiraiana (n.sp.) the latter called blackspot by author.

Forsch. Geb. Pflanzenkr. K. Univ. Kyoto. (cont.)

Hemmi, T. & Nojima, T.
On the relation of temperature and period of continuous wetting to the infection of the rice plant by Ophiobolus miyabeanus. Forsch.Geb. Pflanzenkr. K. Univ. Kyoto 1: 84-89. 1931.
Japanese with English summary, p.89.

Hemmi, T. & Suzuki, H.
On the relation of soil moisture to the development of the Helminthosporium disease of rice seedlings. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 1: 90-98. 1931.
Japanese with English summary, p.98.

Hemmi, T. & Abe, T.
On the relation of temperature and period of continuous wetting to the infection of the rice plant by Piricularia oryzae. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 1: 33-45. 1931.
Japanese with English summary, p.44-45.

Hemmi, T. & Kurata, S.
Pathological studies on Polyporus betulinus (Bull.) Fr. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 1: 206-224. illus., pl.x-xi. 1931.
Japanese with English summary, p.223-224.

Hemmi, T. & Endo, S.
Studies on sclerotium diseases of the rice plant. III. Some experiments on the sclerotial formation and the pathogenicity of certain fungi causing Sclerotium diseases of the rice plant. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 1: 111-125. illus. 1931.
Japanese with English summary: p.124-125.

Hemmi, T., Seto, F., & Ikeya, J.
Studies on the "bakanae" disease of the rice plant. II. On the infection of rice by Lisea fujikuroi Sawada and Gibberella saubinetii (Mont.) Sacc.in the flowering period. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 1: 99-110. illus. 1931.
Japanese with English summary, p.109-110.

Forsch. Geb. Pflanzenkr. K. Univ. Kyoto (cont.)

Hemmi, T. & Nojima, T.
Ueber die einrichtung von glaskästen (für infektionsversuche) und kulturzimmern mit konstanten temperaturen. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 1: 234-238. illus. 1931.
Japanese.

Hirayama, S.
On the effect of soil moisture on the cell sap concentration of rice seedlings. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 1: 21-26. illus. 1931.
Japanese with English summary: p.25-26.

Hirayama, S.
On the influence of osmotic pressure of culture media on the mycelial growth of Piricularia oryzae B. et C. Forsch. Geb. Pflanzenkr. H. Univ. Kyoto 1: 27-32. 1931.
Japanese with English summary, p.32.

Kato, T.
Einige bemerkungen betreffs des vergleichs der pflanzengallen mit dem echten blastom Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 1: 225-233. 1931.
Japanese.

Nagatomo, I.
Ueber das verhalten von Polyporus schweinitzii Fr. in mischkulturen. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 1: 192-205. pl.viii-ix. 1931.
Japanese.

Nojima, T.
Studien über Polyporus japonicus Fries. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 1: 177-191. illus., pl.vi-vii. 1931.
Japanese.

Satoh, S.
Studien über die wirkungen der durch Ophiobolus miyabeanus gebrauchten nährlösungen auf die keimung und entwicklung eines anderen pilzes. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 1: 71-83. 1931.
Japanese with German summary, p.83.

Forsch. Geb. Pflanzenkr. K. Univ. Kyoto (cont.)

Satoh, S.

Ueber die verarbeitung der zellulose durch einige krankheitserregende pilze. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 1: 13-20. illus. 1931.

Yamamoto, K.

Ueber den nachweis von oxydasen bei holzzerstörenden pilzen. Forsch. Geb. Pflanzenkr. K. Univ. Kyoto 1: 168-174. pl.v. 1931. Japanese.

Gard. Chron. (London)

Comber, H. F.

The native conifers of Tasmania, Gard. Chron. III, 91: 220-221. illus. Mr.19,1932. no.2360.

Downes, A. C.

Sollya heterophylla. Gard. Chron. III, 91: 240-241. Mr.26,1932. no.2361.

Durham, H. E.

Mistleto and its hosts. Gard. Chron. III, 91: 243-244. illus. Mr.26,1932. no.2361.

Friend, H.

Corsican plant lore. VII. What constitutes the maquis. Gard. Chron. III, 91: Mr.26, 1932. no.2361.

Parkin, J.

The weeping character of Himalayan conifers. Gard. Chron. III, 91: 223-224. Mr.19,1932. no.2360.

Ramsbottom, J.

Mutinus bambusinus. Gard. Chron. III, 91: 224. Mr.19,1932. no.2360.

Wormald, H.

Notes on plant diseases in 1931 (concl.) Gard. Chron. III, 91: 224-225. Mr.12,1932. no.2360.

Gard. Chron. Amer.

Andrews, M. N.

"Wild" flowers to plant in the Spring. Gard. Chron. Amer. 36: 126-128. Ap.1932. no.4.

Gard. Chron. Amer. (cont.)

Dempsey, P. W.

Root-knot. Gard. Chron. Amer. 36: 138-139. illus. Ap.1932. no.4.

Neuhauser, E.

Botanic gardens in the West Indies. Gard. Chron. Amer. 36: 129-130,140. illus. Ap.1932. no.4.

Dominica and Trinidad.

Waters, R.

The crape-myrtle, lilac of the south. Gard. Chron. Amer. 36: 133-134. illus. Ap.1932. no.4.

Lagerstroemia.

Gard. Illus. (London)

Darlington, H. R.

Stem fungus or stem canker in roses. Gard. Illus. 54: 186-187. illus. Mr.26,1932. no.2768.

Gartenw. (Berlin)

Wedekind, R.

Aelchen an maiblumen. Gartenw. 36: 155. Mr.18,1932. no.12.

Gentes herbarum.

Bailey, L. H.

The blackberries of North America. In his Gentes herbarum 2: 271-423. illus. Mr.4,1932. no.6.

Gladiolus Rev. (Goshen, Ind.)

White, M. C.

Elimination of scab. Gladiolus Rev. 9: 150, 152. Ap.1932. no.4.

Hadar, (Jaffa)

Katzprowsky, S.

More about little leaf in our citrus trees. Hadar 5:43. F.1932. no.2.

"Remarks to Messrs. Reichert & Perlberger's reply "Hadar" v.4,no.12,. 1931".

Heil & Gewürz-Pflanzen (Munich)

Klan, Z. F.

Kurze zusammenfassung der pharmakoergastischen erkenntnisse über Hyoscyamus niger L. Heil & Gewürz-Pflanzen 14: 76-97. Mr.12, 1932. no.3.

Pater, B.

Eryngium planum L. als heilpflanze. Heil & Gewürz-Pflanzen 14: 112-114. Mr.12,1932. no.3.

Helvetica Chim. Acta (Basel)

Karrer, P. and others.

Pflanzenfarbstoffe XXXIX-XL. Helvetica Chim. Acta 15: 490-493, 507-512. 1932. no.2.

XXXIX. Vermischte beobachtungen über carotinoide (alpha-carotin, zeaxanthin, carotinoide aus kaki-früchten) XL. Zur kenntnis des oxydativen abbaus der anthocyane. Konstitution des malvons.

Indian For. (Dehra Dun)

Champion, H. G.

The mode of growth of Alstonia scholaris, R.Br. Indian For. 58: 123-132. pl.7. Mr.1932. no.3.

Raizada, M. B.

New Indian species of forest importance. VIII. Indian For. 58: 133-140. Mr.1932. no.3.

Intern. Bull. Plant Prot.

Dampf, A.

Mexico: Panama disease of bananas. Intern. Bull. Plant Prot. 6: 24. F.1932. no.2.

England and Wales: New and interesting phytopathological records for the year 1931. Intern. Bull. Plant Prot. 6: 21-22. F.1932. no.2.

McRae, W.

India: new diseases reported during the year 1931. Intern. Bull. Plant Prot. 6: 22-23. F. 1932. no.2.

Stevens, N. E.

United States of America: Diseases of peanuts. Intern. Bull. Plant Prot. 6: 22. F.1932. no.2.

Jahrb. Wiss. Bot. (Leipzig)

Kleinhoonte, A.

Untersuchungen über die autonomen bewegungen der primärblätter von Canavalia ensiformis DC. Jahrb. Wiss. Bot. 75: 679-725. illus. 1932. no.5.

Pisek, A. & Cartellieri, E.

Zur kenntnis des wasserhaushaltes der pflanzen. II. Schattenpflanzen. Jahrb. Wiss. Bot. 75: 643-678. illus. 1932. no.5.

Stephan, J.

Untersuchungen über das verhalten der katalase im samen. Jahrb. Wiss. Bot. 75: 770-808. illus. 1932. no.5.

Vegis, A.

Ueber das frühtreiben der winterknospen von Hydrocharis morsus ramae L. durch hochtemperierte wasserbäder. Jahrb. Wiss. Bot. 75:726-770. illus.. 1932. no.5.

Journ. Agr. Res. (Washington, D. C.)

Allard, H. A.

Flowering behavior of the hog peanut in response to length of day„ Journ.Agr. Res. 44: 127-137. illus. Ja.15, 1932(Recd Mr.) no.2.

Briggs, F. N.

Inheritance of resistance to bunt, Tilletia tritici, in crosses of White federation with Turkey wheats. Journ. Agr. Res. 44: 121-126. Ja.15, 1932 (Recd Mr.) no.2.

Burkholder, W. H.

Effect of the hydrogen-ion concentration of the soil on the growth of the bean and its susceptibility to dry root rot. Journ. Agr. Res. 44: 175-181. Ja.15, 1932(Recd Mr.) no.2.

Demaree, J.B. & Cole, J.R.

The downy spot disease of pecans. Journ. Agr. Res. 44: 139-146. illus. Ja.15, 1932(Recd Mr.) no.2.

Mycosphaerella caryigena comb.nov.

Journ.Agr. Res. (cont.)

Klotz, L. J. & Fawcett, H. S.
Black scorch of the date palm caused by Thielaviopsis paradoxa. Journ. Agr. Res. 44: 155-166. illus. Ja.15, 1932(Recd Mr.) no.2.

Powers, W. L.
Characteristics of dispersable organic colloids in peats. Journ. Agr. Res. 44: 97-11. Ja.15, 1932 (Recd Mr.) no.2.

Reed, G. M. & Stanton, T. R.
Physiologic races of Ustilago levis and U. avenae on Red oats. Journ. Agr. Res. 44: 147-153. illus. Ja.15, 1932 (Recd Mr.) no.2.

Smith, O.
Relation of temperature to anthesis and blossom drop of the tomato, together with a histological study of the pistils. Journ. Agr. Res. 44: 183-190. 4 pl. on 3. Ja.15, 1932(Recd Mr.) no.2.

Thomas, H. L.
The glossy character (gl3) in maize and its linkage relations. Journ. Agr. Res. 44: 167-173. illus. Ja.15, 1932(Recd Mr.) no.2.

Journ. Amer.Pharm. Assoc. (Easton, pa.)

Foote, P. A.
The alkaloids of Argemone alba Lestib. Journ. Amer. Pharm. Assoc. 21: 246-248. illus. Mr.1932. no.3.

Harris, L.E. & Wilson, R.M.
The oil from the fruit of Melia azedarach Linné. Journ. Amer. Pharm. Assoc. 21: 242-244. Mr. 1932. no.3.

Kremers, E. & Uhl, A. H.
Phytochemical terminology. Journ. Amer Pharm. Assoc. 21: 252-257. Mr.1932. no.3.

Journ. Bacteriol. (Baltimore)

Georgia, F. R. & Poe, C. F.
Study of bacterial fluorescence in various media. I. Journ. Bacteriol. 22: 349-361. N.1931.
I. Inorganic substances necessary for bacterial fluorescence.

Journ. Okitsu Hort. Soc.

Tanaka, T.
The beginning of pomology. Journ. Okitsu Hort. Soc. 27: 46-70. pl. 0.1931.
Japanese with English summary.

Tanaka, Y.
The inter-relation between scion and stock in fruit trees, with special reference to the influence of scion upon stock. Journ. Okitsu Hort. Soc. 27: 31-45. pl. 1931.
Japanese.

Journ. Roy. Hort. Soc. (London)

Comber, H. F.
Plant collecting in Tasmania. Journ. Roy. Hort. Soc. 57: 32-41. 8 pl. on 4. Ja.1932. no.1.

Green, D. E.
Further observations on the black spot disease of roses (Diplocarpon rosae Wolf.) Journ. Roy. Hort. Soc. 57: 58-62. Ja. 1932. no.1.

Green, D. E.
Note on the disease resistance shown by Butcher's disease resister cucumber to Cercospora leaf spot. Journ. Roy. Hort. Soc. 57: 63-64. 2 pl. on 1. Ja. 1932. no.1.

Hutchison, I. W.
Greenland's flowery valleys. Journ. Roy. Hort. Soc. 57: 21-31. 8 pl. on 4. Ja. 1932. no.1.

Tincker, M. A. H.
Experiments with ultra-violet ray glass. II. Journ. Roy. Hort. Soc. 57: 51-57. Ja.1932. no.1.

Worsley, A.
The genus Amaryllis, including its bi-generic and other hybrids and crosses. Journ. Roy. Hort. Soc. 57: 8-14. 10 pl. on 5. Ja. 1932. no.1.

Journ. Washington Acad. Sci.

Berry, E. W.

A new oak (Quercus perplexa) from the Miocene of the western United States. Journ. Washington Acad. Sci. 22: 171-173. illus. Ap.4, 1932. no.7.

Christensen, C.

A new Dryopteris from Cuba. Journ. Washington Acad. Sci. 22: 166-167. Ap.4, 1932. no.7.

D. santae clarae.

Howe, M. A.

Marine algae from the islands of Panay and Negros (Philippines) and Niuafoou (between Samoa and Fiji). Journ.Washington Acad. Sci. 22: 167-170. illus. Ap.4, 1932. no.7.

Chaetomorpha kellersii sp.nov.

Morton, C. V.

A new species of Adenostegia from Death Valley, with notes on calyx structure in the genus. Journ. Washington Acad. Sci. 22: 160-166. illus. Ap.4, 1932. no.7.

A. eremica.

Zingg, R. M.

Mexican folk remedies of Chihuahua. Journ. Washington Acad. Sci. 22: 174-181. Ap.4, 1932. no.7.

Landw. Versuchsst. (Berlin)

Meyer, K.

Ueber sojareiningungsrückstände. Landw. Versuchsst. 113: 349-358. illus. 1932. no.5/6.

Matières Grass. (Paris)

Adriaens, L.

Étude chimique des graines de Sterculia bequaerti de Wild. (Sterculia tragacantha Lindl. var. cruciata Verm.). III. Étude des acides mélangés. (concl.) Matières Grass. 24: 9442-9445. Mr.15, 1932. no.287.

Mezögazd. Kutat. Budapest.

Göllner, J.

Újabb vizsgálatok a dinnye anthraknozisaról. (Weitere untersuchungen über die anthraknose der melons). Mezögazd. Kutat. Budapest 5: 62-67. F.1932. no.2.

German summary: p.67.

Missouri Bot. Gard. Bull. (St. Louis)
Beilmann, A. P.
Adventitious roots from ginkgo leaves. Missouri Bot. Gard. Bull. 20: 53-54. pl.18. Mr. 1932. no.3.

Moore, J. A.
Double plants. Missouri Bot. Gard. Bull. 20: 49-52. pl.15. Mr.1932. no.3.

Mitt. Deut. Landw. Ges. (Berlin)
Nolte, O. & Münzberg, H.
Pflanzenschutz durch düngemittel (concl.) Mitt. Deut. Landw. Ges. 47: 211-212. Mr.19, 1932. no.12.

Nachr. Schädlingsbekämpfung. (Leverkusen b.Köln a Rh.)
Arland, A.
Masseninfektionen und massenbefall mit haferflugbrand. Nachr. Schädlingsbekämpfung. 7: 10-14. illus. F.1932. no.1.

Crüger, O.
Pflanzenschutz jetzt notwendiger denn je! Nachr. Schädlingsbekämpfung 7: 5-9. F.1932. no.1.

Nat. Greenkeeper. (Cleveland, O.)
Jacobs, H. L.
The vitality of shade trees in relation to root environment. Nat. Greenkeeper 6(4):5-10. illus. Ap.1932. no.4.

Nat. Hort. Mag. (Washington, D.C.)
DeBevoise, F.
Lewisia. Nat. Hort. Mag. 10: 240-243. illus. O.1931(Recd Ap.1932) no.4.

Dorsett, P. H.
Glimpses of the white-barked pine in Peiping and vicinity. Nat. Hort. Mag. 10: 237-239. illus. O.1931(Recd Ap.1932). no.4.
Pinus bungeana.

Fairchild, D.
A baobab tree in Florida. Nat. Hort. Mag. 10: 245-249. illus. O.1931(Recd Ap.1932) no.4.

Nat. Hort. Mag. (cont.)

Fellows, K. F.
Dwarf iris. Nat. Hort. Mag. 10: 249-255. illus. O.1931(Recd Ap.1932). no.4.

Josefski, F,
Notes from the Berlin botanic garden. Nat. Hort. Mag. 10: 258-269. illus. O.1931(Recd Ap.1932). no.4.
p. 260-269 illus. only.

Russell, P.
Prunus sargentii Rehder. Sargent cherry. Nat. Hort. Mag. 10: 277-278. O.1931(Recd Ap.1932) no.4.

Thomas, C. C.
The oriental persimmon. Nat. Hort. Mag. 10: 301-302. O.1931(Recd Ap.1932). no.4.

Nat. Canad. (Quebec)

Pomerleau, R.
Observations sur les rouilles des arbres et arbustes du Quebec. Nat. Canad. 59: 49-58. Mr. 1932 no.3.

Nature (London)

Fungicide for oat seed. Nature 129: 464. Mr.26, 1932. no.3256.
Experiments with "Ceresan" at North of Scotland College of agriculture, Craibstone.

New Zeal. Journ. Agr. (Wellington)

Brien, R. M.
Host range of Sclerotinia sclerotiorum in New Zealand. New Zeal. Journ. Agr. 44: 127-129. illus. F.20, 1932. no.2.

Chamberlain, E. E.
Corticium disease of potatoes. IV. Control treatments shown to be not warranted under New Zealand conditions. New Zeal. Journ. Agr. 44: 122-126. illus. F.20, 1932. no.2.

Foy, N. R.
Delayed germination in cereals. New Zeal. Journ. Agr. 44: 129. F.20, 1932. no.2.

New Zeal. Journ. Agr. (cont.)
Neill, J. C.
Elimination of smut diseases from the malting-barley crops of Ellesmere district. New Zeal. Journ. Agr. 44: 106-107. F.20, 1932. no.2.

Perfum. & Essent. Oil Rec. (London)
Freise, F. W.
The exploration of essential oil plants in Brazil. Perfum. & Essent. Oil Rec. 23: 80-82. Mr.22, 1932. no.3.

Philipp. Agr. (Los Banos)
Mendiola, N. B.
Dendrobium profusum Schlechter. Philipp. Agr. 20: 642-644. illus. Mr.1932. no.10.

Stevens, F. L.
Two rusts on Wrightia laniti (Blco.) Merr. Philipp. Agr. 20: 627-631. illus. Mr.1932. no.10.
Aecidium prolixum & Hemileia wrightiae.

Phytopath.
Ashcroft, J. M.
Black walnut canker caused by a Nectria. Phytopath. 22: 268-269. Mr.1932. no.3.

Bressman, E. N.
Effect of bunt on height of wheat plants. Phytopath. 22: 259-262. Mr.1932. no.3.

Bryan, M. K.
An atypical lesion on cotton leaves caused by Bacerium malvacearum. Phytopath. 22: 263-264. illus. Mr.1932. no.3.

Chaudhuri, H.
Sclerospora graminicola on bajra (Pennisetum typhoideum). Phytopath. 22: 241-246. Mr. 1932. no.3.

Cooley, J. S.
Botrytis stem infection in pears. Phytopath. 22: 269-270. Mr.1932. no.3.

Phytopath. (cont.)

Cooley, L. M.
Black rot of stocks. Phytopath. 22: 270. Mr.1932. no.3.

Elliott, C., Wagner, F. A. & Melchers, L. E.
Root, crown and shoot rot of milo. Phytopath. 22: 265-267. illus. Mr.1932. no.3.

Ehrlich, J. & Wolf, F. A.
Areolate mildew of cotton. Phytopath. 22: 229-240. illus. Mr.1932. no.3.
Mycosphaerella areola (Ramularia areola)

Hansen, H. N. & Davey, A. E.
Transmission of smut and molds in figs. Phytopath. 22: 247-252. Mr.1932. no.3.

Mackie, W. W. & Esau, K.
A preliminary report on resistance to curly top of sugar beet in bean hybrids and varieties. Phytopath. 22: 207-216. illus. Mr.1932. no.3.

Porte, W. S.
Frederick John Pritchard 1874-1931. Phytopath. 22: 201-205. port. Mr.1932. no.3.

Ramsey, G. B.
Sulphur dioxide injury of tomatoes. Phytopath. 22: 267-268. illus. Mr.1932. no.3.

Snyder, W. C.
Seed dissemination in Fusarium wilt of pea. Phytopath. 22: 253-257. Mr.1932. no.3.
Organism is shown to be occasionally carried with pea seed harvested from wilt-infested lands. Exact manner in which fungus is carried is not known.

Venkatarayan, S. V.
Phytophthora arecae, parasitic on Areca tops and a strain of P.palmivora Bult. (P.faberi Maubl.) on a new host, Aleurites fordi. Phytopath. 22: 217-227. illus. Mr.1932. no.3.

Poona Agr. Coll. Mag. (Poona City)

Gokhale, V. G. & others.
Improvement of nagli (Eleusine coracane) in the Bombay Deccan. (cont.) Poona Agr. Coll. Mag. 23: 205-223. illus. F.1932. no.4.

Proc. Acad. Nat. Sci. Phila.

Pennell, F. W.

Escobedia, a neotropical genus of the Scrophulariaceae. Proc. Acad. Nat. Sci. Phila. 83: 426. 1932.

Proc. Biol. Soc. Washington.

Morton, C. V.

Five new South American species of Mascagnia. Proc. Biol. Soc. Washington 45: 49-54. Ap.2, 1932.

Mascagnia loretensis, M. pittieri, M. nobilis, M. hondensis, M. dumetorum, n.spp.

Publ. Agence Econ. Indochine (Paris)

Cardot, J. & Braemer, P.

Les principaux produits d'exportation de l'Indochine. I. Produits végétaux. Publ. Agence Econ. Indochine no.28. 136 p. illus. 1931.

Publ. Fac. Sci. Univ. Masaryk (Brno)

Sirjaev, G.

Generis Trigonella L. revision critica. IV. Publ. Fac. Sci. Univ. Masaryk. no.136. 33 p. pl. ix-x. 1931.

Repert. Spec. Nov. Fedde. (Berlin)

Dinsmore, J. E.

Neues aus der "Flora of Syria, Palestine and Sinai" 1931. Repert. Spec. Nov. Fedde 30(Repert. Europ. & Med. 3,29/30): 125-127. F.15, 1932. no.791/798.

Dinter, K.

Diagnosen neuer südwestafrikanischer pflanzen. (cont.) Repert. Spec. Nov. Fedde 30: 80-96. F.15, 1932. no.791/798.

Handel-Mazzetti, H.

Rhoipteleaceae, eine neue familie der monochlamydeen. Repert. Spec. Nov. Fedde 30: 75-80. pl. cxxvii-cxxviii. F.15, 1932. no.791/798.

Rhoiptelea chiliantha.

Melchior, H.

Ueber das vorkommen von Pinguicula vulgaris var. bicolor Nordst, in den Dolomiten. Repert. Spec. Nov. Fedde 30(Repert. Europ. & Med. 3,29/30): 122-125. F.15, 1932. no.791/798.

Repert. Spec. Nov. Fedde. (cont.)

Renz. J.

Die orchideenflora von Ostkreta (Sitia). Repert. Spec. Nov. Fedde 30(Repert. Europ. & Med. 3,29/30): 97-118. pl.cxxii. F.15,1932. no. 791/798.

Renz, J.

Ueber einige griechische orchideen. Repert. Spec. Nov. Fedde 30(Repert. Europ. & Med., 3,29/30): 118-121. F.15, 1932. no.791/798.

Schmidt, O. C.

Beiträge zur kenntnis der aristolochiaceen. III. Repert. Spec. Nov. Fedde 30: 66-75. F.15, 1932. no.791/798.

Werdermann, E.

Neue sukkulente pflanzen im botanischen garten Berlin-Dahlem. Repert. Spec. Nov. Fedde 30: 52-66. F.15, 1932. no.791/798.

Wimmer, F. E.

Burmeistera. Eine umstrittene pflanzengattung und ihre arten. Repert. Spec. Nov. Fedde 30: 1-52. pl.cxxiii.cxxvi. F.15, 1932. no.791/798.

Repert. Spec. Nov. Beih. (Dahlem bei Berlin)

Peter, A.

Flora von Deutsch-Ostafrika bd.2, lfg.1. Repert. Spec. Nov. Beih. bd.40,2, lfg.1. 144, 16 p. 20 pl. Ja.31,1932.

Rep. Dept. Agr. Gov't Res. Inst. Formosa.

Formosa. Government research institute. Dept. of agriculture.

Local experiments with varieties of sugar cane in Formosa for the season 1929. Its Rep. no.58. 66 p. 2 pl. N.1931.

Rev. de Agr. (Piracicaba)

Piza, S. de T. jr.,

Sobre e mitose somatica do cafeeiro. Rev. de Agr. (Piracicaba) 7: 37-38. illus. Ja./F. 1932. no.1/2.

Rev. Zool. et Bot. Afr.

Duchesne, Fl.

Étude sur le bois du bongolu, Tylostemon corbisieri Robyns, lauracée du Congo Belge. Rev. Zool. et Bot. Afr. 21: 263-267. illus. Mr.15, 1932. no.3.

Wildeman, E. de.

Etudes sur des formes africaines du genre Triumfetta L. (tiliacées). Rev. Zool. et Bot. Afr. 21: 193-240. Mr.15, 1932. no.3.

Rhodesia Agr. Journ. (Salisbury)

Hopkins, J. C. F.

Seasonal notes on tobacco diseases. 3-4. Rhodesia Agr. Journ. 29: 202-204. Mr.1932. no.3.

3. Frog eye. 4. White mold.

Storey, H.H.

Leaf curl of tobacco in southern Rhodesia. Rhodesia Agr. Journ. 29: 186-192. Mr.1932. no.3.

Rhodora (Boston)

Hepting, G. H.

A list of New England rusts collected in 1931. Rhodora 34: 60-65. Ap. 1932. no.400.

Kelso, L.

A new Salix hybrid. Rhodora 34: 67. Ap. 1932. no.400.

Salix glaucops x petrophila.

Stebbins, G. L. jr.

Some interesting plants from the North Shore of the St. Lawrence. Rhodora 34: 66-67. Ap. 1932. no.400.

Tharp, B. C.

Tradescantia edwardisiana, nov.sp. Rhodora 34: 57-59. illus. Ap.1932. no.400.

Riv. Biol. (Milan)

Rivera, V.

Radiazione ambiente ed accrescimento nei vegetali. Riv. Biol. 13: 324-361. 1931.

Prospetto di interpretazione della influenza della gamma delle radiazioni conosciute sul ritmo di moltiplicazione cellulare.

Riv. Biol. (cont.)

Rivera, V.

Secondo contributo alla conoscenza della influenca dell'energia raggiante ambientale sull' accrescimento di piante terrestri e di neoplasmi vegetali. (Germinazioni schermate). Riv. Biol. 13: 236-320. illus. 1931.

Riv. Patol. Veg. (Pavia)

Corneli, E.

Sopra una grave alterazione della medica prodotta da Phyllosticta medicagnis Fuck. a Perugia. Riv. Patol. Veg. 22: 51-58. 1 pl. Mr./Ap.1932. no.3/4.

Passalacqua, T.

Marciume apicale secco del Capsicum annuum L. prodotto dal Bacillus coli-capsici, n.var. Riv. Patol. Veg. 22: 59-62. Mr./Ap.1932. no.3/4.

Science.

Drake, C.J., Harris, H.M. & Tate, H.D.

Insects as vectors of yellow dwarf of onions. Science 75: 341-342. Mr.25, 1932. no.1943.

Ezekiel, W.N. & Taubenhaus, J.J.

Leaf temperatures of cotton plants with Phymatotrichum root rot. Science 75: 391-392. Ap.8, 1932. no.1945.

Greene, H.C. & Gilbert, E.M.

A rapid method for obtaining single spore cultures of molds. Science 75: 388-389. Ap.8, 1932. no. 1945.

Mr. W. W. Ashe... Science 75: 375. Ap.8, 1932. no.1945.

Notice of death.

Portzger, J. E.

Succession of forests as indicated by fossil pollen from a northern Michigan bog. Science 75: 366. Ap.1, 1932. no.1944.

Schweiz. Obst.- u. Gartenb. Zeit. (Münsingen)

Osterwalder, A.

Erfahrungen bei der bekämpfung des schorfs und der schrotschusskrankheit im sommer 1931. Schweiz. Obst.- u. Gartenb. Zeit. 41: 120-130. Mr.19, 1932. no.6.

Staehelin, M.

Die diesjährigen schorfbekämpfungsversuche und ihr einfluss auf den lagerschorf. Schweiz. Obst. u. Gartenb. Zeit. 41: 141-145. illus. Mr.19, 1932. no.6.

Wiesmann, R.

Untersuchungen über den apfelschorfpilz. Fusicladium dendriticum Fckl. Schweiz. Obst.- u. Gartenb. Zeit. 41: 130-141. illus. Mr.19, 1932. no.6.

Sci. Bull. Union So. Afr. Dept. Agr.

McClean, A. P. D.

Bunchy top disease of the tomato. Sci. Bull. Union So. Afr. Dept. Agr. no.100. 28 p. 8 pl. on 4. 1931.

Sci. Papers Inst. Phys. & Chem. Res. (Tokyo)

Kotake, M. & Kimoto, Y.

Chemische untersuchungen in der saponinreihe. III. Ueber die sapogenine von Panax repens Maxim. und Aralia chinensis, L. var. Sci. Papers Inst. Phys. & Chem. Res. (Tokyo) 18: 83-96. pl.i-ii. Mr.1932. no.355/356.

Seed World (Chicago)

Gilbert, D. H.

A brief history of species and growth of the Crotalaria plant. Seed World 31(7): 14-15. illus. Ap.1, 1932. no.7.

Laude, H. H.

Two new varieties of wheat developed at Kansas experiment station. Seed World 31(7): 13. Ap.1, 1932. no.7.

Tenmarq, Kawvale.

The Shade Tree N.J.

Marshall, R. P.

Some experimental treatments of shade tree wounds. Shade Tree N.J. 5(3): [1-3.] Mr.1932.

Sierra Club Bull. (San Francisco)

Treat, P.J.

David Starr Jordan. Sierra Club Bull. 17: 43-48. port. F.1932. no. 1

Stain Techn.

Sass, J. E.

Acetone as a substitute for alcohol in microtechnic. Stain Techn. 7: 65-66. illus. Ap. 1932. no.2.

Wetmore, R. H.

The use of celloidin in botanical technic. Stain Techn. 7: 37-62. illus. Ap.1932. no.2.

Studia Citrol. Tanaka Citrus Exp. Stat. Japan.

Nambu, H.

The flowering habit and the fruit bud formation in Citrus. Studia Citrol. Tanaka Citrus Exp. Stat. Japan. 5: 21-32. pl. 1. D.1931. no.1.

Japanese with English summary.

Takahashi, K.

On the effect of potassium upon citrus fruits. Studia Citrol. Tanaka Citrus Exp. Stat. Japan. 5: 37-54. D.1931. no.1.

Japanese with English summary.

Takimoto, S.

Gummosis or brown rot disease of the kumquat. Studia Citrol. Tanaka Citrus Exp. Stat. Japan. 5: 55-60. D.1931. no.1.

Japanese with English summary.

Tanaka, T.

Citrus geography. Studia Citrol. Tanaka Citrus Exp. Stat. Japan 5: 89-102. D.1931. no.1.

Japanese.

Tanaka, T.

The discovery of Citrus tachibana in Formosa, and its scientific and industrial significance. Studia Citrol. Tanaka Citrus Exp. Stat. Japan 5: 1-20. illus. (map). D.1931. no.1.

Japanese with English summary.

Texas Citricult.

Fawcett, H. W.

Some citrus diseases. Texas Citricult. 8(10): 6, 14. Ap.1932. no.10.

Psorosis, decorticosis (shell bark) of lemons, brown rot gummosis, wood decay.

Trans. Suffolk Nat. Soc.

Suffolk naturalists' society.

Report... upon the progress of the Dutch elm disease in Suffolk. Its Trans. 1: 219-220. D.1931. no.3.

Trop. Agr.

Murray, R. K. S.

Diseases of rubber in Ceylon, 1931. Trop. Agr. 78: 86-88. F.1932. no.2.

Murray, R. K. S.

The influence of Oidium and sulphur dusting on yield and bark renewal. Trop. Agr. 78: 89-98. 2 pl. (diagrs.) F.1932. no.2.

Park, M.

Fungus diseases and green manuring. Trop. Agr. 78: 67-82. F.1932. No. 2.

Trop. Agriculture West Indies (Trinidad)

Briant, A. K.

Tomato diseases in Trinidad (concl.) Fruit diseases of tomatoes. Trop. Agriculture West Indies 9: 101-105. Ap.1932. no.4.

Wallace, G. B.

Coffee bean disease. Relation of Nematospora gossypii to the disease. (cont.) Trop. Agriculture West Indies 9: 127. Ap.1932. no.4.

U.S. Dept. Agr. Circ.

Darrow, G.M. & Waldo, G. F.

The Brainerd blackberry. U.S. Dept. Agr. Circ. 220. 4 p. illus. Mr.1932.

U.S. Dept. Agr. Techn. Bull.

Cook, O. F.

Cotton improvement through type selection with special reference to the Acala variety. U.S. Dept. Agr. Techn. Bull. 302. 62 p. 26 pl. on 14. Mr. 1932.

Zeitschr. Indukt. Abstamm. u. Vererbungsl. (Leipzig)

Kattermann, G.

Genetische beobachtungen und zytologische untersuchungen an der nachkommenschaft einer gattungskreuzung. I. Genetische beobachtungen. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 60: 152-206. illus. 1932. no.2/3.

Shull, G. H.

An "egg lethal" associated with the pervirens factor in Oenothera lamarckanaia. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 60: 219-234. illus. 1932. no.2/3.

Zeitschr. Wiss. Mikros. (Leipzig)

Griebel, C.

Azetaldehyddampf als fixierungsmittel für katechingerbstoffe in der botanischen histologie. Zeitschr. Wiss. Mikros. 48: 466-473. Mr.1932. no.4.

Zool. Bidr. Uppsala.

Melin, D.

Contributions to the study of the theory of selection I. Zool. Bidr. Uppsala 13: 87-104. illus. 1931.

No. 1 deals with myrmecophytic plants, particularly with Tococa.

Exper. Stat. Publ.

Hamilton, J. M.

Recent investigations on the control of apple scab in the Hudson Valley. Cornell Agr. Exp. Stat. Bull. 604. 44 p. F.1932.

Wessels, P. H.

Soil-acidity studies with potatoes, cauliflower, and other vegetables on Long Island. Cornell Agr. Exp. Stat. Bull. 536. 42 p. illus. Ja. 1932.

Weber, G. F.

Diseases of peppers in Florida. Florida Agr. Exp. Stat. Bull. 244. 46 p. illus. Mr. 1932.

Exper. Stat. Publ. (cont.)

Georgia agricultural experiment station.
Botany. In its Ann. Rep. 44(1931): 33-36. col.pl. [1932?]
B.B. Higgins botanist.
On plant diseases.

Dutton, W. C.
Spray injury studies. I-II. Michigan Agr. Exp. Stat. Spec. Bull. 218. 68 p. 16 pl. on 8, (3 col.); no.219. 38 p. illus. Ja., F. 1932.
I. Injuries from summer applications on apples. II. Secondary effects of spray injury to apple foliage.

Strong, M. C.
Tomato diseases in Michigan. Michigan Agr. Exp. Stat. Circ. Bull. 139. 23 p. illus. F.1932.

Leonian, L. H.
The pathogenicity and the variability of Fusarium moniliforme from corn. West Virginia Agr. Exp. Stat. Bull. 248. 16 p. illus. Mr.1932.

Schneiderhan, F. J.
Instant Bordeaux. West Virginia Agr. Exp. Stat. Circ. 60. 8 p. illus. Mr.1932.

State Publications.

Jehle, R. A. & Sanders, P. D.
Potato production at lower costs by disease and insect control. Univ. Maryland Ext. Serv. Bull. 58. 21 p. illus. S.1931(Recd Mr.1932)

Pelton, W. C.
Spray programs for fruit trees and grapes. Tennessee Agr. Ext. Serv. Publ. 113, rev. 14 p. illus. F.1931.

New Books.

American association of nurserymen.
Report of the Committee on botanical gardens and arboretums. [n.p.] Jl. 1931.
R. Pyle, chairman.

Bruce, E.L., Co., Memphis, Tenn.
...Protection to forest products against attacks by termites and rot fungi. Memphis, 1931.

New Books (cont.)

Bukasov, S. M.

Vozdelyvaemye rasteni͡ia Meksiiki, Gvatemaly i Kolumbii (The cultivated plants of Mexico, Guatemala and Colombia). Leningrad, 1930. (Prilozh. Trudy Prikl. Bot., Gen. i Selek. (Suppl. Bull. Appl. Bot., Gen & Plant-breed.) No.47).

Russian with English summary.

Congres international d'agriculture tropicale, 5., Anvers, 1930.

[Rapports] Bruxelles, [1931?]

Domin, K.

The Pteridophyta of the Island of Dominica, with notes on various ferns from tropical America. Praha, 1929(Rozpr. K. Ceska Spol. Nauk Tr. Math.-Priod. (Mem. R. Czech Soc. Sci., Div. Nat. Hist. & Math. Sci.) n.s., no.2)

Druce, G. C.

The comital flora of the British Isles. Arbroath, T. Buncle & Co., 1932.

Faris, J. T.

Old gardens in and about Philadelphia and those who made them. Indianapolis, Bobbs-Merrill, 1932.

Jaczewski, A. A.

Opredelitel gribov. Sovershennye griby (diploidnye stadii) (Determination of fungi. Perfect fungi (diploid species). Moskva, Leningrad, Gosudarstvennoe izdatel'stvo sel' skokhozi͡aĭstevennoĭ i kolkhoznokooperativnoĭ literaury, 1931.

Russia.

Vol. 1 Fikomitsety (Phycomycetes).

Kihara, H., Yamamoto, Y & Hosono, S.

A list of chromosome-numbers of plants cultivated in Japan. Yokendo, Tokyo, 1931.

Reprinted from Skokubutsu senshokutaisû no kenkyû (Studies on chromosome-numbers in plants)

New Books. (cont.)

Kittredge, E. M.
Ferns and flowering plants of Woodstock, Vermont. Woodstock, Elm tree press, 1931.

Lewis, G. G.
The book of roses. Boston, R. G. Badger, 1931.
Diseases: p.60-66.

Nord, F. F. & Weidenhagen, R., eds.
Ergebnisse der enzymforschung. v.1. Leipzig, Akademische verlagsgesellschaft M.B.H., 1932.

Old an new plant lore: a symposium. Smithson. Sci. Ser. v.11. 390 p. illus., plates (pt.col.) 1931.
The world of plants, by A.S. Hitchcock - Systematic botany: its development and contacts, by W.R. Maxon - Grass, by A.S. Hitchcock & A. Chase. - Deserts and their plants, by D.T. MacDougal. - The dependence of plants on radiant energy, by E.S. Johnston. - Maize, the plant-breeding achievement of the American Indian, by J.H.Kempton. - Botanical exploration in South America, by E.P.Killip.

Robbins, W.W.
The botany of crop plants. 3d ed., rev. Philadelphia, P. Blakiston's son & Co., 1931.

Thorold, C. A.
A further preliminary list of Trinidad fungi, by C.A. Thorold. Trinidad, Printed by the Government printer, 1931.

Troup, R. S.
Exotic forest trees in the British Empire. Oxford, Clarendon press, 1932.

Uphof, J. C. Th.
Die vegetation der Niederlande. In Karsten, G. Vegetationsbilder r.22, h.7. pl.37-42. 1932.

Wagener, H.
Beiträge zur kenntnis von Heracleum sphondylium und Anthriscus silvestris als wiesenunkräutern. Jena, 1931.
Inaug.-diss. Thür. Landesuniv. Jena.

BOTANY
CURRENT LITERATURE

LIBR
REC
★ MAY
U. S.

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY.
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

Vol.14, no. 8. Apr.11-23, 1932.

Acta Hort. Berg. (Stockholm)
Fries, R. E.
Revision der arten einiger anonaceen-gattungen. I-II. Acta Horti Berg. v.10. 341 p. illus. 33 pl. 1931.

Agric. Colon. (Firenze)
Fenaroli, L.
Notizie sulla palma da olio (Elaeis guineensis) e la sua coltivazione nell'Africa Occidentale Portoghese (Angola). Agric. Colon. (Firenze) 26: 112-125. illus. Mr.1932. no.3.

Agr. Prat. Pays Chauds (Paris)
Costantin, J.
Technique de la lutte contre des maladies de dégénérescence. (Perfectionnements, importance pour l'agronomie coloniale). Agr. Prat. Pays Chauds 3: 241-250. illus. Ap.1932. no.22.

O Agricultor (Lavras, Minas Geraes)
Fagundes, N. B.
A melanose das citraceas. O Agricultor (Lavras, Minas, Geraes) 11(3): 11. Mr.1932.

Amer. Bot. (Indianapolis, Ind.)
Benke, H. C.
Floristics of a young lake. Amer. Bot. 38: 74-79. Ap.1932. no.2.
Artificial lake created several miles west of Ringwood, McHenry Co., Ill., called Wonder Lake.

Clute, W. N.
The meaning of plant names. L. The evening primrose family. Amer. Bot. 38: 66-74. Ap. 1932. no.2.

Frost flowers all winter. Amer. Bot. 38: 93-94. Ap. 1932. no.2.

Amer. Bot. (cont.)

Goodwin, L. E.
The stickleaf. Amer. Bot. 38: 80-81. Ap. 1932. no.2.
Mentzelia ornata.

Williams, C. R.
Limits of Lilium catesbaei. Amer. Bot. 38: 81-83. Ap.1932. no.2.

Amer. Fern Journ.

Alston, A. H. G.
Osmunda regalis var. spectabilis (Willd.) A. Gray. Amer. Fern Journ. 22: 23-24. Ja./Mr. 1932. no.1.

Benedict, R. C.
Is the American royal fern specifically distinct from a European species? Amer. Fern Journ. 22: 24-25. Ja./Mr. 1932. no.1.

Ching, R. C.
The genus Lomagramma in America. Amer. Fern Journ. 22: 15-18. Ja./Mr.1932. no.1.

Hanna, L. A.
Distribution of the ferns of Wyoming. Amer. Fern Journ. 22: 1-11. Ja./Mr.1932. no.1.

Little, E. L. jr.
Asplenium pinnatifidum Nutt. in Oklahoma. Amer. Fern Journ. 22: 23. Ja./Mr. 1932. no.1.

Maxon, W. R.
New tropical American ferns. IX. Amer. Fern Journ. 22: 11-15. Ja./Mr. 1932. no.1.
Elaphoglossum nematorhizon, Adiantopsis aspleioides n.spp.

Morton, C. V.
Geobel's "Roraima ferns". Amer. Fern Journ. 22: 19-23. Ja./Mr. 1932. no.1.
Archegoniatenstudien XVIII. Roraimafarne, von K. Geobel. Flora, n.s.,24: 1-37. 1929.

Amer. Fern Journ. (cont.)
Schaffner, J. H.
Snails feed on ripening cones of Equisetum. Amer. Fern Journ. 22: 25. Ja./Mr. 1932. no.1.

Amer. Fruit Grow. (Chicago)
Brown, W. S.
Influence of wounds upon wood growth. Amer. Fruit Grow. 52(3): 14-15, 25. Mr. 1932. no.3.

Ann. Ecole Nat. Agr. Montpellier.
Kuhnholtz, G.
Etude phytosociologique. In L'enseignement de la forêt de Valbonne. Ann. Ecole Nat. Agr. Montpellier n.s., 21: 112-160. [1932] no.2/4.

Ann. Missouri Bot. Gard. (St. Louis)
Fuller, H. J.
The injurious effects of ultra-violet and infra-red radiations on plants. Ann Missouri Bot. Gard. 19: 79-84. pl.3. F.1932. no.1.
Experiments with bean and tomato.

Goodman, G. J.
A new scapose Draba from Utah. Ann. Missouri Bot. Gard. 19: 77-78. F.1932. no.1.
Draba subalpina.

Hottes, C. F.
The contributions to botany of Julius von Sachs. Ann. Missouri Bot. Gard. 19: 15-29. pl.2. F. 1932. no.1.

Julius von Sachs. Ann. Missouri Bot. Gard. 19: 1. port. F.1932. no.1.

MacDougal, D. T.
A half century of plant physiology. Ann. Missouri Bot. Gard. 19: 31-43. F.1932. no.1.

Reynolds, E. S.
Plant physiology as Sachs found it. Ann. Missouri Bot. Gard. 19: 3-14. F.1932. no.1.

Steyermark, J. A.
A revision of the genus Menodora. Ann. Missouri Bot. Gard. 19: 87-160. illus., pl.4-11. F.1932. no.1.

Ann. Missouri Bot. Gard. (cont.)

Woodson, R. E. jr.

New or otherwise noteworthy Apocynaceae of tropical America. Ann. Missouri Bot. Gard. 19: 45-76. F.1932. no.1.

Allomarkgrafia, Asketanthera, Fernaldia, Galactophora, nov.gen.

Ann. Rep. Conserv. Dept. N.Y.

Muenscher, W. C.

Aquatic vegetation of the St. Lawrence watershed including the Grass, St. Regis, Salmon, Chateaugay systems and the St. Lawrence between Ogdensburg and the international boundary. In A biological survey of the St. Lawrence watershed. Ann. Rep. Conserv. Dept. N.Y. 20(Suppl.): 121-144. illus. (incl. maps). 1931.

Vegetation of lakes and streams; principal areas of aquatic vegetation; plants used for food by wild ducks; list of the larger aquatic plants.

Muenscher, W. C.

Plankton studies in some northern Adirondack lakes. In A biological survey of the St. Lawrence watershed. Ann. Rep. Conserv. Dept. N.Y. 20 (Suppl.): 145-160. 1931.

New York conservation dept.

White pine blister rust investigations. Its Ann. Rep. 21(1931): 160-163. 1932.

Annuario R. Staz. Chim. - Agr. Torino.

Bottini, E.

Sulla conservazione frigorifera della uve da tavola. Annuario R.Staz. Chim. - Agr. Torino. 11: 307-331. illus. tab. 1931.

Scurti, F. & Zavanaju, Z.

Sugli scambi gassosi della frutta esperienze eseguite sulle arance, sulle-pesche e sull'uva. Annuario R. Staz. Chim. - Agr. Torino 11: 333-371. 1931.

Scurti, F. & Pavarino, G. L.

Sui fenomeni di stopposità che accompagnano il male raggiante nelle pesche refrigerate. Annuario R. Staz. Chim. - Agr. Torino 11: 11-29. 11 col.pl. 1931.

Annuario R. Staz. Chim. - Agr. Torino. (cont.)

Scurti, F. & Pavarino, G. L.

Sulle macchie brune che compaiono nella polpa delle frutta refrigerate. Annuario R. Staz. Chim. - Agr. Torino 11: 629-646. 6 col. pl. 1931.

Arb. Landwirtschaftskam. Hessen. (Darmstadt)

Ihne, E.

Phaenologische mitteilungen jahrgang 1930. Arb. Landwirtschaftskam. Hessen no.49. 35 p. 1932.

Arch. Rubbercult. Nederl.-Indië (Batavia, Java)

Frey-Wyssling, A., Heusser, C. & Ostendorf, F. W.

Het identificeeren van Hevea-cloonen op jeugdigen leeftijd. (Identification of young buddings of Hevea). Arch. Rubbercult. Nederl.-Indië. 16: 1-99. illus., L pl. on 22, fold.tables F.1932. no.1.

English translation: p.54-99.

Introduction by C. Heusser. I. Comparative morphology of young Hevea shoots by A. Frey-Wyssling & F.W. Ostendorf. II. Description of 15 Avros clones... by A. Frey-Wyssling & C. Heusser. III. Description of nine Java clones by F.W. Ostendorf.

Bergcultures. (Batavia, Java)

Koolhaas, D. R. & Boedijn, K. B.

De "theeschimmel" in Nederlandsch-Indië. (Voorloopige mededeeling). Bergcultures 6: 299-303. Mr.19, 1932. no.12.

Ber. Deut. Bot. Ges. (Berlin)

Dammann, H.

Beitrag zur kenntnis der zentralzellen der gattung Ceramium. Ber. Deut. Bot. Ges. 50: 68-72. pl. iii. Mr.29, 1932. no.2.

Dörries, W.

Ueber ein laubblatt-spektroskop. Ber. Deut. Bot. Ges. 50: 47-52. illus., pl.ii. Mr.29, 1932. no.2.

Kolkwitz, R.

Tropische algenbestande und ihre entwicklungsbedingungen. Ber. Deut. Bot. Ges. 50: 59-67. Mr.29, 1932. no.2.

Ber. Deut. Bot. Ges. (cont.)

Röben, M. & Dörries, W.

Einige versuche über den einfluss von schwefliger säure auf Elodea canadensis. Ber. Deut. Bot. Ges. 50: 53-58. Mr.29,1932. no.2.

Widder, F. J.

Die alpinen Erigeron-sippen der Koralpe. Ber. Deut. Bot. Ges. 50: 73-86. pl.iv-v. Mr.29, 1932. no.2.

Biochem. Journ. (London)

Daoud, K. M.

The reserve polysaccharide of the seeds of fenugreek: its digestibility and its fate during germination. Biochem. Journ. 26: 255-263. 1932. no.1.

Trigonella foenum-graecum.

Hopkins, S. J. & Chibnall, A. C.

Growth of Aspergillus versicolor on higher paraffins. Biochem. Journ. 26: 132-142. 1932. no.1.

Smith, J. A. B. & Chibnall, A. C.

The glyceride fatty acids of forage grasses. I. Cocksfoot and perennial ryegrass. Biochem. Journ. 26: 218-234. 1932. no.1.

Blue Anchor. (Sacramento, Cal.)

Overholzer, E. L., Claypool, L. L. & Overley, F. L.

Cork or drought spot in d'Anjou pears. Blue Anchor. 9(4): 8, 27-28. illus. Ap.1932.

Boll. R. Staz. Patol. Veg. Roma (Firenze)

Curzi, M.

Studi su lo Sclerotium rolfsii. Boll. R. Staz. Patol. Veg. Roma n.s., 11: 306-373. illus., pl. vi-xiv. 1931. no.4.

Sibilia, C.

Alcune notizie sulla bianconatura del grano. Boll. R. Staz. Patol. Veg. Roma n.s., 11: 375-379. 1931. no.4.

Sibilia, C.

Una fasciazione di Rosa. Boll. R. Staz. Patol. Veg. Roma n.s., 11: 293-305. illus. 1931. no.4.

Bot. Mag. Tokyo.

Handa, T.

Ueber die sukzessiven holzbastringe von Pueraria triloba, Makino und Wistaria floribunda, D.C. Bot. Mag. Tokyo 46: 13-22. illus. Ja. 1932. no.541.

In Japanese with German summary: p.22.

Hayata, B.

The Taxodiaceae should be divided into several distinct families, i.e., the Limnopityaceae, Cryptomeriaceae, Taiwaniaceae and the Cunninghamiaceae; and further Tetraclinis should represent a distinct family, the Tetraclinaceae. Bot. Mag. Tokyo 46: 24-27. Ja. 1932. no.541.

Japanese with Latin diagnoses of families.

Honda, M.

Nuntia ad floram Japoniae XV. Bot. Mag. Tokyo 46: 1-3. Ja.1932. no.541.

Masamune, G.

A list of the endemic genera of Japanese plants. Bot. Mag. Tokyo 46: 101-102. F.1932. no.542.

In Japanese.

Nakai, T.

Notulae ad plantas Japoniae & Koreae XLI. Bot. Mag. Tokyo 46: 37-67. F.1932. no.542.

Satô, M.

Chromosome studies in Lilium. I. Bot. Mag. Tokyo 46: 68-88. illus. F.1932. no.542.

Yuasa, A.

Studies in the cytology of Pteridophyta. I. On the spermatozoid of Pteris cretica L. var. albolineata, Hk. Bot. Mag. Tokyo 46: 4-12. illus. Ja.1932. no.541.

Bot. Not. (Lund, Sweden)

Dahlstedt, H. & Borgvall, T.

En ny Taraxacum-art av gruppen Erythrosperma. Bot. Not. 1932: 63-66. illus. no.1/2.

T. ruberulum.

Bot. Not. (cont.)

Erman, C.
Ljusfaktorns betydelse för fördelningen av bokskogens vegetation. Bot. Not. 1932: 67-80. illus. no.1/2.

Fries, E. Th.
Några färgvarieteter i Gotlands flora. Bot. Not. 1932: 101-104. no. 1/2.

Gertz, O.
Jakob Eriksson. Bot. Not. 1932: 137-141. port. no.1/2.

Heribert Nilsson, N.
Birger Kajanus. Bot. Not. 1932: 142-146. port. no.1/2.
Notice of death.

Heribert-Nilsson, N.
Salix cinereas förekomst i sydöstra Sverige. Bot. Not. 1932: 22-32. no.1/2.

Hylander, N.
Några fynd av sällsyntare växter, huvudsakligen antropokorer, i Östergötland. Bot. Not. 1932: 94-100. no.1/2.

Malme, G. O. A.
Lavar från Dalarnes silurområde. (Lichenes in regione silurica Delecarliae lecti). Bot. Not. 1932: 105-122. no.1/2.

Norlindh, T.
Beiträge zur kenntnis der flora von Süd-Rhodesia. I. Bot. Not. 1932: 1-21. illus. no.1/2.

Persson, H.
Några för Sverige nya eller anmärkningsvärda mossor jämte ett par ord om det bicentriska problemet. Bot. Not. 1932: 81-93. no.1/2.

Rasmusson, J.
Några undersökningar över Beta maritima L. Bot. Not. 1932: 33-62. illus. no.1/2.
English summary: p.61.

Broteria Cienc. Nat.
Rick, J.
Monographia pezizinearum riograndensium. (cont.) Broteria Cienc. Nat. 1: 35-46. Mr.1, 1932. no.1.
Mollisia laeta, M. brasiliensis, Pirottaea bromeliacearum, Orbilia caesia, O. (Myriella) chlorina n.spp.

Bull. Assoc. Intern. Sélect. Plant. (Gembloux)
Papadakis, J.
Project of an international map of wheat climates. Bull. Assoc. Intern. Sélect. Plant. 4: 79-97. illus., map. Mr.1931. no.1.
German and French summaries: p.92-97.

Papadakis, J.
A study of the effect of temperature conditions during early growth upon relative earliness and earing of spring wheats. Cold as positive factor of wheat yield. Bull. Assoc. Intern. Sélect. Plant. 4: 98-105. Mr.1931. no.1.
German and French summaries: pl.102-105.

Bull. Econ. Indochine Sect. B.
Pasquier, R. du
Desmodium ovalifolium, plante de couverture. Bull. Econ. Indochine Sect.B. 34: 1093B-1101B. illus., 5 pl. (2 col.) D.1931(Rec'd Ap.1932)

Bull. Misc. Inform. Kew. (London)
Fischer, C.E.C.
Contributions to the flora of Burma. X. Bull. Misc. Inform. Kew 1932: 103-106.

Fischer, C.E.C.
The Koenig collection in the Lund Herbarium. Bull. Misc. Inform. Kew 1932: 49-76.

Hill, A. W.
New species of Nototriche from Bolivia. Bull. Misc. Inform. Kew 1932: 77-80.
N.leucosphaera, N. caoctilio, N. nivea, N. violacea, n.spp., N. obcuneata cinerea, N. anthemidifolia sericea, n.var.

Bull. Misc. Inform. Kew. (cont.)

Hoyle, A. C.

Chidlowia, a new tree genus of Caesalpiniaceae from west tropical Africa. Bull. Misc. Inform. Kew 1932: 101-103. illus., pl.

C. sanguinea.

Kew. Royal gardens.

Tropical African plants. IX. Bull. Misc. Inform. Kew 1932: 94-100. illus.

The late Mr. Ledger's collection of succulent plants. Bull. Misc. Inform. Kew 1932: 112.

Walter E. Ledger, who died Dec.11, 1931.

Sprague, T. A. & Sandwith, N.Y.

Contributions to the flora of tropical America. X. New and noteworthy Bignoniaceae from British Guiana, mainly collected by the Oxford University expedition, 1929. Bull.Misc. Inform. Kew. 1932: 81-93.

Bull. Soc. Chim. Biol. (Paris)

Bridel, M. & Bourdouil, Mlle. C.

Sur l'évolution des glucides au cours de la formation de la graine de deux variétés de pois. Bull. Soc. Chim. Biol. 14: 214-223. F.1932. no.2.

Gillot, P. & Violand, H.

Sur la présence du tormentol dans quelques espèces du genre Potentilla L. Bull. Soc. Chim. Biol. 14: 313-316. F.1932. no.2.

Bull. Soc. Nat. Acclim. France (Paris)

Clément-Marot, A.

Quatre plantes de Grèce a floraison automnale. Nouvelles descriptions, floraison, culture, iconographie. Bull. Soc. Nat. Acclim. France 70: 124-128. Mr.1932. no.3.

Galanthus olgae, Iris cretensis, Crocus cretensis, C. laevigatus.

Bull. Torr. Club.

Buchholz, J. T., Doak, C. C. & Blakeslee, A. F.

Control of gametophytic selection in Datura through shortening and splicing of styles. Bull. Torr. Club 59: 109-118. illus. Mr.1932. no.3.

Bull. Torr. Club. (cont.)

Lindegren, C. C.

The genetics of Neurospora. II. Segregation of the sex factors in asci of N. crassa, N. sitophila, and N. tetrasperma. Bull. Torr. Club 59: 119-138. illus. Mr.1932. no.3.

Moldenke, H. N.

A discussion of tautonyms. Bull. Torr. Club. 59: 139-156. Mr.1932. no.3.

Bull. U.S. Golf Assoc. Green Sect. (Washington, D.C.)

When is a bent grass a creeping bent? Bull. U.S. Golf Assoc. Green Sect. 12: 37-38. F.1932.

Creeping bent (Agrostis palustris)

Cactus & Succ. Journ. (Los Angeles)

Backeberg, C.

The objects of my travels and my theory of cactus distribution. Cactus & Succ. Journ. 3: 165-167. Ap.1932. no.10.

Translation by James West.

Cronkhite, M.

Plant records and labels. Cactus & Succ. Journ. 3: 162-163. illus. Ap.1932. no.10.

Houghton, A. D.

Recapitulation theory. Cactus & Succ. Journ. 3: 168-169. Ap.1932. no.10.

Walther, E.

Crassula columnaris Thunbg. Cactus & Succ. Journ. 3:158. illus. Ap.1932. no.10.

White, A. & Sloane, B. L.

The Stapelieae. 8. Stapelia (The Orbea section). Cactus & Succ. Journ. 3: 159-162. illus. Ap.1932. no.10.

Calavo News (Los Angeles)

Coit, J. E.

Asphyxiation of avocado trees. Calavo News 6: 16. Ja./Mr.1932. no.1/2.

Caused by surface soil becoming filled with free water, temporarily shutting off the supply of air from the lower roots.

La Cellule (Lierre, Belgium)

Martens, P.

Phénomènes culticulaires et phénomènes osmotiques dans les poils staminaux de Tradescantia. La Cellule 41: 15-48. ii pl. 1931.

Weier, T. E.

A study of the moss plastid after fixation by mitochondrial, osmium and silver techniques. II. The plastid during spermatogenesis in Polytrichum commune and Catharinaea undulata. La Cellule 41: 51-84. iii pl. 1931. no.1.

Citrus Indust. (Tampa, Fla.)

Lord, E. L.

Calcium requirements of citrus. Citrus Indust. 13(4): 6-7, 22. Ap. 1932. no.4.

Compt. Rend. Acad. Sci. Paris.

Davy de Virville, A.

La répartition des lichens à l'ile de Cézembre. Compt. Rend. Acad. Sci. Paris 194: 1180-1182. Ap.4, 1932. no.14.

Gard, M.

Gels d'automne, diastases oxydantes et dépérissement de plantes en pleine végétation. Compt. Rend. Acad. Sci. Paris 194: 1184-1187. Ap.4, 1932. no.14.

George, L.

Sur l'origine des Gnétales. Compt. Rend. Acad. Sci. Paris 194: 1090-1092. Mr.21, 1932. no.12.

Heim, R.

La formation des spores chez les Podaxon. Compt. Rend. Acad. Sci. Paris 194: 1182-1184. illus. Ap.4, 1932. no.14.

Hérissey, H. & Laforest, J.

Sur un hétéroside extrait du laurier de Portugal, Cerasus lusitanica Lois. Compt. Rend. Acad.Sci. Paris 194: 1095-1097. Mr.21, 1932. no.12.

Lusitanicoside.

Montet, D.

L'action de la radioactivité sur la germination des bulbes. Compt. Rend. Acad. Sci. Paris 194: 1093-1095. Mr.21, 1932. no.12.

Tulip, hyacinth.

Compt. Rend. Acad. Sci. Paris (cont.)

Popesco, C. T.
Effets d'un nouveau système de greffage chez le Lycium vulgare placé sur la tomate. Compt. Rend. Acad. Sci. Paris 194: 1129-1131. illus. Mr.29, 1932. no.13.

Simonnet, H. & Tanket, G.
Sur quelques propriétés physiologiques de la nériine et des autres principes immédiats du laurier-rose. Compt. Rend. Acad. Sci. Paris 194: 1099-1101. Mr.21, 1932. no.12.

Compt. Rend. Soc. Phys. & Hist. Nat. Genève.

Schopfer, W. H.
Sur une séparation physiologique des phénomènes de la croissance de ceux de la sexualité chez un champignon (Phycomyces). Compt. Rend. Soc. Phys. & Hist. Nat. Geneve 48: 152-154. 1931.

Schopfer, W. H.
Sur une technique nouvelle de préparation et de montage des zygotes de mucorinees. Compt. Rend. Soc. Phys. & Hist. Nat. Genève 48: 151-152. 1931.

Deut. Landw. Presse (Berlin)

Chappuzeau, B.
Untersuchungen über wirtschaftliche massnahmen des getreidebaues bei früh eintretetenden hagelschaden. Deut. Landw. Presse 59: 156-157, 170. illus. Mr.26,Ap.2, 1932. no.13,14.

Faserforsch. (Leipzig)

Bredemann, G. & Meyer, H.
Ueber die blattstielfasern von Amorphophallus titanum Beçc. Faserforsch. 9: 285-291. illus., 1 pl. Mr.15, 1932. no.4.

Sakostschikoff, A. P. & Korsheniovsky, G. A.
Der entwicklungsgang des baumwollhaares. Faserforsch. 9: 249-284. illus., pl. i-iii. Mr.15, 1932. no.4.

Flor. Exch. (N.Y.)

McFarland, J. H., Hottes, A. F. & Pyle, R.
Why a new edition of "Standardized plant names?" Flor. Exch. 79(16): 27, 31. Ap. 16, 1932.

Forstw. Centralbl. (Berlin)

Lautenbach, F.

Probleme des baumlebens. Eine hypothetische betrachtung. Forstw. Centralbl. 54: 192-206. illus. Mr.15, 1932. no.6.

Fortschr. Landw.(Vienna)

Eichinger, A.

Kartoffelschorf und düngung. Fortschr. Landw. 7: 193-195. Ap.1, 1932. no.7.

Hubert, K.

Beobachtungen über die verbretung des gelbrostes bei künstlichen feldinfektionen. Fortschr. Landw. 7: 195-198. illus. Ap.1, 1932. no.7.

Fruit World Australasia (Melbourne)

Water blister of pineapples. Soft rot caused by Thielaviopsis paradoxa. Fruit World Australasia (Melbourne) 33: 141. illus. Mr.1, 1932. no.3.

Gard. Chron. (London)

Brown, N. E.

Mesembryanthemum. (cont.) Apatesia. Gard. Chron. III, 91: 262-263. illus. Ap.2, 1932. no.2362.

Elliott, C.

Juniperus communis var. compressa. Gard. Chron. III, 91: 258. Ap.2, 1932. no.2362.

Friend, H.

Corsican plant lore. VIII. Economics of the maquis. Gard.Chron. III, 91: 274. Ap.9, 1932. no.2363.

McIntosh, T. P.

The origin of the potato. Gard. Chron. III, 91: 279-280. Ap.9, 1932. no.2363.

Nicholson, C.

The mistleto and its hosts. Gard. Chron. III, 91: 259. Ap.2, 1932. no.2362.

Popenoe, W.

The rambutan in Central America. Gard. Chron. III, 91:275. illus. (p.271) Ap.9, 1932. no.2363.

Nephelium lappaceum.

Gard. Chron. (cont.)

Ward, F.K.
Mr. F. Kingdon Ward's eleventh expedition in Asia. I- Gard.Chron. III,91:256-266. illus. Ap.2, 1932. no.2362.

Wilkie, D.
Omphalogramma vinciflorum. Gard. Chron. III, 91: 276. Ap.9, 1932. no.2363.
Communication also by R.B. Smith.

Wilson, G. F.
Bulbs, corms and tubers. In his "Garden pests: their detection and control". Gard. Chron. III, 91: 278-279. illus. Ap.9, 1932. no.2363.
Nematode diseases.

Gard. Illus. (London)

Giuseppi, P.L.
Some Greek mountains. Gard. Illus. 54: 214-216. illus. Ap.9, 1932. no.2770.

Gartenz. (Wien)

Nowak, J.
Champignonkultur zum eigenbedarf und als gärtnerischer nebenbetrieb. Gartenz. (Wien) 1932: 37-39. illus. Mr.1932. no.3.

Gartn.-Tid. (København)

Østergaard, J.
Gasforgiftning af gadetraeer og foranstaltninger til at forhindre dette. Gartn.-Tid. 48: 198-202. Mr.29, 1932. no.13.

Helvetica Chim. Acta (Basel)

Zetzsche, F. & Bähler, M.
Untersuchungen über den kork. V-VII. Helv.Chim. Acta 14: 846-849, 849-851, 852-856. 1931. no.4.

Hoppe-Seyl. Zeitschr. Phys. Chem. (Berlin)

Kuhn, R. & Brockmann, H.
Bestimmung von carotinoiden. Hoppe-Seyl. Zeitschr. Phys. Chem. 206: 41-64. illus. Mr.18, 1932. no.1/3.

Japan. Journ. Genetics.

Hagiwara, T.
Genetico-physiological studies on the seed-colour of Japanese morning glory. Japan. Journ. Genetics 7: 1-16. 1931.
In Japanese.

Japan. Journ. Genetics. (cont.)

Hirata, K.
Heredity of intersexuality in hemp. Japan. Journ. Genetics 7: 103-105. 1931. no.1/2.
In Japanese with English summary: p.105.

Hirata, K. & Yamamoto, K.
On the occurrence of female intersexual plants in Spinacea and Melandrium. Japan. Journ. Genetics. 7: 106-107. 1931. no.1/2.
In Japanese with English summary: p.107.

Kanda, T.
The inheritance of seed-coat colouring in the water-melon. Japan. Journ. Genetics 7: 30-48. pl. 1931.
In Japanese; English summary: p.46-48.

Nishiyama, I.
The genetics and cytology of certain cereals. II. Karyo-genetic studies of fatuoid oats with special reference to their origin. Japan. Journ. Genetics 7: 49-102. illus., pl.ii-iii. 1931.no.1/2.

Tomita, K.
Ueber die entwicklung des nackten embryos von Crinum latifolium L. Japan. Journ. Genetics 7: 24-29. 1931. no.1/2.
In Japanese.

Wakakuwa, S.
A karyological study on the triploid hybrid of the genus Celosia (Preliminary report). Japan. Journ. Genetics 7: 17-23. 1931.no.1/2.
In Japanese with English summary: p.22.

Journ. Agr. Res. (Washington, D.C.)

Jones, L. H.
The effect of environment on the nematode of the tomato gall. Journ. Agr. Res. 44: 275-285. illus. F.1, 1932. no.3.

Kearney, T.H. & Harrison, G.J.
Pollen antagonism in cotton. Journ. Agr. Res. 44: 191-226. illus. F.1, 1932. no.3.

Journ. Agr. Res. (cont.)

Shirley, H. L.

Light intensity in relation to plant growth in a virgin Norway pine forest. Journ. Agr. Res. 44: 227-244. illus. F.1, 1932. no.3.

Journ. Arnold Arb. (Cambridge, Mass.)

Ames, O.

Contribution to the flora of the New Hebrides and Santa Cruz Islands. Orchids collected by S.F. Kajewski in 1928 and 1929. Journ. Arnold Arb. 13: 127-141. Ap.1932. no.2.

Ames, O.

A new genus of the Orchidaceae from the New Hebrides. Journ. Arnold Arb. 13: 142-144. Ap. 1932. no.2.

Trichochilus, T. neo-ebudicus.

Anderson, E. & Diehl, D. G.

Contributions to the Tradescantia problem. Journ. Arnold Arb. 13: 213-231. illus., pl.45. Ap. 1932. no.2.

Blakely, W. F.

A previously undescribed variety of Loranthus vitellinus F. v. Muell. from north Queensland. Journ. Arnold Arb. 13: 298. Ap.1932. no.2.

L. vitellinus inflata.

Chester, K. S.

A comparative study of three Phytophthora diseases of lilac and of their pathogens. Journ. Arnold Arb. 13: 232-269. pl.46-47. Ap.1932. no.2.

P. syringae, P. cactorum and a third strain tentatively referred to as Type A.

Chester, K. S.

Studies on the precipitin reaction in plants. II. Preliminary report on the nature of the normal precipitin reaction. Journ. Arnold Arb. 13: 285-296. Ap. 1932. no.2.

Guillaumin, A.

Contribution to the flora of the New Hebrides. Plants collected by S.F. Kajewski in 1928 and 1929. (cont.) Journ. Arnold Arb. 13: 81-126. illus., pl.43. Ap.1932. no.2.

Journ. Arnold Arb. (cont.)

Howard, F.L. & Currie, M. E.

Parasitism of myxomycete plasmodia on the sporophores of Hymenomycetes. Journ. Arnold Arb. 13: 270-284. illus., pl.48-49. Ap. 1932. no.2.

Kobuski, C. E.

Synopsis of the Chinese species of Jasminum. Journ. Arnold Arb. 13: 145-179. Ap.1932. no.2.

Metcalf, F. P.

Notes on some Chinese plants. Journ. Arnold Arb. 13: 297-298. Ap.1932. no.2.

Hydrangea chungii, Tarenna mollissima, Viburnum smithii.

Sax, K.

The cytological mechanism of crossing over. Journ. Arnold Arb. 13:180-212. illus., pl.44. Ap.1932. no.2.

Journ. Biol. Chem. (Baltimore)

Smith, J.H.C.

Carotene. III. Hydrogenation and optical properties of carotene and its hydrogenated derivatives IV. The hydrogenation of carotenes obtained from different sources, of dehydrocarotene, and of lycopin. Journ. Biol. Chem. 90: 597-605. F.1931; 96: 35-51. illus. Ap.1932. no.2, 1.

Journ. Bot. (London)

Barton, W.C. & Riddelsdell, H. J.

Rubus latifolius Babington. Journ. Bot. 70: 107-109. Ap.1932. no.832.

R. monensis, sp.nov.

British Museum Herbarium.

Notes from the British Museum Herbarium. Journ. Bot. 70: 104-107. Ap.1932. no.832.

Dombeya gamwelliae, Uvaria petelotii, Uvaria ugandensis Aeolanthus gamwelliae, A. cassawa, Acrotome tenuis, n.spp.

Grove, W. B.

Coleosporium tropaeoli as a British species. Journ. Bot. 70: 112. Ap.1932. no.832.

Journ. Bot. (cont.)

Nicholson, W. E.

Cinclidotus riparius (Host) Arnott as a British plant. Journ. Bot. 70: 110-112. Ap. 1932. no.832.

Rendle, A. B.

African notes. II. Journ. Bot. 70: 89-96. Ap.1932. no.832.

Sansevieria livingstoniae, Kalanchoe zimbabwensis, Nemesia zimbabwensis.

Thompson, H. S.

Vegetation at Brislington railway station, North Somerset. Journ. Bot. 70: 100-103. Ap.1932. no.832.

Watson, W.

Lichenological notes. -VI. (concl.) Journ. Bot. 70: 96-100. Ap.1932. no.832.

Arthopyrenia knightii, sp.nov.

Journ. Counc. Sci. Industr. Res. Australia. (Melbourne)

Barnard, C.

Fruit bud studies. I. The Sultana. Journ. Counc. Sci. Industr. Res. Australia 5: 47-52. F. 1932. no.1.

Calvert, J.

St.John's wort in Australia. Journ. Counc. Sci. Industr. Res. Australia 5: 52-58. F.1932. no.1.

Journ. For. (Washington, D.C.)

Forest cover types of the eastern United States. Journ. For. 30: 451-498. Ap.1932. no.4.

Roeser, J.

Transpiration capacity of coniferous seedlings and the problem of heat injury. Journ. For. 30: 381-395. Ap. 1932. no.4.

Journ. Inst. Brew. (London)

Jones, W.

Downy mildew infection of hop and nettle seedlings in British Columbia. Journ. Inst. Brew. 38: 194-196. illus. Ap.1932.

Nettle (Urtica lyalii)

Journ. Pan-Pacific Res.Inst. (Honolulu, Hawaii)

Degener, O.

Kokoolau, the Hawaiian tea. With a key to all species of Bidens known from the Hawaiian Islands and descriptions of a few representative kinds. Journ. Pan-Pacific Res.Inst. 7: 3-16. illus. Ap./Je.1932. no.2.

Journ. Pharm. Soc. Japan.

Miyamichi, E. & Onishi, O.

Ueber die saponin-glykoside in adzuki-bohnen. (Phaseolus radiatus, L. var. aureus, Prain.) Journ. Pharm. Soc. Japan. 52: 33-35. Mr.1932. no.3.

Journ. Washington Acad. Sci.

Berry, E. W.

A new Drapanolepis from Alaska. Journ. Washington Acad. Sci. 22: 217-220. illus. Ap.19,1932. no.8.

D. reniformis.

Kearney, T.H. & Harrison, G. J.

Arizona plants. (Further additions to the recorded flora of the state, with notes on the characters and geographical distribution of these and other species). Journ. Washington Acad. Sci. 22: 224-231. Ap.19, 1932. no.8.

Just. Liebigs Ann. Chem. (Berlin)

Butenandt, A. & McCartney, W.

Untersuchungen über pflanzliche fisch- und insektengifte. Mitteilung über rotenon, den physiologisch wirksamen bestandteil der Derris elliptica: die konstitution des rotenons. Just. Liebigs Ann. Chem. 494: 17-41. Ap.4, 1932. no.1.

Kosmos (Stuttgart)

Bier, D.

Zollfreierbaumwolle. Eine neue faserpflanze für deutsches klima und deutschen boden. Kosmos 1932: 132-136. illus. Ap.1932. no.4.

Yucca.

Möbius, M.

Merkwürdiges zusammenleben von pflanzen mit spinnen und insekten. Kosmos 1932: 116-118. illus. Ap.1932.no.4.

Landbouwk. Tijdschr. Maandbl. Nederl. Genootsch. Landbouwwetensch. (Amsterdam)

Ossewaarde, J.G.

Over de beteekenis van eenige minder bekende elementen voor onze cultuurgewassen. Landbouwk. Tijdschr. Maandbl. Nederl. Genootsch. Landbouwwetensch. 44: 139-143. illus. Mr.1932. no.530.

Landw. Jahrb. Schweiz. (Bern)

Neuweiler, E.

Pflanzenschutz. In Bericht über die tätigkeit der Eidg. landwirtschaftlichen versuchsanstalt Oerlikon für das jahr 1930. Landw.Jahrb. Schweiz 46: 128-135. 1932. no.1.

Leafl. West. Bot. (San Francisco)

Eastwood, A.

Bottle-brushes in Californian gardens and parks. Leafl. West. Bot. 1: 9-10. Ap.4, 1932. no.2.

Trees or shrubs belonging to the myrtle family, the division with woody seed-pods.

Eastwood, A.

Gentiana tenella in California. Leafl. West. Bot. 1: 16. Ap.4, 1932. no.2.

Eastwood, A.

A new Californiana Montia. Leafl. West. Bot. 1: 11. Ap.4, 1932. no.2.

M. alpina.

Howell, J. T.

New Californian plants. Leafl. West. Bot. 1: 11-14. Ap.4, 1932. no.2.

Calochortus superbus spec.nov.; C.superbus pratensis var. nov.; Eriogonum, argillosa spec.nov.

Howell, J. T.

Plants worthy of note I. Leafl. West. Bot. 1: 14-16. Ap.4, 1932. no.2.

Pilularia americana, Dentaria cuneata, Arctostaphylos media.

Maryland Fruit Grow.

McDaniels, L. H.

The pollination problem. Maryland Fruit Grower 2(4): 11-14. Ap.1932.

Mazama (Portland, Ore.)
Leach, L.
Wildflowering in the Wallowas. Mazama 13: 50-60. illus. D.1931. no.12.
List of Wallowa Mountain plants: p.55-60.

Medd. Stat. Forsøgsv. Plantekultur. (Denmark)
Afprøvning af puddermidler og sprøjtevaedsker mod kartoffelskimmel. Medd. Stat. Forsøgsv. Plantekultur. Denmark no.197. 4 p. Mr.10, 1932.

Mid-Pacific Mag.
Cockayne, L.
The flora and vegetation of New Zealand. Mid-Pacific Mag. 44: 343-351. illus. Ap. 1932. no.4.

Mitt. Deut. Landw. Ges. (Berlin)
Kahsnitz, & Kleine,
Vorbeugende massnahmen zur bekämpfung des kartoffelkrebses. Mitt. Deut. Landw. Ges. 47: 248-249. Ap.2, 1932. no.14.

Möller's Deut. Gärtn.-Zeit. (Erfurt)
Görbing, J.
Die vernebelung von schwefel. Möller's Deut. Gärtn.-Zeit. 47: 102-103. illus. Mr.21, 1932.no.9.

Knebel, C.
Zur kakteen-nomenklatur. Möller's Deut. Gartn.-Zeit. 47: 100-101. Mr.21, 1932. no.9.

Uphof, J. C. Th.
Hochzucht der amerikanischen heidelbeeren. Möller's Deut. Gärtn.-Zeit. 47: 117-118. illus. Ap.1, 1932. no.10.

Monatsschr. Deut. Kakteen-Ges. (Berlin)
Boehme, O.
Umbildung der blütenknospen in vegetative sprosse. Monatsschr. Deut. Kakteen-Ges. 4: 76-77. illus. Ap.1932. no.4.

Herre, H.
Eine zweite sammelreise nach Namaqualand. (cont.) Monatsschr. Deut. Kakteen-Ges. 4:67-71. illus. Ap.1932. no.4.

Monatsschr. Deut. Kakteen-Ges. (cont.)

Tischer, A.

Schöne Mesembrianthemum und ihre kultur. VI (i.e.VII) Monatsschr. Deut.Kakteen-Ges. 4: 73-76. illus. Ap.1932. no.4.

Conophytum ricardianum, n.sp.

Nat. Hort. Mag. (Washington, DC)

Boothman, H. S.

Blue Alliums for the garden. Nat. Hort. Mag. 11: 123-125. illus. Ap.1932.no.2.

DeBevoise, F.

Saxifrage notes. II. Nat. Hort. Mag. 11: 128-134. illus. Ap.1932. no.2.

Delkin, F. L.

The narcissus family. Nat. Hort. Mag. 11: 109-114. Ap.1932. no.2.

Foote, F. E.

A pollinating cabinet and how I use it. Nat. Hort. Mag. 11: 125-127. illus. Ap.1932. no.2.

Wister, J. C.

Daffodil notes. Nat. Hort. Mag. 11: 85-95. Ap. 1932. no.2.

Nat. Nut News (Chicago)

Barry, B. & Porter, G.

Disease control experiments with peanuts. Nat. Nut News 15(4): 12-15. Ap.1932. no.4.

Nature (London)

Dixon, H. H.

Microscopic measurements. Nature 129: 510. Ap.2, 1932. no.3257.

Mayne, W. W.

Physiological specialisation of Hemileia vastatrix B. and Br. Nature 129: 510. illus. Ap.2, 1932. no.3257.

Moore, E. S.

A virus disease of tobacco in South Africa. Nature 129: 544. Ap.9,1932. no.3258.

Somewhat resembles ringspot but has distinctive character of its own.

Nature (cont.)

Prof. P.N. Kryloff. Nature 129: 534. Ap.9, 1932. no.3258.
Died Dec.27, 1931.

Smith, E.P. & Jolly, M. S.
Stomatal movement and hydrogen ion concentration. Nature 129: 544. Ap.9, 1932. no.3258.

Nature Mag.

Bruderlin, K.
Botanizing in the Rockies. Nature Mag. 19: 300-303, 324. illus. My. 1932. no.5.

Naturwissensch. (Berlin)

Krause, K.
Ueber die vegetationsverhältnisse des Argaeus, des Erciyas Dag, in Kleinasien. Naturwissensch. 20: 241-244. Ap.1, 1932. no.14.

Trümpener, E.
Kartoffelschicksale. Eine kulturbotanische studie. Naturwissensch. 20: 248-252. illus. Ap.1, 1932. no.14.

New Flora & Silva (London)

Bunyard, E. A.
The violet: its history and development. New Flora & Silva 4: 187-194. Ap.1932. no.3.

Cox, E.
George Forrest. New Flora & Silva 4: 180-186. 2 pl. Ap. 1932. no.3.

Gabrielson, I. N.
West American Dodecatheons. New Flora & Silva 4: 157-159. 2 pl. Ap.1932. no.3.

Grove, A.
Lilium hansonii. New Flora & Silva 4: 172-177. Ap.1932. no.3.

Hort, A. F.
Some Hebes. New Flora & Silva 4: 195-198. Ap. 1932. no3.

Lemperg, F.
Gentiana pyrenaica. New Flora & Silva 4: 171. Ap.1932. no.3.

New Flora & Silva. (cont.)
Niklitschek, A.
Water lilies. New Flora & Silva 4: 149-156. 5 pl. Ap. 1932.

Watson, J. H.
Lilium speciosum gloriosoides. New Flora & Silva 4: 203-204. illus., fig. lxxvi. Ap. 1932. no.3.

Nord Jordbrugsforskn. (København)
Frandsen, H. N.
Frysningsforsøg med kulturplanter udført paa Øtoftegaard 1927-31. Nord. Jordbrugsforskn. 1931: 337-364. no.8.
English summary: p.361-363.

Obst-u. Gemüseb. (Berlin)
Elssmann, E.
Kälteschäden zur blütezeit der obstgehölze. (concl.) Obst- u. Gemüseb. 78: 41-42. Mr.15, 1932. no.3.

Ochrana Rostlin. (Prague)
Blattný, C. & Vuklov, V.
Novotvary na kořenech rúže (Rosa.) Ochrana Rostlin 11: 169-175. illus. D.1931(Recd Ap.1932) no.6.

Baudys, E.
Fytopathologické poznámky. VII. (Phytopathologische bemerkungen). Ochrana Rostlin 11: 178-197. illus. D.1931(Recd Ap.1932) no.6.
German summary: p.194-197.

Stranǎk, F., Blattný, C. & Klècka, A.
Přispěvek k histologii a cytologii listů panašovane revy vinne. (Beitrag zur histologie u. cytologie der panaschierten weinrebenblätter). Ochrana Rostlin 11: 197-205. D.1931(Recd Ap.1932) no.6.
German summary: p.203-204.

Ohio Journ. Sci. (Columbus)

Camp, W. H.

Sex in Arisaema triphyllum. Ohio Journ. Sci. 32: 147-151. Mr.1932. no.2.

Hicks, L. E.

Flower production in the Lemnaceae. Ohio. Journ. Sci. 32: 115-128. ii pl. Mr.1932. no.2.

Meyer, B. S.

The daily periodicity of transpiration in the tulip poplar. Ohio Journ. Sci. 32: 104-114. Mr. 1932. no.2.

Schaffner, J. H.

Additions to the catalog of Ohio vascular plants for 1931. Ohio Journ. Sci. 32: 158-161. Mr. 1932. no.2.

Orchid Rev. (Richmond, England)

Ghose, B. N.

Orchids new to Sikkim Himalaya. Orchid Rev. 40: 105-106. Ap.1932. no.466.

Parks & Recreation. (Rockford, Ill.)

Deering, T.

Desert botanical wonderland to be state park. Parks & Recreation 15: 481-490. illus. Ap.1932. no.4.

Borego desert state park site in southern California.

Pflanzenbau (Berlin)

Arland, A.

Anfälligkeit, ernährung und winterfestigkeit in ihren beziehungen untereinander und zur transpiration. Pflanzenbau 8: 218-223. Mr.1932.no.9.

Klapp,

Oekologie und abbau der kartoffel. Pflanzenbau 8: 213-218. Mr.1932. no.9.

Schmitt, N.

Pflanzenschutzmittel-patente 1931. Pflanzenbau 8: 225-226. Mr.1932. no.9.

Philipp. Journ. Agr.

Torres, J. P.

Some notes on Carabao mango flower. Philipp. Journ. Agr. 2: 395-398. 1931. (Recd Ap.1932). no.4.

Philipp. Journ. Sci. (Manila)

Humphrey, C.J. & Leus, S.

Studies and illustrations in the Polyporaceae. II. Fomes pachyphloeus Patouillard and Fomes magnosporus Lloyd. Philipp. Journ. Sci. 47: 535-556. pl.1-10. Ap.1932. no.4.

Maranon, J.

Rubber content of Philippine plants. I. Ficus. Philipp. Journ. Sci. 47: 525-533. Ap.1932. no.4.

Planta Arch. Wiss. Bot. (Berlin)

Förster, K.

Die entwicklung untergetauchter pflanzen von Marchantia unter verschiedenen aussenbedingungen. Planta Arch. Wiss. Bot. 16: 332-351. illus. Mr.19, 1932. no.2.

Grünberg, G.

Ueber die ursachen des zelltodes in anaerobiose. Planta Arch. Wiss. Bot. 16: 433-466. illus. Mr.19, 1932. no.2.

Hoffmann, C.

Zur bestimmung des osmotischen druckes an meeresalgen. Planta Arch. Wiss. Bot. 16: 413-432. Mr.19, 1932. no.2.

Iljin, W. S.

Anpassung der halophyten an konzentrierte salzlösungen. Planta Arch. Wiss. Bot. 16: 352-366. Mr.19, 1932. no.2.

Kugler, H.

Blütenökologische untersuchungen mit hummeln. III. Das verhalten der tiere zu duftstoffen, duft und farbe. Planta Arch. Wiss. Bot. 16: 227-276. illus. Mr.19, 1932. no.2.

Purucker, H.

Untersuchungen über die entstehung des allantoins in der pflanze. Planta Arch. Wiss. Bot. 16: 277-331. Mr.19, 1932. no.2.

Planta Arch. Wiss. Bot. (cont.)

Schmucker, T.

Physiologische und ökologische untersuchungen an blüten tropischer Nymphaea-arten. Planta Arch. Wiss. Bot. 16: 376-412. illus. Mr.19, 1932. no.2.

Schweizer, G.

Ueber die kultur von Rhytisma acerinum (Pers.) Planta Arch. Wiss. Bot. 16: 367-375. illus. Mr.19, 1932. no.2.

Proc. Imp. Acad. Tokyo.

Hagiwara, T.

On the genetico-physiological studies of the colour development of flowers in Pharbitis nil. Proc. Imp. Acad. Tokyo 8: 54-57. F.1932. no.2.

Proc. Nat. Acad. Sci.

Berry, E. W.

The Miocene flora of Idaho. Proc. Nat. Acad. Sci. 18: 289-292. Ap.15, 1932. no.4.

Rep. Dept. Agr. Nova Scotia.

Nova Scotia. Dept. of Agriculture.

Div. of botany. Its Report 1930/31: 133-147. 1932.

Includes insect pests, weeds, plant diseases.

Reseñas Cient. Soc. Españ. Hist. Nat.

Bustinza, F. de

Contribución al estudio de la distribución de los fermentos en las plantas. I. Reseñas Cient. Soc. Españ. Hist. Nat. 6: 27-32. N.30, 1931. no.1/2.

Presencia de tirosinasa, oxidasa y catalasa, en las raíces de Inula helenium, Achillea santolinoides y Achillea millefolium.

Martinez Martinez, M.

El Profesor Fridiano Cavara. Nota necrológica. Reseñas Cient. Soc. Españ. Hist. Nat. 6: 23-26. N.30, 1931. no.1/2.

Rev. Agrónomica (Lisboa)

Loureiro Ferreira, M.J.

Dois casos da patologia da oliveira. Rev. Agronómica 19: 57-63. i pl. 1931. (Recd Ap.1932. no.2.

1. Amarelecimento das folhas da oliveira nos concelhos de Tomar e Santarem. 2. Um parasita da oliveira observado pela primeira vez em Portugal, Stictis panizzei de Notaris.

Oliveira, B. d'

Apontamentos para o estudo de duas doencas do sobreiro. Rev. Agronomica 19: 37-56. illus. 1931. no.2.

Brief English summary: p.54.

Endothiella gyrosa (?), Nummularia regia.

Rev. Bot. Appl. (Paris)

Chevalier, A.

Nouvelles recherches sur les palmiers du genre Raphia (concl.) Rev. Bot. Appl. 12: 198-213. pl.vi-vii. Mr.1932. no.127.

R. sassandrensis, R. humulis, n.spp.

Les fruits du Guatemala d'après les travaux du service technique de cooperat on agricole (fin). Rev. Bot. Appl. 12: 234-241. Mr.1932. no.127.

Perrier de la Bathie, H.

Les plantes introduites à Madagascar. (cont.) Rev. Bot. Appl. 12: 213-220. Mr.1932. no.127.

Wildeman, E. de.

A propos de stérilité chez des cacaoyers. Rev. Bot. Appl. 12: 173-179. Mr.1932. no.127.

Rev. Gén. Bot. (Paris)

Franquet, R.

La genèse de l'amidon chez quelques plantes à réserves amylacées. Rev. Gén. Bot. 44: 33-84, F.1932.no.518.

1. La genèse del'amidon dans la pomme de terre, 2. La genèse de l'amidon chez le colchique.

Lenoir, M.

Phénomènes de nécrobiose observés dans le noyau des cellules nucellaires chez le Fritillaria imperialis L. pendant leur digestion par l'albumen après la fécondation. Rev. Gén. Bot. 44: 85-95. illus. F.1932. no.518.

Rev. Vitic. (Paris)
Meyer, A.
Sur l'emploi des colorants et de diverses substances organiques dans la lutte contre les maladies cryptogamiques en particulier le mildiou dela vigne. Rev. Vitic. 76: 197-202. Mr.31, 1932. no.1970.

Scient. Agr. (Ottawa)
Harrington, J. B.
Natural crossing in wheat, oats and barley at Saskatoon, Saskatchewan. Scient. Agr. 12: 470-483. Ap.1932. no.8.

Willison, R. S.
Wound-gum in peaches and grapes; its relation to the invasion of fungus wound-parasites (concl.). Scient. Agr. 12: 484-505. illus., 6 pl. on 4. Ap. 1932. no.8.

Sci. Proc. Roy. Dublin Soc.
Clinch, P.
Cytological studies of potato plants affected with certain virus diseases. Sci. Proc. Roy. Dublin Soc. 20: 143-172. pl.4-8. Ja.1932. no.15.

Seed World. (Chicago)
Hayes, H.K.
Minnesota produces two new varieties of oats resistant to stem rust. Seed World 31(8): 13, illus. Ap.15, 1932. no.8
Anthony & Minrus.

So. African Gard. (Johannesburg)
Bolus, L.
Plants new or noteworthy. South African plants cultivated at the National botanic gardens, Kirstenbosch. So. African Gard. 22: 83, 84, 88. illus. Mr.1932. no.3.
Pachypodium griquense, P. jasminiflorum, Gethyllis lata.

Transvaal veld flowers. So African Gard. 22: 87. illus. Mr.1932. no3.
Dolichos gibbosus.

Special Crops. (Skaneateles, N.Y.)

Medicinal value of some plants. Special Crops 31: 84-85, 89. 4 col.pl. on 2. Ap.1932. no.356.

Succulenta. (Leeuwarden)

Duursma, G. D.

Een mooie cristatavorm van Mamillaria wildii. Succulenta 14: 97-99. illus. Ap.1932. no.4.

Tischer, A.

Conophytum, N.E.Br. (cont.) Succulenta 14: 81-84. illus. Ap.1932. no.4.

Sugar News (Manila)

Unite, J.O.

The present status of sugar cane breeding in the Philippines. Sugar News 13: 160-166. Mr.1932. no.3.

Trans. Illinois State Hort. Soc.

Anderson, H. W.

Problems of spray injury to the peach. Trans. Illinois State Hort. Soc. 65: 454-463. illus. 1932.

In Trans. Hort. Soc. So. Illinois.

Anderson, H. W.

Spraying experiments for disease control in 1931. Trans. Illinois State Hort. Soc. 65: 170-183. 1932.

Somers, L. A.

Some factors which influence the fruiting habits of the tomato. Trans. Illinois State Hort. Soc. 65: 390-397. 1932.

In Trans. Hort. Soc. Centr. Illinois.

Tehon, L. R.

Observations on peach yellows in Illinois. Trans. Illinois State Hort. Soc. 65: 183-195. 1932.

Ordinary yellows; benign yellows, non-infectious yellows, mosaic-type yellows.

Trans. Kansas Acad. Sci.

Fraser, S. V.

The flora of Cloud county. Trans. Kansas Acad. Sci. 34: 220-230. 1931.

Trans. Kansas Acad. Sci. (cont.)

Gates, F. C.

Kansas botanical notes. 1930. Trans. Kansas Acad. Sci. 34: 136-137. 1931.

Gier, L. J.

A preliminary key to the herbaceous dicotyledons of the Cherokee strip of southeast Kansas. Trans.Kansas Acad. Sci. 34: 255-267. 1931.

Hogue, M. E.

The sweet potato, stem or root? Trans. Kansas Acad. Sci. 34: 107-108. 1931.

Melchers, L. E.

A check list of plant diseases and fungi occurring in Egypt. Trans.Kansas Acad. Sci. 34: 41-106. 1931.

Trans. Penin. Hort. Soc. (Dover, Dela.)

Hurt, R. H.

Some recent spray practices in Virginia. Trans. Penin. Hort. Soc. 45: 139-144. 1931(Recd Mr.1932)

Zinc bordeaux & tar oil distillate emulsion.

Kirby, R. S.

Spray practices for apples in Pennsylvania. Trans. Penin. Hort. Soc. 45: 145-152. 1931(Recd Mr.1932)

Trudy Prikl. Bot., Gen i. Selek. (Bull. Appl. Bot., Gen. & Plant-breed. (Leningrad)

Asseeva, T.

Vegetativnye mutatsii u kartofelia͡ (Bud mutation in the potato) Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 27(4): 135-218. illus., xiv pl. (1 col.) 2 tab. 1931.

Russian with English summary.

Basilevskaja̋, N. A.

Osnovnye botaniko-sistematicheskie gruppy opiinogo maka, Papaver somniferum (The principal botanic-systematic groups of the opium poppy, Papaver somniferum) Trudy Prikl. Bot., Gen.i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 25(5): 185-196. illus. (incl. maps) 1931.

Russian.

Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed. (cont.)

Beketovsky, D. N.

K biologicheskoi kharakteristike Robinia neomexicana Gray, R. pseudoacacia L. i R.P. var. decaisneana Car.(On the biological characteristics of Robinia neo-mexicana Gray, R. pseudoacacia L. and R.P. var. decaisneana Carr.) Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 27(3): 565-577. illus. 1931.

Russian with English summary.

Beketovsky, D. N.

Tilia platyphyllos Scop. var. vitifolia C.K. Schneid-kak geterogennaia variatsiia S.I. Korzhinskogo (Tilia platyphyllos Scop. var. vitifolia C. K. Schneid. as a heterogeneous variation of S.I. Korshinsky (Materials on the study of heterogeneous forms) Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen., & Plant-breed.) 27(3): 625-641. 1931.

Russian with English summary.

Binogradov-Nikitin, P.

A.S. Timofeev. Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 25(5): 3-4. 1931.

Russian.

Fedorova, N. Ia.

Obzor geneticheskoi literatury po rodu Fragaria [Survey of the genetical literature of the genus Fragaria]. Trudy Prikl. Bot., Gen. & Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 25(5): 120-134. 1931.

Russian.

Heintz, G. V.

Tungovoe derevo i poluchaemoe iz nego tungovoe maslo (The tung oil tree and the tung oil obtained from it). Trudy Prikl. Bot., Gen. i Selek.(Bull. Appl. Bot., Gen. & Plant-breed.) 25(5): 541-595. illus. 1931.

Russian with English summary.

Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed. (Ocont.)

Iakovlev, M. S.

Chislo susudovoloknistykh puchkov v coleoptile pshenits, kak sistematicheskii priznak (The number of vascular fibrous bundles in the coleoptile of wheats, as a systematic character). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 27(4): 285-321. illus. 1931.

Russian with English summary.

Kalitaev, V. V.

O tverdykh pshenitsakh na severnom Kavkaze (On the Durum wheats of the northern Caucasus). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Bot., Gen. & Plant-breed.) 27(4): 233-283. illus. (map) 1931.

Russian with English summary.

Kern, E. E.

Barkhatnoe derevo (The velvet tree). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 27(3): 3-30. illus. 1931.

Russian with English summary.

Phellodendron.

Chemical analysis of the bark of the cork oak, by V. Sharkov; p.27-29.

Khakhina, A. G.

O mikroflore risovykh polei okrestnostei n. Nikol'ska-Ussuriiskogo (On the microflora of the rice fields in the environs of Nikolsk-Ussuriysk). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 27(4): 219-232. 1931.

Russian with English summary.

Kozhin, A. E.

Pomerantsevye i razvitie ikh dul'tury v SSSR. (Citrus plants and their cultivation in USSR). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 26(1): 241-540. illus.(maps). map. 1931.

Russian with English summary.

Krasochkin, V.T. & Uzunov, V. N.

Svekla v stranakh ee drevnei kul'tury (Beets in countries of their ancient cultivation) Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 26(2): 76-193. illus. (incl. maps) 1931.

Russian with English summary.

Trudy Prikl.Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) (con't.)

Luss, A. I.

Pomerantsevye Iaponii i sosednikh stran iugo-vostochnoi Azii (The cultivation of citrus plants in Japan and in the adjoining countries of south-eastern Asia). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 26(1): 141-240. 1931.

Russian with English summary.

Markovich, V. V.

O Kauchukonosakh o-va Iavy i Indii (Rubber plants of Java and India). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 26 (1): 77-140. illus. 1931.

Russian with English summary.

Pavlova, N.M.

Svodka tsitologo-geneticheskikh danntkh po rodu Ribes L. [Revision on cytologico-genetical grounds of the genus Ribes L.] Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 25(5): 104-119. illus. 1931.

Russian.

Petiaev, S. I.

Alevrity -- tungovye dereb'ia i ikh dul'tura na Chernomorskom Poberezh'i Kavkaza (Aleurites, tung trees and their cultivation on the Caucasian Black Sea coast). Trudy Prikl. Bot., Gen.i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 26(1): 3-76. illus. 1931.

Russian with brief English summary.

Polianskaia, O.

Iuzhanaia granitsa estestvennogo rasprostaneniia Picea excelsa Link, v Polesskoi nizmennosti v sviazi s geograficheskim rasprostraneniem ee v zapodnoi i vostochnoi Evrope (Southern limits of the natural distribution of Picea excelsa Link in the lowlands of Polessje, in connection with its geographical distribution in east and west Europe). Trudy Prikl. Bot. Gen.i Selek. (Bull. Appl. Bot. Gen. & Plant-breed.) 27(3): 105-121. illus. (map) 1931

Russian with English summary.

Trudy Prikl. Bot.,Gen. i Selek. (Bull. Appl. Bot., Gen & Plant-breed.) (cont.)

Rozhevits, R.
K poznanii͡u risa (A contribution to the knowledge of rice). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 27(4): 1-133. illus. (incl. maps) 2 tab. 1931.
Russian with English summary.

Rubashevskai͡a, M. K.
Dikai͡a morkov v kul'ture i v prirode (Observations on the wild carrot in cultivation and under natural conditions). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 26(2): 194-252. illus. (incl. map) 1931.
Russian with English summary.

Rubashevskai͡a, M.K.
Formy dikoĭ svekly (On some forms of the wild beet). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 26(2): 59-75. illus. 1931.
Russian with English summary.

Sinskai͡a, E. N.
K genezisu kul'turnykh form roda Raphanus (The wild radish from the sea-coast of Japan in connection with the problem of origin of the cultivated forms belonging to the genus Raphanus). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 26(2): 3-58. illus. (incl.maps) 1931.
Russian with English summary.

Utkin, L. A.
Dikorastushchie i kul'turnye lekarstvennye rastenii͡a Kavkaza (Wild and cultivated medicinal plants of the Caucasus). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot.,Gen. & Plant-breed.) 25(5): 5-103. illus. 1931.
Russian.

Zhukovsky, P.M.
Prof. Eduard Eduardovich Kern. Trudy Prikl. Bot. Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 27(3): iii-vii. port. 1931.
Russian.

U.S. Dept. Agr. Plant Dis. Rep.

Hedgcock, G. G.

Notes on the distribution of some fungi associated with diseases of conifers. U.S. Dept. Agr. Plant Dis. Rep. 16: 28-42. Ap.1, 1932. no.4.

Wood, J. I., comp.

Crop losses from plant diseases in the United States in 1928, 1929, 1930. U.S. Dept. Agr. Plant Dis. Rep. Suppl.83. 68 p. Ap.1, 1932.

U.S. Dept. Agr. Techn. Bull.

Dunegan, J. C.

The bacterial spot disease of the peach and other stone fruits. U.S. Dept. Agr. Techn. Bull. 273. 53 p. 7 pl. on 5 (1 col.) Ja.1932.

Leukel, R. W.

Factors affecting the development of loose smut in barley and its control by dust fungicides. U.S. Dept. Agr. Techn. Bull. 293. 19 p. Mr.1932.

Univ. Calif. Publ. Geogr.

Kniffen, F. B.

The natural landscape of the Colorado delta. Univ. Calif. Publ. Geogr. 5: 149-244. illus.(incl. map), pl.19-30, map. 1932. no.4.

Lower California studies IV.

Vict. Nat.(Melbourne)

Nicholls, W. H.

Our rare orchids. (2) Caleana sullivanii. Vict. Nat. 48: 222-223. illus. Mr.1932.no.11.

Wild Flower (Cincinnati, O.)

Ewer, S. J.

The pink mocassin flower. Wild flower 9: 15-18. illus. Ap.1, 1932. no2.

Wiss. Arch. Landw. Abt. A. Pflanzenbau (Berlin)

Rademacher, B.

Die weissährigkeit des hafers, ihre verschiedenen ursachen und formen. Zugleich ein beitrag zur symptomatik der wasserbilanzstörungen. Wiss. Arch. Landw. Abt. A. Pflanzenbau 8: 456-526. illus. Mr.12, 1932. no.3.

Wiss. Arch. Landw. Abt.A. Pflanzenbau (cont.)

Schmidt, E.W. & Feistritzer, W.

Beiträge zur fusskrankheit des getreides und ihrer bekämpfung. Wiss. Arch. Landw. Abt.A. Pflanzenbau 8: 405-435. Mr.12, 1932.no.3.

Tamm, E.

Untersuchungen über keimungsminimum, keimfähigkeit und durchschnittliche keimdauer landwirtschaftlicher kulturpflanzen. Wiss. Arch. Landw. Abt.A.Pflanzenbau 8: 527-557. illus. Mr.12, 1932. no.3.

Vassiljew, I. M.

Untersuchungen über die dynamik der kohlehydrate beim weizen. II. Die dynamik der löslichen kohlehydrate im zusammenhang mit den wetterbedingungen. Wiss. Arch. Landw. Abt.A. Pflanzenbau 8: 565-578. illus. Mr.12, 1932. no.3.

Zhurn. Russk. Bot. Obshch.(Journ. Soc. Bot. Russie)

Aksent'ev, B. N.

O razvitii prorostkov iz semi͡an, predvaritel'no vymochennykh v rastvore nitrata (Ueber die entwickelung der keimlinge aus vorher in nitratlösungen eingeweichten samen). Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie) 16: 257-266. 1931.no.4.

Russian with German summary.

Aksent'ev, B. N.

K voprosu ob uchete skorosti proprastani͡ia semi͡an i plodov (Zur frage der bestimmung der keimungsgeschwindigkeit von samen und früchten) Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie) 16: 267-278. 1931. no.4.

Russian with German summary.

Kiseleva, E. I.

Materialy k izuchenii͡u mikroflory risovykh poleĭ okrestnosteĭ g. Samarkanda (Beiträge zur kenntnis der mikroflora der reisfelder in der umgebung von Samarkand). Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie) 16: 355-380. illus., 2 pl., tab. 1931. no.4.

Russian with German summary.

Zhurn. Russk. Bot. Obshch.(Journ. Soc. Bot. Russie) (cont.)

Lilienstern, M.

K fiziologii immuniteta rastenii k povilike (Recherches physiologiques sur les causes de l'immunité des plantes contre les cuscutes). Zhurn. Russk. Bot. Obshch.(Journ. Soc. Bot. Russie) 16: 279-288. 1931. no.4.

Russian with French summary.

Razumoskaia, Z.

K voprosu o vegetatsionnykh opytakh s kluben'kovoi bakteriei (Zur frage über vegetationsversuche mit knollchenbakterien). Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie) 16: 289-295. illus. 1931.

Russian with German summary.

Troitskii, N. D.

Predvaritel'nye itogi izucheniia dubov Krymskogo gosudarstvennogo zapovednika i prilegaiushchego raiona iuzhnogo berega Kryma (Sistematika, v sviazi S usloviiami proizrasteniia (Vorlaufige resulate der erforschung der eichen im staatreaservatder Krim und der anliegenden rayons des Südufers der Krim (Systematik in verbindung mit den standortsverhältnissen). Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie) 16: 313-354. illus. 1931. no.4.

Russian with German summary.

Vasil'ev, V. F.

K kharakteristike mozhzhevelovykh lesov Kryma (Zur charakteristik der wachholderwälder der Krim) Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie) 16: 297-312. illus. 1931. no.4.

Russian with German summary.

Exper. Stat. Publ.

Fawcett, H. S. & Klotz, L.J.

Diseases of the date palm, Phoenix dactylifera. California Agr. Exp. Stat. Bull.522. 47 p. illus. Mr.1932.

Hulbert, H. W., Bristol, R. S. & Benjamin, L. V.

Methods affecting the efficiency of chlorate weed killers. Idaho Agr. Exp. Stat. Bull. 189. 12 p. D.1931.

Exper. Stat. Publ. (cont.)

Porter, D.R. & Melhus, I.E.
The pathogenicity of Fusarium niveum (EFS) and the development of wilt resistant strains of Citrullus vulgaris (Schrad.) Iowa Agr. Exp. Stat. Res. Bull. 149. 184 p. illus. F.1932.

Fergus, E.N.
An analysis of clover failure in Kentucky Kentucky Agr. Exp. Stat. Bull. 324. 476 p illus. N.1931(Recd Ap.1932)

New Jersey agricultural experiment station -- Dpt. of plant pathology.
Gladiolus diseases. II. Its Nursery Dis. Notes. v.4. no.10. 4 p. Ap.1932.

State Publications.

Adams, J. F.
Report of the plant pathologist for 1931. Quart. Bull. Delaware State Bd. Agr. v.22, no.1. 31 p. illus. Mr.31, 1932.no.1.

Aster troubles and hollyhock rust. Plant Dis. & Insect Notes Agr. Ext. Serv. Ohio Coll. Agr. v.3, no.4. [4] p. Ap.1932.

Beal, A.C.
The peony, a flower for the farmer. Cornell Ext. Bull. no.220. 39 p. illus. Ja.1932.

Hoerner, G. R.
Downy mildew of hops. Oregon State Agr. Coll. Ext. Serv. Ext. Bull. 440. 11 p. illus. Mr. 1932.

New books.

Fleury de la Roche, A.
Las plantas bienhechoras... Traducción directa de francés y adaptación por Francisco Salas... Barcelona, Ediciones y publicaciones Iberia, 1931.

Gilbert, E. J.
Les bolets. Paris, Librairie E. Le Francois 1931 (Les livres du mycologue t.III)

New Books (cont.)

Grapengeter, A

Beitrag zur kenntnis der "epiphytischen" bakterienflora gesunder grüner pflanzen unter besonderer berücksichtigung einiger für die milchwirtschaft wichtigen wiesenpflazen. Kiel, 1930.

Inaug.-diss - Christian-Albrecht Univ. Kiel.

Haas, K.

Beiträge zur pharmakochemie von Equisetum arvense und monographie der herbae equiseti. Colmar, Imprimerie et édition des dernières nouvelles de Colmar, 1931.

Inaug.-diss - Basel.

Honecker, L.

Utersuchungen über den verlauf der wasseraufnahme bei quellung und keimung der getreide. Auswertung der befunde fur die pflanzenzüchtung nach ökologischen gesichtspunkten. Freising, Buchdruckerei T. & H. Sedlmair, 1931.

Genehmigte Abh. - Techn. Hochschule München.

Javorka, S. & Csapody, V.

A Magyar flora kepekben (Iconographia florae hungaricae) pt.10. Budapest, 1932.

Jordan Lloyd, D.

The proteins of plants. In Allen's Commercial organic analysis. 5th ed. rev. Philadelphia, 1932. v.11, p.1-34.

Klein, G.

Handbuch der pflanzenanalyse. 2. bd. Spezielle analyse 1. teil. Anorganische stoffe -- Organische stoffe I. Wien, J. Springer, 1932.

Maire, R.

Le progrès des connaissances botaniques en Algérie depuis 1830. Paris, Masson et Cie., 1931.

Muenscher, W. C. & Petry, L.C.

Keys to spring plants in the vicinity of Ithaca. 2d ed., rev. Ithaca, N.Y., The author, 1932.

New books (cont.)

Pashkevich, V.V.

Sorta prodovykh derev'ev Volyni (The varieties of fruit trees of Volhynia) Leningrad, 1930. (Prilozh. 43. Trud. Prikl. Bot., Gen. i Selek. (Suppl. 43 Bull. Appl. Bot., Gen. & Plant-breed.)

Russian with English summary.

Pringsheim, E. C.

Pflanzenphysiologie übungen für strdierende und lehrer. Leizpig, Akademische verlagsgesellschaft, 1931.

Rozanova, M.

Sovremennye metody sistematiki rastenii (Modern methods of plant systematics). Leningrad, 1930. (Prilozh. 41 Trudy Prikl. Bot., Gen. i Selek. (Suppl. 41 Bull. Appl Bot., Gen. & Plant-breed.)

Russian.

Zoller, E.

Beiträge zur methodik des vegetations-versuches in gefässen. Freising, 1931.

Abhandlung -- Techn.Hochschule München.

Correction for v.14, no.6

p.20

Journ. Biol. Chem. vol. should be 95 not 55.

p.33.

Trans. Penin. Hort. Soc. the vol. should be 45 (the 45th Trans. is v.21, no.5 of the Bull. Delaware Dept. Agr.)

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

LIBRARY
RECEIVED
MAY 26 1932
U. S. Department of Agriculture

Vol. 14, no. 9. Apr.25-May 7,1932.

Amer. Fruit Grow. (Chicago)

Soder, K.

New pear for the Central West. Amer. Fruit Grow. 52(4):20. illus. Ap.1932.

The Patten pear.

Amer. Journ. Bot.

Cummins, G. B.

The full-cycle Puccinias on Onagraceae in North America. Amer. Journ. Bot. 19: 334-339. illus. Ap.1932. no.4.

Lawton, E.

Regeneration and induced polyplody in ferns. Amer. Journ. Bot. 19: 303-333. illus. Ap. 1932. no.4.

Pastrana, M. D.

Sporogenesis and sex determination in Begonia schmidtiana. Amer. Journ. Bot. 19: 365-384. illus., pl. xxvi-xxxii. Ap. 1932. no.4.

Steere, W. C.

Chromosome behavior in triploid Petunia hybrids. Amer. Journ. Bot. 19: 340-357. illus., pl. xxiii-xxv. Ap. 1932. no.4.

Thut, H. F.

Demonstrating the lifting power of transpiration. Amer. Journ. Bot. 19: 358-364. illus. Ap. 1932. no.4.

Amer. Journ. Pharm. (Philadelphia)

True, R. H.

The introduction of Lobelia syphilitica into medicine. Amer. Journ. Pharm. 104: 279-281. Ap. 1932. no.4.

Amer. Potato Journ.

Bonde, R.

A promising blight resistant potato. Amer. Potato Journ. 9: 51-54. Ap. 1932. no.4.

Foster's rust proof.

319127

Ann. Agron. (Paris)

Arnaud, G. & Gaudineau, M.

Le traitement de la carie du blé. III. Action comparée des produits cupriques et du formol). Ann. Agron. (Paris) n.s. 2: 229-246. Mr./Ap. 1932. no.2.

Friedberg, R.

Contribution a l'étude du tallage du blé relation entre la profondeur du noeud de tallage et la résistance au froid. Ann. Agron. (Paris) n.s.,2: 215-228. illus. Mr./Ap. 1932. no.2.

Ann. R. Bot. Gard. Peradeniya.

Jayawardana, C.

The anatomical structure of certain Ceylon woods. Ann. R. Bot. Gard. Peradeniya 11: 307-317. pl.xlv-xlvii. F.20, 1932. no.4.

Lord, L.

A preliminary study of natural cross-pollination of rice in Ceylon. Ann. R. Bot. Gard. Peradeniya 11: 339-342. F.20, 1932. no.4.

Park, M. & Bertus, L. S.

Sclerotial diseases of rice in Ceylon. I-II. Ann. R. Bot. Gard. Peradeniya 11: 319-331, 343-359. pl. xlviii, li-lii. F.20, 1932. no.4.

I. Rhizoctonia solani Kühn. II. Sclerotium oryzae Catt.

Skvortzow, B. W.

Notes on Ceylon diatoms. 2. Ann. R. Bot. Gard. Peradeniya 11: 333-338. pl. xlix-l. F.20, 1932. no.4.

Ann. So. Afr. Mus.

Toit, A. L. du.

Some fossil plants from the Gondwana beds of Uganda. Ann. So. Afr. Mus. 28: 395-406. pl.xli. F. 1932. no.4.

Toit, A. L. du.

Some fossil plants from the Karroo system of South Africa. Ann. So. Afr. Mus. 28: 369-393. illus., pl. xxxix-xl. F.1932. no.4.

Ann. Rep. Oregon State Hort. Soc.
Miller, P. W.
Second report of progress on walnut blight and its control in Oregon. Ann. Rep. Oregon State Hort. Soc. 23(1931): 123-135. illus. 1932.

Arch. Pharm. & Ber. Deut. Pharm. Ges. (Berlin)
Gilg, E., & Schürhoff, P. N.
Die bedeutung des saponinvorkommens innerhalb der ranunculaceentribus der anemoneae für die pflanzensystematik. Arch. Pharm. & Ber. Deut. Pharm. Ges. 270: 217-223. Ap. 1932. no.4.

Arch. Protistenk. (Jena)
Geitler, L.
Notizen über Hildenbrandia rivularis und Heribaudiella fluviatilis. Arch. Protistenk. 76: 581-588. illus. 1932. no.3.

Geitler, L.
Prophyridium sordidum n.sp., eine neue süsswasserbangaile. Arch. Protistenk. 76: 595-604. illus., 1932. no.3.

Steinecke, Fr.
Algolische notizen. II. Heterodendron pascheri, Euglenocapsa ochracea, Sylodinium cerasiforme. Arch. Protistenk. 76: 589-594. 1932. no.3.

Beretn. Norske Skogv.
Jørdstad, I.
Innberetning fra statsmykolog... om soppsykdommer på skogtraerne i årene 1926-1930. Beretn. Norske Skogv. 1930: 78-96. 1931.

Bergcultures. (Batavia, Java)
Jacob, J. C. s'
Rhizoctonia-aantasting bij lamtoro. Bergcultures 6: 349-350. illus. Ap.2, 1932. no.14.
Lamtoro, Leucaena glauca.

Biochem. Zeitschr. (Berlin)
Böning, K. & Böning-Seubert, E.
Wasserstoffionenkonzentration und pufferung im presssaft von tabakblättern in ihrer abhängigkeit von der ernährung und entwicklung der pflanze. I- Biochem. Zeitschr. 247: 35-67. illus. Ap. 15, 1932. no.1/3.

Biochem. Zeitschr. (cont.)

Pruess, L. M., Gorcica, H. J., Greene, H. C. & Peterson, W. H.

Wachstum und steringehalt gewisser schimmelpilze. Biochem. Zeitschr. 246: 401-413. Mr.30, 1932. no.4/6.

Biol. Zentralbl. (Leipzig)

Mothes, K.

Ernährung, struktur und transpiration. Ein beitrag zur kausalen analyse der xeromorphosen. Biol. Zentralbl. 52: 193-223. illus. 1932. no.4.

Németh, F.

Zur klärung einiger begriffe der fortpflanzung. Biol. Zentralbl. 52: 229-254. 1932. no.4.

Bot. Gaz. (Chicago)

Buchholz, J. T.

The suspensor of Cryptomeria japonica. Bot. Gaz. 93: 221-226. illus. Ap. 1932. no.2.

Hoar, C. S. & Haertl, E. J.

Meiosis in the genus Hypericum. Bot. Gaz. 93: 197-204. pl. 1. Ap.1932. no.2.

Krick, H. V.

Structure of seedlike fructifications found in coal balls from Harrisburg, Illinois. Bot. Gaz. 93: 151-172. illus. Ap. 1932. no.2.

Loughridge, G. A.

Nature and development of the tracheids of the Ophioglossaceae. Bot. Gaz. 93: 188-196. illus. Ap. 1932. no.2.

McCray, F. A.

Another haploid Nicotiana tabacum plant. Bot. Gaz. 93: 227-230. illus. Ap. 1932. no.2.

Read, C. B.

Pinoxylon dakotense Knowlton from the Cretaceous of the Black Hills. Bot. Gaz. 93: 173-187. illus. Ap. 1932. no.2.

Bot. Gaz. (cont.)

Sherff, E. E.

Studies in the genus Bidens. X. Family Compositae. Bot. Gaz. 93: 213-220. Ap. 1932. no.2.

Weaver, J. E. & Fitzpatrick, T. J.

Ecology and relative importance of the dominants of tall-grass prairie. Bot. Gaz. 93: 113-150. illus. Ap. 1932. no.2.

Yen, T.

Carpel dehiscence in Firmiana simplex. Bot. Gaz. 93: 205-212. illus. Ap. 1932. no.2.

Bull. Cl. Sci. Acad. Roy. Belg. (Bruxelles)

Choubert, B.

Sur la présence d'algues dévoniennes dans le niveau du "calcaire rose" du système du Kundelungu du Katanga. Bull. Cl. Sci. Acad. Roy. Belg. V, 17: 1421-1434. illus. 1932. no.12.

Gregoire, V.

Euchromocentres et chromosomes dans les végétaux. Bull. Cl. Sci. Acad. Roy. Belg. V, 17: 1435-1448. 1 pl. 1932. no.12.

Wildeman, E. de.

La forêt équatoriale congolaise; ses problémes biologiques. Bull. Cl. Sci. Acad. Roy. Belg. V, 17: 1475-1514. 1932. no.12.

Bull. Counc. Sci. & Ind. Res. Austr. (Melbourne)

Prescott, J. A.

The principal vegetation associations of Australia. In his "The soils of Australia in relation to vegetation and climate". Bull. Counc. Sci. & Ind. Res. Austr. 52: 52-60. pl.v, vii-ix. maps. 1931.

Bull. Imp. Inst. Gt. Brit. (London)

The experimental cultivation of tung trees in the Empire. Bull. Imp. Inst. Gt. Brit. 30: 24-35. 1932. no.1.

Bull. Mens. Soc. Nat. Hort. France (Paris)

Jacquier,

Notice nécrologique sur Antoine Rivoire... Bull. Mens. Soc. Nat. Hort. France V, 5: 128-129. Mr.1932.

Bull. Miyazaki Coll. Agr. & For.

Endo, S.

Studies on the antagonism of microorganisms. II -III. Bull. Miyazaki Coll. Agr. & For. 4: 133-158, 159-185. 1932.

II. Growth of Hypochnus sasakii Shirai as influenced by the antagonistic action of other microorganisms. III. Pathogenicity of Hypochnus centrifuge (Lév.) Tul. and Hypochnus sasakii Shirai in the presence of other microorganisms.

Hino, I.

Genus Miyoshiella to be included in genus Chaetosphaeria. Bull. Miyazaki Coll. Agr. & For. 4: 187-192. illus. 1932.

C. fusispora (Miyoshia fusispora, Miyoshiella fusispora).

Katô, H.

Spodograms of the leaves in barley. Bull. Miyazaki Coll. Agr. & For. 4: 87-110. illus. 1932.

In Japanese with English summary: p.109-110.

Miyazawa, B.

On the Matusima variegation in Japanese morning glory. Bull. Miyazaki Coll. Agr. & For. 4: 111-125. 1932.

In Japanese with English summary: p.124-125.

Miyazawa, B.

On the two cases of semi-sterility in Oryza sativa. Bull. Miyazaki Coll. Agr. & For. 4: 193-197. illus. 1932.

Bull. Soc. Bot. France. (Paris)

Bizot, M.

Contribution à la flore bryologique de Tunisie. Bull. Soc. Bot. France 78: 724-726. Mr.7, 1932. no.9/10.

Bouly de Lesdain, M.

Notes lichenologiques XXV. Bull. Soc. Bot. France 78: 726-731. Mr.7, 1932. no.9/10.

Bull. Soc. Bot. France (cont.)

Buchet, S.
La présence d' Impatiens fulva Nutt. dans le centre de la France. Bull. Soc. Bot. France 78: 687-689. Mr.7, 1932. no.9/10.

Chemin, E.
Les graines de Lathraea clandestina peuvent germer sans l'assistance d'aucune autre plante. Réponse à E. Heinricher. Bull. Soc. Bot. France 78: 708-721. Mr.7, 1932. no.9/10.

Chouard, P.
Observations sur la couverture végétale du modelé karstique. Bull. Soc. Bot. France 78: 731-736. pl. vii-viii. Mr.7, 1932. no.9/10.

Gagnepain, F.
Un Alexis Jordan peu connu. Bull. Soc. Bot. France 78: 694-696. Mr.7, 1932. no.9/10.

Martin-Sans, E.
Fascies chez le Punica granatum L. Bull. Soc. Bot. France 78: 721-724. illus. Mr.7, 1932. no.9/10.

Pellegrin, F.
De quelques plantes d'Afrique occidentale. III. Bull. Soc. Bot. France 78: 682-683. Mr.7, 1932. no.9/10.

Rodriquez, L.
Notice sur le R.P. Duss. Bull. Soc. Bot. France 78: 659-662. pl.vi. Mr.7, 1932. no.9/10.

Sarrassat, C.
Muscinées récoltées en Corse au cours de la Session de la sociéte botanique de France du 4 au 14 août 1930 Bull. Soc. Bot. France 78: 689-692. Mr. 7, 1932. no.9/10.

Simonet, M.
Etude génétique et cytologique de l'Iris x Paltec (Pogoevansia). Bull. Soc. Bot. France 78: 696-707. illus. Mr.7, 1932. no.9/10.

Bull. Soc. Bot. France. (cont.)

Souèges, R.

Recherches sur l'embryogénie des lilaicées. Bull. Soc. Bot. France 78: 662-681. illus. Mr.7, 1932. no.9/10.

Bull. Soc. Bot. Genéve.

Ashby, E. & Walsh, L. B.

Etude sur la transporation des feuilles d'ombre et de lumière. Bull. Soc. Bot. Genéve II,23: 466-475. illus. 1931.

Beanland, L.

Recherches sur les mouvements diurnes des stomates des feuilles d'Adenostyles alliariae Gouan. Bull. Soc. Bot. Genéve II,23: 476-478. 1931.

Beauverd, G.

Recherches sur la flore vasculaire du massif de la Tournette (Alpes d'Annecy, Haute-Savoie). Bull. Soc. Bot. Genéve II,23: 1-418. illus. tab. 1931.

Chodat, F.

Essais d'acclimatation de céréales hâtives dans un village valaisan situé à la limite supérieure de cette culture. Seconde période d'études 1927-1930 (Bourg-Saint-Pierre - La Linnaea). Bull. Soc. Bot. Genéve II,23: 419-427. 1931.

Chodat, F. & Kann, S.

Fluctuation diurne du taux de la transpiration chez deux plantes alpines. Bull. Soc. Bot. Genéve II,23: 479-505. illus. 1931.

Czech, H. & Kann, S.

Note sur la périodicité des mouvements diurnes d'ouverture et de fermeture des Potentilla atrosanguinea et Potentilla argentea. Bull. Soc. Bot. Genéve II,23: 436-440. illus. 1931.

Czech, H.

Quelques observations sur les mouvements floraux du Gentiana freyniana. Bull. Soc. Bot. Genéve II,23: 441-445. 1931.

Bull. Soc. Bot. Genéve (cont.)

Czech, H.
Variation de l'acidité actuelle dans les feuilles de quelques crassulacées alpines. Bull. Soc. Bot. Genéve II, 23: 449-459. 1931.

Flaksberger, C.
Eutriticum ex Sinai. Bull. Soc. Bot. Genéve II, 23: 520-525. 1931.

Håkansson, A.
Les staurosomes chez les Allium et les Pisum. Résponse à M.R. Chodat. Bull. Soc. Bot. Genéve II, 23: 506-508. 1931.

Kol, E.
Nouveaux documents se rapportant à la cryo-végétation de la Suisse. Bull. Soc. Bot. Genéve II, 23: 435. 1931.

Kol, E.
Sur un nouveau représentant de la flore nivale de la Suisse. Bull. Soc. Bot. Genéve II,23: 428-434. pl. i. 1931.
Raphidonema chodati.

Minod, M.
Deux instruments nouveaux destinés à la mesure de la transpiration des végétaux. Bull. Soc. Bot. Genéve II, 23: 460-465. illus. 1931.

[Oppenheimer, H. R.]
Addenda emendanda et errata ad florulam transiordanicam. Bull. Soc. Bot. Genéve II, 23: 510-519. 1931.

Bull. Soc. Mycol. France (Paris)

Heim, R. & Romagnesi, H.
Un nouvel Inocybe de la stirpe dulcamara. Bull. Soc. Mycol. France 47: 250-255. illus., col. pl.vii. Mr.15, 1932. no.3/4.
I. pachycreas.

Joachim, L.
Russula pseudo-violacea Joach. nov.sp. Bull. Soc. Mycol. 47: 256-257. illus., col. pl. viii. Mr.15, 1932. no.3/4.

Bull. Soc. Mycol. France (cont.)

Kuhner, R.

Description de quelques espèces nouvelles de Naucoria du groupe Alnicola. Bull. Soc. Mycol. France 47: 237-243. illus. Mr.15, 1932. no.3/4.

A. luteologibrillosa, A. suavis (Bres.) A. badia, A. submelinoides.

Maury,

Ascomycètes récoltés dans la Marne pendant les années de 1900 à 1913. Bull. Soc. Mycol. France 47: 244-249. Mr.15, 1932. no.3/4.

Mayor, E.

Herborisations mycologiques dans les Monts de Lacaune (Tarn). II. Bull. Soc. Mycol. France 47: 258-265. Mr.15, 1932. no.3/4.

Société mycologique de France.

Atlas. Its Bull. 47, no.3/4. col. pl. xlvi-xlvii. Mr.15, 1932.

Boletus impolitus, Xanthochrous cuticularis (2 pages of descriptive text with latter).

Zvara, J.

Contribution à l'étude des russules. Bull. Soc.Mycol. France 47: 266-274. col.pl. ix-x. Mr.15, 1932. no.3/4.

Bull. Torr. Club.

Hollick, A.

Descriptions of new species of tertiary cycads, with a review of those previously recorded. Bull. Torr. Club 59: 169-189. pl. i-14. Ap. 1932. no.4.

Ceratozamia wrightii, Dioön inopinus, D. praespinulosum, n.spp.

Bull. Torr. Club (cont.)

Howe, M. A.

Chlorotylites, a fossil green alga from Alabama. Bull. Torr. Club 59: 219-220. pl.15. Ap.1932. no.4.

Chlorotylites gen.nov., C.berryi sp.nov.

Stehle, K. B.

Inhibiting influence of colloidal starch, inulin, and agar on the stimulation of Aspergillus niger by zinc sulphate. Bull. Torr. Club 59: 191-217. illus. Ap. 1932. no.4.

Swift, M. E.

A new ascocarpic species of Penicillium. Bull. Torr. Club 59: 221-227. illus. Ap.1932. no.4.

P. bacillosporum.

Calif. Citrogr. (Los Angeles)

Flanders, S. E.

Observations concerning a citrus relative native to Australia. Calif. Citrogr. 17: 278, 307-308. illus. My. 1932. no.7.

Eremocitrus glauca.

Canad. Journ. Res. (Ottawa)

Thompson, W. P. & Armstrong, J. M.

Studies on the failure of hybrid germ cells to function in wheat species crosses. Canad. Journ. Res. 6: 362-373. illus. Ap. 1932. no.4.

Chem. & Industr.

Blackie, W. J.

A new apparatus for the continuous extraction of plant materials with ether under tropical conditions. Chem. & Industr. 51: 129T-130T. illus. Ap.15, 1932. no.16.

Il Coltivatore (Casale Monferrato)

Malenotti, E.

Un apparente caso di parassitismo del girasole sulla vite. Il Coltivatore (Casale Monferrato) 76: 525-530. illus. D.20, 1930(Rec'd Ap.1932) no.35.

Compt. Rend. Acad. Sci. Paris.

Becquerel, P.

La vie latente des spores des mousses aux basses températures. Compt. Rend. Acad. Sci. Paris 194: 1378-1380. Ap.18, 1932. no.16.

Davy de Virville, A.

La flore des récifs de la rade de Saint-Malo. Compt. Rend. Acad. Sci. Paris 194: 1372-1374. Ap.18, 1932. no.16.

Dusseau, A.

Sur un hybride haplodurum issu du croisement de deux Triticum vulgare. Compt. Rend. Acad. Sci. Paris 194: 1380-1382. Ap.18, 1932. no.16.

Guilliermond, A.

Observations cytologiques sur les rhodothiobactéries. Compt. Rend. Acad. Sci. Paris 194: 1259-1262. illus. Ap.11, 1932. no.15.

Maige, A.

Rôle du plaste et du cytoplasme dans la condensation amylogène. Compt. Rend. Acad. Sci. Paris 194: 1376-1378. Ap. 18, 1932. no.16.

Marinesco, N.

L'effet de la diathermie intense sur les plantes Compt. Rend. Acad. Sci. Paris 194: 1387-1390. illus. Ap.18, 1932. no.16.

Munerati, O.

Sur la possibilité de la betterave de monter à graine la première année en Egypte et en d'autres régions à climat analogue. Compt. Rend. Acad. Sci. Paris 194: 1374-1376. Ap.18, 1932. no.16.

Savulescu, T. & Rayss, T.

Influence des conditions extérieures sur le développement de Nigrospora oryzae (B. et Br.) Petch, parasite du mais en Roumanie. Compt. Rend. Acad. Sci. Paris 194: 1262-1265. Ap.11, 1932. no.15.

Compt. Rend. Soc. Biol. Paris.

Abbayes, H. d.

Contribution a l'étude des qualités écologiques du substratum des lichens: hygrométrie des écorces. Compt. Rend. Soc. Biol. Paris 109: 1096-1099. illus. Ap.15, 1932. no.12.

Kufferath, H. & Ghesquiére, J.

La mosaique du manioc. Compt. Rend. Soc. Biol. Paris 109: 1146-1148. Ap.15, 1932. no.12.

Lacomme, L.

Sur une nouvelle méthode de culture des mucorinées pathogénes en milieu liquide. Compt. Rend. Soc. Biol. Paris 109: 1055-1057. illus. Ap.13, 1932. no.11.

Manceau, P. & Rey, J.

Absorption du potassium par le Penicillium glaucum cultivé sur liquide de Raulin additionné de doses croissantes d'acétate et de tartrate neutre de potassium. Compt. Rend. Soc. Biol. Paris 109: 1054-1055. Ap.13, 1932. no.11.

Mazé, P. & Mazé, P. J., fils.

L'inégale résistance des variétés de Zea mais a l'infection du charbon (Ustilago maidis). Compt. Rend. Soc. Biol. Paris 109: 1087-1088. Ap.15, 1932. no.12.

Desert (Pasadena)

Balthis, F. K.

William Trelease, first director of the Missouri botanical garden. Desert (Pasadena) 4: 5. My. 1932. no.1.

Berger, F.

Tillandsia lindenii, one of the Bromeliaceae. Desert (Pasadena) 4: 9. illus. My. 1932. no.1.

Rost, E. C.

Cereus caesius monstrosus. Desert (Pasadena) 4: 6-7. illus. My. 1932. no.1.

Weingart, W.

Cactus spines. II. Desert (Pasadena) 3: 8-9. My. 1932. no.1.

Ecology (Brooklyn, N.Y.)

Ashby, E.

Transpiratory organs of Larrea tridentata and their ecological significance. Ecology 13: 182-188. illus. Ap. 1932. no.2.

Cottle, H. J.

Vegetation on north and south slopes of mountains in southwestern Texas. Ecology 13: 121-134. illus. Ap. 1932. no.2.

Humphrey, R. R.

The morphology, physiology and ecology of Coldenia canescens. Ecology 13: 153-158. illus. Ap. 1932. no.2.

Phillips, J.

Root nodules of Podocarpus. Ecology 13: 189-195. Ap.1932. no.2.

Shelford, V. E.

Basic principles of the classification of communities and habitats and the use of terms. Ecology 13: 105-120. illus. Ap. 1932. no.2.

Ernährung Pflanze (Berlin)

Rademacher, B.

Zur rolle des kaliums im wasserhaushalt der pflanze. Ernähr. Pflanz 28: 147-151. illus. Ap.15, 1932.

Oats.

Flora (Jena)

Ertl, P. O.

Vergleichende untersuchungen über die entwicklung der blattnervatur der araceen. Flora 126(n.s.26): 115-248. illus. Ap.8,1932. no.2.

Goebel, K.

Morphologische und biologische bemerkungen. 33. Barnadesia. Flora 126(n.s.26): 294-302. illus. Ap.8, 1932. no.2.

Flora (cont.)

Wallner, F.
Die beeinflussung der gametangienbildung bei den characeen. Flora 126(n.s.26): 249-293. illus. Ap.8, 1932. no.2.

Floralia (Assen, Netherlands)

Stijgeren, M. van
Zeikten en beschadigingen van gladiolen. Floralia 53: 235-237. illus. Ap.14, 1932. no.15.

Fortschr. Landw. (Vienna)

Köck, G.
Essig als saatgutbeizmittel? Fortschr. Landw. 7: 226-227. Ap.15, 1932. no.8.

Gard. Chron. (London)

Giuseppi, P. L.
Some Greek alpine plants. Gard. Chron. III, 91: 295-296, 314-315. Ap.16,23, 1932. no.2364-65.

Grant, W.
Juniperus communis var. compressa. Gard. Chron. III, 91: 291. Ap.16, 1932. no.2364.
Refers to article by Clarence Elliott with same title.

Grove, A.
Lilium polyphyllum. Gard. Chron. III, 91: 310-312. illus. Ap.23, 1932. no.2365.

Hall, A. D.
Virus diseases of plants. Gard. Chron. III, 91: 293-294. Ap.16, 1932. no.2364.

Needham, C. W.
Some old florists' tulips. Gard. Chron. III, 91: 297, 313-314. Ap.16,23, 1932. no.2364-2365.

Ward, F. K.
Mr. F. Kingdon Ward's eleventh expedition in Asia. II. Myitkyina to Fort Hertz. Gard. Chron. III, 91: 292-293. illus. Ap.16, 1932. no.2364.

Gard. Illus. (London)

Giuseppi, P. L.

Some Greek mountains. (concl.) Gard. Illus. 54: 248-250. illus. Ap.23 1932. no.2772.

Gartenfl. (Berlin)

Liebsch, G.

Kulturwerte und seltene buntblattgewächse. IV. Auffalend gezeichnete Billbergia-arten. Gartenfl. 81: 84-85. illus. Ap.1932.

Gartn.-Tid. (København)

Sinius-Clausen, J.

Parasitiske svampe. Gartn.Tid. 48: 221-223. illus. Ap.19, 1932. no.16.

Sclerotinia libertiana, S. fuckeliana.

Gartenw. (Berlin)

Sommer, H.

Eine krankheit an Primula sinensis. Gartenw. 36: 200. Ap.8, 1932. no.15.

Physiological.

Genetics

East, E. M.

Further observations on Lythrum salicaria. Genetics 17: 327-334. My.1932. no.3.

Lindstrom, E. W.

First-chromosome genes in the tomato. Genetics 17: 351-357. My.1932. no.3.

Riley, H. P.

Self-sterility in shepherd's purse. Genetics 17: 231-295. My. 1932. no.3.

Capsella grandiflora.

Sprague, G. F.

The nature and extent of hetero-fertilization in maize. Genetics 17: 358-368. illus. My. 1932. no3.

Gladiolus Rev. (Goshen, Ind.)

McCulloch, L.

Experiments for scab control. Gladiolus Rev. 9: 165-168. illus. My.1932. no.5.

Hawaiian Plant. Rec. (Honolulu)

Duncan, H.F. & Cooke, D.A.

A preliminary investigation on the effect of temperature on root absorption of the sugar cane. Hawaiian Plant. Rec. 36: 31-39. illus. 1932. no1.

Hedwigia (Dresden)

Biswas, K.

The role of aërophilous algae in producing colour-effect on the bark of Oreodoxa regia of the Oreodoxa avenue in the Royal botanic garden, Calcutta. Hedwigia 72: 31-41. illus., pl. i. Ap. 1932. no.1/2.

Scytonema ocellatum, Protococcus viridis, Trentepohlia odorata, T. umbrina, T. jolithus var. bovina.

Gyelnik, V.

Nephroma-studien. Hedwigia 72: 1-30. illus. Ap. 1932. no.1/2.

Kušan, F.

Ueber die angebliche Cladonia pycnoclada (Gaudich.) Nyl. in Jugoslawien mit besonderer berücksichtigung der nahestehenden formen. Hedwigia 72: 42-54. Ap.1932. no.1/2.

Hoppe-Seyl. Zeitschr. Phys. Chem. (Berlin)

Doby, G. V. & Szladits, E.

Enzyme und salzionen. III. Saccharogenamylase der blätter verscheiden ernährter kartoffeln. Hoppe-Seyl. Zeitschr. Phys. Chem. 206; 177-186. Ap.2, 1932. no.4/5.

Indian For. (Dehra Dun)

Garland, E. A.

Succession among the grasses of the Deccan trap dry mixed deciduous formation and its use in sub-classification. Indian For. 58: 221-224. Ap. 1932. no.4.

Popham, F.J. & Kamesam, S.

A new wood preservative the Falkamesam process. Indian For. 58; 191-195. Ap.1932. no.4.

Indische Cult. (Soerbaja)

Genis, C.

Bloemingeuren en hun symboliek. Indische Cult. 17: 99-105. Mr.16, 1932. no.6.

Inform. Agr. (Spain) (Madrid)

Collar, F.

Enfermedades de las especies arbóreas frutales. El peral. Inform. Agr. (Spain) 22: 81-85. illus. Mr.30, 1932. no.502.

Intern. Bull. Plant Prot.

Stevens, N.E.

United States of America: The reappearance of tobacco mildew in Georgia. Intern. Bull. Plant Prot. 6: 38. Mr. 1932. no.3.

Uppal, B. N.

India: Rhizoctonia bataticola on sorghum. Intern. Bull. Plant Prot. 6: 38. Mr.1932. no.3.

Uppal, B. N.

India: Sclerotium rolfsii on cotton in Bombay. Intern. Bull. Plant Prot. 6: 38. Mr.1932. no.3.

Jahrb. Wiss. Bot. (Leipzig)

Grehn, J.

Untersuchungen über gestalt und funktion der sporangienträger bei den mucorineen. I. Entwicklungsgeschichte der sporangienträger. Jahrb. Wiss. Bot. 72: 93-165. illus. Mr. 1932. no.1.

Pirschle, K.

Untersuchungen über die physiologische wirkung homologer ionenreihen. II. Jahrb. Wiss. Bot. 76: 1-92. illus. Mr.1932. no.1.

Japan. Journ. Bot. (Tokyo)

Asai, T.

Untersuchungen über die bedeutung des mannits im stoffwechsel einiger höheren pflanzen. I. Japan. Journ. Bot. 6: 63-101. diagrs. 1932.no.1.

Hiratsuka, N.

Inoculation experiments with some heteroecious species of the Melampsoraceae in Japan. Japan. Journ. Bot. 6: 1-33. 1932. no.1.

Japan. Journ. Bot. (cont.)

Kihara, H.

Weitere untersuchungen über die pentaploiden Triticum-bastarde II. Japan. Journ. Bot. 6: 35-62. illus. 1932. no.1.

Matsumoto, K.

Effect of seed-formation on the rate of respiration of the fruit of the Japanese persimmon or kaki (Diospyros kaki L.f.) Japan. Journ. Bot. 6: 127-137. illus. 1932. no.1.

Noguchi, Y.

Studies on the species crosses of Japanese Rhododendron. I. On the crossability between various species and the cotyledon color of F_1 seedlings. Japan. Journ. Bot. 6: 103-123. pl. i-ii (1 col.) 1932. no.1.

Journ. Agr. Res. (Washington, D. C.)

Longley, A. E.

Chromosomes in grass sorghums. Journ. Agr. Res. 44: 317-321. illus. F.15, 1932 (Recd Ap.23) no.4.

Ludwig, C. A.

The germination of cottonseed at low temperatures. Journ. Agr. Res. 44: 367-380. illus. F.15, 1932(Recd Ap.23) no.4.

McArdle, R. E.

The relation of mycorrhizae to conifer seedlings. Journ. Agr. Res. 44: 287-316. illus. F.15, 1932(Recd Ap.23). no.4.

Pope, M. N.

Catalase activity in relation to the growth curve in barley. Journ. Agr. Res. 44: 343-355. illus. F.15, 1932(Recd Ap.23). no.4.

Pope, M. N.

The growth curve in barley. Journ. Agr. Res. 44: 323-341. F.15, 1932(Recd Ap.23). no.4.

Journ. Agr. Sci. (London)

Crowther, E.J. & Richardson, H. L.

Studies on calcium cyanamide. I. The decomposition of calcium cyanamide in the soil and its effects on germination, nitrification and soil reaction. Journ. Agr. Sci. 22: 300-334. illus. Ap.1932. no.2.

Journ. Amer. Pharm. Assoc. (Easton, Pa.)

Kilmer, F. B.

Belladonna monographs. Journ. Amer. Pharm. Assoc. 21: 366-375. Ap. 1932. no.4.

Kremers, E.

Phytochemical literature. Journ. Amer. Pharm. Assoc. 21: 360-365. Ap.1932. no.4.

Zufall, C.J. & Burlage, A.

Vein islets as means of identifying drugs and detecting adulterants. Journ. Amer. Pharm. Assoc. 21: 330-333. illus. Ap. 1932. no.4.

Journ. Amer. Soc. Agron. (Geneva, N.Y.)

Bressman, E.N.

Susceptibility and resistance of wheat varieties to bunt. Journ. Amer. Soc. Agron. 24: 249-255. illus. Ap.1932. no.4.

Pieper, J. J.

The physiological behavior of regional strains of potatoes. Journ. Amer. Soc. Agron. 24: 300-311. illus. Ap.1932. no.4.

Journ. Dept. Agr. So. Africa (Pretoria)

Quinn, G.

Silver leaf. Journ. Dept. Agr. So. Africa 35: 902-903. Mr.15, 1932. no.8.

On plum.

Journ. Fac. Agr. Hokkaido Imp. Univ. Sapporo.

Miyabe, K. & Kudo, Y.

Flora of Hokkaido and Saghalien. III. Monocotyledoneae, Araceae to Orchidaceae. Journ. Fac. Agr. Hokkaido Imp. Univ. Sapporo 26: 279-387. pl.v. Mr.1932. no.3.

Journ. Genetics (London)

Harland, S. C.

The genetics of cotton. V-VI. Journ. Genetics 25: 261-270, 271-280. pl.vii (col.) Ap.1932. no.3.

V. Reversal of dominance in the interspecific cross G. barbadense Linn. x G. hirsutum Linn. and its bearing on Fisher's theory of dominance. VI. The inheritance of chlorophyll deficiency in the new world cottons.

Hutchinson, J. B.

The genetics of cotton. VII. "Crumpled": a new dominant in Asiatic cottons produced by complementary factors. Journ. Genetics 25: 281-291. pl.viii-ix. Ap.1932. no.3.

Linden, A. P.

Notes on the inheritance of flower and tuber colour in the potato. Journ. Genetics 25: 339-358. Ap.1932. no.3.

Manton, I.

Contributions to the cytology of apospory in ferns. I. A case of induced apospory in Osmunda regalis L. Journ. Genetics 25: 423-430. illus. Ap.1932. no.3.

Moffett, A. A.

Studies on the formation of multi-nuclear giant pollen grains in Kniphofia. Journ. Genetics 25: 315-337. illus., pl.x. Ap.1932. no.3.

Journ. Washington Acad. Sci.

Cobb, N. A.

Nematosis of a grass of the genus Cyanodon caused by a new nema of the genus Tylenchus Bast. Journ. Washington Acad. Sci. 22: 243-245. illus. My.4, 1932. no.9.

T. tumefaciens.

Thom, C. & Phillips, M.

Lignin-like complexes in fungi. Journ. Washington Acad. Sci. 22: 237-239. My.4, 1932. no.9.

Kartoffel, Zeitschr. Kartoffelbauges. (Berlin)
Snell, K.
Vergleichende morphologische und physiologische untersuchungen am wurzelsystem verschiedener kartoffelsorten. Kartoffel, Zeitschr. Kartoffelbauges. 12: 95-97. illus. Ap.16, 1932. no.8.

Kosmos (Stuttgart)
Litzelmann, E.
Wüstenpflanzen. Kosmos 1932: 164-172. illus. (part.col.) My. 1932. no.5.

Landw. Jahrb. (Berlin)
Berkner, F.W. & Schlimm, W.
Kritische beiträge zur frage der saugkraftmessungen an unseren getreidearten. Landw. Jahrb. 75: 499-530. 1932.

Lowig, E.
Untersuchungen von korrelationen zwischen merkmale und leistungseigenschaften be grünfutterpflanzen. I. Trifolium pratense (2). Landw. Jahrb. 75: 531-567. 1932. no.4.

Maataloustiet. Aikak. [Agric. Mag.] (Helsingfors)
Valle, O.
Die selbstungsmethode in der gräserzüchtung. Maataloustiet. Aikak. [Agric. Mag.] 4: 17-19. 1932. no.1.

Madras Agr. Journ.
Seshadri, T. R.
The role of the protoplastic pigments of plants, Madras Agr. Journ. 20: 83-87. Mr.1932. no.3.

Meded. Deli Proefst. Medan, Sumatra.
Deli Proefstation, Medan -- Sumatra.
Plantkundige afdeeling. In its Verslag... over het jaar 1931. Meded. Deli Proefst. Medan - Sumatra II,74: 17-31. 1932.
A. Meurs in charge.

Meded. Proefst. Vorstenl. Tabak. Java (Klaten)
Thung, T. H.
De krul- en kroepoek-ziekten van tabak en de oorzaken van hare verbreidung (The curl- and crinkle-diseases of tobacco and the causes of their dissemination). Meded. Proefst. Vorstenl. Tabak Java no.72. 54 p. incl. 16 pl. 1932.
English summary: p.51-52.

Mem. Imp. Coll. Trop. Agr. Trinidad Mycol. Ser.

West, J. & Stuckey, W.R.

Macrophomina phaseoli (Maub.) Ashby, in Trinidad. I-II. Mem. Imp. Coll. Trop. Agr. Trinidad Mycol. Ser. no.4. 20 p. 4 pl. on 2. Ja.1931 (Rec'd Ap.1932)

I. Parasitism, by J. West. II. Physiology, by W.R. Stuckey.

Mém. Mus. Roy. Hist. Nat. Belg.

Conrad, W.

Recherches sur les flagellates de Belgique. I. Flagellates des étangs des "eaux douces", a Vieux-Héverlé-lez-Louivain. A. Chrysomonadines. B. Volvocales. Mém. Mus. Roy. Hist. Nat. Belg. no.47. 65 p. illus., vi col. pl. 0.31, 1931.

Missouri Bot. Gard. Bull. (St. Louis)

Pring, G. H.

Long-tailed lady's slipper. Missouri Bot. Gard. Bull. 20: 65-68. pl.20. Ap.1932. no.4.

Phragmopedilum caudatum warscewiczianum.

Snake-bites and "Dutchman's pipe" Missouri Bot. Gard. Bull. 20: 59-65. pl.19. Ap.1932. no.4.

Aristolochia indica.

Mycologia (Lancaster, Pa.)

Bisby, G. R.

Type specimens of certain Hysteriales. Mycologia 24: 304-329. My./Je. 1932. no.3.

Campbell, L.

Some species of Plasmopara on composites from Guatemala. Mycologia 24: 330-333. illus. My./Je. 1932. no.3.

P. palmii, P. galinsogae, n.spp.

Drayton, F. L.

The sexual function of the microconidia in certain Disconycetes. Mycologia 24: 345-348. My./Je. 1932. no.3.

Sclerotinia gladioli, Ascobolus sp.

Gyelnik, V.

Some lichens of Oregon. Mycologia 24: 342-344. My./Je. 1932. no.3.

Mycologia (cont.)

Mains, E. B.
Calvin Henry Kauffman. Mycologia 24: 265-267. port. My./Je. 1932. no.3.

Snell, W. H.
Notes on Boletes. I. Boletus porphyrosporus. Mycologia 24: 334-341. illus. My./Je. 1932.no.3.

Sparrow, F.K. jr.
Observations on the aquatic fungi of Cold Spring Harbor. Mycologia 24: 268-303. illus., pl. 7-8. My./Je. 1932. no.3.

Nat. Greenkeeper (Cleveland, O.)

Sprague, H. B.
Soil conditions and root development. Nat. Greenkeeper 6(5):5-8, 10-13, 30. My. 1932.

Nature (London)

Jones, E. T.
Fatuoids or false oats. Nature 129: 617. Ap.23, 1932. no.3260.

Onslow, M. W.
Genetical and biochemical aspects of anthocyan pigments. Nature 129: 601-604. Ap.23, 1932. no.3260.

Naturwissensch. (Berlin)

Reich, M. & Förster, F.
Versuche zur demonstration des pflanzenwachstums unter dem einfluss starker reize. Naturwissensch. 20: 278-279. Ap.15, 1932. no.16.

Nederl. Kruidk. Arch. (Amsterdam)

Jansen, P. & Wachter, W. H.
Glyceria II. Nederl. Kruidk. Arch. 1931: 575-579. illus. Ap.4, 1932. no.3.
Floristische aanteekeningen XXX.

Jansen, P. & Wachter, W. H.
In memoriam Dr. Laurens Vuyck. Nederl. Kruidk. Arch. 1931: 449-460. port. Ap.4,1932. no.3.

Nederl. Kruidk. Arch. (cont.)

Jansen, P. & Wachter, W. H.
In memoriam W.W. Schipper. Nederl. Kruidk. Arch. 1931: 585-588. Ap.4, 1932. no.3.

Koopmans-Forstmann, D. & Koopmans, A. N.
De flora van het Oudemirdumer Klif. Nederl. Kruidk. Arch. 1931: 533-543. Ap4, 1932. no.3.
Mededeling van de Zuiderzee-commissie no.15.

Scheygrond, A.
Het plantendek van de krimpenerwaard IV. Sociographie van het hoofd-associatie-complex arundinetum-sphagnetum. Nederl. Kruidk. Arch. 1932; 1-184. Ap.4, 1932. no.1.

Schipper, W. W.
Beschrijving van inheemse intermediaire Rubus-bastaarden VII-VIII. Nederl. Kruidk. Arch. 1931: 510-516, 580-584. Ap.4, 1932. no.3.

Verdoorn, Fr,
De levermosgeslachten van Java en Sumatra. Nederl. Kruidk. Arch. 1931: 461-509. illus. Ap4, 1932. no.3.

New Zeal. Journ. Agr. (Wellington)

Cunningham, G. H.
Orchard sprays in New Zealand. I. The sulphur series. New Zeal. Journ. Agr. 44: 177-186. illus. Mr.21, 1932. no.3.

Levy, E. B. & Madden, E. A.
Hard-fern control by spraying with arsenic pentoxide. New Zeal. Journ. Agr. 44: 186-193. illus. Mr.21, 1932. no.3.
Paesia scaberula.

North West. Nat. (Arbroath, Scotland)

Absalom, R. G.
A new plant structure from coal-balls. North West Nat. 7: 21-22. pl.3-4. Mr.1932. no.1.
Pteridotheca berniciensis.

Weiss, F. E.
Notes on the toothwort. North West. Nat. 7: 18-20. Mr.1932. no.1.
Lathraea.

Obst- u. Gemüseb. (Berlin)

Küster, E.

Spritzmittel und spritzmethoden im amerikanischen obstbau. Obst- u. Gemüseb. 78: 50-52. Ap.15, 1932. no.4.

Phytopath.

Godfrey, G. H. & Oliveira, J.

The development of the root-knot nematode in relation to root tissues of pineapple and cowpea. Phytopath. 22: 325-348. illus. Ap.1932.no.4.

Johnson, F. H.

Effects of electromagnetic waves on fungi. Phytopath. 22: 277-300. illus. Ap.1932. no.4.

Kohl, E. J.

Investigations on apple blotch. Phytopath. 22: 349-369. illus. Ap. 1932. no.4.

Linford, M. B.

Transmission of the pineapple yellow-spot virus by Thrips tabaci. Phytopath. 22: 301-324. illus. Ap. 1932. no.4.

Mains, E. B.

Calvin Henry Kauffmann 1869-1931. Phytopath. 22: 271-275. port. Ap.1932. no.4.

Miller, J.H. & Harvey, H.W.

Peanut wilt in Georgia. Phytopath. 22: 371-383. illus. Ap.1932. no.4.

Fusarium martii phaseoli causes an early or seedling wilt, Bacterium solanacearum an early wilt followed by stem- and root-rot-producing yellows, Sclerotium rolfsii produces a serious root and peanut rot.

Sparrow, F. K. jr.

Observations on the parasitic ability of certain species of Pythium. Phytopath. 22: 385-390. Ap. 1932. no.4.

Plant Physiology.

Burke, E.

Chlorosis of trees. Plant Physiology 7: 329-334. illus. Ap.1932. no.2.

Investigations with apple trees.

Crafts, A. S.

Phloem anatomy, exudation, and transport of organic nutrients in cucurbits. Plant Physiology 7: 183-225. illus., pl.iv-ix. Ap.1932. no.2.

Emmert, E. M.

Field method for estimating nitrate, phosphate, and potassium in plants. Plant Physiology 7: 315-321. Ap. 1932. no.2.

Gilbert, B.E. & Pember, F.R.

Flower production from gladiolus corms harvested at different stages of ripening. Plant Physiology 7: 309-314. Ap. 1932. no.2.

Haasis, F. W.

Seasonal shrinkage of Monterey pine and redwood trees. Plant Physiology 7: 285-295. illus. Ap. 1932. no.2.

Jones, H. A. & Bisson, C. S.

Changes in the composition of the garden pea after harvest. Plant Physiology 7: 273-283. Ap.1932. no.2.

Lund, E. J.

Control of the flux equilibrium of electrochemical processes and electric polarity in the Douglas fir by temperature. Plant Physiology 7: 297-307. illus. Ap. 1932. no.2.

Mulay, A. S.

Seasonal changes in the composition of the insoluble nitrogen fraction in the current year's shoots of Bartlett pear. Plant Physiology 7: 323-327. illus. Ap. 1932. no.2.

Plant Physiology (cont.)

Oserkowsky, J.
Hydrogen-ion concentration and iron content of tracheal sap from green and chlorotic pear trees. Plant Physiology 7: 253-259. Ap. 1932. no.2.

Plitt, T. M.
Some photoperiodic and temperature responses of the radish. Plant Physiology 7: 337-339. illus. Ap. 1932. no.2.

Rogers, C. H. & Shive, J. W.
Factors affecting the distribution of iron in plants. Plant Physiology 7: 227-252. illus. Ap. 1932. no.2.

Sayre, J. D. & Morris, V. H.
Use of expressed sap in determining the composition of corn tissue. Plant Physiology 7: 261-272. illus. Ap. 1932. no.2.

Shull, C. A.
Toxicity of root excretions. Plant Physiology 7: 339-341. illus. Ap.1932. no.2.

Waksman, S. A.
Siergei Pavlovitch Kostytchev. Plant. Physology 7: 335-336. port. Ap.1932. no.2.

Plant. Chron. (Madras, India)

Murry, R.K.S.
Control of Oidium leaf diseases. Plant. Chron. 27: 151-156. Mr.12, 1932.
Results of sulphur dusting on foliage, bark renewal and yield.

Prakt. Blätt. Pflanzenb. u. Pflanzensch. (Freising)

Kordes, H.
Sclerotinia sclerotiorum und Botrytis cinerea an treibhausgurken. Prakt. Blätt. Pflanzenb. u. Pflanzensch. 32: 20-23. illus. Ap./My.1932. no.1/2.

Proc. Akad. Wetensch. Amsterdam.

Heyn, A.N.J. & Overbeek, J. van.
Weiteres versuchsmaterial zur plastischen und elastischen dehnbarkeit der zellmembran. Proc. Akad. Wetensch. Amsterdam 34: 1190-1195. 2 pl. 1931. no.8.

Proc. Akad. Wetensch. Amsterdam. (cont.)

Schoute, J. C.

On the contort corolla. Proc. Acad. Wetensch. Amsterdam. 34: 1077-1084. illus. 1931. no.8.

Preliminary communication from a more extensive paper on the aestivation of the corolla.

Sirks, M. J.

Plasmatic influences upon the inheritance in Vicia faba. II. Different plasmatic reactions upon identical genotypes. Proc. Akad. Wetensch. Amsterdam 34: 1164-1172. 1931. no.8.

Weevers, T. & Westenberg, J.

Versuche zur prüfung der Münchschen theorie der stoffbewegungen in der pflanze. Proc. Akad. Wetensch. Amsterdam 34: 1173-1178. 2 pl. 1931. no.8.

Proc. California Acad. Sci.

Eastwood, A.

New species of plants from western North America. Proc. California Acad. Sci. IV,20: 135-160. D.18, 1931. (Rec'd Ap.1932). no.5.

Hanna, G. D.

The diatoms of Sharktooth Hill, Kern Coutny, California. Proc. California Acad. Sci. IV, 20: 161-263. pl. 2-18. Ja.8, 1932 (Rec'd Ap.) no.6.

Howell, J. T.

The genus Pogogyne. Proc. California Acad. Sci. IV,20: 105-128. pl.1. D.18, 1931(Rec'd Ap. 1932). no.3.

Howell, J. T.

A Great Basin species of Physocarpus. Proc. California Acad. Sci. IV,20: 129-134. D.18,1931. (Rec'd Ap.1932). no.4.

P. alternans.

Johnston, I. M.

The flora of the Revillagigedo Islands. Proc. California Acad. Sci. IV,20: 9-104. N.18, 1931. (Rec'd Ap.1932). no.2.

Proc. Linn. Soc. N.S.W. (Sydney)

Carey, G.
A note on the leaf buds of Angophoras.
Proc. Linn. Soc. N.S.W. 56: 455-457. illus.
D.15, 1931 no.5(237)

Cunningham, G. H.
The Gasteromycetes of Australasia. XII. The genus Scleroderma. XIII. The genus Pisolithus.
Proc. Linn. Soc. N.S.W. 56: 277-287, 288-291.
illus., pl.xv-xvii. 1931 (pt.4.(no.236)

Fraser, L.
An investigation of Lobelia gibbosa and Lobelia dentata. I. Mycorrihiza, latex system and general biology.
Proc. Linn. Soc. N.S.W. 56: 497-525. illus. D.15,
1931. no.5(237).

Fraser, L.
The reaction of Viminaria denudata to increased water content of the soil. Proc. Linn. Soc.
N.S.W. 56: 391-406. illus., pl.xxii. D.15,1931.
no.5(237)

Jenson, H. L.
Contributions to our knowledge of the Actinomycetales. II. The definition and subdivision of the genus Actinomyces, with a preliminary account of Australian soil Actinomycetes. Proc. Linn. Soc.
N.S.W. 56: 345-370. pl.xix-xx. 1931 pt. 4(no.236).

Lucas, A.H.S.
Notes on Australian marine algae. VI. Descriptions of six new species. Proc. Linn. Soc. N.S.W.
56: 407-411. pl. xxiii-xxvii. D.15, 1931 pt.5.
(no.237)

Osborn, T.G.B., Wood, J.G. & Paltridge, T.B.
On the autecology of Stipa nitida, a study of a fodder grass in arid Australia. Proc. Linn.
Soc. N.S.W. 56: 299-324. illus., pl.xviii.
1931. no.4(236).

Rupp, H.M.R.
Notes on New South Wales orchids. Proc. Linn.
Soc. N.S.W. 56: 458-460. illus. D.15, 1931. no.5.
(237).

Proc. Maryland State Hort. Soc.

Howlett, F. S.
Factors affecting fruit setting. Proc. Maryland State Hort. Soc. 34: 113-127. 1932.

Hutchins, L.M.
Phony peach, a new and dangerous peach disease. Proc. Maryland State Hort. Soc. 34: 43-51. 1932.

Magness, J. R.
The importance of soil moisture in fruit growing. Proc. Maryland State Hort. Soc. 34: 129-135. 1932.

Magness, J. R.
Some of the causes for, and the behavior of water core and other types of breakdown in the apple. Proc. Maryland State Hort. Soc. 34: 51-56. 1932.

Schrader, A. L.
The effect of nitrogen, potassium and phosphorus on the keeping and shipping quality of fruit. Proc. Maryland State Hort. Soc. 34: 93-100. 1932.

Proc. Nat. Shade Tree Conf.

Chester, K. S.
Lilac graft-blight and its relation to water deficiency in woody plants. Proc. Nat. Shade Tree Conf. 7(1931): 92-97. 1932?

Clinton, G. P.
Some effects of drought on shade trees. Proc. Nat. Shade Tree Conf. 7(1931): 34-36. 1932?

Crocker, W.
The effect of illuminating gas on trees. Proc. Nat. Shade Tree Conf. 7(1931): 24-31. 1932?

Deuber, C. G.
White pine blight. Proc. Nat. Shade Tree Conf. 7(1931): 97-100. 1932?

May, C.
Recent study of the Dutch elm disease. Proc. Nat. Shade Tree Conf. 7(1931): 88-90. 1932?

Proc. Nat. Shade Tree Conf. (cont.)

Rankin, W. H.
X-ray photography for the determination of the rate of decay. Proc. Nat. Shade Tree Conf. 7(1931): 109-111. 1932?

Welch, D. S.
Some rusts on junipers. Proc. Nat. Shade Tree Conf. 7(1931):73-78. 1932?
Apple, hawthorne & quince rust.

White, R. P.
Four unusual symptomatic pictures and their diagnosis. Proc. Nat. Shade Tree Conf. 7(1931): 82-85. 1932?

Young, H. C.
A new spray material for shade trees. Proc. Nat. Shade Tree Conf. 7(1931):86-87. 1932?
Colloidal sulphur preparation.

Zimmerman, P. W.
Factors affecting healing of wounds with special reference to cuttings and injured bark of trees. Proc. Nat. Shade Tree Conf. 7(1931): 6-8. 1932?

Proc. New Jersey State Hort. Soc.

Haenseler, C. M.
Bacterial canker and other tomato diseases in 1931. Proc. New Jersey State Hort. Soc. 1931: 138-143. 1932.

Martin, W. H.
The relation of weather and spray materials to disease control and spray injury. Proc. New Jersey State Hort. Soc. 1931: 58-72. 1932.

Martin, W. H.
Vegetable diseases in 1931. Proc. New Jersey State Hort. Soc. 1931: 144-152. 1932.

Proc. N.Y. State Hort. Soc.(Geneva, N.Y.)

Magness, J. R.

Mositure relations as a factor in fruit growing Proc. N.Y. State Hort. Soc. 77: 114-119. 1932.

Mills, W.D.

Fruit diseases in 1931. Proc. N.Y. State Hort. Soc. 77: 16-24. 1932.

Proc. Ohio State Hort. Soc.

Close, C. P.

New fruits. Proc. Ohio State Hort. Soc. 65: 52-58 1932.

Lantz, H. L.

Some hardy new varieties of pears and apples. Proc. Ohio State Hort. Soc. 65: 74-82. 1932.

Magness, J. R.

Moisture relations in the orchard. Proc. Ohio State Hort. Soc. 65: 21-27. 1932.

Magness, J. R.

Storage for Ohio apples. Proc. Ohio State Hort. Soc. 65: 66-73. 1932.

Pierstorff, A. L.

Control of apple blotch, Brooks' fruit spot, bitter rot and sooty fungus. Proc. Ohio State Hort. Soc. 65: 102-105. 1932.

Young, H. C.

Controlling apple scab with mild sulphur sprays. Proc. Ohio State Hort. Soc. 65: 106-108. 1932.

Proc. Penn. Acad. Sci. (Harrisburg)

Beach, W. S.

Leaf spot production upon tobacco by a culture filtrate of Fusarium affine. Proc. Penn. Acad. Sci. 5: 37 40. illus. 1931.

Graham, E. H.

Plants from Monroe and Pike counties, Pennsylvania, new to the collections of the Carnegie museum herbarium. Proc. Penn. Acad. Sci. 5: 28-34. 1931.

I. Plants from Pike County, by E. H. Graham. II. Plants from Monroe County, by L.K. Henry.

Proc. Penn. Acad. Sci. (cont.)

Gross, E. M.

Lactuca saligna L. in Franklin County, Pennsylvania. Proc. Penn. Acad. Sci. 5: 67. 1931.

Hutchinson, W. G.

Study of a disease of boxwood in the eastern United States. Proc. Penn. Acad. Sci. 5:13-14. 1931.

Phomopsis stricta.

Light, V. E.

Preliminary report on the results obtained in the culture of Haematococcus (Sphaerella). Proc. Penn. Acad. Sci. 5: 67-70. 1931.

Little, T. M.

Preliminary list of the Hepaticae of central Pennsylvania. Proc. Penn. Acad. Sci. 5: 14-17. 1931.

Proc. State Hort. Assoc. Penn. (Harrisburg)

Fletcher, S. W.

A history of fruit growing in Pennsylvania II. The transition period (1827-1887). Proc. State Hort. Assoc. Penn. 73(Suppl.): 27-52. port. 1932.

Kirby, R. S.

Pennsylvania apple disease conditions 1929-1930-1931. Proc. State Hort. Assoc. Penn. 73: 85-92. Mr. 1932.

Proc. West Virginia Acad. Sci. (Morgantown)

Ammons, N. P.

Date-seed germination. Proc. West Virginia Acad. Sci. 1: 23-25. illus. Ag.1926.

Core, E. L.

Ecological studies on Spruce Mountain. Proc. West Virginia Acad. Sci. 2: 36-38. Ag.1928.

Core, E. L.

The plant ecology of a type area in northern West Virginia. Proc. West Virginia Acad. Sci. 2: 40-43. Ag. 1928.

A farm in Doll's Run Valley, 12 miles west of Morgantown.

Proc. West Virginia Acad. Sci. (cont.)

Gilbert, F. A.

The cultivation of slime moulds for laboratory use. Proc. West Virginia Acad. Sci. 5: 77-79. Ag. 1931.

Odland, T. E.

The inheritance of panicle type and ligule in a certain oat cross. Proc. West Virginia Acad. Sci. 2: 52-56. illus. Ag.1928.

Garton 784 x Early Gothland.

This paper reports on one phase of a study in oat inheritance, complete study will be reported in another publication.

Shaw, D. A.

Catalase in relation to percentage of growth in the tomato fruit. Proc. West Virginia Acad. Sci. 5: 46-48. illus. Ag. 1931.

Complete date being published in another paper.

Strausbaugh, P.D. & Core, E. L.

Some additions to the Millspaugh check list of West Virginia spermatophytes. Proc. West Virginia Acad. Sci. 4: 38-48. O. 1930.

Sumpstine, W. J.

Origin and development of the tissues in the rhizome of Onoclea sensibilis. Proc. West Virginia Acad. Sci. 5: 37-42. Ag.1931.

Rev. Agronómica (Lisboa)

Souza da Câmara, M.de.

Uma nova especie de Verticicladium Preuss. Rev. Agronómica 19(1): 36-44. illus. 1931.

V. chromosporium.

Portuguese & French.

Rev. Bot. Appl. (Paris)

Chevalier, A.

Les vrais et les faux balatas. Rev. Bot. Appl. 12: 261-282. illus. Ap.1932. no.128.

1. L'Achras balata d'Aublet. 2. Le balata franc (Manilkara bidentata A. Chev.)

Peklo, J.

Obtention de blés résistants aux rouilles en Tchécoslovaquie. Rev. Bot. Appl. 12: 285-291. Ap. 1932. no.128.

Rev. Bot. Appl. (cont.)

Perrier de la Bathie, H.

Les plantes introduites à Madagascar. V. Espèces introduites ne faisant pas partie des categories precédentes. Rev. Bot. Appl. 12: 296-301. Ap. 1932. no.128.

Perrot, E.

Les sauterelles et le pyrethre. (chrysanthème insecticide). Rev. Bot. Appl. 12: 282-285. Ap. 1932. no.128.

Trochain, J.

Les théories modernes sur le rôle du potassium dans le développement du cancer chez l'homme et chez les vegetaux. Rev. Bot. Appl. 12: 308-311. Ap. 1932. no.128.

Rev. Hort. (Paris)

François, E.

Deux orchidées de Madagascar. Rev. Hort. 104: 72-74. illus. Ap.16, 1932. no.4.

Eulophiella roempleriana, Angraecum sororium.

Jarry-Desloges, R.

Aristolochia elegans Mast. Rev. Hort. 104: 74-76. illus. Ap.16, 1932. no.4.

Rhodora (Boston)

Fassett, N. C.

Notes from the herbarium of the University of Wisconsin. VIII. Rhodora 34: 95-96. My.1932. no.401.

Fernald, M. L.

Corylus Americana, forma missouriensis. Rhodora 34: 96. My. 1932. no401.

Porsild, A. E.

Notes on the occurrence of Zostera and Zannichellia in Arctic North America. Rhodora 34: 90-94. illus. My.1932. no.401.

Potter, D.

Botanical evidence of a post-pleistocene marine connection between Hudson Bay and the St. Lawrence basin. Rhodora 34: 69-89. illus. My.1932. no.401.

Riv. Ital. Essen. e Profumi (Milano)

Mattei, G. E.

Sulla impollinazione di alcune orchidee indigene. Riv. Ital. Essen. e Profumi 14: 115-116. Ap.15, 1932. no.4.

Pirrone, F.

Alghe marine e fotosintesi. Riv. Ital. e. Essen. e Profumi 14: 116-118. Ap.15, 1932. no.4.

Roczn. Nauk Rolnicz. i Leśn. (Polish Agr. & For. Ann.) (Poznań)

Jakowski, Z.

Przyczynek do znajomości jeczmion. (Rzadka krzyzowka) (Contribution à la connaissance d'orge - un rare hybride). Roczn. Nauk. Rolnicz. i Leśn. (Polish Agr. & For. Ann. 27: 289-296. illus. 1932. no.2.

Brief French summary: p.296.

Hordeum tetrastichum horsfordianum x H. distichum nutans.

Rubber Res. Scheme, Ceylon. Quart. Circ.

Murray, R.K.S.

Diseases of rubber in Ceylon, 1931. Rubber Res. Scheme, Ceylon Quart. Circ. 8: 39-41. D. 1931(Rec'd My.1932)

Sbornik Vysoké Skoly Zeměd Brně ČSR Fak. Lesn. (Bull. Inst. Nat. Agron. Brno RCS Fac. Silvicult.)

Picbauer, R.

Addenda ad floram Čechoslovakiae mycologicam V Sbornik Vysoké Skoly Zeměd. Brně. ČSR Fak. Lesn. (Bull. Inst. Nat. Agron. Brno RCS Fac. Silvicult.) D 18. 30 p. 1931.

Science

Haller, M.H. & Rose, D. H.

Apparatus for determination of CO_2 and O_2 of respiration. Science 75: 439-440. illus. Ap.22, 1932. no.1947.

Leaves of plants are best gas detectives. Science v.75, no.1948, Suppl. p.11. Ap.29,1932.

Science (cont.)

Standley, P. C.

The pine forests of Costa Rica. Science 75: 437. Ap.22, 1932. no.1947.

Science News Letter.

New varieties promised from re-found tropical water-lily. Science News Letter 21: 273. Ap.30, 1932. no.577.

Account given by Dr. G. T. Moore of origin of yellow water lily "St.Louis", before Amer. Phil. Soc.

Scient. Month. (Lancaster,Pa.)

Cowles, H. C.

The ever-changing landscape. Scient. Month. 34: 457-459. My. 1932. no.5.

Scott. Journ. Agr. (Edinburg)

Skin spot and blindness in seed potatoes. Scott. Journ. Agr. 15: 191-196. 1 pl. Ap.1932. no.2.

Seed World (Chicago)

Hayes, H. K.

Breeding new rust resistant varieties of spring wheat in Minnesota. Seed World 31(9): 16. illus. Ap.29, 1932.

Marquillo.

So. African Gard. (Johannesburg)

Bolus, L.

A new species of Lithops from Namaqualand. So. African Gard. 22: 102. illus. Ap.1932. no.4.

Lithops meyeri.

Bolus, L.

Plants new or noteworthy. (cont.) So. African Gard. 22: 109-110. illus. Ap.1932. no.4.

Sarcocaulon vanderietiae, S. herrei, Ammocharis herrei n.spp.

Transvaal veld flowers. So. African Gard. 22: 111. illus. Ap.1932. no.4.

Melasma orobanchoides.

Tea Quart. Tea Res. Inst. Ceylon.
Tubbs, F. R.
Wound-healing processes. Tea Quart. Tea Res. Inst. Ceylon 5: 22-24. 1 pl. F.1932. no.1.

Tectona (Buitenzorg)
Coster, C.
Eenige waarnemingen omtrent groei en bestrijding van alang-alang (Imperata cylindrica Beauv.) (Some observations on the growth of Imperata cylindrica Beauv. and its extermination). Tectona 25: 383-402. 6 pl. on 4. Ap.1932. no4.

Tijdschr. Plantenz.
Westenberg, J.
Uit de historie van de Graphium-ziekte in de iepen. (On the history of the Graphium disease of the elm tree). Tijdschr. Plantenz. 38: 61-65. Ap.1932. no.4.

English summary: p.64-65.

Originated in France not in Holland and should not be called "Dutch" elm disease.

Torreya.
Berry, E. W.
A new Celtis from the western Miocene. Torreya 32: 40-42. illus. Mr./Ap. 1932. no.2.

C. hesperius.

Skutch, A. F.
The pollination of the palm Archontophoenix cunninghamii. Torreya 32: 29-37. illus., pl. i. Mr./Ap. 1932. no.2.

Walker, C. R. & Greene, D.
A study of the number of pistils in the Colorado blue columbine, Aquilegia caerulea. Torreya 32: 38-39. Mr./Ap. 1932. no.2.

Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-Breed. (Leningrad)
Kostina, K. F.
Kul'tura abrikosov v Ferganskoi doline (The cultivation of apricots in Fergana Valley). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 26(4): 3-158. illus. (incl. map) 2 diagr. 1931.

Russian with English summary.

Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-Breed. (cont.)

Smol'ianinova, L.

Sorta i kul'tura leshchinnogo oreshnika v Abkhazii (Varieties and cultivation of the hazel-nut in Abkhasia) Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 26(4): 159-220. illus. 1931.

Russian with English summary.

Smol'sky, N. V.& Smirnov, I.P.

Fistashniki badkhyza (The pistachio stands of Badghys). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 26(4): 221-382. illus. (incl. maps) 1931.

Russian with English summary.

U.S. Dept. Agr. Circ.

Spaulding, P. & Hansbrough, J. R.

Cronartium comptoniae, the sweetfern blister rust of pitch pines. U.S. Dept. Agr. Circ. 217. 21 p. illus. Ap.1932.

U.S. Dept. Agr. Techn. Bull.

Mains, E.B. & Martini, M. L.

Susceptibility of barley to leaf rust (Puccinia anomala) and to powdery mildew (Erysiphe graminis hordei). U.S. Dept. Agr. Techn. Bull. 295. 33 p. Ap.1932.

Univ. Calif. Publ. Bot. (Berkeley)

Copeland, E. B.

Transpiration by chaparral and its effect upon the temperature of leaves. Univ. Calif. Publ. Bot. 17: 1-21. 1932. no.1.

Valt. Maatalouskoet. Julkais.

Pesola, V. A.

Vehnän jalostustyöstä ja sen tuloksista maatalouskoelaitoksen kasvinjalostus-osastolla. (Die weizenzüchtung der Landwirtschaftlichen versuchsanstalt Finnlands, abt. für pflanzenzüchtung, und ihre ergebnisse). Valt. Maatalouskoet. Julkais. no.43. 118 p. illus. 1932.

German summary: p.88-118.

Věstník Českosl. Akad. Zeměd. (Praha)

Kavina, K.

Inverse embrya u nasich konifer. (Inversion de l'embryon chez nos conifères). Věstník Českosl. Akad. Zeměd. 8: 373-374. Ap.1932. no.4.

Czech and French.

Kavina, K.

Příspěvek k teratologii květu tulipánu. (Contribution à la tératologie de la fleur de la tulipe). Věstník Českosl. Akad. Zeměd. 8: 374-375. Ap. 1932. no.4.

Czech and French.

Peterka, V.

Příspěvek k aetiologii mrazového jádra našich ovocných stromů. (Beitrag zur aetiologie des frostkernes bei unseren obstbäumen). Věstník Ceskosl. Akad. Zeměd. 8: 390-393. Ap.1932. no.4.

Czech and German.

Zeitschr. Pflanzenkr. (Stuttgart)

Köck, G.

Lohnt sich ein weiterer ausbau der chemischen methoden im praktischen pflanzenschutz? Zeitschr. Pflanzenkr. 42: 233-235. My.1932. no.5.

Schwartz, G.

Bodenkämpfung als kulturfaktor zur bodenverbesserung im gartenbau. Zeitschr. Pflanzenkr. 42: 193-232. illus. My.1932. no.5.

Zentralbl. Bakt. AbtII. (Jena)

Schaede, R.

Das schicksal der bakterien in den knöllchen von Lupinus albus nebst cytologischen untersuchungen. Zentralbl. Bakt. Abt.II, 85: 416-425. pl.i-ii. Ap.7, 1932. no.21/26.

Der Züchter (Berlin)

Baur, E.

Die abstammung der gartenrassen vom löwenmäulchen (Antirrhinum majus). Der Züchter 4: 57-61. illus. Mr.1932. no.3.

Der Züchter (cont.)

Hacizade, M.
Die verteilung der weizenarten in der Türkei. (Vorläufige mitteilung). Der Züchter 4: 70-76. illus. Mr.1932. no.3.

Klapp, E.
Pflanz- und wurzelsprossenluzerne. Der Züchter 4: 73. Mr.1932. no.3.

Lewitsky, G.
Zur geschichte der fruchtbaren, intermediären, konstanten weizen-roggenbastarde. Der Züchter 4: 76-78. Mr.1932. no.3.

Mol, W.E.de.
Die veredelung von zierpflanzen und das zusammenwirken des wissenschaftlichen forschers mit dem züchter bei der veredelung. Der Züchter 4: 61-66. illus. Mr.1932. no.3.

Wettstein-Westersheim, W.v. & Meyle, A.
Topinambur als futterpflanze. Der Züchter 4: 66-70. illus. Mr. 1932. no.3.

Exper. Stat. Publ.

Verner, L. & Blodgett, E. C.
Physiological studies of the cracking of sweet cherries. Idaho Agr. Exp. Stat. Bull.184. 15 p. N.1931 (Rec'd My.1932)

Osmun, A. V.
[Report of the] Dept. of botany 1930/31. Ann. Rep. Mass. Agr. Exp. Stat. 1930/31 (Its Bull. 280): 201-208. F.1932.

McClintock, B.
Cytological observations of deficiencies involving known genes, translocations and an inversion in Zea mays. Missouri Agr. Exp. Stat. Res. Bull. 163. 30 p. illus. D.1931(Recd My.1932)

New Jersey agricultural experiment station. Dept. of plant pathology.
Brown canker control experiments. Its Nursery Dis. Notes. v.4, no.6. 4 p. D.1931(Recd Ap.1932)

Exper. Stat. Publ. (cont.)

New Jersey agricultural experiment station. Dept. of plant pathology.

Rose black spot control experiments. In its Nursery Dis. Notes v.4, no.5. 4 p. N. 1931(Rec'd Ap.1932)

State Publications.

Beal, A. C. & Post, K.

Growing China asters. Cornell Ext. Bull. 212. 40 p. illus. Jl.1931(Rec'd My.1932)

Diseases: 31-32.

New Books.

Boggs, K. D.

Prints and plants of old gardens. Richmond, Va., Garrett & Massie, 1932.

Dobyns, W. W.

California gardens. N.Y., Macmillan, 1931.

Geitler, L.

Cyanophyceae (blaualgen)... lfg.4. Leipzig, 1932(Dr. L. Rabenhorst's Kryptogamen-flora von Deutschland, Oestereich und der Schweiz 14.bd.)

Hannig, E. & Winkler, H.

Die pflanzenareale... 3. reihe, h.5. 1932.

Allorge, P. Riella; Fissides serrulatus und F. Polyphyllus; Hyocomium flagellare. - Troll, W. Hymenophytum. - Bergdolt, E. Peltolepis, Sauteria, Clevea. - Herzog T. Leptodontium.

Harris, L. S.

Noxious weeds. Santa Ana, Calif., 1932.

14 col. plates with brief descriptions on verso.

Hottes, A. C.

The book of trees. N.Y., A. T. DeLaMare Co., 1932.

Meyer, H.

Ein beitrag zur morphologie und physiologie verschiedener erbsensorten. Berlin, 1930.

Inaug.-diss. Landw. Hochschule Berlin.

New Books. (cont.)

Pereira, H.
Pequena contribuicao para um diccionario das plantas uteis do estado de S. Paulo. Sao Paulo Typographia Brasil de Rothschild & Co., 1929.

Pringsheim, H.
The chemistry of the monosaccharides and of the polysaccharides. N.Y., McGraw-Hill, 1932.

Schiemann, E.
Entstehung der kulturpflanzen. Berlin, Borntraeger, 1932. (Handbuch der vererbungswissenschaft hrsg. von E. Baur und M. Hartmann lfg.15 (bd.3,L).

Schiller, J.
Dinoflagellata. Leipzig, 1931 (Dr. L. Rabenhorst's Kryptogamen-flora von Deutschland, Oesterreich und der Schwciz, X. bd. abt.3)

Seward, A. C.
Plants, what they are and what they do. Cambridge, Engl. University press, 1932.

Torrey, R. E.
General botany for colleges. N.Y., Century Co., 1932.

Translations filled in Library of Bur. of Plant Industry.

Bremer, G.
Een cytologisch onderzoek der bastarden tusschen Saccharum officinarum en Saccharum spontaneum (Cytological investigations on the hybrids between Saccharum officinarum and Saccharum spontaneum). Arch. Suikerind. Nederl. Indie v.36, pt.3. (Meded. 1928, no.11): 565-695. 1928.

Tavčar, A.
Winterfestigkeit und genetisch bedingte tieflage der vegetationspunkte an getreidepflanzen. (Relation of winter hardiness to the depth of the growing point in cereal plants). Zeitschr. Zücht. A. Pflanzenzucht. 15: 63-74. F.1930. no.2.

BOTANY

CURRENT LITERATURE

LIBRARY
★ JUN 11

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY.
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D.C.

Vol. 14, No. 10. May 9-21, 1932.

Årsb. Soc. Scient. Fenn. (Helsingfors.)

Häyrén, E.

Viktor Ferdinand Brotherus. Årsb. Soc. Scient. Fenn. 9 B, no.1. 28 p. port. 1931.

Acta Soc. Bot. Polon. (Warszawa)

Kozłowski, A.

Uproszczona metoda wyizolowania t. zw. glutationu z nasion grochu (Pisum sativum). A simplified method for the isolation of the so called glutathione from the pea (Pisum sativum). Acta Soc. Bot. Polon. 8: 81-83. 1931. no.1/2.

Prywer, C.

Badania cytologiczne nad burakiem cukrowym (Beta vulgaris L. v. saccharifera). (Cytological studies in the sugarbeet). Acta Soc. Bot. Polon. 8: 19-71. illus. 1931. no.1/2.

French summary: p.70-71.

Wóycicki, Z.

Cytolyse bei Nicotiana und Larix. Acta Soc. Bot. Polon. 8: 1-17. illus., pl.i-ii. 1931. no.1/2.

Nicotiana silvestris x N. atropurpurea, Larix dahurica.

Agr. Puertorriqueno (San Juan)

Cook, M. T.

"La gomosis de la caña en la variedad". Agr. Puertorriqueno 12(8): 11. My.1, 1932. no.8.

Agric. Colon. (Firenze)

Fenaroli, L.

Notizie sulla palma da olio (Elaeis guineensis) e la sua coltivazione nell'Africa Occidentale Portoghese (Angola). (concl.) Agric. Colon. (Firenze) 26: 187-200. illus. Ap.1932. no.4.

Agr. y Zootecn. (Habana)

Johnston, J. R.

Enfermedades del cocotero. Agr. y Zootecn. (Habana) 11: 177-178. illus. Mr.1932. no.6.

Agr. Gaz. N.S.W. (Sydney)

Edwards, E. T.

Stem nematode disease of lucerne. Agr. Gaz. N.S.W. 43: 305-314. illus. Ap.1, 1932. no.4.

With review of literature concerning the causal organism Tylenchus dipsaci (Kuhn) Bast.

Darragh, W. H.

Capiscum or pepper varieties. Agr. Gaz. N.S.W. 43: 251-252. Ap.1, 1932. no.4.

Magee, C. J.

Leaf-fall of bananas. Agr. Gaz. N.S.W. 43: 319-321. Ap.1, 1932. no.4.

Experiment indicates control by manuring.

Agr. Prat. Pays Chauds (Paris)

Costantin, J.

Technique de la lutte contre les maladies de dégénérascence. Perfectionnements, importance pour l'agronomie coloniale. Agr. Prat. Pays Chauds 3: 321-336. illus. My. 1932. no.23.

Rivière, C.

Le sacsaoul du Turkestan. Haloxylon ammodendron Bunge. Agr. Prat. Pays Chauds n.s. 2: 3-10. Ja.1931. no.7.

Amer. Bee Journ. (Hamilton, Ill.)

Rosen, H. R.

Is the honeybee responsible for the spread of the fireblight germ? Amer. Bee Journ. 71: 270-272, 320-321. illus. Je., Jl. 1931.

Thinks that it is.

Amer. Forests (Washington)

Beattie, R.K.
The threat of the Dutch elm diseases... Amer. Forests 37: 489. illus. Ag.1931. no.8.

Crandall, E. L.
Through the lens. Short lessons in photography for the outdoorsman. Photographing wild flowers. Amer. Forests 38: 293-295, 315. illus. My.1932. no.5.

Kile, O. M.
The new plant patent act and how it operates. Amer. Forests 38: 297-298, 310, 315. My.1932. no.5.

Amer. Midl. Nat. (Notre Dame, Ind.)

Benke, H. C.
Earliest spring-flowering plants over-country midland, Green Bay, Wisconsin, to Galveston, Texas. Amer. Midl.Nat. 13: 89-109. My. 1932. no.3.

Kelso, L.
A note on Anemopsis californica. Amer. Midl. Nat. 13: 110-113. My.1932. no.3.

Amer. Nat. (Lancaster, Pa.)

Sprague, G. F. & Pope, M.N.
A case of two simultaneous mutations for virescent seedlings in maize. Amer. Nat. 56: 284-285. My./Je. 1932. no.704.

Stewart, G. & Nelson, L. W.
Recurrence of a peculiar genetic recombination in the spike density of wheat. Amer. Nat. 66: 207-222. illus. My./Je. 1932. no.704.

Ann. Crypt. Exot. (Paris)

Bartram, E. B.
Mosses of northern New Mexico collected by Bro. Arsène. Ann. Crypt. Exot. 4: 153-160. D.1931. no.3/4.

Gyelnik, V.
Additamenta ad cognitionem lichenum extra-europaeorum. Ann. Crypt. Exot. 4: 166-174. D.1931. no.3/4.

Ann. Crypt. Exot. (cont.)

Gyelnik, V.
Nephromae novae et criticae. Ann. Crypt. Exot. 4: 121-149. D.1931. no.3/4.

Gyelnik, V.
Ramalinae duae novae e Paraguay. Ann. Crypt. Exot. 4: 150-152. D.1931. no.3/4.
R. anisitsiana, R. paraguayensis.

Heim, R.
Le Phaeolus manihotis sp.nov., parasite du manioc à Madagascar, et considérations sur le genre Phaeolus Pat. Ann. Crypt. Exot. 4: 175-189. illus., pl.viii-x. (part col.) D.1931. no.3/4.

Potier de la Varde, R.
Sur la présence au Maroc de Fissidens herzogii Ruthe. Ann. Crypt. Exot. 4: 161-165. illus. D.1931. no.3/4.

Ann. Épiph. (Paris)

Arnaud, G. & Barthelet, J.
Recherches sur les dépérissements des arbres d'alignement. Ann. Épiph. 17: 249-323. illus., pl.i-vii. Jl./Ag. 1931. no.4.
Ailanthus & elm.

Regnier, R.
L'organisation moderne de la protection des végétaux d'après l'exemple de quelques grands pays. Ann. Épiph. 17: 113-247. illus. Mr./Je. 1931. no.3/3.

Ann. Jard. Bot. Buitenzorg.

Costerus, J. C. & Smith, J. J.
Studies in tropical teratology. Ann. Jard. Bot. Buitenzorg 42: 1-22. pl.i-iv. 1931. no.1.

Docters van Leeuwen, W. M.
Vogelbesuch an den blüten von einigen Erythrina-arten auf Java. Ann. Jard. Bot. Buitenzorg 42: 57-95. pl. viii-x. (1 col.) 1931. no.1.

Ann. Jard. Bot. Buitenzorg. (cont.)

Lam, H. J.

Beiträge zur morphologie der dreizähligen Burseraceae-Canarieae. Ann. Jard. Bot. Buitenzorg. 42: 23-56. pl.v-vii. 1931. no.1.

Ann. Tecn. Agr. (Rome)

La Rotonda, C.

Germinabilità e concentrazione idrogenionica. III. Il potere-tampone delle sostanze di reserva. Ann. Tecn. Agr. (Rome) 5: 125-139. Mr.1, 1932. no.2.

Quattrocchi, A.

Studio su dieci varietà di mandorle coltivate nella Sicilia centrale. Ann. Tecn. Agr. (Rome) 5: 140-148. 2 pl. on 1. Mr.1, 1932. no.2.

Ann. Bot. (London)

Bancroft, H.

On the identification of isolated timber specimens, with especial reference to fossil woods. Ann. Bot. 46: 353-365. pl.xii. Ap.1932. no.182.

Blaikley, N. M.

Absorption and conduction of water and transpiration in Polytrichum commune. Ann. Bot. 46: 289-300. illus. Ap.1932. no.182.

Briggs, G. E.

The absorption of salts by plant tissues, considered as ionic interchange. Ann. Bot. 46: 301-322. Ap.1932. no.182.

Dickson, H.

The effects of X-rays, ultraviolet light, and heat in producing saltants in Chaetomium cochliodes and other fungi. Ann. Bot. 46: 389-404. illus., pl.xiii-xiv. Ap.1932. no.182.

Iyengar, M.O.P.

Two little-known genera of green algae (Tetrasporidium and Ecballocystis). Ann. Bot. 46: 191-227. illus., pl.vii-viii. Ap.1932. no.182.

Ann. Bot.(cont.)

Lockyer, S.

Seed dispersal from hygroscopic Mesembryanthemum fruits; Bergeranthus scapigerus, Schw., and Dorotheanthus bellidiformis, N.E.Br., with a note on Carpanthea pomeridiana, N.E. Br. Ann. Bot. 46: 323-342. illus., pl.x. Ap.1932. no.182.

Richards, F. J.

Physiological studies in plant nutrition. III. Further studies of the effect of potash deficiency on the rate of respiration in leaves of barley. Ann. Bot. 46: 367-388. Ap.1932 no.182.

Saunders, E. R.

On carpel polymorphism. V. Ann. Bot. 46: 239-288. illus. Ap.1932. no.182.

Wardlaw, C. W.

Observations on the pycnidium of Botryodiplodia theobromae, Pat. Ann. Bot. 46: 229-238. illus., pl.9. Ap. 1932. no.182.

Wiltshire, S. P.

A reversible Stemphylium-Alternaria saltation. Ann. Bot. 46: 343-351. illus., pl.xi. Ap.1932. no.182.

Ann. Rep. Wisconsin State Cranberry Grow. Assoc.

Bain, H. F.

Spraying and water raking experiments. Ann. Rep. Wisconsin State Cranberry Grow. Assoc. 45 (1931): 14-17. 1932.

Arb. Biol. Reichsanst. Land- u. Forstw. Berlin.

Marx, Th. & Merkenschlager, F.

Zur biologie der kartoffel. XII. Beobachtungen und untersuchungen über den verlauf des kartoffelabbaues. Arb. Biol. Reichsanst. Land- u. Forstw. Berlin 19: 413-492. illus. 1932. no.5.

Arch. Exp. Zellforsch. Gewebezücht.

White, P. R.

Plant tissue cultures. A preliminary report of results obtained in the culturing of certain plant meristems. Arch. Exp. Zellforschr. Gewebezücht. 12: 602-620. illus. Ap.20, 1932. no.4.

Arch. Mikrobiol. (Berlin)

Bartusch, H.

Beiträge zur kenntnis der lebensgeschichte des Xanthoriapilzes. Arch. Mikrobiol. 3: 122-157. illus. N.12, 1931. no.1.

Frey, A.

Beziehungen zwischen der wasserstoffionenkonzentration und der citronensäurebildung durch Aspergillus. niger und Citromyces glaber. Arch. Mikrobiol. 2: 272-309. illus. Ap. 22,1931; 3:158. N.12, 1931. no.2,1.

Karamboloff, N. & Krumbolz, G.

Untersuchungen über osmophile sprosspilze. IV. Zygosaccharomyces gracilis sp.n. Arch. Mikrobiol. 3: 113-121. illus. N.12, 1931. no.1.

Arch. Protistenk. (Jena)

Bachmann, E.

Ueber sorale, isidien und ähnliche wucherungen auf Cladonia. Arch. Protistenk. 77: 1-57. illus. 1932. no.1.

Buhr, H.

Untersuchungen über zweisporige hymenomyceten. Arch. Protistenk. 77: 125-151. pl.4, 1932. no.1.

Arizona Prod.

King, C. J. & Stewart, H. A.

Moving root-rot in soil. Infection often spread in dirt alone with no roots - menace to city plantings. Arizona Prod. 11(5): 4. illus. My.15, 1932.

Phymatotrichum omnivorum.

Ark. Bot. (Stockholm)

Malme, G. O. A.

Die compositen der zweiten Regnellschen reise I. Rio Grande do Sul. Ark. Bot. v.24, no.6. 89 p. illus. 1932(N.18, 1931)

Malme, G. O. A.

Xyridaceae angolenses gossweilerianae. Ark. Bot. v.24, no.5. 10 p. 1932 (Jl.29,1931)

Xyris gossweileri, X. elegantula, X. pocockii, X. capillaris, n.spp.

Ark.Bot. (cont.)

Samuelsson, G.
Die arten der gattung Alisma L. Ark. Bot. v.24, no.7. 46 p. illus., 6 pl. 1932 (Mr.4)

Beih. Bot. Centralbl. Abt.I. (Dresden)

Hilitzer, A.
Ueber den einfluss der humusstoffe auf das wurzelwachstum. Beih. Bot. Centralbl. Abt.I, 49: 467-495. illus. Ap.1932. no.2.

Langecker, H.
Ueber quellungshemmung als methodischer behelf zur herstellung von gefrierschnitter schwer schneidbarer drogen. Beih. Bot. Centralbl. Abt. I, 49: 545-548. illus. Ap.1932. no.2.

Meyer, F. J.
Beiträge zur anatomie der alismataceen. I. The blattanatomie von Echinodorus. Beih. Bot. Centralbl. Abt.I, 49: 309-368. illus. Ap.1932. no.2.

Meyer, H.
Das chlorose- und panaschürephänomen bei chlorellen. I- Beih. Bot. Centralbl. Abt.I, 49: 496-544. illus. Ap.1932. no.2.

Moewus, F.
Volvocales-literaturverzeichnis. Beih. Bot. Centralbl. Abt.I, 49: 369-412. Ap.1932. no.2.

Oehm, G.
Beitrag zur morphologie und anatomie einiger acanthaceen-früchte und samen. Beih. Bot. Centralbl. Abt.I, 49: 413-444. illus. Ap.1932. no.2.

Oehm, G.
Ein Bestand ausgeprägter säbellärchen in Westböhmen. Beih. Bot. Centralbl. Abt.I, 49: 445-466. illus., pl.v-vi. Ap.1932. no.2.

Pascher, A.
Ueber drei auffallend konvergente zu verschiedenen algenreihen gehörende epiphytische gattungen. (Der beiträge zur morphologie und biologie epiphytischer algen 3. teil.) Beih. Bot. Centralbl. Abt.I, 49: 549-568. illus., pl.vii. Ap.1932. no.2.

Biochem. Zeitschr. (Berlin)
Rewald, B. & Riede, W.
Knöllchenbakterien und phosphatidbildung bei Soja hispida. Biochem. Zeitschr. 247: 424-428. Ap.1932. no.4/6.

Biol. Zentralbl. (Leipzig)
Mägdefrau, K.
Die stammesgeschichte der Lycopodiales. (Zugleich ein beitrag zur methodologie der botanischen phylogenetik.) Biol. Zentralbl. 52:280-294. illus. 1932. no.5.

Malyschev, N.
Das wachstum des isolierten wurzelmeristems auf sterilen nährböden. Biol. Zentralbl. 52: 257-265. illus. 1932. no.5.

Ubisch, G.v.
Selbstfertilität und geschlechtsverhältnis bei Antennaria dioica (Gaertn.) Biol. Zentralbl. 52: 307-312. 1932. no.5.

Blumen u. Pflanzenb. (Berlin)
Schwiegershausen, K.
Die kalkfeindlichkeit der eriken erkläbar? Blumen u. Pflanzenb. 47: 71. My.2, 1932. no.2.

Boll. Sez. Ital. Soc. Intern. Microbiol. (Milano)
Cengia Sambo, M.
Biologie des lichens. Les substances carbohydratées dans les lichens et la fonction de fixation de l'azote des céphalodes. Boll. Sez. Ital. Soc. Intern. Microbiol. 3: 699-704. N.1931. no.11.

Bot. Arch. (Leipzig)
Christalle, W.
Ueber die reizerscheinungen der narben von Mimulus luteus. Bot. Arch. 34: 115-145. Ap. 1932. no.1.
English summary: p.143-144.

Härdtl, H.
Ueber die wirkung mechanischer inanspruchnahme durch belastung bei laubblättern. Bot. Arch. 34: 81-101. Ap.1932. no.1.
English summary: p.100-101.

Bot. Arch. (cont.)

Langner, W.
Die wasserverteilung im stammholz der fichte und ihre veränderungen. Bot. Arch. 34: 1-80. illus. Ap.1932. no.1.

Steinecke, F.
Das auskeimen alter heterocysten bei Calothrix weberi. Bot. Arch. 34: 153-160. illus. Ap. 1932. no.1.
English abstract: p.160.

Steinecke, F.
Die flagellaten als reduktionsreihen am heterokontenast der algen. Bot. Arch. 34: 102-114. Ap.1932. no.1.
English summary: p.113-114.

Steinecke, F.
Eine neue "symbiose" zwischen rädertier und laubmoos. Bot. Arch. 34: 146-152. illus. Ap. 1932. no.1.
English summary: p.152.
"It is not at all a question of symbiosis".

Bot. Tidsskr. (København)

Andersen, S.
Brassica elongata Ehrh. i Danmark. Bot. Tidsskr. 41: 430-434. 1931. no.5.

Andersen, S.
Graes-hybrider i Danmark. Bot. Tidsskr. 41: 424-430. 1931. no.5.

Hansen, H. M.
Dansk botanisk litteratur i 1927, 1928 og 1929. Bot. Tidsskr. 41: 365-406. 1931. no.5.

Wiinstedt, K.
Helodea canadensis L.C. Rich. i Danmark. Bot. Tidsskr. 41: 436-439. illus. (map) 1931. no.5.

Wiinstedt, K.
Vore Barbaraea-arter. Bot. Tidsskr. 41: 434-436. 1931. no.5.

Brooklyn Bot. Gard. Leafl.

Gundersen, A. & Doney, C.F.

The genus Prunus (cherries, plums, etc.) in the Brooklyn botanic garden. Brooklyn Bot. Gard. Leafl. 20. 4 p. My.11, 1932. no.4.

Bulet. Cult. si Ferm. Tutun. (Bull. Inst. Exp. Cult. & Ferm. Tabac.) (Bucarest)

Chiritescu-Arvena, M. & Mihailovici, I.

Cercetări experimentale asupra câtorva tipuri de răsadnițe, folosite la obținera răsadului de tutun. (Recherches expérimentales sur quelques types de couches utilisées dans l'obtention du plant de tabac.) Bulet. Cult. si Ferm. Tutun. (Bull. Inst. Expl. Cult. & Ferm.Tabac) 21: 3-66. illus. Ja./Mr. 1932.

French summary: p.64-66.

Vladescu, I., Dimofte, N. & Zaporojanu, I.

Influenta epocei de transplantare asupra calităței tutunului, din punct de vedere chimic. (L'influence de l'époque de transplantation sur la qualité du tabac, au point de vue chimique). Bulet. Cult. si Ferm. Tutun. (Bull. Inst. Exp. Cult. & Ferm. Tabac.) 21: 67-101. Ja./Mr. 1932. no.1.

French summary: p.99-101.

Bull. Basic Sci. Res. Univ. Cincinnati

Withrow, R. B. & Benedict, H. M.

A preliminary investigation of the growth-promoting effect of selected ultra-violet radiations on plants. Bull. Basic Sci. Res. Univ. Cincinnati 3: 161-174. illus. Ag.1931. no.3.

Bull.Jard. Bot. État. Bruxelles.

Boulenger, G. A.

Les roses d'Europe de l'Herbier Crépin (Grande-Bretagne, France, Belgique, Pays-Bas, Suisse, Allemagne). vol.II. Bull. Jard. Bot. État. Bruxelles 12: 1-192. illus. N.1931. no.1.

Bull. Misc. Inform.Kew. (London)

Boergesen, F.

Some Indian Rhodophyceae, especially from the shores of the Presidency of Bombay II. Bull. Misc. Inform. Kew. 1931: 113-134. illus., pl.ii-v. no.3.

Bull. Misc. Inform. Kew. (cont.)

Craib, W. G.

Contributions to the flora of Siam. Additamentum XXXIII. Bull. Misc. Inform. Kew 1932: 137-149. no.3.

Dyer, R. A.

Notes on the flora of southern Africa. I. Miscellaneous observations. Bull. Misc. Inform. Kew 1932: 152-155.

Hutchinson, J.

Erythrophysa alata. Bull. Misc. Inform. Kew 1932: 149-151. illus. no.3.

Maxon, W. R.

Two new ferns from Colombia. Bull. Misc. Inform. Kew 1932: 134-136. no.3.

Dryopteris minuscula, D. perstrigosa.

Stent, S. M.

Notes on African grasses. XIII. A new genus from the Orange Free State (Tarigidia, T. aequiglumis) Bull. Misc. Inform. Kew 1932: 151-152. no.3.

Turrill, W. B.

George Claridge Druce. Bull. Misc. Inform. Kew 1932: 157-158. no.3.

Turrill, W. B.

A species new to the European flora. Bull. Misc. Inform. Kew 1932: 160. no.3.

Valerianella orientalis.

Bull. Mus. Géorgie (Tiflis)

Vierhapper, F.

Ueber einige kritische Erigeron-sippe aus dem Kaukasus. Bull. Mus. Georgie 6: 115-124. 1931.

E. schalbusii n.sp.

Bull. Mus. Hist. Nat. Paris

Bois, D.

Floraisons observées dans les serres du Muséum pendant l'année 1931. Bull. Mus. Hist. Nat. Paris II,3: 762-767. D.1931. no.8.

Bull. Mus. Hist. Nat. Paris (cont.)

Camus, A.
Fagacées nouvelles de l'Asie orientale. Bull. Mus. Hist. Nat. Paris II, 3: 688-691. N.1931 no.7.
Castanopsis birmanica, Quercus argyrotricha, Q. crassilamellata, Lithocarpus (Pasania) rodgeriana, n.spp.

Camus, A.
Quelques espèces nouvelles de chênes. Bull Mus. Hist. Nat. Paris II,4: 122-124. Ja.1932. no. 1.
Quercus taliensis (Q.ilex var. phyllireoides p.p.); Q. hendersoniana, Lithocarpus subnucifera n.spp.

Camus, A.
Sur quelques graminées. Bull. Mus. Hist. Nat. Paris II,3: 759-761. D.1931. no.8.
Triarphis glomerata, Arundinaria laotica, Hyparrhenia effusa (Cymbopogon effusus).

Dop, P. & Trochain-Marquès, J.
Les Vaccinium du groupe dunalianum en Indo-Chine. Bull. Mus.Hist. Nat. Paris II,3: 698-699. N.1931. no.7.
V.loquihense nom.nov., V. sangtavanense, sp.n.

Gagnepain, F.
Treize orchidacées nouvelles d'Indo-Chine. Bull. Mus. Hist. Nat. Paris II,3: 679-687. N. 1931. no.7.

Groves, J.
Notes sur les charophytes récoltées par le Prof. Auguste Chevalier en Afrique occidentale. Bull. Mus. Hist. Nat. Paris II,3: 700-701. N. 1931. no.7.

Humbert, H. & Leandri, J.
La véritable position systématique de l'Ilex madagascariensis Lam. Bull. Mus. Hist. Nat. Paris II,4: 118-121. Ja.1932. no.1.
Drypetes madagascariensis (Ilex madagascariensis).

Bull. Mus. Hist. Nat. Paris. (cont.)

Pellegrin, F.

Cyrtandrées nouvelles d'Indo-Chine. Bull. Mus. Hist. Nat. Paris II,3: 756-758. D.1931. no.8.

Didymocarpus poilanei, Chirita geoffrayi, C. annamensis, C. semicontorta, Boea evrardii.

Thériot, I.

Sur une petite collection de mousses de l'Afrique occidentale française. Bull. Mus. Hist. Nat. Paris II,3: 771-773. D.1931. no.8.

Trochain, J.

Sur l'anatomie du fruit de Commelina forskalaei Vahl. Bull. Mus. Hist. Nat. Paris II, 3: 694-697. illus. N.1931. no.7.

Trochain-Marquès, Y., Mme.

Sur la présence de cellulose gélifiee dans une feuille de Vaccinium. Bull. Mus. Hist. Nat. Paris. II,4: 125-126. Ja.1932. no. 1.

V. loquihense.

Bull. N.Y. State Mus.

Hotchkiss, N.

A botanical survey of the Tug Hill plateau. Bull. N.Y. State Mus. 287. 123 p. illus. Ja. 1932.

Tug Hill plateau lies between the Ontario plain, the valley of the Black River and the valley of the upper Mohawk and includes parts of Lewis, Jefferson, Oneida and Oswego counties.

Bull. Pop. Inform. Arnold Arb.

Jack, J. G.

Some early flowering trees. Bull. Pop. Inform. Arnold Arb. III, 6: 9-14. illus. My.6, 1932. no.3/4.

Bull. Sect. Sci. Acad. Roumaine. (Bucarest)

Mihăilescu, I. Gr.

Nouvelles recherches sur le rôle physiologique de la nervation des feuilles. Bull. Sect. Sci. Acad. Roumaine 14: 24-28. illus. 1931. no.1/2.

Bull. Sect. Sci. Acad. Roumaine. (cont.)

Moruzi, C.

Remarques sur quelques lichens récoltés en Roumanie dans les districts de Neamtz et Bucegi. Bull. Sect. Sci. Acad. Roumaine 14: 89-105. illus. 1931. no.3/5.

Panţu, A. Z.

Scilla bithynica Boiss. en Roumanie. Bull. Sect. Sci. Acad. Roumaine 14: 132-133. illus. 1931. no.3/5.

Cactus & Succ. Journ. (Los Angeles)

Baxter, E. M.

California cacti. Echinocactus polycephalus, Engelm. & Bigel. Cactus & Succ. Journ. 3: 179-180. illus. My.1932. no.11.

Frick, G. A.

Euphorbia hislopii N.E. Br. Cactus & Succ. Journ. 3: 174. My.1932. no.11.

Hertrich, W.

Notes on genus Myrtillocactus. Cactus & Succ. Journ. 3: 175-178. illus. My.1932. no.11.

Stockwell, P.

A cactus that reproduces like the date palm. Cactus & Succ. Journ. 3: 187-188. illus. My.1932. no.11.

Neomammillaria fasciculata.

Walther, E.

Notes from Huntington botanic gardens. 4. Aloe caesia Salm-Dyck. Cactus & Succ. Journ. 3: 182-183. illus. My.1932. no.11.

West, J.

Argyroderma testiculare v. roseum N.E. Br. Cactus & Succ. Journ. 3: 183. illus. My.1932. no.11.

White, A. & Sloane, B. L.

The Stapelieae. 9. Stapelia (The Orbea section) (cont.) Cactus & Succ. Journ. 3: 184-186. illus. My.1932. no.11.

China Journ. (Shanghai)

Porterfield, W. M.

Lawn and roadside plants of Shanghai. (concl.) China Journ. 16: 197-204. illus. Ap.1932. no.4.

Compt. Rend. Acad. Sci. Paris

Bertrand, G. & Rosenblatt, Mme. M.

Sur la teneur inégale en manganèse des feuilles vertes et des feuilles etiolees. Compt. Rend. Acad. Sci. Paris 194: 1405-1408. Ap.23, 1932. no.17.

Chouard, P. & Teissier, G.

Relations entre la croissance des diverses parties de la plantule du melon et la quantité de reserves laisses à la disposition de l'embryon. Compt. Rend. Acad. Sci. Paris 194: 1513-1515. illus. Ap.25, 1932. no.17.

Duché, J.

Action de l'éther et du chloroforme sur les Actinomyces du groupe asteroides. Compt. Rend. Acad. Sci. Paris 194: 1509-1510. Ap.25, 1932. no. 17.

Fosse, R., Graeve, P. de. & Thomas, P.E.

Un nouveau principe des vegetaux: l'acide urique. Compt. Rend. Acad. Sci. Paris 194: 1408-1413. Ap.25, 1932. no.17.

Gautheret, R. J.

Sur la production de chlorophylle dans les racines exposees a la lumière, en particulier dans la racine d'orge. Compt. Rend. Acad. Sci. Paris 194: 1510-1513. illus. Ap.25, 1932. no.17.

Radoëff, M. A.

Recherches sur la stimulation de la croissance et le metabolisme dans les tissus du blé. Compt. Rend. Acad. Sci. Paris 194: 1527-1529. Ap.25, 1932. no.17.

Compt. Rend. Soc. Biol. Paris.

Gautheret, R. I.

Sur la culture d'extremités de racines. Compt. Rend. Soc. Biol. Paris 109: 1236-1238. illus. Ap.29, 1932. no.14.

Compt. Rend. Soc. Biol. Paris (cont.)

Guilliermond, A.

Sur la presence d'un corps d'aspect oléagineux dans les vacuoles des cellules épidermiques des feuilles d'Iris germanica et sur sa signification. Compt. Rend. Soc. Biol. Paris 109: 1182-1185. illus. Ap.22, 1932. no. 13.

Lallemand, S.

Variations de radiosensibilité des graines de Lens esculenta et de Pisum sativum au cours de leur hydration. Compt. Rend. Soc. Biol. Paris 109: 1284-1287. Ap.29, 1932. no.14.

Lenoir, M.

Equisetum palustre L. La division somatique observee dans les cellules mères primordiales des spores. Compt. Rend. Soc. Biol. Paris 109: 1208-1210. Ap.22, 1932. no.13.

Contr. Biol. Lab. Sci. Soc. China. Bot.Ser.

Chen, S. S.

Studies on the Chinese orchids. Contr. Biol. Lab. Sci. Soc. China Bot.Ser. 6:79-110. illus. S.1, 1931. no.8.

Cyprus Agr. Journ. (Micosia, Cyprus)

Dawe, M. T.

Downy mildew of the vine. Cyprus Agr. Journ. 27: 30-31. illus. Mr.1932.no.1.

Deut. Landw. Presse (Berlin)

Tschermak-Senfenegg, E.

Die praktische verwertung der xenien durch die leguminosen- und getreidezüchter. Deut. Landw. Presse 59: 219-220. illus. Ap.30, 1932. no.18.

Ernähr. Pflanze. (Berlin)

Vogel, F. & Weber, E.

Zur blattrandkrankheit der johannisberre. Ernähr. Pflanze 28: 165-167. My.1, 1932. no.9. Physiological.

Evolution.

McKee, R. H.
Improving on nature. Evolution 3(3): 10-11. illus. Je. 1931. no.3.

Ward, H.
What made the flowers? Evolution 3(4): 3-5. illus. My.1932.

Farming South Africa (Pretoria)

Merwe, C. R. van der
Eradication of jointed cactus. Methods recommended. Farming South Africa 7:21-23. illus. Ap. 1932. no.73.

Fortschr. Landw. (Vienna)

Economu, V.
Die entwicklung einiger weinrebenarten in lösungen verschiedener wasserstoffionenkonzentration. Fortschr. Landw. 7: 242-247. illus. My.1, 1932. no.9.

Gard. Chron. (London)

Cayley, D. M.
Eelworm in Primula kewensis. Gard. Chron. III,91: 331-332. illus. Ap.30,1932. no.2366.
Heterodera marioni (H.radicicola)

Friend, H
Corsican plant lore. IX. The maquis as sanctuary Gard. Chron. III,91:328. Ap.30, 1932. no.2366.

Grove, R.
Rhododendron repens. Gard. Chron. III,91: 326. illus. (p.323). Ap.30,1932. no.2366.

Hutchinson, J.
Rhododendron compactum, Hutch. (spec.nov.) Gard. Chron. III,91:326. Ap.30, 1932. no.2366.

Ward, F. K.
Mr. F.Kingdon Ward's eleventh expedition in Asia. III. Fort Hertz to Kankin. Gard. Chron. III, 91: 329-330. illus. Ap.30, 1932. no.2366.

Gartenschönheit. (Berlin)

Schneider, C.

Immergrüne berberitzen. Gartenschönheit 13: 26. illus. F.1932. no.2.

Genetics.

Sirks, M. J.

Beiträge zu einer genotypischen analyse der ackerbohne, Vicia faba L. Genetics 13: 209-631, incl. tables. illus. 1931. no.3/6.

Helvetica Chim. Acta (Basel)

Zetzsche, F. & Kälin, O.

Untersuchungen über die membran der sporen und pollen. IX. Das thermische verhalten der sporopollenine. X. Die inkohlungstemperatur der steinkohlen. Helvetica Chim. Acta 15: 670-674, 675-680. 1932. no.3.

Hilgardia (Berkeley, Cal.)

Allen, F. W.

Physical and chemical changes in the ripening of deciduous fruits. Hilgardia 6: 381-441. Ap. 1932. no.13.

Condit, I. J.

The structure and development of flowers in Ficus carica L. Hilgardia 6: 443-481. illus. Ap. 1932. no.14.

Haas, A. R. C.

Some nutritional aspects in mottle-leaf and other physiological diseases of citrus. Hilgardia 6: 483-559. illus. Ap.1932. no.15.

Hoppe-seyl. Zeitschr. Phys. Chem. (Berlin)

Bodnar, J. & Terenyi, A.

Biochemie der brandkrankheiten der getreidearten. IV. Wirkungsmechanismus der quecksilbersalze auf die weizensteinbrandsporen (Tilletia tritici (Bjerk.) Winter. Hoppe-Seyl. Zeitschr. Phys. Chem. 207: 78-92. Ap.20, 1932. no.1/2.

Winterstein, A. & Ehrenberg, U.

Ueber die verbreitung und natur der carotinoide in beeren. Hoppe-Seyl. Zeitschr. Phys. Chem. 207: 25-34. Ap.20, 1932. no.1/2.

Indische Mercuur (Amsterdam)

Hall, C. J. J.

De oorsprong van de "Congo-banaan". Indische Mercuur 55: 245. illus. Ap.27, 1932. no.17.

Spoon, W.

Rotenon-winnung uit de Surinaamsche nekoe-wortel, Lonchocarpus spec. Indische Mercuur 54: 1043-1044. illus. D.9, 1931. no.49

Journ. Agr. Res. (Washington)

Blair, A. W. & Prince, A. L.

The influence of phosphates on the phosphoric acid content of the plant. Journ. Agr. Res. 44: 579-590. Ap.1, 1932(Recd My.18) no.7.

Doran, W. L.

Acetic acid and pyroligneous acid in comparison with formaldehyde as soil disinfectants. Journ. Agr. Res. 44: 571-578. illus. Ap.1, 1932(Recd My.18) no.7.

Groves, A. B.

A photographic light box for use in agricultural research. Journ. Agr. Res. 44: 467-475. illus. Mr.1, 1932. no 5.

Peltier, G.L. & Tysdal, H.M.

A method for the determination of comparative hardiness in seedling alfalfas by controlled hardening and artificial freezing. Journ. Agr. Res. 44: 429-444. Mr.1, 1932(Rec'd My.18) no.5.

Robertson, D.W., Deming, G.W. & Koonce, D.

Inheritance in barley. Journ. Agr. Res. 44; 445-466. Mr.1, 1932. no.5.

Journ. & Proc. Roy. Soc. N.S.W. (Sydney)

Penfold, A. R., Radcliffe, C.B. & Short, W. F.

The essential oil of Eucalyptus rariflora (Bailey). Journ. & Proc. Roy. Soc. N.S.W. 64: 101-114. Je. 1931.

Journ. & Proc. Roy. Soc. N.S.W. (cont.)

Penfold, A. R.

The essential oils of three species of Geijera and the occurrence of a new hydrocarbon. I. Journ. & Proc. Roy. Soc. N.S.W. 64:264-297. Je. 1931.

Penfold, A. R.

The essential oils of Zieria smithii (Andrews) and its various forms. Journ. & Proc. Roy. Soc. N.S.W. 64: 83-88. tab. Je.1931.

Penfold, A. R. & Morrison, F. R.

Notes on the essential oils from some cultivated eucalypts. II. Journ. & Proc. Roy. Soc. N.S.W. 64: 210-223. Je.1931.

Welch, M.B.

The occurrence of intercellular canals in the wood of some species of Flindersia. Journ. & Proc. Roy. Soc. N.S.W. 64: 352-362. illus., pl. ix. Je. 1931.

Journ. Dept. Agr. Victoria (Melbourne)

Gordon, G.S. & Raw, A. R.

Wheat-barley matings. Journ. Dept. Agr. Victoria 11: 138-144. illus. Mr.1932. no.3.

Morgan, A.

Some common clovers, their identification. Journ. Dept. Agr. Victoria 30: 105-112. illus. Mr. 1932. no.3.

Journ. Econ. Entom. (Geneva, N.Y.)

Illingworth, J. F.

Preliminary report of evidence that mealy bugs are an important factor in pineapple wilt. Journ. Econ. Entom. 24: 877-889. pl.35. Ag.1931. no 4.

Journ. Frankl. Inst.

Swann, W.F.G. & Rosario, C.del

The effect of certain monochromatic ultraviolet radiations on Euglena cells. Journ. Frankl. Inst. 213: 549-560. illus. My.1932. no.5.

Journ. For. (Washington, D. C.)

Siggers, P. V.
The brown-spot needle blight of longleaf pine-seedlings. Journ For. 30: 579-593. My. 1932. no.5.
Septoria acicola.

Journ. Gen. Physiol. (Baltimore, Md.)

Castle, E. S.
On "reversal" of phototropism in Phycomyces. Journ. Gen. Physiol. 15: 487-489. My.20, 1932. no.5.

Damon, E. B.
Dissimilarity of inner and outer protoplasmic surfaces in Valonia. III. Journ. Gen. Physiol. 15: 525-535. illus. My.20, 1932. no.5.

Jacques, A. G. & Osterhout, W. J. V.
The accumulation of electrolytes. IV. Internal versus external concentrations of potassium. Journ. Gen. Physiol. 15: 537-550. illus. My.20, 1932. no.5.

Lineweaver, H., Burk, D. & Horner, C. K.
The temperature characteristic of respiration of Azotobacter. Journ. Gen. Physiol. 15: 497-505. My.20, 1932. no.5.

Tang, P.
On the respiratory quotient of Lupinus albus as a function of temperature. Journ. Gen. Physiol. 15: 561-569. My.20, 1932. no.5.

Tang, P.
A respirometer vessel for study of metabolism of seeds. Journ. Gen. Physiol. 15: 571-574. illus. My.20, 1932. no.5.

Journ. Hered. (Washington)

Hull, F.H. & Grossman, E. F.
Heat-induced chlorophyll mutations in maize. Preliminary report on chlorophyll deficiencies induced by heating dormant seeds. Journ. Hered. 23: 123-127. illus. Mr.1932. no.3.

Journ. Hered. (cont.)

Lindstrom, E. W.

A fertile tetraploid tomato, cross-sterile with diploid species. Journ. Hered. 23: 115-121. illus. Mr.1932. no.3.

Journ. Indian Bot. Soc. (Madras)

Banerji, I.

Chromosome numbers of Indian crop plants. (A) Chromosome numbers in jute. Journ. Indian Bot. Soc. 11: 82-85. illus. Ja.1932 no.1.

Blatter, E.

Plants from Basra in Mesopotamia. Journ. Indian Bot. Soc. 11: 28-47. Ja. 1932. no.1.

Boergesen, F.

Some Indian green and brown algae especially from the shores of the presidency of Bombay. II. Journ. Indian Bot. Soc. 11:51-70. pl.i-ii. Ja. 1932. no.1.

Ekambaram, T.

Presidential address. Journ. Indian Bot. Soc. 11: 99-102. Ja.1932. no.1.

Mainly on root activities.

Fyson, P. F.

Notes on four species of flowering plants from the South Indian Highlands. Journ. Indian Bot. Soc. 11: 48-50. Ja. 1932. no.1.

Blumea hieracifolia, Osbeckia rosea, Notonia shevaroyensis (n.sp.), Smilax zeylanica.

Joshi, A. C.

Structure, arrangement and course of vascular bundles in the stem and leaves of Heptapleurum venulosum Seem. Journ. Indian Bot. Soc. 11: 73-81. 2 pl. Ja.1932 no.1.

Joshi, A. C.

Vivipary in Atriplex crassifolia and Sueda fruticosa. Journ. Indian Bot. Soc. 11: 71-72. 1 pl. Ja.1932 no.1.

Journ. Indian Bot. Soc. (cont.)

Kashyap, S. R.
The gametophyte of Equisetum. Journ. Indian Bot. Soc. 11: 86-88. Ja.1932. no.1.

Malhotra, R. C.
The influence of ultra-violet rays, x-rays and temperature on the germination of Zea mays. Journ. Indian Bot. Soc. 11: 1-27. illus. Ja. 1932. no.1.

Mundkur, B. B.
A simple method of illustrating Mendelian inheritance. Journ. Indian Bot. Soc. 11: 92-93. Ja.1932. no.1.

Saran, A. B.
A note on the opening of the flowers of Portulaca tuberosa. Journ. Indian Bot. Soc. 11: 89-91. Ja.1932(Recd My.) no.1.

Journ. N.Y. Bot. Gard.

Dodge, B.O. & Swift, M. E.
Black stem-rots and leaf-spot of Pelargonium. Journ. N.Y. Bot. Gard. 33: 97-103. illus. My. 1932. no.389.

Merrill, E. D.
The so-called Chinese evergreen, Aglaonema modestum Journ. N.Y. Bot. Gard. 33: 93-97. illus. My.1932. no.389.

Stout, A. B.
The Soudan daylily. Journ. N.Y. Bot. Gard. 33: 104-105. illus. My. 1932. no.389.

Journ. New Zeal. Inst. Hort.

Aston, B. C.
The Marlborough harebell. (Wahlenbergia matthewsii). Journ. New Zeal. Inst. Hort. 3: 44-47. Mr. 1932. no.2.

Aston, B. C.
New Zealand shelter trees and shrubs. Journ. New Zeal. Inst. Hort. 3: 37-44. 2 pl. on 1. Mr.1932. no.2.

Journ. NewZeal. Inst. Hort. (cont.)

Nairn, R.

The early history of horticulture in New Zealand. Journ. New Zealand Inst. Hort. v.3, no.2 suppl. 20 p. Mr. 1932.

Journ. Rheology.

Seifriz, W. & Plowe, J.

The effects of salts on the extensibility of protoplasm. Journ. Rheology 2: 263-270. illus. Jl. 1931. no.3.

Experiments with Allium cepa.

Journ. Sci. Hiroshima Univ. Ser. B, Div.2 (Botany)

Araki, S.

Karyologische untersuchungen über einen artbastard zwischen Potentilla chinensis (haploid, 7 - 1n) und P. nipponica (hapl. 14 -2n.) Journ. Sci. Hiroshima Univ. Ser.B, Div.2 (Botany) 1: 103-116. illus.,pl.12-13. Mr.1932. no.5/9.

Horikawa, Y.

Studies on the Hepaticae of Japan. V-VII. Journ. Sci. Hiroshima Univ. Ser. B, Div. 2(Botany) 1: 55-76, 77-94, 121-134. illus., pl.7-11, 14-16. My.1931, Mr.1932. no.4, 5/9.

Shimotomai, N.

Bastardierungsversuche bei Chrysanthemum. II. Entstehung eines fruchtbaren bastardes (haploid 4n) aus der kreuzung von Ch. marginatum (hapl. 5n) mit Ch. morifolium (hapl.3n). Journ. Sci. Hiroshima Univ. Ser.B, Div. 2 (Botany): 1: 117-120. illus. Mr.1932. no.5/9.

Shimotomai, N. & Koyama, Y.

Geschlechtschromosomen bei Pogonatum inflexum Lindb. und chromosomenzahlen bei einigen anderen laubmoosen. Journ. Sci. Hiroshima Univ. Ser. B, Div.2 (Botany) 1: 95-101. illus. Mr.1932. no. 5/9.

Landbouw Tijdschr. Vereen. Landb. Nederl.-Indië. (Buitenzorg)

Giessen, C. van der

Op Java verbouwde kedeleevariëteiten. (The varieties of soybean grown in Java). Landbouw Tijdschr. Vereen. Landb. Nederl.-Indië 7: 664-671. Mr.1932. no 9.

English summary: p.755-756.

Landbouw Tijdschr. Vereen. Landb. Nederl.-Indië. (cont.)

Goot, P. van der & Muller, H.R.A.

Plagen en ziekten der kedelee op Java. Beknopt voorloopig overzicht. (Pests and diseases of the soybean crop in Java. Preliminary report.) Landbouw Tijdschr. Vereen. Landb. Nederl.-Indië. 7: 683-704. Mr.1932. no.9.

English summary: p.758-759.

Lingnan Sci. Journ. (Canton, China)

Groff, G. W.

Piperales of Kwangtung, China. Lingnan Sci. Journ. 11: 81-100. Mr.30, 1932. no.1.

Li, L. C.

Bibliography of the literature relating to the Chinese algae. Lingnan Sci. Journ. 11: 113-117. Mr.30, 1932. no.1.

Merrill, E. D.

A fourth supplementary list of Hainan plants. Lingnan Sci. Journ. 11: 5-23. Mr.30, 1932. no.1.

Merrill, E. D. & Metcalf, F. P.

New Vitaceae from Fukien, China. Lingnan Sci. Journ. 11: 101-103. Mr.30, 1932. no.1.

Vitis tsoii, Vitis chungii n.spp.

Metcalf, F. P.

Botanical notes on Fukien and southeast China, VI-XII. Lingnan Sci. Journ. 11: 5-23. Mr.30, 1932. no.1.

Meded. Lab. Bloembollenonderz. Lisse

Slogteren, E. Van

Les helminthiases des plantes. Traitement Meded. Lab. Bloembollenonderz. Lisse no.44. 1931.

Reprinted from Congr. Intern. Path. Comp. 2, Paris, 1931. p.432-437.

Mezögazd. Kutat. Budapest.

Husz, B.

Adatok a Magyar búza rozsdakérdéséhez. (Contributions to the rust problem of the Hungarian wheat). Mezögazd. Kutat. Budapest 5: 75-111. 1 col.pl. Mr.1932. no.3.

English summary: p.110-111.

Mikrochemie.

Klein, G. & Wenzl, H.

Der mikrochemische nachweis flüchtiger fettsäuren in der pflanze. II. Mikrochemie n.s., 5(v.11): 73-130. pl.i-iv. 1932. no.1.

Mitt. Deut. Landw. Ges. (Berlin)

Koch, H.

Unkrautbekämpfung. Mitt. Deut.Landw. Ges. 46: 319-320. Ap.30, 1932. no.18.

Mitt. Ges. Vorratssch. Berlin-Steglitz

Pape, H.

Fäulnis an lagerndem gemüse und ihre verhütung (concl.) Mitt. Ges. Vorratssch. Berlin-Steglitz 8: 21-24. Mr.1932. no.2.

Natur. u. Mus. (Frankfurt a.M.)

Corell, L.

Yucca, die faserpflanze der zukunft. Natur. u. Mus. 61: 467-468. illus. D.1931.no.12.

Firbas, F.

Pflanzensoziologie. Natur. u. Mus. 62: 33-42. illus. F.1932. no.2.

Nature (London)

Bather, F. A.

Protection of herbarium specimens. Nature 129: 655. Ap.30, 1932. no.3261.

Philip, G.

Light as a factor in sexual periodicity. Nature 129: 655. Ap.30, 1932. no.3261.

Plankton diatoms.

Russell-Wells, B.

Fats of brown sea-weeds. Nature 129: 654. Ap.30, 1932. no.3261.

Naturwissensch. (Berlin)

Mayer, A.

Margarete von Wrangell, fürstin Andronikof. Naturwissensch. 20: 322-24. My.6, 1932. no.19.

Died Mr.31,1932.

Mortensen, H.

Das licht im tropischen (heissfeuchten). regenwalde. Naturwissensch. 20: 312-315. Ap.29, 1932. no.18.

New Zeal. Journ. Sci. & Techn. (Wellington, N. Z.)

Jacques, W. A. & Corkill, L.

Colour of seed in crested dogstail (Cynosurus cristatus). New Zeal. Journ. Sci. & Techn. 13: 221-225. F.1932. no.4.

Its relation to weight, vitality, and germination-capacity.

Nuovo Giorn. Bot. Ital. (Firenze)

Chiarugi, A.

La fioritura della Phyllostachys nigra Munro nel R. Orto Botanici di Pisa. Nuovo Giorn. Bot. Ital. 39: 135-141. 1932. no.1.

Chiarugi, A.

Sergius Navashin (1857-1930). Nuovo Giorn. Bot. Ital. 39: 148-149. 1932. no.1.

Fiori, A.

John Briquet (1870-1931). Nuovo Giorn. Bot. Ital. 39: 153-154. 1932. no.1.

Guelfi-Bacci, T.

Sulla struttura del fusto della "Periploca graeca" L. Nuovo Giorn. Bot. Ital. 39: 36-69. illus., pl.i-iii. 1932. no.1.

Messeri, A.

Il valore ontogenetico e filogenetico del legno centripeto foliare delle cycadinae. Nuovo Giorn. Bot. Ital. 39: 70-75. 1932. no.1.

Milan, A.

Le infezioni con "Tilletia" ottenute per trauma e il grado di recettività dei tipi di grano. Nuovo Giorn. Bot. Ital. 39: 90-108. 1932. no.1.

Negri, G.

Richard Wettstein (1863-1931). Nuovo Giorn. Bot. Ital. 39: 149-152. 1932. no.1.

Negri, G.

Sulla definizione dei piani altimetrici della vegetazione nei gruppi montuosi. Nuovo Giorn. Bot. Ital. 39: 142-146. 1932. no.1.

Nuovo Giorn. Bot. Ital.(cont.)

Pampanini, R.
Materiali per lo studio delle artemisie asiatiche.III. Nuovo Giorn. Bot. Ital. 39: 19-35. 1932. no.1.

Rivera, V.
Radiazione e vita nel mondo vegetale. Nuovo Giorn. Bot. Ital. 39: 1-18. 1932. no.1.

Verona, O.
Conspectus schizomycetum agri Pisani. Nuovo Giorn. Bot. Ital. 39: 109-126. 1932. no.1.

Oesterr. Bot. Zeitschr. (Wien)

Melchers, G.
Untersuchungen über kalk- und urgebirgspflanzen besonders über Hutchinsia alpina (L.) R. Br. und H. brevicaulis Hoppe. Oesterr. Bot. Zeitschr. 81: 81-107. illus. Ap.1, 1932. no.2.

Wagner, R.
Ueber den blutenstand des Siphocodon spartioides Turcz. Oesterr. Bot. Zeitschr. 81: 142-145. illus. Ap.1, 1932. no.2.

Witsch, H.
Chromosomenstudien an mitteleuropäischen rhinantheen. Oesterr. Bot. Zeitschr. 81: 108-141. illus. Ap.1, 1932. no.2.

Parfum. Mod. (Lyon, France)

Ledreux,
Le cannelier a Madagascar. Cinnamomum zeylanicum Brey (famille des laurinées). Parfum. Mod. 26: 179, 181, 183, 185, 187. illus. Ap. 1932. no.4.

Phytopath. Zeitschr. (Berlin)

Christiansen, J. J.
Studies on the genetics of Ustilago zeae. Phytopath. Zeitschr. 4: 129-188. incl. ii pl. 1931. no.2.

Gassner, G.
Neue feststellungen über auftreten und verbreitung der getreiderostarten in Südamerika. Phytopath. Zeitschr. 4: 189-203. 1931. no.2.

Phytopath. Zeitschr. (cont.)

Gassner, G. & Goeze, G.

Zur frage der frosthärtebestimmung durch refraktometrische untersuchung von pflanzenpresssäften. Phytopath. Zeitschr. 4: 387-413. illus. 1932. no.4.

Schaffnit, E. & Lüdtke, M.

Beiträge zur kenntnis von kältewirkungen auf die pflanzliche zelle. II. Ueber den stoffwechsel landwirtschaftlicher kulturpflanzen bei verschiedenen temperaturen und wechselnder ernährung. Phytopath. Zeitschr. 4: 329-386. illus. 1932. no.4.

Quanjer, H. M.

Die autonomie der phytopathogenen virusarten. Phytopath. Zeitschr. 4: 205-224. illus. 1931. no.2.

Schrieber, F.

Resistenzzüchtung bei Phaseolus vulgaris. Phytopath. Zeitschr. 4: 415-454. 1932. no.4.

Resistance against Collectotrichum lindemuthianum.

Proc. Oregon State Hort. Soc.

Miller, P. W.

The brown-stain disorder of filberts. Proc. Oregon State Hort. Soc. 23: 165-170. 1932.

Proc. Tenn. State Hort. Soc.

Sherbakoff, C.D. & Andes, J.O.

Peach brown rot and scab control experiments in East Tennessee, 1931. Proc. Tenn. State Hort. Soc. 27: 92-95. [1932]

Publ. Indiana Dept. Conserv.

Deam, C. C.

Trees of Indiana. 2d ed. rev. Publ. Indiana Dept. Conserv. no.13. 326 p. illus. Mr.1932.

Queensl. Agr. Journ. (Brisbane)

Simmonds, J. H.

Diseases of tomatoes. Queensl. Agr. Journ. 37: 219-231. illus. Ap.1, 1932. no.4.

Reprinted from "Pests and diseases of Queensland fruits and vegetables" by R. Veitch & J. H. Simmonds. 1929.

Rec. Trav. Bot. Néerl. (Amsterdam)

Funke, G.L.
On the influence of light of different wavelengths on the growth of plants. Rec. Trav. Bot. Néerl. 28: 431-485. illus. 1931. no.3/4.

Gouwentak, C. A.
Ueber die herbstliche aenderung von stickstoff und trockengewicht im laubblatt einer einjährigen pflanze. Rec. Trav. Bot. Néerl. 28: 421-430. 1931. no.3/4.

Meer Mohr, J.C. van der
Deviations in the phyllotaxy of Lantana trifolia. Rec. Trav. Bot. Néerl. 28: 275-280. illus. 1931. nop3/4.

Niel, C.B. van & Muller, F. M.
On the purple bacteria and their significance for the study of photosynthesis. Rec. Trav. Bot. Néerl. 28: 245-274. 1931. no.3/4.

Stekelenburg, N. J.
Zur physiologischen bedeutung der blausäureglukoside in pflanzenstoffwechsel. Rec. Trav. Bot. Néerl. 28: 297-399. no.3/4.

Weevers, T.
Aufnahme, verarbeitung und transport der zucker im blattgewebe. Rec. Trav. Bot. Néerl. 28: 400-420. 1931. no.3/4.

Wellensiek, S. J.
Statistical data regarding the botanical literature of 1930 with a general discussion. Rec. Trav. Bot. Néerl. 28: 281-296. 1931. no.3/4.

Rev. Centro Estud. Agron. Univ. Buenos Aires.

Marchionatto, J. B.
Clasificacion de los fenomenos morbosos en los vegetales. Rev. Centro Estud. Agron. Univ. Buenos Aires. 24: 239-243. N.1931. no.144.

Ramella, R.
La autofecundacion en el maiz. Rev. Centro Estud. Agron. Univ. Buenos Aires 24: 357-369. illus. N.1931. no.144.

Rev. Centro.Estud. Agron. Univ. Buenos Aires. (cont.)

Soriano, S.

Enfermedades de "virus" de los vegetales. Rev. Centro Estud. Agron. Univ. Buenos Aires. 24: 207-237. illus. N.1931. no.144.

Rev. Eaux et For. (Paris)

Tessier, L. F.

Les peupliers. Rev. Eaux et For. 70:288-297. Ap.1932. no.4.

Rev. Gén. Bot. (Paris)

Franquet, R.

La genése de l'amidon chez quelques plantes à réserves amylacées. III-IV. (fin) Rev. Gén. Bot. 44: 97-117, 118-139. Mr.1932. no.519.

III. La genèse de l'amidon chez Bolbostemma paniculatum. IV. La genèse de l'amidon chez le haricot.

Lenoir, M.

Evolution vivante d'une anaphase I (=hétérotypique) et d'une télophase II (= homeotypique dans les cellules-mères du grain de pollen chez le Lilium candidum L. Rev. Gén. Bot. 44: 140-144. illus. Mr.1932. no.519.

Science

Burkett, G. W.

Chromosome numbers in Althea rosea. Science 75: 488. My.6, 1932. no.1949.

Deuber, C. G.

Stimulative effects of illuminating gas on trees. Science 75: 496-497. My.6, 1932. no.1949.

McHatton, T. H.

The evolution of the horticulturist. Science 75: 469-472. My.6, 1932. no.1949.

Olitsky, P.K. & Forsbeck, F. C.

The inactivation of mosaic disease virus by pulverizing infected tissue. Science 75: 518-519. My.13, 1932. no.1950.

Stevens, N. E.

The fad as a factor in botanical publication. Science 75: 499-504. My.13, 1932. no.1950.

Science Bull. Univ. Kansas.
Elias, M. K.
On a seed-bearing Annularia and on Annularia foliage. Science Bull. Univ. Kansas 20: 115-148. pl.xii-xvi. My.15, 1931(Recd My.1932)

Sci. Rep. Agr. Res. Inst. Pusa.
McRae, W.
Report of the imperial mycologist Sci. Rep. Agr. Res.Inst. Pusa 1930/31: 73-86. 1932.

Senckenbergiana. (Frankfurt A.M.)
Koch, H.
Zur gliederung der gattung Brasenia auf grund der samenvariabilität. Senckenbergiana 13: 214-228. illus. (Incl.map) D.1931.. no.5/6.

Sinesia Contr. Metrop. Mus. Nat. Hist. Nanking.
Ching, R. C.
The studies of Chinese ferns. VII. A revision of the genus Tectaria from China and Sikkime-Himalaya. Sinensia Contr. Metrop. Mus. Nat. Hist. Nanking 2: 9-36. illus. Ag.1931. no.2.

Sitzungsb. Akad. Wiss. Wien. Math.-Naturw. Kl. Abt.I.
Bojko, H.
Ein beitrag zur ökologie von Cynodon dactylon Pers. und Astragalus exscapus L. Sitzungsb. Akad. Wiss. Wien Math.-Naturw. Kl. Abt.I, 140: 675-692. illus. 1931. no.9/10.

Fritsch, K.
Beobachtungen über blütenbesuchende insekten in Steiermark, 1911. Sitzungsb. Akad. Wiss. Wien Math.-Naturw. Kl. Abt.I,140: 821-846. 1931. no.9/10.

Wagner, R,
Die gemischten monochasien der Piriqueta sidifolia (Camb.) Urb. Sitzungsb. Akad. Wiss. Wien Math.-Naturw. Kl. Abt.I, 140: 597-603. illus. 1931. no.8.

Widder, F.J.
Draba norica, eine neue Ostalpenpflanze. Sitzungsb. Akad. Wiss. Wien. Math.-Naturw. Kl. Abt. I, 140: 619-632. illus., pl. i-ii. 1931. no.8.

Sitzungsb. Naturf. Ges. Univ. Tartu. (Tartus)

Kaho, H.

Ueber einige probleme der protoplasmaforschung. Sitzungsb. Naturf. Ges. Univ. Tartu. 38: 33-43. 1931. no.1/2.

Lippmaa, T.

Pflanzensoziologische betrachungen. Sitzungsb. Naturf. Ges. Univ. Tartu 38: 1-32. 1931. no.1/2.

Rühl, A.

Floritische notizen aus den wäldern von Alutaguse, NE-Estland. Stizungsb. Naturf. Ges. Univ. Tartu 38: 44-47. 1931. no.1/2.

Soil Sci. (Baltimore)

Cobb, M. J.

A quantitative study of the microörganic population of a hemlock and a deciduous forest soil. Soil Sci. 33: 325-345. My. 1932. no.5.

Cole, R. C.

The diurnal and seasonal changes in the sugar content of the sap and tissue of potato plants as affected by soil fertilization. Soil Sci. 33: 347-362. My.1932, no.5.

Succulenta (Leeuwarden)

Houten, J.M. van den

Erfelijkheid en bastaardeering. I. Succulenta 14: 118-122. illus. Ny.1932. no.5.

Tischer, A.

Conophytum, N.E.Br. (cont.) Succulenta 14: 113-114. My. 1932. no.5.

C. cuneatum n. sp.

Trans. Amer. Micros. Soc. (Urbana, Ill.)

Vivian, E. L.

Report on the Myxophyceae of Nebraska. Trans. Amer. Micros. Soc. 51: 79-129. pl.x-xx. Ap.1932. no.2.

Trans. & Proc. New Zeal. Inst. (Wellington, N. Z.)

McIndoe, K. G.

An ecological study of the vegetation of the Cromwell district, with special reference to root habit. Trans. & Proc. New Zeal. Inst. 62: 230-259. 21 pl. on 13. Mr.31, 1932. no.3/4.

Trans. Brit. Mycol. Soc. (London)

Cartwright, K.St.G.

Further notes on Basidiomycetes in culture. Trans. Brit. Mycol. Soc. 16: 304-307. pl.xv-xvi. My2, 1932. no.4.

Cook, W.R.I.

The life-history of Cystochytrium radicale occurring in the roots of Veronica Beccabunga. Trans. Brit. Mycol. Soc. 16: 246-252. illus., pl. x. My.2, 1932. no.4.

New genus which author suggests should be placed in Hyphochytridiaceae.

Green, F. M.

Observations on Cucurbitaria laburni (Pers.) de Not. Trans. Brit. Mycol. Soc. 16: 289-303. illus. My2, 1932. no.4.

Lurie, R.

Some organisms concerned in mine-timber decay. Trans. Brit. Mycol. Soc. 16: 270-288. illus., pl.xii-xiv. My.2, 1932. no.4.

Petch, T.

Notes on entomogenous fungi. (cont.) Trans. Brit. Mycol. Soc. 16: 209-245. illus. My.1932. no.4.

Russell, T. A.

Observations on foot-rot diseases of cereals. Trans. Brit. Mycol. Soc. 16: 253-269. pl.xi. My.2, 1932. no.4.

Fusarium sp. and F. culmorum, Helminthosporium sativum.

Smith, A. & Rees, J.

A rare rust on Fuchsia. Trans. Brit. Mycol. Soc. 16: 308-309. My.2, 1932. no.4.

Uredo fuchsiae.

Stirrup, H.H.

Sclerotium rhizodes Auersw. in England. Trans. Brit. Mycol. Soc. 16: 308. My.2, 1932. no.4.

Wormald, H.

Botrytis cinerea on apple roots. Trans. Brit. Mycol. Soc. 16: 309-310. My2, 1932. no.4.

U.S. Dept. Agr. Circ.

Darrow, G.M. & Waldo, G.F.

The Glendale gooseberry. U.S. Dept. Agr. Circ. 223. 4 p. illus. Ap.1932.

U.S. Dept. Agr. Farm. Bull.

Husman, G. C.

Grape districts and varieties in the United States. U.S. Dept. Agr. Farm. Bull. 1689. 32 p. illus. Ap.1932.

U.S. Dept. Agr. Misc. Publ.

Link, G.K.K. & Ramsey, G.B.

Market diseases of fruits and vegetables: potatoes. U.S. Dept. Agr. Misc. Publ. 98. 62 p. col.pl.1-15. F.1932.

Ramsey, G.B. & Link, G.K.K.

Market diseases of fruits and vegetables: tomatoes, peppers, eggplants. U.S. Dept. Agr. Misc. Publ. 121. 44 p. col.pl. 1-11. Mr.1932.

U.S. Dept. Agr. Plant Dis. Rep.

Anderson, H.W.

Diseases of the Latham raspberry in Illinois. U.S. Dept. Agr. Plant Dis. Rep. 16: 47-49. Ap.15, 1932. no.5.

Wellman, F. L.

An unusual outbreak of celery early-blight. U.S. Dept. Agr.Plant Dis. Rep. 16: 43-45. Ap.15, 1932. no.5.

U.S. Dept. Agr. Techn. Bull.

Boyce, J.S.

Decay and other losses in Douglas fir in western Oregon and Washington. U.S. Dept. Agr. Techn. Bull. 286. 59 p. illus., 11 pl. Ap.1932.

Verh. Zool.-Bot. Ges. Wien.

Gilli, A.

Ueber die Rubus-arten des Wienerwaldes. Verh. Zool.-Bot. Ges. Wien 81: (24)-(29). 1931. no.1/4.

In Bericht der Sektion für botanik.

Verh. Zool.-Bot. Ges. Wien. (cont.)

Kisser, J.
Die stofflichen grundlagen pflanzlicher reizkrümmungen. Verh. Zool.-Bot. Ges. Wien 81: (34)-(38). 1931. no.1/4.
In Bericht der Sektionfür botanik.

Koffler, M.
Die veränderungen der gefässpflanzenflora der Türkenschanze seit der mitte des vorigen jahrhunderts. Verh. Zool.-Bot. Ges. Wien 81: 23-47. 1931. no.1/4.

Pabecker, F.
Beitrag zur kenntnis der pilzflora des Kamptales und angrenzender gebiete. Verh. Zool.-Bot. Ges. Wien 81: 19-23. 1931. no.1/4.

Stibal, E.
Entwicklungsrichtungen in der blütenregion der gattung Salvia L. Verh. Zool.-Bot. Ges. Wien 81: (21)-(24). 1931. no.1/4.
In Bericht der Sektion für botanik.

Trauersitzung für den verstorbenen ehrenpräsidenten hofrat Prof. dr. Richard Wettstein. Verh. Zool.-Bot. Ges. Wien 81: v-xviii. port. 1931. no.1/4.

Vict. Nat. (Melbourne)

Messmer, Mrs. C.A.
The biography of Robert David Fitzgerald, F.L.S. and Arthur James Stopps, F.L.S. Vict. Nat. 48: 233-245. illus. (ports.), pl.xi. Ap.1932. no.12.

Nicholls, W. H.
Our rarer orchids 3. Chiloglottis pescottiana Rogers. Vict. Nat. 48: 231-233. illus. Ap. 1932. no.12.

Sainsbury, G.O.K.
The study of Australian mosses. Vict. Nat. 48: 255-260. Ap.1932. no.12.

Zeitschr. Indukt. Abstamm. u. Vererbungsl. (Leipzig)

Baur, E.

Der einfluss von chemischen und physikalischen reizungen auf die mutationsrate von Antirrhinum majus. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 60: 467-473. 1932. no.4.

Kattermann, G.

Genetische beobachtungen und zytologische untersuchungen an der nachkommenschaft einer gattungskreuzung. II. Zytologische untersuchungen. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 60: 395-466. illus., pl.iii. 1932. no.4.

Schwemmle, J.

Die beziehungen zwischen zytologie und genetik in der oenotherenforschung. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 61: 36-61. 1932. no.1.

Stubbe, H.

Untersuchungen über experimentelle auslösung von mutationen bei Antirrhinum majus. III. Die erhöhung der gen-mutationsrate nach röntgengestrahlung, bestrahlung mit ultravioletten licht... Zeitschr. Indukt. Abstamm. u. Vererbungsl. 60: 474-513, illus. 1932. no.4.

English summary: p.508-509.

Wagner, S.

Artkreuzungen in der gattung Helianthus. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 61: 76-146. illus. 1932. no.1.

Zeitschr. Pflanzenernähr. Düng. u. Bodenk. A, Wiss. Teil.(Leipzig)

Niklas, H., Vilsmeier, G. & Poschenrieder, H.

Der einfluss des kalkgehaltes auf das Aspergilluswachstum bei der prüfung des kalidungsbedürfnisses der böden. Zeitschr. Pflanzenernähr. Düng. u. Bodenk. A. Weiss. Teil 24: 167-178. 1932. no.3/4.

Rüffler, E.

Forschungen zum kohlenhydratumsatz bei knöllchentragenden und knöllchenfreien sojabohnen. Zeitschr. Pflanzenerähr. Düng. u. Bodenk. A. Weiss. Teil. 24: 129-167. 1932. no.3/4.

Zeitschr. Pilzk. (Leipzig)

Spilger, L.

Dillenius' pilzflora von Giessen. Zeitschr. Pilzk. 16(n.s.11): 2-5. Mr.1132. no.1.

Dillenius' Catalogus plantarum sponte circa Gissam nascentium.

Spilger, L.

Die entwicklung der pilzsystematik bis zu Linné. Zeitschr. Pilzk. 16(n.s.11): 6-12. Mr.1932. no.1.

Zentralbl. Bakt. Abt.II. (Jena)

Roberg, M.

Weitere untersuchungen über die bedeutung des zinks für Aspergillus niger. Zentralbl. Bakt. Abt.II, 84: 196-230. illus. Jl.20, 1931.

Exper. Stat. Publ.

Clayton, E.E.

Dust. treatments of cut potato seed. New York Agr. Exp. Stat. Bull.610. 16 p. illus. Mr.1932.

Collison, R.C., Harlan, J.D. & Sweeney, M.P.

Direct tree injection in the study of tree nutrition problems. New York Agr. Exp. Stat. Tech. Bull. 192. 36 p. Mr.1932.

Zeller, S. M.

A strawberry disease caused by Rhizoctonia. Oregon Agr. Exp. Stat. Bull.295. 22 p. illus. Mr. 1932.

Hansen, N. E.

The shrubs and climbing vines of South Dakota. South Dakota Agr. Exp. Stat. Bull.263. 134 p., illus. Ag.1931(Recd My.1932)

Jones, D.L., Gaines, F. & Karper, R.K.

Trees and shrubs in northwest Texas. Texas Agr. Exp. Stat. Bull. 447. 63 p. illus. Ap.1932.

State Publications.

Ball, W.S. & Robbins, W.W.

Puncture vine (Tribulus terrestris L.) Month. Bull. Dept. Agr. Calif. 21: 211-213. F./Mr. 1932. no.2/3.

State Publications. (cont.)

Kendall, T. A.
Anthracnose spots, Collectotrichum gloeosporioides, on mature Valencia oranges following a lime-sulphur spray. Month. Bull. Dept. Agr. Calif. 21: 221-224. illus. F./Mr. 1932. no.2/3.

Weidler, R. C.
The Youngberry. Bull. Florida Dept. Agr. 57. 9 p. Ja.1932(Recd My.)
Cross between loganberry and Austin dewberry.

Gress, E. M.
Preservation of wild flowers. Bull. Penn. Dept. Agr. v.15, no.1. (Gen. Bull. 508) 27 p. illus. F.1, 1932(Recd My.)

New Books.

Alechin, V. V.
Die vegetationsanalytischen methoden der moskauer steppenforscher. In Abderhalden, E. Handbuch der biologischen arbeitsmethoden abt.XI, t.6, h.2 (lfg.379):335-373. illus. 1932.

Montfort, C.
Methodologische kausaler fragestellungen und des physiologischen experimentes in der vergleichenden Ökologie und experimentellen pflanzengeographie. In Abderhalden, E. Handbuch der biologischen arbeitsmethoden abt.XI, t.6, h.2. (lfg. 379): 267-334. 1932.

Schennikov, A. P.
Phänologische spektra der pflanzengesellschaft. In Abderhalden, E. Handbuch der biologischen arbeitsmethoden Abt.XI, t.6, h.2. (lfg. 379): 251-266. illus., tab. 1932.

Sukachev, V. N.
Die untersuchung der waldtypen des osteuropäischen flachlandes. In Abderhalden, E. Handbuch der biologischen arbeitsmethoden Abt.XI, t.6, h.2. (lfg.379): 191-250. illus. 1932.

New Books. (cont.)

Blister rust control conference.
Report of proceedings of the 17th annual... conference, held at Lakeville, Conn, Oct.29-31, 1931. 94 p. [1932]
Mimeographed.

Canada. Experimental farms -- Div. of botany
Annual report of the Canadian plant disease survey, 11th, 1931, Comp. by I.L. Conners, 127 p. Mr.15, 1932.
Mimeographed.

Carbone, D.
L'immunite chez les plantes. Congr. Intern. Microbiol. 1., Paris, 1930, 1: 627-634. 1931.

Dufrenoy, J.
L'immunite locale... Congr. Intern. Microbiol. 1., Paris, 1930, 1: 635-641. illus. 1931.

Kostoff, D.
Induced immunity in plants by grafting. Congr. Intern. Microbiol . 1, Paris, 1930, 1: 642-644. 1931.
Datura ferox on Solanum lycopersicum, Nicotiana grafted on its hybrids.

Macht, D. I.
Sensitivity of plants to poisons and toxins. Congr. Intern. Microbiol. 1, Paris, 1930, 1: 645-652. 1931.

Gardiner, J. S.
The natural history of Wicken Fen. pt. 6, Cambridge, Engl. Bowes & Bowes, Mr.1932.
The Bryophyta,...by P.W. Richards - Plant life...(a review of recent work) by H. Godwin.

Hustedt, F.
Die kieselalgen...2. teil, lfg. 2. Leipzig, Akademische verlagsgesellschaft, 1932 (Dr. L. Rabenhorsts Kryptogamen-flora von Deutschland, Oesterreich und der Schweiz VII. bd.)

New Books. (cont.)

Joyet-Lavergne, Ph.
La physico-chimie de la sexualité. Berlin, Borntraeger, 1931 (Protoplasma-monographien v.5)

Macself, A. J.
Alpine plants. London, T. Butterworth, 1932. (The Home garden books)
Pop. ed. of work issued in 1924.

Neger, F. W.
Die laubhölzer. Kurzgefasste beschreibung der in Mitteleuropa gedeihenden laubbäume und sträucher. 2., aufl. durchgesehen und ergänzt von Dr. E. Münch. Berlin, Leipzig, W. de Grunter & Co., 1931 (Sammlung Goschen)

Das pflanzenreich ...heft 98b. Sapindaceae II (bog.21-40) von L. Radlkofer. Leipzig, W. Engelmann, 1932.

Rosendahl, C. O. & Butters, F. K.
A guide to the spring flowers of Minnesota. [ed.6] Minneapolis, University of Minnesota press, 1931.

Schulz, E. D.
Cactus culture. N.Y., Orange Judd, 1932.

Zahlbruckner, A.
Catalogue lichenum universalis bd.8, bog 11-20. Leipzig, Borntraeger, [1932]

Zhukovsky, P. M.
Institut rastenievodstva i ego deiatel'nost (Institut of plant industry). Leningrad, 1930.
Russian with English summary.

Reprints from Journals not yet rec'd or not available.

Brigden, W. H.
Wild flowers of Canada. Separate from Canad. Geogr. Journ. 4: 137-152. illus. col.pl. Mr.1932.

Reprints (cont.)

Fernald, M.L.

Botanizing on the Gaspé sea-cliff. Reprinted from Harvard Alumni Bull. Ja.8, 1932. 8 p.

Phillips, J. F. V.

A sketch of the floral regions of Tanganyika Territory. Reprinted From Trans. Roy. Soc. Africa 19: 363-372. 1931.

Translations filed in Library of Bur. of Plant Industry.

Bremer, G.

De cytologie van het suikerriet. 6. Een cytologische onderzoek van een aantal oorspronkelijke Britisch-Indisch suikerrietsorten. (On the cytology of the sugar cane. 6. Cytological investigations on a number of original British-Indian sugar cane varieties). Arch. Suikerind. Nederl. Indië 1931 pt.3. (Meded.31): 1349-1391. 1931.

Correction.

v.13,no.21, p.18-19.
Phytopath. all entries volume should be 21 instead of 10.

v.14, no.4, p.25.
Svensk. Bot. Tidskr.
3d entry should read, Hultén, E. & St. John, H.

v.14, no.6, p. 1.
Amer. Fruit Grow.
should read 52(3), and at end no.3.

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY.
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D.C.

LIBRARY
RECEIVED
★ JUN 28 1932 ★
U. S. Department of Agriculture

Vol. 14, no. 11. May 23-Je.4, 1932.

Actes Congr. Intern. Froid 5th, Rome, 1928.

Brooks, C.
The diseases of apples which occur in storage. Actes Congr. Intern. Froid 5th, Rome, 1928. 4: 62-68. 1930.

Griffiths, E.
A calorimeter for the determination of the heat developed by fruit. Actes Congr. Intern. Froid 5th, Rome, 1928 4: 52-61. illus. 1930.

Lauritzen, J. I.
Factors affecting the control of vegetable diseases in storage. Actes Congr. Intern. Froid 5th. Rome. 1928. 4: 83-90. 1930.

Magness, J. R.
The handling and cold storage of apples in the United States. Actes Congr. Intern. Froid 5th, Rome, 1928. 4: 420-430. illus. 1930.

Overholser, E. L.
Storage responses of some common fruits. Actes Congr. Intern. Froid 5th, Rome, 1928. 4: 431-441. 1930.

Rasmusson, L.
Les transformations thermiques des fruits et légumes pendant leur conservation en entrepot frigorifique. Actes Congr. Intern. Froid 5th, Rome, 1928. 4: 442-462. illus. 1930.

Tserevitinov, F. & Spytsina,
Sur les questions de frigorification. Influence de la température de conservation des pommes de terre sur leur composition chimique. Actes Congr. Intern. Froid 5th, Rome, 1928. 4: 71-80. 1930.

Addisonia. (N.Y.)

Addisonia v.17, no.1. col.pl. 545-552 Mr.1932.

Symplocos martinicensis - Brunfelsia americana - Ghinia spinosa - Phthirusa caribaea - Exogonium solanifolium - Stegnosperma halimifolia - Portulaca poliosperma - Osmia geranifolia.

Agricultura (Louvain)

Biourge, P. & Sokal, N.

Nouvelles recherches sur les maladies de la pomme de terre dites à virus filtrants. Agricultura (Louvain) 35: 77-112. illus., col. pl. 1-9. My.1932. no.2.

Amer. Journ. Bot.

Cooper, D. C.

The chromosomes of Shepherdia canadensis. Amer. Journ. Bot. 19: 429-431. illus. My.1932. no.5.

Cooper, D. C.

The development of the peltate hairs of Shepherdia canadensis. Amer. Journ. Bot. 19: 423-428. pl.xxxvi. My. 1932. no.5.

Ferguson, M.C. & Ottley, A. M.

Studies on petunia. III. A redescription and additional discussion of certain species of Petunia Amer. Journ. Bot. 19: 385-405. pl.xxxiii-xxxiv. My. 1932. no.5.

Stevens, N. E.

Thickness of cuticle in cranberry fruits. Amer. Journ. Bot. 19: 432-435. My 1932. no.5.

Swallen, J. R.

Five new grasses from Texas. Amer. Journ. Bot. 19: 436-442. illus. My.1932. no.5.

Festuca ligulata, Muhlenbergia involuta, Eragrostis silveana, Trichoneura elegans, Trichachne patens, nov.spp.

Amer. Journ. Bot. (cont.)

Webber, J.M.
Chromosome morphology and meiotic behavior in typical and variant forms of Kniphofia aloides. Amer. Journ. Bot. 19: 411-422. illus., pl.xxv. My. 1932. no.5.

Wiggins, I. L.
The Lower California buckeye, Aesculus parryi A. Gray. Amer. Journ. Bot. 19: 406-410. illus. My. 1932. no.5.

Amer. Potato Journ.

Barrus, M. F.
Seed treatment of potatoes in New York State. Amer. Potato Journ. 9: 73-75. My.1932. no. 5.

Walker, O. F.
Testing the strength of corrosive sublimate solution in the treating of seed potatoes. Amer. Potato Journ. 9: 75-77. illus. My.1932. no.5.

Anais Inst. Sup. Agron. Lisboa.

Azevedo Gomes, M. de.
Contribuição para o estudo da arborização florestal de Cabo Verde. Anais Inst. Sup. Agron. Lisboa 4: 190-199. 1931. no.3.

Sousa da Camara, E.de.
Mycetes aliquot novi alii in mycoflora lusitaniae ignoti. Anais Inst. Sup. Agron. Lisboa 4: 200-208. illus. 1931. no.3.

Arch. de Bot. Caen Mém.

Eichhorn, A.
Recherches caryologiques comparées chez les angiospermes et les gymnospermes. Arch. de Bot. Caen Mém.v.5, no.2. 93 p. 4 pl. 1931.

Arch. Pharm. & Ber. Deut. Pharm. Ges. (Berlin)

Gilg, E. & Schürhoff, P. N.
Die systematische bedeutung des vorkommens von saponinen für einige polygaceen-gattungen. Arch. Pharm. & Ber. Deut. Pharm. Ges. 270: 276-283. My. 1932. no.5.

Bergcultures (Batavia, Java)

Dopheide, A.B.A.
Abnormale bladafval in volwassen hevea-tuinen, als gevolg van aantasting door Phytophthora faberi. Bergcultures 6: 445-446. illus. Ap.30, 1932. no.18.

Ber. Deut. Bot. Ges. (Berlin)

Gassner, G.
Die biologische station Alto da Serra. Ber. Deut. Bot. Ges. 50: 154-164. illus., pl.vi. Ap.28, 1932. no.3.
In Sao Paulo.

Huber, B.
Beobachtung und messung pflanzlicher saftströme Ber. Deut. Bot. Ges. 50: 89-109. illus. Ap.28, 1932. no.3.

Kolkwitz, R.
Urwald und epiphyten. Ber. Deut. Bot. Ges. 50: 110-116. Ap.28, 1932. no.3.

Söding, H.
Ueber das streckungswachstum der zellwand. Ber. Deut. Bot. Ges. 50: 117-123. Ap.28, 1932. no.3.

Christensen, C.
Carl Hansen Ostenfeld. Ber. Deut. Bot. Ges. 49(Generalversamml.-heft.2): (164)-(168). port. Ap.20, 1932.

Correns, C. & Morstatt, H.
Albrecht Zimmermann. Ber. Deut. Bot. Ges. 49(Generalversamml.-heft 2): (220)-(243). port. Ap.20, 1932.

Harms, H.
Ludwig Wittmack. Ber. Deut. Bot. Ges. 49 (Generalversamml.-heft.2): (200)-(219). port. Ap.20, 1932.

Heilbronn, A.
Wilhelm Detmer. Ber. Deut. Bot. Ges. 49(Generalversamml.-heft.2): (126)-(138). port. Ap.20, 1932.

Ber. Deut. Bot. Ges. (cont.)

Lewitsky, G. A.
S.G. Nawaschin. Ber. Deut. Bot. Ges. 49 (Generalversamml.-heft 2): (149)-(163). port. Ap.20, 1932.

Möbius, M.
Salomon Rywosch. Ber. Deut. Bot. Ges. 49 (Generalversamml.-heft 2): (169)-(173). Ap.20, 1932.

Pascher, A.
Günther Beck-Mannagetta. Ber. Deut. Bot. Ges. 49(Generalversamml.heft 2): (105)-(125). port. Ap.20, 1932.

Paul, H.
C. A. Weber Ber. Deut. Bot. Ges. 49(Generalversamml.-heft,2): (174)-(179). port. Ap.20,1932.

Porsch, O.
Richard Wettstein. Ber. Deut. Bot. Ges. 49 (Generalversamml.-heft 2): (180)-(199). port. Ap.20, 1932.

Skottsberg, C.
Oscar Juel. Ber. Deut. Bot. Ges. 49 (Generalversaml.-heft.2): (139)-(148). port. Ap.20, 1932.

Der Biologe (München)

Braun-Blanquet, J.
Die pflanzensoziologie in forschung und lehre. I. Pflanzensoziologische forschungsprobleme. Der Biologe 1: 175-180. My. 1932. no.8.

Tüxen, R.
Die pflanzensoziologie in forschung und lehre. II. Die pflanzensoziologie in ihren beziehungen zu den nachbarwissenschaften. Der Biologe 1: 180-187. My.1932. no.8.

Bol. Min. Agr. Nac. Argentine.

Clos, E.C. & Lahitte, R.
Arboles y arbustos cultivados en la Argentina. IV.Leguminosae - Papilionatae. Bol. Min. Agr. Nac. Argentine 30: 157-188. illus., pl.i-xiii. Jl./S. 1931(Recd My.1932). no.3.

Bol. Min. Agr. Nac. Argentine (cont.)

Marchionatto, J. B.

Las fusariosis del trigo y del maíz. Bol. Min. Agr. Nac. Argentine 30: 189-191. 3 pl. Jl./S. 1931 (Recd My.1932). no.3.

Bot. Gaz. (Chicago)

Beal, J.M.

Microsporogenesis and chromosome behavior in Nothoscordum bivalve. Bot. Gaz 93: 278-295. illus., pl.ii-iii. My. 1932. no.3.

Darlington, C.D. & Janake Ammal, E.K.

The origin and behavior of chiasmata. I. Diploid and tetraploid Tulipa. Bot. Gaz. 93: 296-312. illus. My.1932. no.3.

Goodspeed, T. H.

Some subarborescent species of Nicotiana. Bot. Gax. 93: 340-341. My.1932. no.3.

Illick, J. T.

Significance of chromosome behavior during diakinesis in Oenothera. Bot. Gaz. 93: 313-327. illus. My.1932. no.3.

Morton, C. V.

Buesia, a new subgenus of Hymenophyllum from Peru. Bot. Gaz. 93: 336-339. illus. My.1932. no.3.

Hymenophyllum mirificum.

Reeves, R. C. & Valle, C. C.

Anatomy and microchemistry of the cotton seed. Bot. Gaz. 93: 259-277. illus. My.1932. no.3.

Skutch, A. F.

Anatomy of the axis of the banana. Bot. Gaz. 93: 233-258. illus. My. 1932. no.3.

Wolfe, F.

Annual rings of Thuja occidentalis in relation to climatic conditions and movement of sand. Bot. Gaz. 93: 328-335. illus. My. 1932. no.3.

Bull. Agr. Chem. Soc. Japan.

Yamafuji, K.

Ueber zwei neue glykoside der tabakblätter. I. Bull. Agr. Chem. Soc. Japan 8: 1-3. Ja./Mr. 1932. no.1/3.

Tabacinin, Tabacilin.

Ueber die chemischen bestandteile des tabaks II.Mitteilung.

Bull. Sci. Pharm. (Paris)

Bouquet, J.

La meloukhīa, Corchorus olitorius L. Bull. Sci. Pharm. 39: 228-234. Ap. 1932. no.4.

As food plant.

Bull. Soc. Hist. Nat. Afr. Nord. (Alger)

Ducellier, L.

Observations sur la propagation d'une plante adventice le Pennisetum villosum R. Br. Bull. Soc. Hist. Nat. Afr. Nord. 23:94-98. Ap.1932. no. 4.

Nicolas, G. & Aggery, Mlle. B.

Une maladie grave du neflier du Japon. Bull. Soc. Hist. Nat. Afr. Nord. 23: 101-105. Ap. 1932. no.4.

Bacillus amylovorus.

Bull. Torr. Club.

Allard, H. A.

A progeny study of the so-called oak species Quercus saulii, with notes on other probable hybrids found in or near the District of Columbia. Bull. Torr. Club 59: 267-277. illus. My.1932. no.5.

Drouet, F.

A list of algae from Missouri. Bull. Torr. Club 59: 289-300. pl.18-19. My.1932. no.5.

Graff, P. W.

The morphological and cytological development of Meliola circinans. Bull. Torr. Club 59: 241-266. pl.16-17. My. 1932. no.5.

Bull. Torr. Club. (cont.)

Harper, R. M.
Useful plants of Yucatan. Bull. Torr. Club 59: 279-288. My. 1932. no.5.

Butl. Inst. Catalana Hist. Nat. (Barcelona)

Depape, G. & Bataller, J. R.
Note sur quelques plantes fossiles de la Catalogne. Butl. Inst. Catalana Hist. Nat. II, 31: 194-208. illus., pl.x-xi. 1931(recd My.1932) no.7/9 .

Pujiula, J.
Fasciación de la retama, Serothamnus catalaunicus, Webb. Butl. Inst. Catalana Hist. Nat. II, el: 89-94. illus. 1931(Recd My.1932) no.4/6.

Font y Quer, P.
Notes sobre bolets catalans. Butl. Inst. Catalana Hist. Nat. II, 31: 191-193. 1931(Recd My.1932). no.7/9.

Theodor, G.
La planta anomenada "Llàntia del santuari". Butl. Inst. Catalana Hist. Nat. II,31: 44. 1931. (Recd My.1932). no.1/3.
Ballota hispanica.

Compt. Rend. Acad. Sci. Paris.

Chadefaud, M.
Sur les physodes des phéophycées,. Compt. Rend. Acad. Sci. Paris 194: 1675-1677. My.9, 1932. no.19.
Laminaria and Desmarestia.

Colin, H. & Bougy, E.
Structure et richesse saccharine dans les hybrides de betteraves. Compt. Rend. Acad. Sci. Paris 194: 1680-1682. My.9, 1932. no.19.

Costantin, J.
Importance de la mosaïque de la canne au point de vue de la dégénerescence. Compt. Rend. Acad. Sci. Paris 194: 1614-1616. My.9, 1932. no.19.

Compt. Rend. Acad. Sci. Paris. (cont.)

Lutz, L.
Sur les ferments solubles sécrétes par les champignons hyménomycètes. Les cétones et les corps anthraquinoniques et la fonction antioxygène. Compt. Rend. Acad. Sci. Paris 194: 1684-1686. My.9, 1932. no.19.

Nadson, G. A. & Stern, C. A.
De l'action à distance des métaux sur les bactéries et les levures. Compt. Rend. Acad. Sci. Paris 194: 1597-1600. My.2, 1932. no.18.

Puymaly, A. de.
Observations et remarques sur les lichens. Compt. Rend. Acad. Sci. Paris 194: 1600-1602. My.2, 1932. no.18.

Simonet, M.
Etude cytologique de l'hybride pogoregelia: Iris olbiensis Hénon x Iris korolkowii Regel. Compt. Rend. Acad. Sci. Paris 194: 1678-1680. My.9, 1932. no.19.

Yersin, A.
Longue survie d'hévéas brisés par un typhon. Compt. Rend. Acad. Sci. Paris 194: 1620-1621. My.9, 1932. no.19.

Compt. Rend. Labor. Carlsberg.

Nielsen, N.
The effect of rhizopin on the production of matter of Aspergillus niger. Compt. Rend. Labor. Carlsberg 19(5): 1-10. 1931. no.5.

Nielsen, N. & Hartelius, V.
The separation of growth promoting substances. Compt. Rend. Labor. Carlsberg 19(8): 1-17. illus. 1932. no.8.

Compt. Rend. Soc. Biol. Paris.

Cornet, P. & Gilles, Ed.
Effets abiotiques produits par les rayons ultra-violets sur certaines plantes. Compt. Rend. Soc. Biol. Paris 109: 1367-1368. My.6, 1932. no.15.

Compt. Rend. Soc. Biol. Paris. (cont.)

Gheorghiu, I.

L'immunité et la vaccinothérapie anticancéreuse chez les plantes. Compt. Rend. Soc. Biol. Paris 109: 1387-1389. My.6, 1932. no.15.

Experiments with Bact. tumefaciens on Pelargonium zonale.

Hollande, A. C.

Remarques au sujet de la structure cytologique des cyanophycees: Nostoc verrucosum Vaucher et Phormidium uncinatum Gomont. Compt. Rend. Soc. Biol. Paris 109: 1359-1362. illus. My.6, 1932. no.15.

Marinesco, N.

Influence du champ électrique atmosphérique sur l'ascension de la seve dans les plantes. Compt. Rend. Soc. Biol. Paris 109: 1353-1355. My.6, 1932. no.15.

Remlinger, P. & Bailly, J.

Milieux nutritifs à base de champignons. Compt. Rend. Soc. Biol. Paris 110: 29-30. My.13, 1932. no.16.

Cytologia. (Tokyo)

Beadle, G.W.

A gene in Zea mays for failure of cytokinesis during meiosis. Cytologia (Tokyo) 3: 142-155. pl.1-2. Ap. 1932. no.2.

Hollingshead, L.

The occurrence of unpaired chromosomes in hybrids between varieties of Triticum vulgare. Cytologia (Tokyo) 3: 119-141. illus. Ap.1932. no.2.

Lawrence, W.J.C.

The secondary association of chromosomes. Cytologia (Tokyo): 2: 352-384. illus. N.1931. no.4.

Marshak, A. G.

The morphology of the chromosomes of Pisum sativum. Cytologia (Tokyo): 2: 318-339. illus. N.1391. no.4.

Cytologia (cont.)

Sansome, E. R.
Segmental interchange in Pisum sativum. Cytologia (Tokyo) 3: 200-219. illus., pl.4. Ap. 1932. no.2.

Sokolowa, H.
Some irregularities in the reduction division in Lychnis chalcedonica. Cytologia (Tokyo): 2: 302-317. illus., pl.11-12. N.1931. no.4.

Wakayama, K.
Contributions to the cytology of fungi. III. Chromosomes number in Aspergillus. Cytologia (Tokyo) 2: 291-301. illus. N.1931. no.4.

Yasui, K.
Cytological studies in artificially raised interspecific hybrids of Papaver. III. Unusual cases of cytokinesis in pollen mother-cells in an F_1 plant. Cytologia (Tokyo) 2: 402-419. illus., pl. 15. N.1931. no.4.

Deut. Zuckerind. (Berlin)

Schmidt, E. W.
Die cercosporakrankheit der zuckerrübe in Spanien und die massnahmen zu ihrer bekämpfung. Deut. Zuckerind. 57: 446. illus. My.21, 1932. no.21.

Ecol. Monogr. (Durham, N. C.)

Wright, A. & Wright, A. A.
The habitats and composition of the vegetation of Okefinokee Swamp, Georgia. Ecol. Monogr. 2: 111-232. illus. Ap. 1932. no.2.

Empire Cotton Grow. Rev. (London)

Hopkins, J.C.F.
Some diseases of cotton in Southern Rhodesia. Empire Cotton Grow. Rev. 9: 109-118. Ap.1932.

Flor. Exch. (N.Y.)

Nearing, G. G.
The lapponicum rhododendrons. A group of alpines for the rock garden that promise to develop successful specialties. Flor. Exch. 79(21): 17. illus. My.21, 1932.

Gard. Chron. (London)

Durham, H. E.

Mistleto and its hosts. Gard. Chron. III, 91: 369. My.14, 1932. no.2368.

Friend, H.

Corsican plant lore. X-XI. Hedgerows and avenues. Gard. Chron. III, 91: 364, 384. My.14,21, 1932. no.2368, 2369.

The genus Androsace. Gard. Chron. III, 91: 384-385. My.21, 1932. no.2369.

Hay, T.

Some primulas from Nepal. Gard. Chron. III, 91: 347. illus. My.7, 1932. no.2367.

Hutchinson, J.

Rhododendron peramabile Hutch. (spec.nov.) Gard. Chron. III, 91: 366. My.14, 1932. no.2368.

Nelmes, W

Forsythias. Gard. Chron. III, 91: 348. My.7, 1932. no.2367.

Normann, E. de.

Lilium thompsonianum. Gard. Chron. III, 91: 381. illus. My.21, 1932. no.2369.

Redgrove, H. S.

The Holy Thorn of Glastonbury. Gard. Chron. III, 91: 346. My.7, 1932. no.2367.

Hawthorn (probably Crataegus monogyna) which flowers twice during the year, in the Spring and at Christmastide.

Roger-Smith, H.

Plant hunting in the Karawanken. Gard. Chron. III, 91: 368. My.14, 1932. no.2368.

Shewell-Cooper, W. E.

Club root of brassicas. Gard. Chron. III, 91: 387-388. illus., p.379. My.21, 1932. no.2369.

Gard. Chron. (cont.)

Stearn, W. T.
Philip Franz von Siebold. Gard. Chron. III, 91: 347-348. My.7, 1932. no.2367.

Ward, F.K.
Mr. F. Kingdon Ward's eleventh expedition in Asia, IV. Towards the Ti Hka. Gard. Chron. III, 91: 364-366. illus. My.14, 1932. no.2368.

Gartenbauwiss. (Berlin)

Blattný, C. & Vukolov, V.
Mosaik bei Epiphyllum truncatum. Gartenbauwiss. 6: 425-432. illus. Ap.21, 1932. no.4.

Jancke, O. & Lange, L.
Ueber die mehltauanfälligkeit unserer apfelsorten. Gartenbauwiss. 6: 433-445. Ap.21, 1932. no.4.

Krämer, S.
Physiologische studien an Iris germanica. II. Untersuchungen über Krümmungserscheinungen an jungen blättern von Iris germanica. Gartenbauwiss. 6: 387-401. illus. Ap.21, 1932. no.4.

Krumbholz, G.
Untersuchungen über das vorkommen von xenien und metaxenien bei äpfeln. Gartenbauwiss. 6: 404-424. illus. Ap.21, 1932. no.4.

Uphof, J.C. Th.
Wissenschaftliche beobachtungen und versuche an agrumen. III. Eine monokarpelle apfelsine. Gartenbauwiss. 6: 402-403. illus. Ap.21, 1932. no.4.

Gartn.-Tid. (København)

Buchwald, N.F.
Parasitiske svampe - en imødegaaelse. Gartn.-Tid. 48:256-257. My.10, 1932. no.19.
Botrytis, Sclerotinia.

Horticulture (Boston)
Crocket, R. M.
Plants with silvery or woolly leaves. Horticulture 10: 211. illus. My.15, 1932. no.10.

Indian For. (Dehra Dun)
Chand, A.
Asafoetida. Indian For. 58: 277-279. My. 1932. no.5.

Indian Journ. Agr. Sci. (Calcutta)
Ayyanger, G.N.R. & Narayanan, T.R.
Inheritance of characters in Setaria italica (Beauv.) II, Anther colours. Indian Journ. Agr. Sci. 2: 59-61. F.1932. no.1.

Dutt, N.L. & Krishnaswami, M. K.
Observations on male nuclei in the sugarcane. Indian Journ. Agr. Sci. 2: 47-50. pl.ix-xi. F.1932. no.1.

Seshadri, T.R. & Aiyangar, G. S.
A note on the use of lactic acid in plant histology. Indian Journ. Agr. Sci. 2: 51-52. F. 1932. no.1.

Venkatraman, T. S. & Thomas, R.
Sugarcane-sorghum hybrids. I. General outline and early characters. Indian Journ. Agr. Sci. 2: 19-27. pl.ii-viii (1 col.) F. 1932. no.1.

Ital. Agr. (Milan)
Carrante, V.
La selezione germaria nell'orto-frutticoltura. Ital. Agr. 69: 351-370. illus. Ap.1932. no.4.

Jard. Agrém. (Bruxelles)
Havaux, J.
Plantes à longues floraisons. Jard. Agrém. 11: 64-69. Ap. 1932. no.4.

Journ. Agr. Res. (Washington, D. C.)

Borthwick, H. A.

Thresher injury in baby lima beans. Journ. Agr. Res. 44: 503-510. illus. Mr.15, 1932(Rec'd My.9) no.6.

Brown, N. A.

Canker of ash trees produced by a variety of the olive-tubercle organism, Bacterium savastanoi. Journ. Agr. Res. 44: 701-722. illus. My.1, 1932. (Rec'd My.24).

Bacterium savastanoi var. fraxini.

Henika, F. S.

The inheritance of the White Burley character in tobacco. Journ. Agr. Res. 44: 477-493. illus. Mr.15, 1932 (My.9) no.6.

Jenkins, A. E.

Elsinoe on apple and pear. Journ. Agr. Res. 44: 689-700. illus., pl.1-3. My.1,1932 (My.24) no.9.

Plectodiscella and Melanobasidium synonyms of Elsinoe.

Jenkins, M. T.

An additional pair of factors affecting anthocyanin pigment in maize. Journ. Agr. Res. 44: 495-502. Mr.15, 1932 (My.9) no.6.

Sayre, J.D.

Methods of determining bound water in plant tissue. Journ. Agr. Res. 44: 669-688. May 1, 1932(My.24) no.9.

Stroman, G. N.

Correlations of certain lint characters in cotton and their practical application. Journ. Agr. Res. 44: 523-527. Mr.15, 1932 (My.9) no.6.

Zaumeyer, W. J.

Comparative pathological histology of three bacterial diseases of bean. Journ. Agr. Res. 44: 605-632. illus. Ap.15, 1932 (My.24) no.8.

Bact. phaseoli. B.medicaginis var. phaseolicola, B. flaccumfaciens.

Journ. Amer. Pharm. Assoc. (Easton, Pa.)

Kilmer, F. B.

Belladonna monographs. Journ. Amer. Pharm. Assoc. 21: 479-485. My.1932. no.5.

Youngken, H. W.

The pharmacognosy, chemistry and pharmacology of Viburnum. III History, botany and pharmacognosy of Viburnum opulus L. var. americanum (Miller). Ait. Journ. Amer. Pharm. Assoc. 21: 444-462. illus. My.1932. no.5.

Journ. Amer. Soc. Agron. (Geneva, N.Y.)

Dana, B.F., Rea, H.E. & Dunlavy, H.

The influence of date of planting cotton on the development of root-rot. Journ. Amer. Soc. Agron. 24: 367-377. My.1932. no.5.

Journ. Bot. (London)

Alston, A. H. G.

Notes on Selaginella. II. Journ. Bot. 70: 61-67. pl.600. Mr.1932(Rec'd My.) no.831.

Drabble, E.

A variety of Clematis vitalba L. Journ. Bot. 70: 83-84. Mr.1932. (Rec'd My.) no.831.

Clematis vitalba var. timbali.

Fritsch, F. E.

Contributions to our knowledge of British algae. Journ. Bot. 70: 121-131. illus. My. 1932. no.833.

Fischerellopsis gen.nov.

Mr. John Gossweiler's plants from Angola and Portuguese Congo. Journ. Bot. 70. (suppl.): 213-220. illus. Mr.1932 (Rec'd My.) no.831.

Norman, C.

Notes on tropical African Umbelliferae. Journ. Bot. 70: 137-141. illus. My.1932. no.833.

Pimpinella robynsii, Spuriodaucus asper, Peucedanum eylesii, n.spp.

Journ. Bot. (cont.)

Pugsley, H. W.
George Claridge Bruce (1850-1932). Journ. Bot. 70: 141-144. My.1932. no.833.

Pugsley, H. W.
Limonium paradoxum Pugsley. Journ. Bot. 70: 81-82. Mr.1932(Rec'd My.) no.831.

Rendle, A. B.
African notes. II. Journ. Bot. 70: 73-78, 131-137. Mr., My.1932. no.831, 833.

Taylor, G.
George Forrest (1873-1932). Journ. Bot. 70: 79-81. Mr.1932(Rec'd My.) no.831.

Thompson, H. S.
Eliza Standerwick Gregory (1840-1932). Journ. Bot. 70: 144-145. My. 1932. no.833.

Watson, W.
Lichenological notes. VI. Journ. Bot. 70: 67-72. Mr.1932(Rec'd My.) no.831.

Journ. Dept. Agr. Porto Rico (Rio Piedras)

Nolla, J. A. B.
Inheritance of color in the eggplant (Solanum melongena L.) Journ. Dept. Agr. Porto Rico 16: 19-30. pl. iii-xiii (2 col.) Ja.1932. no.1.

Rodríguez, A. G.
Influence of smoke and ethylene on the fruiting of the pineapple (Ananas sativus Shult). Journ. Dept. Agr. Porto Rico 16: 5-18. pl. i-ii. Ja. 1932. no.1.

Journ. Elisha Mitchell Sci. Soc. (Chapel Hill, N. C.)

Couch, J. N.
Rhizophidium, Phlyctochytrium and Phlyctidium in the United States. Journ. Elisha Mitchell Sci. Soc. 47: 245-260. pl.14-17. My.1932. no.2.
Phlyctochytrium hallii, P. biporosum, Phlyctidium bumilleriae, P. anomalum, n.spp.

Journ. Elisha Mitchell Sci. Soc. (cont.)
Mathews, A. C.
Cytological observations on zoospore formation in Leptolegnia caudata de Bary. Journ. Elisha Mitchell Sci. Soc. 47: 281-292. pl.26-27. My.1932. no.2.

Journ. Fac. Agr. Hokkaido Imp. Univ. Sapporo.
Tochinai, Y. & Terui, M.
Studies on the effects of fat-soluble vitamin upon the growth of some parasitic fungi. Journ. Fac. Agr. Hokkaido Imp. Univ. Sapporo 32: 71-107. illus., pl.1-2. Ap. 1932. no.3.

Journ. Roy. Micr. Soc. (London)
Gates, R. R.
Notes on zygospore formation in Spirogyra. Journ. Roy. Micr. Soc. III, 52: 30-32. pl.1-2. Mr. 1932. no.1.

Gates, R. R.
Nuclear structure. Journ. Roy. Micr. Soc. III, 52: 1-19. Mr.1932. no.1.

Just. Liebigs Ann. Chem. (Berlin)
Butenandt, A. & others.
Untersuchungen über pflanzliche fisch- und insektengifte. IV. Ueber die inhaltsstoffe der Derris- und Tephrosia-arten. V. Ueber die inhaltsstoffe der meisterwurz (Imperatoria ostruthium) Just. Liebigs Ann. Chem. 495: 172-186, 187-210. My.20, 1932. no.2.

Landbouw. Tijdschr. Vereen. Landb. Nederl.-Indië (Buitenzorg)
Toxopeus, H. J.
Selectie van onderstammen uit zaaisels van Japansche citroen en van citronella (rough lemon). Landbouw Tijdschr. Vereen. Landb. Nederl.-Indië. 7: 843-849, incl.3 pl. Ap.1932.
English summary (Selection of seedling stocks in citrus): p.846.

Madras Agr. Journ.
Gopalaratnam, P.
A chimera in cotton. Madras Agr. Journ. 20: 151-152. illus. Ap.1932. no.4.

Meded. Landbouwhoogesch. Wageningen.
Suringar, J. V.
De geschiedenis der verwantschapsidee in het plantenrikj een strijd tusschen intuitie en verstand. Meded. Landbouwhoogesch. Wageningen. v.36, no.1. 36 p. 1932.

Meld. Norges Landbruks. (Oslo)
Jørstad, I.
Investigations on the inheritance of immunity to wart disease (Synchytrium endobioticum [Schilb.] Perc.) in the potato. Meld. Norges Landbruks. 12: 286-304. illus. 1932. no.4.

Mem. Inst. Oswaldo Cruz.
Aragão, H. de B.
Untersuchungen über Phytomonas françai. Mem. Inst. Oswaldo Cruz 25: 303-306. pl. lxxv-lxxvi. N.1931. no.1.

Mem. R. Acad. Cienc. y Artes Barcelona.
Font. y Quer, P.
Nota sobre la flora subalpina de la cumbre del Lexhab (Marruecos). Mem. R. Acad. Cienc. y. Artes Barcelona 22: 335-352. Je.1931(Recd My. 1932). no.18.

Palomas Bonus, F. J.
Cultivos de plantas y su importancia en la economía nacional. Mem. R. Acad. Cienc. y Artes Barcelona 22: 319-329. Ap.1931(Recd My.1932). no.17.

Missouri Bot. Gard. Bull. (St. Louis)
"Chincherinchee". Missouri Bot. Gard. Bull. 20: 82-84. pl.25. My.1932. no.5.
Ornithogalum thyrsoides.

An early American seed list. Missouri Bot. Gard. Bull. 20: 75-78. pl.22. My. 1932. no.5.
Issued by Bernard M'Mahon in 1804.

Monatsschr. Deut. Kakteen-Ges. (Berlin)
Bödeker, F.
Mammillaria posseltiana Böd., sp.n. Monatsschr. Deut. Kakteen-Ges. 4: 99-100. illus. My. 1932. no.5.

Monatsschr. Deut. Kakteen-Ges. (cont.)

Herre, H.
Eine zweite sammelreise nach Namaqualand. Monatsschr. Deut. Kakteen-Ges. 4: 91-97. illus. My. 1932. no.5.

Roeder, W.v.
Kennzeichen von nahrungsmangel bei unseren kakteen. Monatsschr. Deut. Kakteen-Ges. 4: 101-106. illus. My. 1932. no.5.

Werdermann, E.
Rebutia steinbachii Werd. Monatsschr. Deut. Kakteen-Ges. 4: 97-99. illus. My.1932. no.5.

Nat. Canad. (Quebec)

Risi, J.
Périodes et principes dans l'histoire de la botanique. Nat. Canad. 59: 113-130. illus. My. 1932. no.5.

Nature (London)

Padoa, M.
Action of the alkaloids and carbon monoxide on the enzymatic activity of plants. Nature 129: 686. My.7, 1932. no.3262.

Poulter, A. A.
Occurrence of "cleistogenes" in certain grasses. Nature 129: 690-691. My.7, 1932. no.3262.

Naturwissensch. (Berlin)

Bünning, E.
Die erblichkeit der tagesperiodizität bei pflanzen. Naturwissensch. 20: 340-345. illus. My.13, 1932. no.20.

Natuurk. Tijdschr. Nederl.-Indië.

Backer, C.A. & Posthumus, O.
De op Java voorkomende soorten van Polypodium L. sensu latiore. Natuurk. Tijdschr. Nederl. Indië 91: 223-307. 1931. no.3.

New Zeal. Journ. Agr. (Wellington)

Cunningham, G. H.

Orchard sprays in New Zealand. II. The lime-sulphur series. New Zeal. Journ. Agr. 44: 263-269. Ap.20, 1932. no.4.

Gibbs, J. G.

Weed host plants of club-root in New Zealand. New Zeal. Journ. Agr. 44: 273-276. Ap.20, 1932. no.4.

Riddet, W.

Abnormal cheese flavours due to weeds in pasture. New Zeal. Journ. Agr. 44: 276-280. illus. Ap.20, 1932. no.4.

Orchid Rev. (Richmond, England)

Lankester, C. H.

Wild orchid species on a tropical farm. Orchid Rev. 40: 142-143. My.1932.no.467.

In Central America.

Pflanzenbau (Berlin)

Müller, K. O.

Ueber die erzeugung krankheitsresistenter pflanzenrassen. Pflanzenbau 8: 265-271. My. 1932. no.11.

Roemer, T.

Immunitätszüchtung. Pflanzenbau 8: 261-265. My.1932. no.11.

Thoenes, H.

Die weissährigkeit des winterweizens. Pflanzenbau 8: 275-276. My.1932. no.11.

Pharm. Zentralh. (Dresden)

Richter, J.

Die atmung der pflanze. Pharm. Zentralh. 73: 291-296. My.12, 1932. no.19.

Physis (Buenos Aires)

Castellanos, A.

Miguel Lillo. Physis 10: 427-431. port. D.31, 1931. no.37.

Physis (cont.)

Marchionatto, J. B.
Notas criticas sobre la presencia de la Puccinia glumarum en la Republica Argentina. Physis 10: 362-367. D.31, 1931. no.37.

Proc. Ann. Confr. Asoc. Técn. Azuc. Cuba.

Faris, J. A.
The utilization of varieties in the field control of sugar cane mosaic and root diseases in Cuba. Proc. Ann. Confr. Asoc. Técn. Azuc. Cuba 5: 15-18. 1931.

Menéndez-Ramos, R.
The new Java - Barbados seedling canes in Cuba. (Preliminary notes). Proc. Ann. Confr. Asoc. Técn. Azuc. Cuba. 5: 40-54. illus. 1931.

Priode, C. N.
Notes on the diseases attacking the POJ canes in Cuba. Proc. Ann. Confr. Asoc. Técn. Azuc. Cuba. 5: 138-144. 1931.

Proc. Crop Sci. Soc. Japan.

Inouye, C.
On the connection between the nucleolus and the spireme in Hordeum. Proc. Crop Sci. Soc. Japan 3: 117-126. pl.v. Je.1931. no.2.
In Japanese with English summary.

Inouye, C.
Somatic mitosis in Hordeum sativum. Proc. Crop Sci. Soc. Japan 3: 319-335. 2 pl. D.1931. no.4.
Japanese with English summary.

Iwatare, M. & Sawada, E.
Die stockkrankheit des weizens. Proc. Crop Sci. Soc. Japan 4: 45-59. illus. Mr.1932. no.1.
Nematodes.
In Japanese.

Kondo, M., Okamura, T., Isshiki, S. & Kasahara, Y.
Studies on the photoperiodism in rice plant (first report.) Proc. Crop Sci. Soc. Japan. 4: 25-44. My.1932. no.1.
In Japanese.

Proc. Crop Sci. Soc. Japan. (cont.)

Kosaka, H.

Beziehungen zeischen den vegetationsorganen auftretenden farbstoffen und der transpiration bei einigen kulturpflanzen. Proc. Crop. Sci. Soc. Japan. 3: 172-177. Je. 1931. no.2.

In Japanese.

Nakamura, S.

Cytological observations in two forms of sterile rice plant. Proc. Crop Sci. Soc. Japan 3: 259-265. O. 1931. no.3.

In Japanese.

Noda, Y.

Experiments on the germination of the corn pollen on artificial culture media with special reference to the external factors, conducted with the aim of an application of research methods. Proc. Crop Sci. Soc. Japan 3: 142-159. Je.1931. no.2.

In Japanese.

Satô, K.

On the chlorophyll content of barley plant. Proc. Crop Sci. Soc. Japan 4: 3-24. My.1932.no.1.

In Japanese with English summary.

Tabata, K., Ogata, H. & Sikegawa, K.

Influences of day-length on the growth, flowering and fruiting of buckwheat and soybean. Proc. Crop Sci. Soc. Japan 3: 188-202. pl.iv-ix. Je. 1931.

In Japanese.

Yamasaki, M.

On the growth of seedlings in wheat varieties differing in cold resistance. Proc. Crop Sci. Soc. Japan 3: 309-318. D.1931. no.4.

In Japanese with English summary.

Proc. Crop Sci. Soc. Japan. (cont.)
Yasuda, S.
A little experiment to graft a style upon an ovary in Petunia violacea. Proc. Crop Sci. Soc. Japan. 3: 40-46. illus. Mr.1931.no.1.
In Japanese.

Proc. Nat. Acad. Sci.
Nebel, B. R. & Trump, I. J.
Xenia and metaxenia in apples. II. Proc. Nat. Acad. Sci. 18: 356-359. My.1932. no.5.

Proc. Roy. Soc. Ser. B. (London)
McCoy, E.
Infection by Bact. radicicola in relation to the microchemistry of the host's cell walls. Proc. Roy. Soc. Ser. B, 110: 514-533. illus., pl.26. My.2, 1932. no.B768.

Seward, A. C. & Blackman, F. F.
Francis Darwin -- 1848-1925. Proc. Roy. Soc. Ser. B, 110: i-xxi. port. My.2, 1932.

Proc. Roy. Soc. Edinb.
Bond, G.
The effect of malnutrition on root structure. Proc. Roy. Soc. Edinb. 52: 159-173. pl. i-ii. [1932] no.2.
Phaseolus multiflorus, P. vulgaris, Vicia faba.

[Proc.] Wisconsin State Cranberry Grow. Assoc.
Bergman, H. F.
Indicator methods for the determination of the oxygen content of water. [Proc.] Wisconsin State Cranberry Grow. Assoc. 44: 40-44. [1931?]

Bergman, H. F.
The oxygen content of water in winter-flooded bogs under ice. [Proc.] Wisconsin State Cranberry Grow. Assoc. 44: 32-40. [1931?]

Scammell, H. B.
Cranberry false blossom from the viewpoint of the grower. [Proc.] Wisconsin State Cranberry Grow. Assoc. 44: 8-11. [1931?]

Protoplasma. (Leipzig)

Gicklhorn, J.
Intracelluläre myelinfiguren und ähnliche bildungen bei der reversiblen entmischung des protoplasmas. Protoplasma 15: 90-109. illus. My. 1932. no.1.

Gicklhorn, J.
Notiz über die eiweisskristalle im zellkern der haare von Melampyrum nemorosum. Protoplasma 15: 276-280. illus. My. 1932. no.2.

Gicklhorn, J.
Vorübergehende formänderungen von plastiden während der plasmolyse. Protoplasma 15: 71-89. illus. My. 1932. no.1.
Experiments with Orchis maculata & O. latifolia.

Pfeiffer, H.
Einzellreihige pflanzenhaare zur demonstration hysteretischer effekte. Protoplasma 15: 24-28. Mr. 1932. no.1.

Steward, F. C.
The absorption and accumulation of solutes by living plant cells. I. Experimental conditions which determine salt absorption by storage tissue. Protoplasma 15: 29-58. illus. Mr.1932. no.1.

Stiles, W.
A footnote to the history of plant respiration. Protoplasma 15: 301-305. Mr. 1932. no.2.

Talts, J.
Einfluss der schwermetallsalze auf Penicillium glaucum (mit besonderer berücksichtigung der anionenwirkung). Protoplasma 15: 188-238. illus. Mr. 1932. no.2.

Publ. Ústav Zdrav. Rostl. Brünn.

Baudyš, E.
Die anwendung von eisenvitriol im pflanzenschutz. Publ. Ústav Zdrav. Rostl. Brünn. no.111b. 32 p. illus. 1931.

Rep. Dept. Agr. Centr. Prov. India.

Dastur, J. F.

Annual report of the mycological section for the year ending the 31st March 1931. Rep. Dept. Agr. Centr. Prov. India 1930/31: 31-41. 1932.

Rep. Hokkaido Agr. Expt. Stat.

Ito, S. & Kimura, J.

Studies on the "bakanae" disease of the rice-plant. Rep. Hokkaido Agr. Expt. Stat. no.27. 94, 5 p. ii pl. (1 pt.col.) D.1931.

Japanese with English summary.

Lisea fijikuroi not acceptable, proposes name Gibberella fujikuroi.

Rev. de Agr. (Piracicaba)

Averna Saccá, R.

Thielaviopsis paradoxa (de Seynes) Höhn. Rev. de Agr. (Piracicaba) 7: 114-129. illus. Mr./Ap. 1932. no.3/4.

Rev. Facul. Agron. & Vet. Univ. Buenos Aires.

Parodi, L. R.

Revisión de las gramíneas austro-americanas del género Alopecurus. Rev. Facul. Agron. & Vet. Univ. Buenos Aires 7: 345-369. illus. N.1931. no.2.

Reichert, F. & Paulsen, E.

Sobre una posible diferencia de los trigos de pedigree, basada en la variación de la composición quimica de los jugos de presión y de los compuestos de cenizas de las plantas, en diferentes fases vegetativas. Rev. Facul. Agron. & Vet. Univ. Buenos Aires 7: 329-344. N.1931. no.2.

Soriano, S.

El "corcovo" y el "polvillo" del tabaco en la República Argentina. Rev. Facul. Agron. & Vet. Univ. Buenos Aires 7: 371-392. pl.xvii-xx. N. 1931. no.2.

Thinks both are manifestations of the same disease, and that it is an infectious disease.

Rev. Agr. Afrique Nord.

Cunin, G.

Les parasites de la pomme de terre sur les Hauts-Plateaux constantinois. Rev. Agr. Afrique Nord. 30: 247-249. Ap.15, 1932. no.663.

Florent, G.

La carié et le charbon des céréales. Rev. Agr. Afrique Nord 30: 24-27, 42-45. illus. Ja.8, 15, 1932. no.649, 650.

Rev. Bryol. (caen)

Antonio Bottini (1850-1931) Rev. Bryol. n.s., 4: 149-152. Mr.15, 1932. no.3.

Dixon, H. N.

Homaliadelphus Dix. et P. de la Varde, nov.nom. Rev. Bryol. n.s., 4: 142. Mr.15, 1932. no.3.

Proposed to replace Hamaliopsis, the latter having already been used as genus name in Flacourtiaceae.

Dixon, H. N.

Proposals on bryological nomenclature. Rev. Bryol. n.s.,4: 119-122. Mr.15, 1932. no.3.

Gaume, R.

Notes bryologiques sur la forêt de Fontainebleau. Rev. Bryol. n.s.,4: 105-118. Mr.15, 1932. no.3.

Hillier, L.

Aperçu bryologique sur la forêt de la Serre (Jura). Rev. Bryol. n.s.,4: 123-134. Mr.15, 1932. no.3.

Nicholson, W. E.

Hybridity among the bryophytes. Rev. Bryol. n.s., 4: 138-140. Mr.15, 1932. no.3.

Theriot, I.

Mousses de l'Annam. IV. Rev. Bryol. n.s., 4: 135-137. pl.iv. Mr.1932. no.3.

Rev. Sci. (Paris)

Hédin, L.

Les tendances actuelles de la classification des phanérogames. Rev. Sci. 70: 272-277. My.14, 1932. no.9.

Science

Yanovsky, E., Nelson, E.K. & Kingsbury, R. M.

Berries rich in calcium. Science 75: 565-566. My.27, 1932. no.1952.

Celtis occidentalis.

Scient. Agr. (Ottawa)

Brown, H. D.

The sugar beet nematode, Heterodera schachtii, a new parasite in Canada. Scient. Agr. 12: 544-552. illus. My.1932. no.9.

So. African Gard. (Johannesburg)

Bolus, L.

Plants new and noteworthy. South African plants cultivated in the National Botanic gardens, Kirstenbosch, and in the Stellenbosch University gardens. So. African Gard. 22: 137, 143. illus. My.1932. no.5.

Brunsvigia bosmaniae, Nerine krigei, Cryptostephanus (?) herrei n.spp.

Sugar News. (Manilla)

Roldan, E. F.

The non-infectious twisted or tangled top disease and pokkah-boeng of sugar cane in the Philippine Islands. Sugar News 12: 726-728. O. 1931. no.10.

Trudy Zashch. Rast. (Bull. Plant Prot.) Leningrad.

Antokol'skaja, M. P.

O rasakh Sclerotinia libertiana Fckl. na podsolnechnike i na drugikh rastenii͡akh (The races of Sclerotinia libertiana Fckl. on the sunflower and other plants). Trudy Zashch. Rast. (Bull. Plant Prot.) Leningrad. 51(1, i.e.II,1): 39-64. pl.iv-x. 1932.

Russian with English summary.

Trudy Zashch. Rast. (Bull. Plant Prot.) Leningrad.

Balakhonov, P. I.

Chernyi rak plodovykh derev'ev Physalopsora malorum (Arn.) - Sphaeropsis malorum Peck. (The black-canker (black rot of fruit trees). Trudy Zashch. Rast. (Bull. Plant Prot.) Leningrad 5, (1,i.e.II,1): 3-38. illus., pl.i-iii. 1932.

Russian with English summary.

Girenko, V. N.

K voprosu o vlii͡anii reaktsii i vlazhnosti pochvy na razvitie zhelezistoĭ pi͡atnistosti v klubni͡akh kartofeli͡a (The influence of soil reaction and moisture on the internal rust of potato tubers). Trudy Zashch. Rast. (Bull. Plant Prot.) Leningrad 5(1, i.e.II,1): 65-72. illus. 1932.

Russian with English summary.

Javoronkova, I. P.

Bakterial'nai͡a bolezn korneĭ klevara, li͡utserny i chechebitsy, vyzyvaemai͡a Bacterium radiciperda n.sp. (Bacterial root-rot of red clover, alfalfa and lentil caused by Bacterium radiciperda n.sp.) Trudy Zashch. Rast. (Bull. Plant Prot.) Leningrad) 5(1,i.e.II,1): 161-172. pl. xvii-xx. 1932.

Russian with English summary.

Khokhri͡akov, M. K.

Mikologicheskie zametki (Mycological notes). Trudy Zashch. Rast. (Bull. Plant. Prot.) Leningrad 5(1,i.e.II,1): 125-129. 1932.

Russian with French summary.

Phoma paradoxa synonym of Phomopsis subordinaria; Dichomera saubinetii found on Quercus pedunculata; Stagonosporopsis trifolii (Ascochyta trifolii Bond. et Trouss., Asc. trifolii Siem.)

Lebedeva, L. A.

O nakhozhdenii novogo gribnogo organizma iz semeĭstva Secotiaceae Ed. Fisch. (On the new fungi of the family Secotiaceae Ed.Fisch.) Trudy Zashch. Rast. (Bull. Plant Prot.) Leningrad 5(1,i.e. II,1): 111-118. pl.xiii-xiv. 1932.

Russian with Latin diagnoses (Psammomyces, P. plantaginiformis; Raddetes, R. turkestanicae).

Trudy Zashch. Rast.(Bull. Plant. Prot.) Leningrad. (cont.)

Maklakova, G. F.

Nekotorye dannye o razvitii cherni na mandarinovykh nasazhdenii͡akh v Batumskom okruge (Contributions to the study on the development of fumaginaceous fungi on the tangerine trees in the district of Batum (Caucasus). Trudy Zashch. Rast. (Bull. Plant Prot.) Leningrad 5(1,i.e.II, 1): 97-110. pl. xii. 1932.

Russian with English summary.

Capnodium citri, Macrosporium sp., Alternaria sp., Helminthosporium sp., Cladosporium sp.

Naumov, N. A.

Pi͡atnistost stebleĭ l'na, vyzyvaemai͡a Ascochyta linicola Naoumov et Wassiliewski (Stem spot of flax caused by Ascochyta linicola Naoum. et Wassil.) Trudy Zashch. Rast. (Bull. Plant Prot.) Leningrad 5(1,i.e,II,1): 141-160. illus. pl. xv-xvi. 1932.

Russian with English summary.

Parievskai͡a, A. P.

K voprosu o vyi͡avlenii ustoĭchivosti sortov konopli inostrannogo proiskhozhdenii͡a i iz raĭonov SSSR po otnoshenii͡u k zarazikhe (On the resistance of Russian and foreign sorts of hemp to Orobanche ramosa). Trudy Zashch. Rast. (Bull. Plant Prot.) Leningrad 5(1,i.e.II,1): 73-84. illus. pl.xi. 1932.

Russian with English summary.

Prisi͡azhni͡uk, A. A.

K voprosu ob izuchenii fuzarioza khlebnykh zlakov (Contributions to the study of Fusarium diseases of cereal crops). Trudy Zashch. Rast. (Bull. Plant Prot.) Leningrad 5(1,i.e,II,1): 173-200. 1932.

Russian with English summary.

Shitikova-Rusakova, A. A.

Osobennosti rasprostranenii͡a spor vozdukhe, glavnym obrazom spor rzhavchiny khlebov (Peculiarities of the dissemination of spores in the air especially of cereal rust spores). Trudy Zashch. Rast. (Bull. Plant Prot.) Leningrad 5(1,i.e,II,1): 131-140. 1932.

Russian with English summary.

Trudy Zashch. Rast. (Bull. Plant Prot.) Leningrad. (cont.)
Shitikova-Rusakova, A. A.
Vliiànie peresadki rasteniĭ ozimoĭ rzhi i pshenitsy na razvitie rzhavchiny (The influence of the transplantation of winter-sown rye and wheat on rust development). Trudy Zashch. Rast. (Bull. Plant Prot.) Leningrad 5(1, i.e.II,1): 85-96. 1932.
Russian with English summary.

Solov'ev, F. A.
Nekotorye redkie i maloizvestnye vidy gribov Severo-Kavkazskogo krai͡a (Some rare and little known fungi of North Caucasus). Trudy Zashch. Rast.(Bull. Plant Prot.) Leningrad 5(1, i.e. II, 1): 119-123. illus., pl.xiv. 1932.
Russian with Latin diagnosis of new species (Ceratostomella castaneae).

Die Umschau (Frankfurt)
Wehmer, C.
Hausschwamm-fälle. Die Umschau 36: 387-390. illus. My.14, 1932. no.20.

U.S. Dept. Agr. Techn. Bull.
Westover, H.L., Sarvis, J.R., Moomaw, L., Morgan, G.W., Thysell, J. C. & Bell, M.A.
Crested wheatgrass as compared with bromegrass, slender wheatgrass, and other hay and pasture crops for the Northern Great Plains. U.S. Dept. Agr. Techn. Bull. 307. 35 p. illus. Ap.1932.
Agropyron cristatum.

Virginia For. Serv. Publ.
Nelson, R. M.
Decay in loblolly pine on the Atlantic coastal plain. In Garver, R. D. Selective logging... Virginia For. Serv. Publ. 43: 58-59. O.1931.
Caused almost wholly by Trametes pini.

Zeitschr. Ver. Deut. Zuck.-Ind. (Berlin)
Hafekost, G.
Die ertragsfähigkeit, der zuckergehalt und die reaktionsfähigkeit des plasmas der zuckerrübe. Zeitschr. Ver. Deut. Zuck.-Ind. 81: 813-824. D.1931.

Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie)

Chernov, V. K.

O raspredelenii lishaĭnikov v gornom Krymu (Ueber die verteilung der flechten im Krimgebirge). Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie) 16: 537-543. 1931. no.5/6.

Russian with German summary.

Cholodnyi, N. G.

Neskol'ko vospominaniĭ o.S.G. Navasine. Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie) 16: 383-386. 1931.

Russian.

Illichevski, S.

Dve anomalii v tsveteniĭ rastenii (Two anomalies in plant flowering). Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie) 16: 387-401. 1931. no.5/6.

Russian with English summary.

Too early blossoming, secondary flowering.

Jossifov, G. M.

Tekhnika sokhraneni͡ia tsvetov, plodov i i͡agod s ikh estestvennoĭ okraskoi (Technik der erhaltung der blumen, früchte und beeren in ihrer natürlichen färbung). Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie) 16: 554-561. 1931. no.5/6.

Russian with German summary.

Kongisser, R.

K morfologii i ekologii Lyngbya borodini sp.n. (Zur morphologie und oekologie der Lyngbya borodini sp.n.) Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie) 16: 479-514. illus., pl. 1931.no.5/6.

Russian with German summary.

Kotov, M.

Materialy k rastitel'nosti doliny r. Oskola mezhdu gg Kupi͡anskom i Valuĭkami (Ueberblick über die vegetation im flusstale Oskol zwischen den städten Kupjansk und Walujki) Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie) 16: 446-455. 1931. no.5/6.

Russian with German summary.

Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie) (cont.)

Ladyzhenskaja, K.
Ekologicheskiĭ spisok lishaĭnikov orestn. g. Kologriva (Oekologisches verzeichniss der flechten in der umgebung der stadt Kologriv). Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie) 16: 544-553. illus. (map). 1931.
Russian with German summary.

Lavrenko, E. M.
Ruppia rostellata Koch v solenykh ozerakh Slavianska (Ruppia rostellata Koch in the salt lakes of Slavjansk). Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie) 16: 515-518. 1931. no.5/6.
Russian with English summary.

Poliakov, P. P.
Zametka o vysokogornoĭ forme Abies sibirica Lebd. v predelakh Altai͡a (Notiz über die hochgebirgsform der Abies sibirica Ledb. im Altaigebirge). Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie) 16: 473-478. illus. (incl. map) 1931. no.5/6.
Russian with German summary.

Smirnova, Z. N.
Materialy k brioflore Urale (Contribution to the bryo-flora of the Ural) I. Liverworts of the middle and south Ural and Ural region. Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie) 16: 519-536. illus. 1931. no.5/6.
Russian with English summary.

Solonitsyna, M. F.
Luga nizhnei chasti poĭmy r Lugi i primorskie luga Luzhskoi guby i Narovskogo zaliva (Die wiesen des unteren teiles der Luga-pojma und die küstenwiesen der Luga-bucht und des Narowa-busens). Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie) 16: 402-445. 2 pl., map. 1931. no.5/6.
Russian with German summary.

Tolmachev, A. I.
Materialy dli͡a flory evropeĭskikh arkticheskikh ostrovov (Beiträge zur flora der artisch-europäischen inseln). Zhurn. Russk. Bot. Obshch. (Journ. Soc. Bot. Russie) 16: 459-472. 1931. no.5/6.
Russian with German summary.

Der Züchter. (Berlin)

Gleisberg, W.

Die steinobstunterlagen unter besonderer berücksichtigung der englischen selektionsarbeit. Der Zuchter. 4: 81-91. illus. Ap.1932. no.4.

Ufer, M.

Züchtung und genetik des steinklees. Der Züchter 4: 91-97. illus. Ap.1932. no.4.

Exper. Stat. Publ.

Friend, W.H. & Bach, W. J.

Storage experiments with Texas citrus fruit. Texas Agr. Expt. Stat. Bull.446. 40 p. illus. Ap.1932.

New books.

Hoagland, D. R.

Mineral nutrition of plants. Annual review of biochemistry ed. by J.M. Luck. Stanford university, 1932, v.1, p.618-636.

Höber, R.

Permeability. In Annual review of biochemistry ed. by J.M. Luck. Stanford university, 1932. v.1, p.1-20.

Ivanov, N. N.

The biochemistry of the fungi. In Annual review of biochemistry ed. by J.M. Luck. Stanford University, 1932. v.1, p.675-697.

Karrer, P. & Helfenstein, A.

Plant pigments. In Annual review of biochemistry ed. by J.M. Luck Stanford university, 1932. v.1, p.551-580;

Vickery, H. B.

The nitrogenous constituents of green plants. Annual review of biochemistry ed. by J.M. Luck. Stanford university, 1932. v.1, p.611-617.

New books.(cont.)

Bonnier, G.

Flore complete illustrée en couleurs de France ... Suisse et Belgique... t.11, par R. Douin. fasc.III. col. pl.661-666. 1932.

Craib, W. G.

Florae siamensis enumeratio. A list of the plants known from Siam with records of their occurrence. v.2, pt.1, Caprifoliaceae & Rubiaceae (in part). Bangkok, The Bangkok Times press, Mr. 1932.

Felt, E. P. & Rankin, W. H.

Insects and diseases of ornamental trees and shrubs. New York, Macmillan, 1932.

A combination of the senior author's "Manual of tree and shrub insects", and the junior author's "Manual of tree diseases", entirely rewritten and brought down to date.

Handel-Mazzetti, H.

Hochland und hochgebirge von Yünnan und Südwest-Setschwan. II. Die temperierte stufe. In Karsten, G. Vegetationsbilder r.22, h.8. pl.43-48. 1932.

Indian institute of science, Bangalore.

Investigations on the spike-disease of sandal. I; IV Bangalore, 1931-32.

Edited by Dr. V. Subrahmanyan.

Kalé, G.

Recherches anatomiques, chimiques, physiologiques et génétiques sur Triticum vulgare Host. ... Toulouse, Imprimerie régionale, 1931.

Macself, A. J.

Flowering trees and shrubs. London, T. Butterworth, 1932 (The Home garden books.)

V.14, no.11, p.36.

New books. (cont.)

Nábělek, V.

Problém rakoviny u rostlin. Fytopathologická studie o pů sobent bakterií na hojivé precesy u rostlin. (Das krebsproblem der pflanze. Eine phytopathologische studie über die einwirkung der bakterien auf die heilungsprozesse der pflanze). Praha, 1930. (Práce učené společnosti šafaříkovy v Bratislavě pořádjí J.F. Babor, A. Pražák, O. Sommer, sv.2).

Czech with German summary.

Rydberg, P. A.

Flora of the prairies and plains of central North America. N.Y., New York botanical garden, 1932.

Sanford, A. F.

Arborteum catalog and planting list August 1, 1931. Knoxville, Tenn., 1931.

Woodward, C. R. & Waller, I. N.

New Jersey's agricultural experiment station, 1880-1930. New Brunswick, 1932.

Botany: p.250-269; horticulture: p.270-314; plant pathology; p.315-334; plant physiology: p.443-449.

Correction.

v.14, no.9, p.18.

Jahrb. Wiss. Bot., 1st entry, vol. should be v.76.

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

LIBRARY
RECEIVED
★ JUL 13 1932 ★
U. S. Department of Agriculture

Vol. 14, no.12. Je.6-18, 1932.

Agr. Gaz. N.S.W. (Sydney)

Callaghan, A. R.

Varieties of oats in New South Wales. (cont.) Agr. Gaz. N.S.W. 43:201-206, 253-259, 339-344. illus. Mr.-My.1932. no.3-5.

Edwards, E. T.

Stem nematode disease of lucerne. With review of literature concerning the causal organism Tylenchus dipsaci (Kuhn) Bast. (concl.). Agr. Gaz. N.S.W. 43: 345-356. My. 1932. no.5.

Agr. Journ. Dept. Sci. & Agr. Barbados.

Hardy, F.

Some aspects of the flora of Barbados. Agr. Journ. Dept. Sci. & Agr. Barbados 1: 41-62. Ja. 1932. no.1.

McIntosh, A. E. S.

An investigation into the evolution of sugar cane varieties by breeding in Barbados, 1887-1925, with a discussion on the application of the findings to the present day scheme of work. Agr. Journ. Dept. Sci. & Agr. Barbados 1: 3-17. Ja.1932. no.1.

Agron. Colon. (Paris)

Pascalet, M.

La mosaîque ou lèpre du manioc. Agron. Colon. 21: 117-131. illus. 4 pl., Ap. 1932. no.172.

Ann. Serv. Bot. Tunisie.

Kajanus, B.

Les résultats des recherches génetiques sur le blé. Ann. Serv. Bot. Tunisie 7: 1-23. 1931.

French review by Jacques Pottier of Kajanus' Ergebnisse der genetischen weizenforschung.

Ann. Serv. Bot. Tunisie. (cont.)

Petit, A.
De la transmission des rouilles des céréales en Tunisie. Ann. Serv. Bot. Tunisie 7: 111-130. pl. 1931.

Petit, A.
Observations sur la carie du blé. Ann. Serv. Bot. Tunisie 7: 101-103. 1931.

Petit, A.
Observations sur le charbon du blé (Ustilago tritici). Ann. Serv. Bot. Tunisie 7: 105-109. 1931.

Petit, A.
Remarques sur le classification des bacteriées. Ann. Serv. Bot. Tunisie 7: 131-155. 1931.

Petit, A.
Le traitement de la carie du blé et la préservation des grains vis-à-vis des insectes parasites. Ann. Serv. Bot. Tunisie 7: 95-100. 1931.

Ann. Appl. Biol. (London)

Bewley, W.F. & Orchard, O. B.
The control of tomato-leaf mould. Ann. Appl. Biol. 19: 185-189. My. 1932. no.2.

Chippindale, H. G.
The operation of interspecific competition in causing delayed growth of grasses. Ann. Appl. Biol. 19:221-242. pl.x-xi. My. 1932. no.2.

Caldwell, J.
Studies in the physiology of virus diseases in plants. III. Aucuba or yellow mosaic of tomato in Nicotiana glutinosa and other hosts. Ann. Appl. Biol. 19: 144-152. pl. v. My. 1932. no.2.

Cayley, D. M.
"Breaking" in tulips. II. Ann. Appl. Biol. 19: 153-171. pl.vi-vii. My. 1932. no.2.

Findlay, W.P.K.
Laboratory methods for testing wood preservatives. Ann. Appl. Biol. 19: 271-280. My. 1932. no.2.
In Proceedings of the Association of economic biologists.

Ann. Appl. Biol. (cont.)

Lacey, M. S.

Studies in bacteriosis XIX. Researches on the group of green-fluorescent bacteria pt. I-II. Ann. Appl. Biol. 18: 180-186. pl.xvi. My.1931; 19: 190-203. My.1932. no.2.

I. Bacterium triflorum (Jones et al) as the cause of a disease of Vicia faba. II. On some plant diseases caused by bacteria of the green-fluorescent group and a comparison and discussion of various cultural characteristics of certain members of this group.

Martin, H.

The laboratory examination of fungicidal dusts and sprays. Ann. Appl. Biol. 19: 263-271. My. 1932. no.2.

In Proceedings of the Association of economic biologists.

Storey, H. H.

A bark disease of coffee in East Africa. Ann. Appl. Biol. 19: 173-184. pl. viii-ix. My.1932. no.2.

Fusarium lateritium var. longum.

Tattersfield, F. & Gimingham, C. T.

The insecticidal properties of Tephrosia macropoda Harv. and other tropical plants. Ann. Appl. Biol. 19: 253-262. My.1932. no.2.

Anz. Akad. Wiss. Wien. Math.-Naturw. Kl.

Berg, K. H.

Ein bastard mit vier vollständigen, haploiden artgenomen. Anz. Akad. Wiss. Wien Math.-Naturw. Kl. 68: 226-228. 1931. no.22.

Aegilops ovata (n=14) mit Triticum durum arraseita (n=14).

Berg, K. H.

Ueber zytologische beobachtungen an Aegilops triuncialis x Secale cereale. Anz. Akad. Wiss. Wien Math.-Naturw. Kl. 68: 225-226. 1931. no.22.

Kisser, J.

Kritische betrachtungen über das wesen und den begriff der samenkeimung. Anz. Akad. Wiss. Wien Math.-Naturw. Kl. 68: 281-282. 1931. no.27.

Anz. Akad. Wiss. Wien. Math.-Naturw. Kl. (cont.)

Kisser, J. & Lorenz, M.
Untersuchung über chemische reizerfolge auf die keimung von Pisum und Triticum unter optimalen keimungsbedingungen. Anz. Akad. Wiss. Wien Math.-Naturw. Kl. 68: 279-281. 1931. no.27.

Kisser, J. & Popp, P.
Untersuchungen über wachstums- und differenzierungsvorgänge an dikotylen keimpflänzchen nach kontinuierlicher entfernung der knospenorgane. Anz. Akad. Wiss. Wien Math.-Naturw. Kl. 68: 278-279. 1931. no.27.

Kisser, J., Stasser, R., Kiffe, E. & Göllner, St.
Untersuchungen über wundkrümmungen an dikotylen keimpflänzchen und ihre stofflichen ursachen. Anz. Akad. Wiss. Wien. Math.-Naturw. Kl. 68: 275-278. 1931. ono.27.

Rzimann, G.
Regenerations- und transplantationsversuche an Daucus carota. (Vorläufige mitteilung). Anz. Akad. Wiss. Wien Math.-Naturw. Kl. 68: 134-137. 1931. no.16.

Senekovic, T.
Ueber kallusbildung an krautigen pflanzen I. Phaseolus vulgaris (Vorläufige mitteilung). Anz. Akad. Wiss. Wien Math.-Naturw. Kl. 68: 129-131. 1931. no.16.

Tschermak, E.
Ueber einige blütenanomalien und ihre vererbungsweise bei primeln. Anz. Akad. Wiss. Wien Math.-Naturw. Kl. 68: 45-46. 1931. no.6.

Arch. Mikrobiol. (Berlin)

Frey, A. & Poschenrieder, H.
Beziehungen zwischen säurebildung und mycelgewichtsbeeinflussung bei Aspergillus niger. Arch. Mikrobiol. 3: 409-421. My.6, 1932. no.3.

Kroemer, K. & Krumbholz, G.
Untersuchungen über osmophile sprosspilze. V. Das verhalten von sprosspilzen in nährlösungen. mit hohen neutralsalzkonzentrationen. Arch. Mikrobiol. 3: 384-396. illus. My.6, 1932. no.3.

Arch. Mikrobiol. (cont.)

Loos, W.

Ueber eine buchenholzbewohnende Ceratostomella, Ceratostomella fagi nov.sp. Arch. Mikrobiol. 3: 370-383. illus. My.6, 1932. no.3.

Pietschmann, K. & Rippel, A.

Zur zellkernfrage bei den bakterien. Untersuchungen mit hilfe der Feulgenschen nuclealreaktion. Arch. Mikrobiol. 3: 422-452. illus. My.6, 1932. no.3.

Arch. Pflanzenb. (Wiss. Arch. Landw. Abt.A.) (Berlin)

Berkner, F. & Schlimm, W.

Untersuchungen über wasserverbrauch von zehn ökologische verschieden eingestellten sommergerstensorten. Arch. Pflanzenb. (Wiss. Arch.Landw. Abt.A.) 8: 740-754. My.6, 1932. no.4.

Klapp, E. & Wagener, H.

Umbelliferen im wiesenbestande, ihr stickstoff- und aschengehalt. Arch. Pflanzenb. (Wiss. Arch. Landw. Abt.A) 8: 755-781. My.6, 1932. no.4.

Scheibe, A.

Die keimung des hafers in ihrer abhängigkeit von der physiologischen konstitution des saatgutes. Arch. Pflanzenb. (Wiss. Arch. Landw. Abt.A) 8: 579-649. illus. My.6, 1932. no.4.

Arch. Protistenk. (Jena)

Pascher, A.

Ueber einige neue oder kritische heterokonten. Arch. Protistenk. 77: 305-359. illus. 1932. no.2.

Beiträge zur kenntnis der einheimischen algenflora. II.

Pascher, A.

Zur kenntnis mariner planktonten. I. Meringosphaera und ihre verwandten. Arch. Protistenk. 77: 195-218. illus. 1932. no.2.

Arch. Bot. Sist., Fitogeogr. e Gen. (Forli)

Cobau, R.

Erborizzazioni sul Pasubio e nella valle di Canale. (1929 e 1930). Arch. Bot. Sist. Fitogeogr. e Gen. 8: 119-132. 1932. no.2.

Arch. Bot. Sist., Fitogeogr. e Gen. (cont.)

Guadagno, M.

Flora capraearum nova flora di Capri (cont.) Arch. Bot. Sist. Fitogeogr. e Gen. 8:143-158. 1932. no.2.

Lanzoni, F.

Se l' Acer negundo L. b. variegatum hort. debba considerarsi una chimera. Arch. Bot. Sist. Fitogeogr. e Gen. 8: 133-142. 1932. no.2.

Pampanini, R.

Un' escursione in Tripolitania. Arch. Bot. Sist. Fitogeogr. e Gen. 8: 97-118. pl. iii-vi. 1932. no.2.

Principi, P.

Flora miocenica di cozzuolo presso Vittorio Veneto. Arch. Bot. Sist. Fitogeogr. e Gen. 8: 159-192. pl.vii. 1932. no.2.

Ber. Deut. Bot. Ges.(Berlin)

Böhner, P.

Zum problem der thermonastischen bewegungen der tulpenblüte. Ber Deut. Bot. Ges. 50: 188-197. My.26, 1932. no.4.

Darbishire, O. V.

Weiteres über die cephalodien von Peltigera aphthosa L. Ber. Deut. Bot. Ges. 50: 178-184. pl. My.26, 1932. no.4.

Jaccard, P. & Jaag, O.

Schwankungen der CO_2-aufnahme bei höheren pflanzen in kohlensäurereicher luft und bei kontinuierlicher belichtung. Ber. Deut. Bot. Ges. 50: 167-177. My.26, 1932. no.4.

Küster, E.

Ueber protoplasmatentakeln und vakuolenzerklüftung. Ber. Deut. Bot. Ges. 50:123-133. illus. Ap.28, 1932. no.3.

Lehmann, E. & Schnitzler, O.

Hemmungsgene und taube samen in Epilobiumkreuzungen. Ber. Deut. Bot. Ges. 50: 185-187. My.26, 1932. no.4.

Ber. Deut. Bot. Ges.(cont.)

Melchior, H.
Blütenstandsbildung bei der gattung Viola. Ein beitrag zur phylogenie der violaceen. Ber. Deut. Bot. Ges. 50: 198-204. illus. My.26, 1932. no.4.

Zinkernagel, H.
Ueber den einfluss des leuchtgases auf wurzeln von Allium cepa. Ber. Deut. Bot. Ges. 50: 134-153. illus. Ap.28, 1932. no.3.

Arthur, J. C.
Terminologie der Uredinales. Ber. Deut. Bot. Ges. 50a: 24-27. 1932.

Czaja, A. T.
Die entstehung der cruciaten fiederung bei varietäten von Athyrium filix femina. Ber. Deut. Bot. Ges. 50a: 109-135. illus., pl. iv-v. 1932.

Fritsch, K.
Die systematische gruppierung der monokotylen. Ber. Deut. Bot. Ges. 50a: 162-184. 1932.

Gassner, G. & Goeze, G.
Ueber den einfluss der kaliernährung auf die assimilationsgrösse von weizenblättern. Ber. Deut. Bot. Ges. 50a: 412-482. illus. 1932.

Haase-Bessell, G.
Karyologische beobachtungen an zwei rosenbastarden und deren prinzipielle auswertung. Ber. Deut. Bot. Ges. 50a: 61-91. illus., pl. ii-iii. 1932.
R. microphylla x R. rugosa, R. lutea bicolor x "Louis Barbier".

Jahn, E.
Die organe des plasmodiums. Ber. Deut. Bot. Ges. 50a: 367-399. illus. 1932.
Myxomycetenstudien Nr.14.

Klebahn, H.
Eine monströse rasse des Abutilon darwinii Hook. f. Ber. Deut. Bot. Ges. 50a: 246-261. illus. 1932.

Ber. Deut. Bot. Ges. (cont.)

Loesener, T.
Ueber die gattung Tripterygium. Ber. Deut. Bot. Ges. 50a: 5-14. illus. 1932.

Mansfeld, R.
Ueber die heteranthie und das system der gattung Catasetum L.C. Rich. Ber. Deut. Bot. Ges. 50a: 92-108. illus. 1932.

Müller, K. O.
Ueber die verbreitung der harmelstaude in Anotolien und ihre bindung an die menschlichen wohnstätten. Ber. Deut. Bot. Ges. 50a: 262-275. illus., pl.vi-vii. 1932.
Peganum harmala.

Nienburg, W.
Fucus mytili spec.nov. Ber. Deut. Bot. Ges. 50a: 28-41. illus., pl. 1932.

Oppenheimer, H. R.
Zur kenntnis der hochsommerlichen wasserbilanz mediterraner gehölze. Ber. Deut. Bot. Ges. 50a: 185-245. illus. 1932.

Schellenberg, G.
Ueber systembildung und über die reihe der Santalales. Ber. Deut. Bot. Ges. 50a: 136-145. 1932.

Schweizer, G.
Studien über die kernverhältnisse im archikarp von Ascobolus furfuraceus Pers. Ber. Deut. Bot. Ges. 50a: 14-23. illus. 1932.

Snell, K.
Die beschleunigung der keimung bei der kartoffelknolle. Ber. Deut. Bot. Ges. 50a: 146-161. illus. 1932.

Ulbrich, E.
Ueber den formen kreis von Phallus impudicus. Ber. Deut. Bot. Ges. 50a: 276-326. illus. 1932.

Weisse, A.
Zur kenntnis der blattstellungsverhältnisse bei den zingiberaceen. Ber. Deut. Bot. Ges. 50a: 327-366. pl.viii-ix. 1932.

Biochem. Journ. (London)

Miller, E. J. & Chibnall, A. C.

The proteins of grasses. I. Preliminary communication. Biochem. Journ. 26: 392-402. 1932. no.2.

Sahai, P. M. & Chibnall, A. C.

Wax metabolism in the leaves of brussels sprout. Biochem. Journ. 26: 403-412. 1932. no.2.

Biochem. Zeitschr. (Berlin)

Bodnár, J. & Róth, L. E.

Die wirkung der quecksilbersalze auf die samenkeimung. Biochem. Zeitschr. 248: 375-382. My.26, 1932. no.4/6.

Blue Anchor. (Sacramento, Cal.)

Day, L. H.

Treating gummosis cankers in stone fruit trees. Blue Anchor 9:(6):5,20-22. illus. Je.1932. [illegible]

Blumen u. Pflanzenb. (Berlin)

Görbing, J. & Fortmann, G.

Einige beobachtungen über die stadortsanspruche der azaleen. Blumen u. Pflanzenb. 47: 90-91. illus. Je.1, 1932. no.6.

Roeder, W. v.

Die pilzbekämpfung bei kakteensämlingen. Blumen u. Pflanzenb. 47: 88-89. illus. Je.1, 1932. no.6.

Use of Chinosol as fungicide.

Boll. R. Staz. Patol. Veg. Roma (Firenze)

Petri, L.

Rassegna dei casi fitopatologici osservati nel 1931. Boll. R. Staz. Patol. Veg. Roma n.s. 12: 1-64. illus. 1931. no.1.

Rabinovitz-Sereni, D.

L'azione dei raggi luminosi visibili di differente lunghezza d'onda sull'accrescimento, sulla sporificazione e sulla pigmentazione dei funghi in coltura pura. Boll. R. Staz. Patol. Veg. Roma. n.s.12: 81-114. illus. 1932. no.1.

Boll. R. Staz. Patol. Veg. Roma. (cont.)

Rabinovitz-Sereni, D.
Azione delle vitamine e degli ormoni animali sullo svillupo di un basidiomicete (Corticium rolfsii (Sacc.) Curzi). Boll. R. Staz. Patol. Veg. Roma n.s.12: 65-80. illus. 1932. no.1.

Rabinovitz-Sereni, D.
Il grado di resistenza di alcuni funghi all'azione dei raggi ultravioletti. Boll. R. Staz. Patol. Veg. Roma n.s. 12: 115-144. illus. 1932. no.1.

Sibilia, C.
Degenerazione di patate da semina. Boll. R. Staz. Patol. Veg. Roma n.s. 12: 145-147. illus. 1932. no.1.

Bot.Not. (Lund, Sweden)

Degelius, G. N.
Lichenologiska bidrag. IV. Bot. Not. 1932: 278-294. illus. 1932.

Halle, T. G.
Erik Leonard Ekman, Dec.14, 1883- Jan.15, 1931. Bot. Not. 1932: 303-310. port. 1932. no.3/4.

Müntzing, A.
Untersuchungen über periodizität und saisondimorphismus bei einigen annuellen Lamium-arten. Bot.Not. 1932: 153-176. illus. 1932. no.3/4.

Segerström, A. L.
Sydvästra tylöskogens flora. Med inledning av. J.A.O. Skårman. Bot. Not. 1932: 191-268. illus. 1932. no.3/4.

Silén, L.
Några nya svenska fyndorter för algsläktet Batrachospermum. Bot. Not. 1932: 295-298. 1932. no.3/4.

Tjebbes, K.
Studien über fertilität bei Petunia-kreuzungen. Bot. Not. 1932: 269-277. 1932. no.3/4.

Turesson, G.
Trapa natans L. im Altai-gebiet. Bot. Not. 1932: 177-190. illus. 1932.

Brittonia

Gleason, H. A.

Studies on the flora of northern South America. XVI. Eleven neglected species of Miconia. Brittonia 1: 113-126. Ap.1932. no.3.

Gleason, H.A.

A synopsis of the Melastomataceae of British Guiana. Brittonia 1: 127-184. Ap.1932. no.3.

Moldenke, H. N.

Some new species of Aegiphila from Central and South America. Brittonia 1: 185-194. Ap. 1932. no.3.

Broteria Cienc. Nat.

Dixon, H. N.

Mosses from Mallorca. Broteria Cienc. Nat. 1: 86-88. 1932. no.2.

Rick, A. J.

Monographia pezizinearum riograndensium. Broteria Cienc. Nat. 1: 89-96. Je.1, 1932. no.2.

Bulet. Cult. şi Ferm. Tutun.(Bull. Inst. Exp. Cult. & Ferm. Tabac.) (Bucurest)

Deleanu, N. T.

Metoda biometricǎ aplicata la studiul sărurilor minerale in viaţa plantei. (Die anwendung der biometrischen methode zum forschen der rolle von mineralstoffen im leben der pflanze.) Bulet. Cult. şi Ferm. Tutun. (Bull. Inst. Exp. Cult. & Ferm. Tabac.) 21: 215-241. Ap./Je. 1932. no.2.

German summary: p.238.

Ghimpu, V.

Bolile cu virus ale tutunului. (Les maladies a virus du tabac.) Bulet. Cult. şi Ferm. Tutun. (Bull. Inst. Exp. Cult. & Ferm. Tabac.) 21:163-214. pl.i-xi. Ap./Je. 1932. no.2.

French summary: p.212.

Jean, C.

Studiul biologic al nicotine; Originea, localizarea si transformările ei. Bulet. Cult. şi Ferm. Tutun.(Bull. Inst. Exp. Cult. & Ferm. Tabac) 21: 242-251. illus. Ap./Je.1932. no.2.

Bulet. Cult. şi.Ferm. Tutun. (Bull. Inst. Exp. Cult. & Ferm. Tabac. (cont.)

Oros, I.

Desinfectarea seminţei de tutun cu apă caldă. (Desinfection des semences du tabac a l'eau chaude). Bulet. Cult. şi Ferm. Tutun. (Bull. Inst. Exp. Cult. & Ferm. Tabac.) 21: 259-264. Ap./Je. 1932. no.2.

Bull. Amer. Iris Soc.

Peckham, E. A. S.

Irises raised and named by Arthur John Bliss. Bull. Amer. Iris Soc. 43: 32-46. illus. Ap. 1932. no.43.

Bull. Dept. Agr. Canada (Ottawa)

Johnson, T.

A study of the effect of environmental factors on the variability of physiologic forms of Puccinia graminis tritici, Erikss. and Henn. Bull. Dept. Agr. Canada n.s., 140. 76 p. illus. 1931.

Studies in cereal diseases. VI.

Bull. Imp. Bur. Plant Gen. (Herb. Plants) (Wales)

Burns, W. & Barve, D. B.

Breeding technique for Pennisetum typhoideum. Bull. Imp. Bur. Plant Gen. (Herb. Plants) 7: 21-23. My.1932.

Kirk, L. E.

Methods employed in the breeding of biennial sweet clover (Melilotus) and brief notes on the breeding of lucerne (Medicago sativa), brome grass (Bromus inermis) and slender wheat grass (Agropyron tenerum). Bull. Imp. Bur.Plant Gen.(Herb. Plants) 7: 5-13. pl.1-3. My.1932.

Shaw, F. J. F.

The breeding of Cicer and Cajanus. Bull. Imp. Bur. Plant Gen.(Herb. Plants) 7: 14-16. pl. My. 1932.

Travin, I. S.

Methods emploued in pure line breeding of insect-pollinated plants: red clover. Bull. Imp. Bur. Plant Gen.(Herb. Plants) 7: 24-30. My.1932.

Bull. Imp. Bur. Plant Gen. (Herb. Plants) (cont.)

Trumble, H. C.

The improvement of Phalaris species by selective breeding. Bull. Imp. Plant Gen. (Herb. Plants) 7: 17-20. My.1932. [illegible]

Bull. Public Museum Milwaukee.

Smith, H.H.

Ethnobotany of the Ojibwe Indians. Bull. Public Museum Milwaukee 4: 327-525. pl.xlvi-lxvii. My.2, 1932. no.3.

Bull. Soc. Bot. France (Paris)

Camus, A.

Sur une curieuse anomalie florale du Calendula officinalis. Bull. Soc. Bot. France 79: 93. Ap.25, 1932. no.1/2.

Camus, A.

Sur une graminée malgache, le Sclerodactylon macrostachyum. Bull. Soc. Bot. France 79: 37-39. Ap.25, 1932. no.1/2.

Choux, P.

Sur quelques asclépiadacées-sécamononées récoltées à Madagascar par M. Perrier de la Bathie. Bull. Soc. Bot. France 79: 61-65. pl.ii-iii. Ap.25, 1932. no.1/2.

Secamone botamponenses, n.sp., S. cristata (S. polyantha.)

Courcelle, R.

Sur quelques plantes du pays Basque. Bull Soc. Bot. France 79: 41-43. Ap.25, 1932. no.1/2.

I. A propos du Sporobolus tenacissimus P. Beauv. II. Deux plantes nouvelles pour le pays Basque: Digitaria dilatata Coste et Trigonella corniculata L.

Dangeard, P.

La forme jeune du Desmarestia dudresnayi (Lamouroux) Sauv. Bull. Soc. Bot. France 79: 25-28. illus., pl. Ap.25, 1932.no.1/2.

Flahault, C.

Jean-Baptiste Gèze. Bull. Soc. Bot. France 79: 79-87. Ap.25, 1932. no.1/2.

Bull. Soc.Bot. France (cont.)

Gagnepain, F.
Une décade d'orchidacées nouvelles d'Indochine. Bull. Soc. Bot. France 79: 32-37. Ap.25, 1932. no.1/2.

Gavaudan, P. & Varitchak, B.
Quelques remarques sur les phénomènes d' instabilité cytoplasmique. Bull. Soc. Bot. France 79: 87-91. pl. Ap.25, 1932. no.1/2.

Litardiére, R. de.
Le Claytonia perfoliata Donn en France. Bull. Soc. Bot. France 79: 65- 68. Ap.25,1932. no.1/2.

Litardière, R. de.
Notes sur des ptéridophytes et phanérogames observées en Corse au cours de la session de la Société botanique de France (août 1930). Bull. Soc. Bot. France 79: 68-77. Ap.25, 1932. no.1/2.

Moreau, F.
Observations sur les lichens d'altitude dans le région meridionale des Monts-Dore. Bull. Soc. Bot. France 79: 44-61. Ap.25, 1932. no.1/2.

Rodriguez, L.
Sur un Solanum adventice de Gironde. Bull. Soc. Bot. France 79: 92. Ap.25,1932. no.1/2.
Solanum gracile.

Souèges, R.
Recherches sur l'embryogénie des liliacées (fin.) Bull. Soc. Bot. France 79: 11-23. illus. Ap.25, 1932. no.1/2.
Muscari comosum L.

Trochain, J.
Note sur l'anatomie de la feuille d'une asclépiadée: le Leptadenia lancifolia Decne. Bull. Soc. Bot. France 79: 28-32. illus. Ap.25, 1i32. no.1/2.

Bull. So. Calif. Acad. Sci. (Los Angeles)

Spalding, W. A.
Dr. Anstruther Davidson. Bull. So. Calif. Acad. Sci. 31: 19. Ja./Ap.1932. no.1.

Cactus & Succ. Journ.(Los Angeles)

Gates, H. E.
Idria columnaria Kellogg. Cactus & Succ. Journ. 3: 201-202. illus. Je.1932. no.12.

West, J.
Fenestraria rhopalophylla N.E.Br. Cactus & Succ. Journ. 3: 196. illus. Je.1932. no.12.

White, A. & Sloane, B. L.
The SStapelieae. 10. Stapelia (Orbea section) (cont.) Cactus & Succ. Journ. 3: 191-194. illus. Je.1932. no.12.

Citrus Grow. (Uitenhage)

Doidge, E.M.
Some experiments on the use of sodium bicarbonate and borax in the prevention of mould wastage. Citrus Grow. 1932(28): 8, 49-50. My.1932. no.28.

Compt. Rend. Acad. Agr. France. (Paris)

Bertrand, G. & Rosenblatt, M.
La teneur en manganèse des feuilles vertes et des feuilles étiolées. Compt. Rend. Acad. Agr. France 18: 606-608. 1932. no.17.

Kuhnholtz-Lordat, G.
Destruction des mauvaises herbes par la nécrose du collet. Compt. Rend. Acad. Agr. France 18: 592-596. 1932. no.17.

Semichon, J.
Traitement simultané de l'oidium et du mildiou par le permanganate et par le verdet. Compt. Rend. Acad. Agr. France 18: 598-600. 1932. no.17.

Compt. Rend. Acad. Sci. Paris.

Becker, W. A.
Recherches expérimentales sur la cytocinèse et la formation de la plaque cellulaire dans la cellule vivante. Compt. Rend. Acad. Sci. Paris 194: 1850-1852. My.23, 1932. no.21.

Becquerel, P.
L'anhydrobiose des tubercules des renoncules dans l'azote liquide. Compt. Rend. Acad. Sci. Paris 194: 1974-1976. My.30, 1932. no.22.

Compt. Rend. Acad. Sci. Paris (cont.)

Blaringhem, L.

Sur des individus intersexués en masse chez les ancolies. Compt. Rend. Acad. Sci. Paris 194: 1871-1874. My.30, 1932.no.22.

Aquilegia.

Chouard, P. & Teissier, G.

Variations de l'intensité de croissance chez les plantules de melon au cours du développement et en fonction de la quantité de réserves disponibles. Compt. Rend. Acad. Sci. Paris 194: 1976-1978. My.30, 1932. no.22.

Corsin, P. & Dubois, G.

Caractéres de la flore du Culm dinantien de Champenay, dans le haute vallé de la Bruche. Compt. Rend. Acad. Sci. Paris. 194: 1846-1847. My.23, 1932. no.21.

Depape, G.

Sur les plantes tertiaires du Wei-tchang (Chine). Compt. Rend. Acad. Sci. Paris 194:1972-1974. My.30, 1932. no.22.

Heyn, A.N.J.

Recherches sur les relations de la plasticité des membranes cellulaires et la croissance des végétaux. Compt. Rend. Acad. Sci. Paris 194: 1848-1850. My.23, 1932. no.21.

Viala, P. & Marsais, P.

Sur un parasite du mildiou de la vigne. Compt. Rend. Acad. Sci. Paris 194: 1875-1877. My.30, 1932. no.22.

Trichothecium plasmoparae.

Compt. Rend. Soc. Biol. Paris.

Lenoir, M.

Evolution des chromosomes hetérotypiques pendant la diacinèse chez l'Equisetum palustre (L.) Compt. Rend. Soc. Biol. Paris 110: 77-78. My.20, 1932. no.17.

Manceau, P.

Réactions du Penicillium glaucum cultivé sur liquide type de Raulin additionné de doses croissantes de sulfate de zinc; métabolisme des sucres. Compt. Rend. Soc. Biol. Paris 110: 320. Je.3, 1932. no.19.

Compt. Rend. Soc. Biol. Paris (cont.)

Raybaud, L.
Sur la germination en germoir automatique de graines immergées préalablement dans l'eau. Compt. Rend. Soc. Biol. Paris 110: 79-81. My.20, 1932. no.17.
Zea mays, Cicer arietinum, Lens esculenta.

Rivalier, E. & Seydel, S.
Cultures minces sur lames gélosées, colorées et examinees in situ en préparations définitives, pour l'etude des cryptogames microscopiques. Compt. Rend. Soc. Biol. Paris 110: 181-184. My.27, 1932. no.18.

Curt. Bot. Mag.

Curtis's Botanical magazine. v.155, col.pl. 9271-9281. My.26, 1932.
Rhododendron kyawii, Acarpha laciniata, Petrocosmea parryorum, Aerides jarckianum, Pourthiaea villosa laevis, Primula alpicola, Camellia cuspidata, Calceolaria acutifolia, Iris polakii protonyma, Nothopanax arboreus, Berberis francisci-ferdinandi.

Desert (Pasadena)

Gates, H. E.
Cacti to be found in Clark county, Nevada, I. Desert 4: 21. illus. Je.1932. no.2.

Mathews, J. W.
Cultivation of the Haworthias. Desert 4: 19-20. illus. Je. 1932. no.2.

Eesti Loodust. Arhiiv (Arch. Naturk. Estlands) II(Biol. Naturk.)

Lippmaa, T.
Beiträge zur kenntnis der flora und vegetation Südwest-Estlands. Eesti Loodust. Archiiv (Arch. Naturk. Estlands) II(Biol.Naturk.) 13: 95-347. illus., xv plates, 3 maps. 1932(1931)

Mölder, K.
Beiträge zur algenflora Estlands. I. Das phytoplankton des Embachs bei Tartu (Dorpat). Eesti Loodust. Archiv. (Arch. Naturk. Estlands) II(Biol. Naturk.) 13: 61-77. 1931.no.2.

Fermentforsch.(Berlin)

Doby, G. v. & Brázay, L. v.
Ueber die amylase der zuckerrübenblätter. Fermentforsch. 13: 212-227. 1932. no.2.

Doby, G. v. & Burger, J.
Ueber kartoffelamylase. Fermentforsch. 13: 201-211. illus. 1932. no.2.

Forstarchiv. (Hannover)

Krahl-Urban, J.
Bekämpfung des eichenmehltaus versuche in der oberförsterei Freienwalde. Forstarchiv. 8: 174-177. My.15, 1932. no.10.

Fruit World Australasia (Melbourne)

Adamson. N. J.
Powdery mildew of the apple and its control. Fruit World Australasia 33: 245-246. My.1,1932.no.5.

Gard. Chron. (London)

Friend, H.
Corsican plant lore. XII. Avenues and tree alleys. Gard. Chron. III, 91: 420. Je.4, 1932. no.2371.

Mr. Frederick J. Hanbury, F.L.S., V.M.H. Gard. Chron. III,91: 392. port. My.28, 1932. no.2370.

Ward, F.K.
The mahogany "triflōrum" rhododendron. Gard. Chron. III, 91: 396. My.28, 1932. no.2370.
K.W. 5687 identified with R. triflorum, but is a much better form and may prove to be a distinct species.

Ward, F.K.
Mr. F. Kingdon Ward's eleventh expedition in Asia. V. En route to the Nam Tamai. Gard. Chron. III, 91: 422-423. illus. Je.4, 1932. no.2371.

Gard. Bull. Straits Settlem. (Singapore)

Holttum, R. E.
On Stenochlaena, Lomariopsis and Teratophyllum in the Malayan region. Gard. Bull. Straits Settlem. 5: 245-316. illus., 12 pl. Ap.26, 1932. no.9/11.
T.luzonicum, T. koordersii, n.spp.

Hoppe-Seyl. Zeitschr. Phys. Chem. (Berlin)

Euler, H. v. & Hellström, H.

Spektrometrische messungen an alkoholestrakten der laubblätter von chlorophyllmutanten der gerste. Hoppe-Seyl. Zeitschr. Phys. Chem. 208: 43-49. My.24, 1932. no.1/3.

Raab, H. A.

Beiträge zur kenntnis des giftstoffs der knollenblätterpilze. Hoppe-Seyl. Zeitscher. Phys. Chem. 207: 157-181. illus. My.4, 1932. no.3/4.

Zechmeister, L. & Cholnoky, L.v.

Ueber den farbstoff der ringelblume (Calendula officinalis). Ein beitrag zur kenntnis des blütenlycopins. Hoppe-Seyl. Zeitschr. Phys. Chem. 208: 26-32. My24, 1932. no.1/3.

Horticulture (Boston)

Japanese quinces in their modern forms. Horticulture 10:229. illus. Je.1,1932. no.11.

Industr. & Engin. Chem. (Easton, Pa.)

Gardner, H. A.

The tung oil industry in the South. Industr. & Engin. Chem. 24:687-690. illus. Je.1932. no.6.

Irish Nat. Journ.

Praeger, R. L.

On the flora of Arranmore, Co.Donegal. Irish Nat. Journ. 4: 50-54. My.1932. no.3.

Ital. Agr. (Milan)

Galletti, A. C.

La fluorescina comme mezzo fotocatalizzante nella germinazione dei semi di frumento. Ital. Agr. 69: 469-470. My.1932. no.5.

Jorna, G.

L'autosterilità del pero e particolare indagine sulla varietà "William". Ital. Agr. 69: 461-468. illus. My.1932. no.5.

Ital. Agr. (cont.)

Prinzi, D. G.

II meccanismo del riposo nei semi e il suo significato. Ital. Agr. 69: 451-459. My. 1932. no.5.

Jahrb. Wiss. Bot. (Leipzig)

Brunner, G.

Beiträge zur entwicklungsphysiologie der kiefernkeimlinge. Jahrb. Wiss. Bot. 76: 407-440. illus. Ap. 1932. no.2/3.

Grehn, J.

Untersuchungen über gestalt und funktion der sporangienträger bei den mucorineen. II. Der wasser- und stofftransport. Jahrb. Wiss. Bot. 76:167-207. illus. Ap.1932.no.2/3.

Kornmann, P.

Interferometrische untersuchungen an pflanzen. III. Der einfluss von kondensatorentladungen auf das wachstum von keimpflanzen. Jahrb. Wiss. Bot. 76: 283-310. illus. Ap.1932. no.2/3.

Laibach, F.

Interferometrische untersuchungen an pflanzen. II. Die verwandbarkeit des interferometers in der pflanzenphysiologie. Jahrb. Wiss. Bot. 76: 218-282. illus. Ap.1932. no.2/3.

Meissner, K. W.

Interferometrische untersuchungen an pflanzen. I. Ueber ein handliches präzisions-instrument zur messung von dimensionsänderungen auf grund des interferometrischen messprinzips. Jahrb. Wiss. Bot. 76: 208-217. illus. Ap.1932. no.2/3.

Roberg, M.

Ein beitrag zur stoffwechselphysiologie der grünalgen. II. Ueber die wirkung von eisen-, zink- und kupfersalzen. Jahrb. Wiss. Bot. 76: 311-332. Ap. 1932. no.2/3.

Schoder, A.

Ueber die beziehungen des tagesganges der kohlensäureassimilation von frielandpflanzen zu den aussenfaktoren. Jahrb. Wiss. Bot. 76: 441-484. illus. Ap. 1932. no.2/3.

Jahrb. Wiss. Bot. (cont.)

Wieler, A.

Ein beitrag zum verständnis des wesens der aktuellen bodenazidität und ihres einflusses auf das wurzelwachstum. Jahrb. Wiss. Bot. 76: 333-406. illus. Ap.1932. nop2/3.

Journ. Amer. Chem. Soc.

Adams, M. & Kehoe, L.

Essential oil in desert plants. II. Examination of the oil of Chrysothamnus nauseosus. Journ. Amer. Chem. Soc. 54: 2448-2451. Je. 1932. no.6.

Guthrie, J. D.

Isolation of glutathione from potato tubers treated with ethylene chlorohydrin. Journ. Amer. Chem. Soc. 54: 2566-2567. Je. 1932. no.6.

Koepfli, J. B.

Chemical investigation of Rauwolfia caffra. I. Rauwolfine. Journ. Amer. Chem. Soc. 54: 2412-2418. Je.1932. no.6.

Journ. Amer. Soc. Agron. (Geneva, N.Y.)

Salmon, S. C.

Kaw- a new alfalfa. Journ. Amer. Soc. Agron. 24: 352-353. My.1932. no.5.

Resistant to bacterial wilt and low temperature.

Sundling, H. L., McIntyre, A.C. & Patrick, A. L.

Effect of soil reaction on the early growth of certain coniferous seedlings. Journ. Amer. Soc. Agron. 24: 341-351. My. 1932. no.5.

Journ. Bath. & West & South Co. Soc. Agr.

Ogilvie, L.

Notes on the rusts of basket willows and their control. Journ. Bath & West & South Co. Soc. Agr. VI,6: 181-186. pl. 1932.

Melampsora amygdalinae on Salix triandra, M. larici-epitea on S. viminalis.

Ogilvie, L. & Mulligan, B. O.

Progress report on vegetable diseases. III. Journ. Bath ' West & South Co. Soc. Agr. VI,6: 167-181. pl. i-ii. 1932.

Journ. Bot. (London)

Exell, A. W.

An enumeration of the species of Polygala in the Belgian Congo. Journ. Bot, 70: 165-169. Je. 1932. no.834.

Mr. John Gossweiler's plants from Angola and Portuguese Congo. Journ. Bot. 70(Suppl.): 221-228. Je.1932. no.834.

Chlamydocarya gossweileri, Hippocratea loandensis, Sorindeia gossweileri, Crotalaria kelaensis, spp.n.

Petch, C. P.

Additions to the flora of St. Kilda. Journ. Bot. 70: 169-171. Je. 1932. no.834,

Rendle, A. B.

African notes II. (concl.) Journ. Bot. 70: 157-165. Je.1932. no.834.

Chlorophytum limurense, Heliotropium scottaeae, Justicia (Calophanoides) keniensis, Tragia keniensis, spp.nov.

Journ. Chem. Soc. London.

Robertson, A. & Stevenson, J.

Lichen acids. Part II. The constitution of evernic acid and the synthesis of methyl evernate. Journ. Chem. Soc. London. 1932: 1388-1395. My.1932.

Journ. Dept. Agr. Victoria (Melbourne)

Strickland, A. G.

The pollination of fruit trees. Journ. Dept. Agr. Victoria 30: 179-185. illus. Ap.1932. no.4.

Journ. Dept. Agr. West. Austral. (Perth)

Gardner, C. A.

A new noxious weed. The devil's claw. Journ. Dept. Agr. West. Austral. 9: 129-131. illus. Mr.1932. no.1.

Martynia (prosbiscidea) louisiana.

Pittman, H. A.

Bacterial blight of beans. Journ. Dept. Agr. West. Austral. 9: 144-148. illus. Mr.1132. no.1.

Journ. Dept. Agr. West. Austral. (cont.)

Pittman, H. A.

Downy mildew (so-called "Blue mould") of tobacco. Journ. Dept. Agr. West. Austral. 9: 97-103. illus. Mr.1932. no.1.

Pittman, H. A.

Take-all and similar diseases of wheat and how to control them. Journ. Dept. Agr. West. Austral. 9: 131-140. illus. Mr.1932. no.1.

Journ. Min. Agr. Gt. Brit. (London)

Roberts, E.J. & Jones, E.

Some aspects of the creeping thistle. Journ. Min. Agr. Gt. Brit. 39: 218-223. illus. Je.1932. no.3.

Wormald, H.

Bacterial canker as a cause of dieback in plum trees. Journ. Min. Agr. Gt. Brit. 39: 208-217. illus. Je.1932. no.3.

Caused by Pseudomonas mors-prunorum.

Journ. Roy. Agr. Soc. Engl. (London)

Biffen, R. H.

Annual report for 1931 of the botanist. Journ. Roy. Agr. Soc. Engl. 92: 435-442. 1931.

Includes notes on diseases.

Kosmos (Stuttgart)

Bryński, K.

Przyczynek do znajomości wpływu wiatrów na wzrost drzew. (Materials for knowledge of the influence of wind on the treegrowth). Kosmos 55: 734-736. 1931. no.3/4.

Polish with English summary: p.736.

Madalski, J.

Notatki florystyczne. (Floristische notitzen). Kosmos 55: 723-731. 1931. no.3/4.

Polish with German summary: p.729.

In southwest Poland.

Kosmos (cont.)

Pawłowski, B.

Spis ważniejszych roślin, znalezionych w Tatrach słowackich w grupie Siwego Wierchu i u jej podnóża. (Verzeichnis wichtigerer pflanzenfunde aus der Siwy Wierch - gruppe in der slovakischen Tatra). Kosmos 55: 695-711. 1931. no.3/4.

Polish with German summary: p.708.

Tymrakiewicz, W.

Reliktowe stanowisko warzuchy pirenejskiej Cochlearia pyrenaica D.C. var. eupyrenaica Thell. u źródlisk Bugu. (Reliktstandort von Cochlearia pyrenaica D.C. var eupyrenaica Thell. an Bug-quellen bei werchobuź). Kosmos 55: 732-733. 1931. no.3/4.

Polish with German summary: p.733.

Wawrzyniak, F.

Mikroflora denna jeziora Łednicy. (Phytobenthos des Lednica-sees). Kosmos 55: 712-722. 1931. no.3/4.

Polish with German summary: p.722.

Lauksaimn. Menešr. (Riga)

Apsits, J.

Materiali lauku nezālu rakstur ošanai. (Contribution à l'étude des mauvaises herbes). Lauksaimn. Menešr. 1932: 263-286. illus. 1932.

Lettish with French summary: p.309-311.

Starcs, K. & Dreimanis, P.

Linu nezāļu apkaŗošanas izmēginājums 1931. g. (Experience d'extermination des mauvaises herbes dans le semaille de lin en 1931). Lauksaimn. Menešr. 1932: 297-306. 1932.

Lettish with French summary: p.311-312.

Lesnická Práce (L'Oeuvre For.) (Pisek, Moravia).

Domin, K.

Systematická poznamky o smrku (Picea abies (L.) Karst.) (Taxonomic notes on Picea abies (L.) Karst.) Lesnická Práce (L'Oeuvre For.) 11: 177-198. illus. 1932. no.4.

Lingnan Sci. Journ. (Canton, China)

Li, Liang-Ching

On some fresh-water algae collected by Mr. Y.C. Wang in Nanking, Chenkiang, and Peiping, China. Lingnan Sci. Journ. 11: 249-261. My.15, 1932. no.2.

Metcalf, F. P.

Acer [section integrifolia Pax] for southeastern China. Lingnan Sci. Journ. 11: 193-210. pl.3. My.15, 1932. no.2.

Metcalf, F. P.

Botanical notes on Fukien and southeast China. XIII. Asclepidaceae. Lingnan Sci. Journ. 11: 263-267. illus. My15, 1932. no.2.

Mitt. Biol. Reichsanst. Landw. u. Forstw. Berlin.

Werth, E.

Krankheiten und beschädigungen der kulturpflanzen im jahre 1929. Mitt. Biol. Reichsanst. Land. u. Forstw. Berlin 43. 57 p. illus.(maps) 1932.

Mitt. Ver. Förd. Moorkult. Deut. Reiche.

Brüne, Fr. & Husmann, C.

Zur unkrautbekämpfung beim getreidebau auf hochmoor. Mitt. Ver. Förd. Moorkult. Deut. Reiche 50: 31-36, 60-71. Mr.1, My.1, 1932. no.3/4, 5/6.

Möller's Deut. Gärtn.-Zeit. (Erfurt)

Görbing, J. & Fortmann, G.

Einfluss der bodenreaktion auf die wurzelentwicklung einiger gemüse-arten. Möller's Deut. Gärtn.-Zeit. 47: 169-170. illus. My.21, 1932. no.15.

Monatsh. Chem. (Vienna).

Schmid, L. & Seebald, A.

Der farbstoff der gelben dahlien. Monatsch. Chem. 60: 32-49. My.1932. nol/2.

Schmid, L. & Rumpel, W.

Die konstitution des farbstoffes der leinkrautblüten (Linaria vulgaris). Monatsch. Chem. 60: 8-25. My.1932. no.1/2.

Monatsschr. Deut. Kakteen-Ges. (Berlin)

Bödeker, F.

Eigenartiges über verschiedene mammillarien. Monatsschr. Deut. Kakteen-Ges. 4: 116-121. illus. Je.1932. no.6.

Herre, H.

Eine zweite sammelreise nach Namaqualand. Monatsschr. Deut. Kakteen-Ges. 4: 113-116. illus. Je.1932. no.6.

Tischer, A.

Schöne mesembrianthemen und ihre kultur.IX. Monatsschr. Deut. Kakteen-Ges. 4: 131-138. illus. Je. 1932. no.6.

Weingart, W.

Kakteenstacheln. Monatsschr. Deut.Kakteen-Ges. 4: 123-128. Je.1932. no.6.

Nachrichtenbl. Deut. Pflanzenschutzd. (Berlin)

Bremer, H. & Hähne, H.

Heisswasserbeize zur bekämpfung der fettfleckenkrankheit der bohnen. Nachrichtenbl. Deut. Pflanzenschutzd. 12: 34-35. My.1932. no.5.

Phytomonas medicaginis var. phaseolicola.

Nature (London)

Gates, R.R.

Heterospory and the angiosperms. Nature 129: 793. My28, 1932. no.3265.

Hall, A. D.

Senile degeneration in plants. Nature 129: 795. My.28, 1932. no.3265.

Lawrence, W.J.C.

Interaction of flavones and anthocyanins. Nature 129: 834. Je.4, 1932. no.3266.

Mathur, R.N.

Leaf-curl of cotton in garden zinnias in North India. Nature 129: 797. My.28, 1932. no.3265.

Carried by Bemisia gossypiperda, disease of zinnias identical with this and carried by same vector.

Nature (cont.)

Philp, J.

Fatuoid or false wild oats. Nature 129: 796. My.28, 1932. no.3265.

Spearing, J. K.

Ciliated reproductive bodies in the Cyanophyceae. Nature 129: 797. My.28, 1932. no.3265.

Nature Mag. (Washington, D.C.)

Mason, R. L.

Cherokee plant lore of the Smokies. Nature Mag. 19: 343-347. illus. Je.1932. no.6.

New Jersey State Hort. Soc. News (New Brunswick, N.J.)

Blake, M. A.

How the unusual fall and winter affected peaches. New Jersey State Hort. Soc. News 13: 431. illus. My. 1932. no.3.

New Phytol. (London)

Chattaway, M.

The wood of the Sterculiaceae.I. Specialisation of the vertical wood parenchyma within the subfamily Sterculieae. New Phytol. 31: 119-132. pl.iv-v. My.25, 1932. no.2.

Cook, W.R.I.

An account of some uncommon British species of the Chytridiales found in algae. New Phytol. 31: 133-144. illus. My25, 1932. no.2.

Desch, H. E.

Anatomical variation in the wood of some dicotyledonous trees. New Phytol. 31: 73-118; illus. My.25, 1932. no.2.

Obst- u. Gemüseb. (Berlin)

Frickhinger, H. W.

Achtet auf die meerrettichschädlinge. Obst.- u. Gemüseb. 78: 77-78. illus. My.15, 1932. no.5.

Cystopus candidus on horseradish.

Gleisberg, J.

Erkrankung der rhabarberkulturen durch "Rhizoctonia violacea". Obst.- u. Gemüseb. 78: 76-77. My.15, 1932. no.5.

Orchid Rev. (Richmond, England)
Arnold, R. E.
Sir Hugh Low in Sarawak. Orchid Rev. 40: 163-166. Je.1932. no.468.

Smith, J.J.
Phalaenopsis singuliflora, a new natural hybrid. Orchid Rev. 40:173. Je.1932.no.468.

Parks & Recreation (Rockford, Ill.)
Warren, H. O.
San Francisco's rhododendrons. Parks & Recreation. 15: 627-631. illus. Je. 1932. no.10.

Philipp. Journ. Sci. (Manila)
Fajardo, T. G. & Marañon, J.
The mosaic disease of sincamas, Pachyrrhizus erosus (Linnaeus) Urban Philipp. Journ. Sci. 48: 129-143. 6 pl. Je. 1932.no.2.

Humphrey, C.J.
Two conveniences for phytopathological work in the tropics. Philipp. Journ. Sci. 48: 257-262. 2 pl. Je.1932. no.2.
A serviceable culture case, celluloid cylinders for growing young plants.

Palo, M. A.
Anthracnose and important insect pests of the mango in the Philippines, with a report on blossom-spraying experiments. Philipp. Journ. Sci. 48: 209-236. 8 pl. Je.1932. no.2.

Panshin, A. J.
An anatomical study of the woods of the Philippine mangrove swamps. Philipp. Journ. Sci. 48: 143-208. 24 pl. Je.1932. no.2.

Phytopath.
Bach, W.J. & Taubenhaus, J.J.
Resistance of the Turk's-cap Hibiscus, Malvaviscus conzattii, to Phymatotrichum root rot. Phytopath. 22: 453-458. illus. My. 1932. no.5.

Brown, N. A.
Some pathological studies on apple cankers. Phytopath. 22: 397-414. illus. My.1932. no.5.

Phytopath. (cont.)

Calvin Henry Kauffman, March 1, 1869-- June 14, 1931. Phytopath. 22: 489. My.1932. no.5.

Ezekiel, W.N., Taubenhaus, J.J. & Fudge, J.F.
Growth of Phymatotrichum omnivorum in plant juices as correlated with resistance of plants to root rot. Phytopath. 22: 459-474. My. 1932. no.5.

Frederick John Pritchard, December 24, 1874 - January 13, 1931. Phytopath. 22: 488. My.1932. no.5.

Louis Hermann Pammel, April 19, 1863 - March 23, 1931. Phytopath. 22: 488. My.1932. no.5.

Roberts, J.W. & Pierce, L.
Zinc-lime; a fungicide for the peach. Phytopath. 22: 415-427. My.1932. no.5.

Tapke, V. F.
Seed treatments with chemical dusts and formaldehyde for smut control in oats. Phytopath. 22: 429-441. My.1932. no.5.

Taubenhaus, J. J. & Ezekiel, W. N.
Resistance of monocotyledons to Phymatotrichum root rot. Phytopath. 22: 443-452. illus. My. 1932. no.5.

Warner Jackson Morse, October 30, 1872 - March 25, 1931. Phytopath. 22: 489. My.1932. no.5.

Planta Arch. Wiss. Bot. (Berlin)

Arcichovsky, V.
Eine neue methode zur messung des relativen lichtgenusses der pflanzen. Bearbeitet und herausgegeben von Fritz Bachmann. Planta Arch. Wiss. Bot. 16: 600-606. illus. My.6, 1932. no.3.

Bachmann, F.
Gedanken zur transpirationsanalyse. Planta Arch. Wiss. Bot. 16: 526-533. My.6, 1932. no.3.

Carl, H.
Morphologische und anatomische untersuchungen and plagiohcilen. Planta Arch. Wiss. Bot. 16: 575-599. illus. My.6, 1932. no.3.

Planta Arch. Wiss. Bot. (cont.)

Fedortschuk, W.

Entwicklung und bau des männlichen gametophyten bei den arten der convolvulaceen-gattung Quamoclit. (Beispiel einer frühen, nicht hybriden sterilität). Planta Arch. Wiss. Bot. 16: 554-574. illus. My.6, 1932. no.3.

Kugler, H.

Blütenökologische untersuchungen mit hummeln. IV. Der duft als chemischer nahfaktor bei duftenden und "duftlosen" blüten. Planta Arch. Wiss. Bot. 16: 534-553. illus. My.6, 1932. no.3.

Oppenheimer, H. R.

Ueber zuverlässigkeit und anwendungsgrenzen der üblichsten methoden zur bestimmung der osmotischen konzentration pflanzlicher zellsäfte. Planta Arch. Wiss. Bot. 16: 467-517. My.6, 1932. no.3.

Seybold, A.

Weitere beiträge zur transpirationsanalyse. IV. Ueber die transpiration der hutpilze. Planta Arch. Wiss. Bot. 16: 518-525. My.6, 1932. no.3.

Plant. Chron. (Madras, India)

Mayne, W. W.

Recent work on coffee leaf disease. Plant. Chron. 27: 253-257. My.7, 1932. no.10.

Prakt. Ratg. Obst. u. Gartenb. (Frankfurt a.d. O.)

Langerfeldt, J.

Der brandpilz bei schwertlilien. Prakt. Ratg. Obst.-u. Gartenb. 47: 266. illus. Je.5, 1932. no.23.

Puccinia iridis.

Proc. Imp. Acad. Tokyo.

Miyabe, K. & Nagai, M.

Cymathaere crassifolia (Postels et Ruprecht). de Toni from the southern Kuriles. Proc. Imp. Acad. Tokyo 8: 123-126. illus. Ap.1932.no.4.

Miyabe, K. & Nagai, M.

Pleuropterum paradiseum, a new genus and species of Alarieae from the northern Kuriles. Proc. Imp. Acad. Tokyo 8: 127-130. illus. Ap.1932.no.4.

Proc. Roy. Soc. Ser. B. (London)

Bawden, F. C.

A study of the histological changes resulting from certain virus infections of the potato. Proc. Roy. Soc. Ser.B, 111: 74-85. pl. 5-7. Je.1, 1932. no.B769.

Salaman, R.N. & Bawden, F.C.

An analysis of some necrotic virus diseases of the potato. Proc. Roy. Soc. Ser. B, 111: 53-73. pl. 3-4. Je.1, 1932. no. B769.

Snow, R.

Experiments on growth and inhibition I-III. Proc. Roy. Soc. Ser.B, 108: 209-223, 305-316. illus. My.1, Je.1, 1931; 111: 86-105. illus. Je.1932. no.757, 757, 769.

I. The increase of inhibition with distance. II. New phenomena of inhibition. III. Inhibition and growth promotion.

Stoughton, R. H.

The morphology and cytology of Bacterium malvacearum, E.F.S. Part II. Reproduction and cell-fusion. Proc. Roy. Soc. Ser. B,111: 46-52. pl. 1-2. Je.1, 1932. no.B769.

Quart. Rev. Biol. (Baltimore)

Link, G.K.K.

The role of genetics in etiological pathology. Quart. Rev. Biol. 7: 127-171. Je.1932. no. 2.

Rassegna Econ. Colon. Ital. (Roma)

Piani, G.

Le piante tessili della Cirenaica. Contributo allo studi della utilizzazione di alcune piante spontanee e coltivate, con dati colturali sul lino e sul cotone. Rassegna Econ. Colon. Italy 20: 61-102. illus. Ja./F. 1932. no. 1/2.

Repert. Spec. Nov. Fedde (Berlin)

Ade, A., & Schumacher, A.

Neue Rubus-Kreuzungen aus dem Bergischen. Repert. Sepc. Nov. Fedde 30 (Repert. Europ. & Med. 3,31/33): 232-236. My.5, 1932.

Repert. Spec. Nov. Fedde (cont.)

Dinter, K.
Diagnosen neuer südwestafrikanischer pflanzen (cont.) Repert. Spec. Nov. Fedde. 30: 180-205. My.5, 1932. no.9/16.

Gyelnik, V.
Additamenta ad cognitionem Parmeliarum. III. Repert. Spec. Nov. Fedde 30(Repert. Europ. & Med. 3,31/33): 209-226. My.5, 1932.

Hermann, F.
Poa haemi, descriptio emendata. Repert. Spec. Nov. Fedde 30(Repert. Europ. & Med. 3,31/33): 250-251. My. 5, 1932.

Hermann, F.
Polygala rhodopeum, species propria, in Haemi peninsula endemica. Repert. Spee. Nov. Fedde 30(Repert. Europ. & Med. 3,31/33): 249-250. My.5, 1932.

Holzfuss, E.
Novitates generis Rosarum. Repert. Spec. Nov. Fedde 30(Repert. Europ. & Med. 3,31/33): 246-249. My.5, 1932.

Knuth, R.
Dioscoreaceae novae VI. Repert. Spec. Nov. Fedde 30: 158-161. My.5, 1932.no.9/16.

Krause, K.
Beiträge zur flora Kleinasiens. VI. Repert. Spec. Nov. Fedde 30(Repert. Europ. & Med. 3,31/33): 226-232. My.5, 1932.

Krösche, E.
Ergänzungen ze den "Beobachtungen an der gesamtart Epipactis latifolia All". Repert. Spec. Nov. Fedde 30(Repert. Europ. & Med. 3,31/33): 239-245. My.5, 1932.

Mansfeld, R.
Die gattung Monandrodendron. Repert. Spec. Nov. Fedde 30: 178-179. My.5,1932. no.9/16.

Range, P.
Die flora des Namalandes. I. Repert. Spec. Nov. Fedde 30: 129-158. My.5, 1932. no.9/16.

Repert. Spec. Nov. Fedde. (cont.)

Schütt, Br.

Hieracia illyrica nova. Repert. Spec. Nov. Fedde 30(Repert. Europ. & Med. 3,31/33): 236-238. My.5, 1932.

Schulz, O. E.

Einige Erythroxylum-arten aus dem nordwestlichen Südamerika. Repert. Spec. Nov. Fedde 30: 179-180. My.5, 1932. no.9/16.

Smith, J. J.

Ericaceae from the eastern archipelago. Repert. Spec. Nov. Fedde 30: 162-178. My.5,1932. no.9/16.

Rev. Bot. Appl. (Paris)

Chevalier, A.

Les vrais et les faux balatas. III-VI. (fin.) Rev. Bot. Appl. 12: 347-358. pl.x-xi. My.1932. no.129.

Pierrier de la Bathie, H.

Les plantes introduites à Madagascar. (cont.) Rev. Bot. Appl. 12: 372-383. My.1932. no.129.

Trochain, J.

Note sur la germination de la noix de coco. Rev. Bot. Appl. 12: 396-397. illus. My.1932. no.129.

Rev. Gén. Bot. (Paris)

Dufrenoy, J.

Influence du pH du millieu de culture sur les constituants cellulaires des orchidées. Rev. Gén. Bot. 44: 153-158. illus. Ap. 1932. no.520.

Morquer, R.

Polymorphisme et déterminisme de la formation des spores chez le Dactylium macrosporum. Rev. Gén. Bot. 44:145-152. Ap.1932. no.520.

Rhodora. (Boston)

Fernald, M. L.
Another localized variety of Bidens heterodoza. Rhodora 34: 116-117. Je.1932. no.402.
B. heterodoxa var. aetheistica.

Fernald, M. L.
Does Juncus bulbosus occur in Massachusetts? Rhodora 34: 117-118. Je.1932. no.402.

Fernald, M. L.
An estuarine variety of Mimulus ringens. Rhodora 34: 118-119. Je.1932. no.402.
M. ringens var. colpophilus.

Fernald, M. L.
The New Hampshire record for Rycnchospora torreyana. Rhodora 34: 112-113. Je.1932. no.402.

Fuller, A. M.
A natural Cypripedium hybrid from Wisconsin. Rhodora 34: 97-101. illus. Je.1932. no.402.
C.andrewsii.

Potter, D.
Botanical evidence of a post-pleistocene marine connection between Hudson Bay and the St.Lawrence Basin. (concl.) Rhodora 34: 101-112. Je.1932. no.402.

Weatherby, C. A.
On the nomenclature of Elodea. Rhodora 34: 114-116. Je.1932. no.402.
Anacharis correct appellation for the North American species.

Rhodesia Agr. Journ. (Salisbury)

Hopkins, J. C. F.
Diplodia in maize. - The benefits of seed treatment. Rhodesia Agr. Journ. 29: 349-351. My.1932. no.5.

Battray, J. M.
Spear grass (Heteropogon contortus R. & S.) Rhodesia Agr. Journ. 29: 365-370. illus. My. 1932. no.5.

Sbornik Výzkumn. Ustavů Zeměd. RÇS (Recueil Trav. Inst. Rech. Agron. Rép. Tchécosl.) (Prague)

Maloch, M.

Agrobotanická studie o nardetech boržavských polonin na podkarpatské Rusi. (Agrobotanische studie über die nardeta der alpen (Poloniny), boržava in Karpathen-Russland). Sbornik Výkumn. Ustavů Zeměd. RÇS. (Recueil Trav. Inst. Rech. Agron. Rep. Tchecosl.) v.83. 192 p. illus.,map. 1932.

Czech with German summary.

Schweiz. Obst.- u. Gartenb. Zeit. (Münsingen)

Die blattfleckrankheit der quitten. Schweiz. Obst. u. Gartenb. Zeit. 34: 135-136. illus. My.1932.

Entomopeziza soraueri.

Science

Brues, B. B.

Twisted tree trunks on the Gaspé peninsula. Science n.s.75: 585-586. Je.3,1932. no.1953.

Graves, H. S.

James William Toumey. Science n.s.,75: 575-577. Je.3, 1932. no. 1953.

Sci. Proc. Roy. Dublin Soc.

Murphy, P. A. & M'Kay, R.

The compound nature of crinkle, and its production by means of a mixture of viruses. Sci. Proc. Roy. Dublin Soc. n.s.20: 227-247. pl.10-12. My.1932. no.20.

Murphy, P. A.

A critical review of some recent work on the occurrence of virus complexes in the potato. Sci. Proc. Roy. Dublin Soc. n.s. 20: 193-210. My. 1932. no.18.

Ser. Agr. Serv. Publ. Sec. Agr. Minas Gerais.

Rolfs, P.H. & Rolfs, C.

A cultura da sapucainha (Carpotroche spp.) nova fonte de riqueza para o estado de Minas. Ser. Agr. Serv. Publ. Sec. Agr. Minas Gerais no.6. 29 p. illus. 1931.

So. African Sugar Journ.

Dodds, H.H. & Fowlie, P.

Experiments to test the effects of streak disease on Uba cane. So. African Sugar Journ. 16: 231-233. illus. Ap.30, 1932. no.4.

Succulenta (Leeuwarden)

Karsten, M. C.

Rudolf Marloth (1855-1931). Zijn leven en werken. Succulenta 14: 137-140. Je.1932. no. 6.

Meijer, J. G. Y.

Euphorbia's. Succulenta 14: 141-145. illus. Je.1932. no.6.

Tasmanian Journ. Agr.

Thomas, P. H.

Apple varieties raised in Tasmania. (3) Lalla. Tasmanian Journ. Agr. 3: 59-61. illus. My.1, 1932. no.2.

Thomas, P. H.

Internal cork in apples associated with malformed wood growths. Tasmanian Journ. Agr. 3: 69-73. illus. My.1, 1932. no.2.

Tijdschr. Nederl. Heidemaatsche

Meulen, J. E. van der

De bestrijding van den "dennenmoorder", Fomes annosus. (Trametes radiciperda). Tijdschr. Nederl. Heidemaatsch. 44: 267-270. Je.1, 1932. no.6.

Trop. Agriculture West Indies (Trinidad)

Stahel, G.

Contribution to the knowledge of witchbroom disease. Trop. Agriculture West Indies 9: 167-176. Jr.1932. no.6.

English translation by Blazini Gregory Montserin of Stahel's Bijdrage tot de kennis der krullotenzeikte. Bull. Dept. Agr. Surinam, no. 39. 1919.

Wardlaw, C. W. & McGuire, L. P.

Pitting disease of bananas. Its nature and control. Trop. Agriculture West Indies 9: 193-195. Je.1932. no.6.

Piricularia grisea.

Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot. Gen. & Plant-breed.) (Leningrad)

Borodin, I.

Vliiânie azotistogo i mineral'nogo pitaniiâ na vykolashivanie iâchmeniâ i prosa pri razlichnoĭ dline dnia (The influence of nitrogenous and mineral nutrition on the time of heading in barley and millet under the conditions of different day length). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed) 27(5): 171-195. 1931.

Russian with English summary.

Experiments with Mongolian barley and Saratov millet.

Bystrikov, F. V.

Kornevaiâ sistema kul'turnykh rastenii konkurentov (The root system of cultivated plant competitors). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 27(5): 71-111. illus. 1931.

Russian with English summary.

Experiments with flaz and Camelina, Flax and Eruca sativa, spring wheat & spring rye, emmer & oats, barley and oats.

Emme, E. K.

Obzor literatury po genetike khlopchatnika (Review of the literature on the genetics of the cotton plant). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed) 26(5): 129-178. 1931.

Russian.

Golu'ev, N. P.

Metodike selektsii mnogoletnikh kormovykh trav (The methodics of breeding perennial forage plants). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot. Gen. & Plant-breed.) 27(2): 129-256. illus. 1931.

Russian with English summary.

Investigations with Phleum pratense, Trifolium pratense, T. hybridum, Dactylis glomerata, Festuca pratensis.

Ivanov, S. M.

Opredelenie morozoustoĭchivosti rasteniĭ po izmeniû elektroprovodnosti ikh soka pri povrezhdenii morozom (Determination of the frost resistance of plants from the changes induced by frost injury in the electrical conductivity of the sap). Trudy Prikl. Bot., Gen.i Selek. (Bull. Appl. Bot., Gen. & Plant-Breed.) 27(5): 283-308. 1931.

Russian with English summary.

Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot. Gen. & Plant-breed.) (Leningrad).

Kalashnikov, V. M.

Materialy k metodike selektsii gvai͡uly (Parthenium argentatum Gray) (A contribution to the methodics of breeding the guayule (Parthenium argentatum Gray). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. i Plant-breed.) 27(2): 489-560. illus. 1931.

Russian with English summary.

Khadzhinov, M.

Sovremennye metody i zadachi selektsii kukuruzy (Recent methods and purposes of corn breeding). Trudy Prikl. Bot., Gen. i Selek.(Bull. Appl. Bot., Gen. & Plant-breed.) 27(2): 383-476. illus. 1931.

Russian.

Kondo, I. N.

O vliiani͡i vneshnikh usloviĭ i faz razviti͡ia na ustoichivost rasteniĭ k pochvennoi zasykhe (The influence of external factors, as well as of the stages of development, on the resistance of the plants to dehydration). Trudy Prikl. Bot.,Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 27: 129-156. 1931.

Russian with English summary.

Kuleshov, N. N.

Chislo list'ev, kak pokazatel dliny vegetatsionnogo perioda u kukuruzy (The number of leaves as an index of the length of growing season of corn varieties). Trudy Prikl. Bot.,Gen.i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 27(2): 477-488. illus. 1931.

Russian with English summary.

Levitsky, G. A.

Morfologi͡ia khromozom i poniatie "kariotipa" v sistematike (The "karyotype" in systematics. On the basis of karyology of the subfamily Helleboreae). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 27(1): 187-240. xi pl. 1931.

Russian with English summary.

Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot. Gen.
& Plant-breed.) (Leningrad)

Levitsky, G. A.
Morfologii͡a khromozom. Istorii͡a, metodika, fatky, teorii͡a (Morphology of chromosomes. History, methods facts, theory). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed) 27(1): 19-174. xv pl. 1931.
Russian and English.

Levitsky, G. A.
Obzor rabot Tsitologicheskoĭ laboratorii Vsesoi͡uznogo Instituta rastenievodstva (Review of investigations performed at the Cytological laboratory of the Institute of plant-industry in USSR). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. i Plant-breed.) 27(1): 9-17. 1931.
Russian with English summary.

Levitsky, G. A.
Opyt tsitologicheskogo analyza fiksatsionnogo deĭstvii͡a khrom-atset-formola i khrom- formola (An essay on cytological analysis of the fixing action of the chrom-acetic formalin and the chromic formalin). Trudy Prikl. Bto., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 27(1): 175-185. pl. 1931.
Russian & English.

Levitsky, G.A. & Arrarti͡an, A. G.
Prepbrazpvanii͡a khromozom pod vlii͡aniem rentgenovskikh lucheĭ (Transformations of chromosomes under the influence of X-rays). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 27(1): 265-303. viii pl. 1931.
Russian with English summary.

Levitsky, G. A.
Sergei Gabrilovich Navashin kak uchenyĭ i ucheitel 1857-1930. Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 27(1): 3-8. port. 1931.
Russian.

Levitsky, G. A. & Benetskaja, G. K.
Tsitologii͡a pshenichno-rzhanykh amfidiploidov (Cytology of the wheat-rye amphidiploids). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 27(1): 241-264. viii pl. 1931.
Russian with English summary.

Trudy Prikl. Bot., Gen. i Selek.(Bull. Appl. Bot. Gen.
& Plant-breed.) (cont.)

Mal'tsev, A. I.

Zasoriteli khlopchatnika (Weeds of the cotton plant). Trudy Prikl. Bot., Gen. i Selek.(Bull. Appl. Bot., Gen. & Plant-breed.) 26(5): 387-330. illus. 1931.

Russian.

Orlov, A. A.

Vashneĭshie prakticheskie i botanicheskie formy i͡achmeneĭ vida Hordeum sativum Jessen na fone izuchenii͡a mirovoĭ kollektsii i͡achmeneĭ Instituta rastenievodstva i glavneĭshie sorta i͡arovykh i͡achemeneĭ SSSR (The most important agronomical and botanical forms of barley (Hordeum sativum Jessen), studies on the background of the collection of barleys in the possession of the Institute of plant industry, and the principal varieties of spring barley in U.S.S.R.) Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 27(2): 329-381. 1931.

Russian with English summary.

Razumov, V. I.

O lokalizatsii fotoperiodicheskogo razdrazhenii͡a (On the localization of photoperiodical stimulation). Trudy Prikl. Bot. Gen., i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 27(5): 249-282. Illus. 1931.

Russian with English summary.

Ullucus tubersosus, Oxalis tuberosa, Solanum demissum.

Razumov, V.

Vlii͡anie peremennoĭ prodolzhitel'nosti dni͡a na klubneobrazovanie (Influence of alternate day length on tuber formation.) Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-Breed.) 27(5): 3-46. illus. 1931.

Russian with English summary.

Various species of Solanum, Ullucus toberosum, Oxalis tetraphylla, Tropaeolum tuberosum.

Suvorov, V. V.

I͡achmeni v Belorusskoĭ-SSR. (The barleys of B.S.S.R.) Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 27(2): 257-328. illus. 1931.

Russian with English summary.

Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen.
& Plant-Breed.) (cont.)

Tageeva, S. V.

Opyt izucheniia̋ fotosinteza v sviа̂zi s fotoperiodizmom (A study of photosynthesis in connection with photoperiodism) Trudy Prikl. Bot., Gen. i. Selek. (Bull. Appl. Bot., Gen. & Plant-breed.) 27(5): 197-247. illus. 1931.

Russian with English summary.

Vasil'ev, I. M.

Vliia̋nie zasukhi na prevrashchenie uglevodov v pshenitsakh (Influence of drought on the transformation of carbohydrates in wheats). Trudy Prikl. Bot., Gen. i Selek. (Bull. Appl. Bot., Gen.& Plant-breed.) 27(5): 47-69. 1931.

Russian with English summary.

U. S. Dept. Agr. Circ.

Pritchard, F. J. & Porte, W. S.

The Break o' Day tomato. U. S. Dept. Agr. Circ. no.218. 4 p. illus., col.pl. Mr.1932. no.218.

U.S. Dept. Agr. Techn. Bull.

Johnston, C.O. & Mains, E. B.

Studies on physiologic specialization in Puccinia triticina. U. S. Dept. Agr. Techn. Bull.313. 22 p. illus. My.1932.

Univ. Calif. Publ. Bot. (Berkeley)

Copeland, E. B.

Brazilian ferns collected by Ynes Mexia. Univ. Calif. Publ. Bot. 17: 25-33. 8 pl. My.27, 1932 no.2.

Univ. Iowa Stud.Nat.Hist. (Iowa City)

Conard, H. S. & Wolden, B.O.

A key to the mosses of the Okoboji region Univ. Iowa Stud.Nat. Hist. v.14. no.7. 24 p. 2 pl. Jr. 1932.

Valt. Maatalouskoet. Julkais.

Rainio, A. J.

Untersuchungen über ein fäulnisbakterium der tomatenfrüchte (Bacillus aroideae Townsend). Valt. Maatalouskoet. Julkais. no.45. 29 p. illus. 1932. no.45.

Vict.Nat. (Melbourne)

McLennan, E.

Some "crinoline" fungi - Papuan species of Dictyophora Desvaux. Vict. Nat. 49: 3-8. col.pl. My.1932. no.1.

Nicholls, W. H.

Our rarer orchids. (4) Diuris fastidiosa Rogers. Vict. Nat. 49: 22-23. illus. My.1932. no.1.

Watson's Micros. Rec. (London)

Fuge, D. P.

Triceratium. Watson's Micros. Rec. 1932: 13-15. 1932. no.26.

Williams, E. G.

Fossil plants. Watson's Micros. Rec. 1932: 3-7. illus. 1932. no.26.

Zeitschr. Pflanzenkr. (Stuttgart)

Dörries, W.

Ueber die brauchbarkeit der spektroskopischen phäophytinprobe in der rauchschaden-diagnostik. Zeitschr. Pflanzenkr. 42: 257-273. illus. Jr. 1932. no.6.

Zentralbl. Bakt. Abt. II. (Jena)

Ginsberg-Karagitschewa, I.

Zur frage der züchtungsmethoden von purpurnen schwefelbakterien. Zentralbl. Bakt. Abt.II. 86: 1-5. My.26, 1932. no.1/4.

Der Züchter (Berlin)

Oettingen, H.v.

Ueber einige fragen der immunitätszüchtung bei gräsern. Der Züchter 4: 117-121. illus. My. 1932. no.5.

Schick, R.

Photoperiodismus. (Sammelreferat). Der Züchter 4: 122-135. illus. My.1932. no.5.

Sengbusch, R.v. & Loschakowa, N.

Die züchtung "weichschaliger" lupinen (Lupinus luteus). Der Züchter 4: 113-117. illus. My. 1932. no.5.

Exper. Stat. Publ.

New Jersey agricultural experiment station - Dept. of plant pathology.
Leaf scorch of Azalea sp. Its Nursery Dis. Notes v.4, no.11. 4 p. My.1932.
Septoria azaleae.

Cook, H. T.
The diseases of sweet potatoes in Virginia and methods for their control. Virginia Truck Expt. Stat. Bull. 76: 975-988. illus. Jl.1, 1931. no.76.

New Books.

Backer, C. A.
Onkruidflora der Javasche suikerrietgronden. atlas, alf. 6 (pl. 161-192). [n.p., 1932?] (Handboek ten dienste van de suikerriet-cultuur en de rietsuiker-fabricago op Java 7.deel)

Bergdolt, E.
Morphologische and physiologische untersuchungen über Viola. Zugleich ein beitrag zur lösung des problems der kleistogamie, von Ernst Bergdolt. Jena, G. Fischer, 1932. (Botanische abhandlungen hrsg. von K. Goebel h.20).

Broun, A. F. & Massey, R. E.
Flora of the Sudan... With a conspectus of groups of plants and artificial key to families by J. Hutchinson... London, Sudan government office, 1929.

Butler, E. J. & Bisby, G. R.
The fungi of India. Sci. Monogr. Imp. Counc. Agr. Res. 1. 237 p. map. O.1921.

Congrès international des plantes médicinales et des plantes à essences, 4th, Paris, July 1931. Paris, Comité national français de la federation, Ja.1932.

Fuset Tubiá, J.
Diccionario tecnologico de biologia. Barcelona 1931.

New Books, (cont.)

Javorka, S. & Csapody, V.
A Magyar flora kepekben (Iconographia florae Hungaricae) f.11. Budapest,K. Magyar termeszettudomanyi tarsulat, 1932.

Kallenbach, F.
Hausschwamm-merkblatt. Was jedermann, ob hausbesitzer oder mieter, auch der baufachmann vom hausschwamm und anderen holzzerstörenden pilzen wissen muss... Darmstadt, Hessische landestelle fur pilz- und hausschwamm-beratung, 1932.
Issued with Zeitschrift fur pilzkunde v.16, (n.f.11) h.1.

Kauffman, E.
Trees of Washington, the man - the city. Washington, D. C., The Outdoor press, 1932.

Kirchner, O.von
Lebensgeschichte der blütenfpflanzen.Mitteleuropas ... Fortgeführt von W. Wangerin, C. Schröter... lfg. 41 (bd.3, abt.3: Callitrichaceae, von H. Beger - bd.4, abt.1: Plumbaginaceae, von W. Christiansen) Stuttgart, E. Ulmer, 1932.

Miège, E.
Contribution à l'étude des plantes fourragères Essai d'identification pratique de quelques espèces xérophiles. Rabat, Imprimerie Foch,[1931?]

Mottet, S.
Les plantes grimpantes de plein air... achevé par les soins de L. Sabourin... Paris, Librairie agricole de la Maison rustique, 1932.

Sartory, A. & Maire, L.
Monographie du genre Boletus Dill. Nancy, Imp. Idoux et Cie., [1931]
Cover title: Les bolets.

Translations filed in Library of Bureau of Plant Industry.

Bauer, A. B.
Beta hivernalis. Beiträge zu den versuchen des Prof. Nemeth mit winterbeständigen rüben in Ungarn (Beta hivernalis. Contributions to the experiments with hardy beets, conducted by Prof. Nemeth in Hungary). Fortschr. Landw. 7: 1-4. 1932.

Translations.(cont.)

Dillewijn, C.van

De rijpheidsbrpaling bij het suikerriet (Determining the maturing of sugar cane). Arch. Suikerind. Nederl.-Indie 1931(2): 948-972. Ag.25, 1931.

Eisele, H.

Due kalidüngung als mittel gegen frostschaden (Potassium fertilization as a protection against frost injury) Prakt. Blätt. Pflanzenb. u. Pflanzensch. 31(II,9): 195-198. 1932.

Grosmann, H.

Beiträge zur kenntnis der lebensgemeinschaft zwishen borkenkäfer und pilzen (Contributions to the knowledge of the life partnership between bark beetles and fungi) Zeitschr. Parasitenk 3: 57-102. D.17, 1930.

English transl. by Caroline Rumbold.

Rambousek, F.

Insekten als krankheitsüberträger (Insects as transmitters of disease). Zeitschr. Zuckerind. Čechocl. Rep. 53: 405-409. 1929.

Stehlik, V.

Ueber hagelschäden an aucht- und industrierüben (On damage done by hail to beets grown for breeding and commercial purposes). Zeitschr. Zuckerind. Čechoslovak. Rep. 53: 400-404. Mr.29, 1929.

Correction.

v.14,no.4, p.20.

Philipp. Journ. Sci. no. at end of entry should be 2 in every case.

v.14, no.10, p.21.

Journ. Dept. Agr. Victoria, in 1st entry vol. no. should be 30.

v.14, no.11, p.11.

Ecol. Manogr. First author, Wright, A. H.

BOTANY

CURRENT LITERATURE

RECEIVED
★ AUG 3 - 1932 ★
U. S. Department of Agriculture

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY.
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

Vol. 14, no. 13. Je.25-Jl.2, 1932.

Agr. et Élev. Congo Belge.
Lugard, W.J.
Les maladies du coton. Agri. et Élev. Congo Belge 6: 85-87. Je.11, 1932. no.8.

Angew. Chem.
Schlenker, E.
Schädliche abgase, gerüche und staub. Fortschritte in ihrer erkennung und beseitigung, 1920-1930. Angew. Chem. 45: 397-400, 410-411. Je.11,18, 1932.

Ann. Agron. (Paris)
Lagatu, H. & Maume, L.
Le diagnostic foliaire de la pomme de terre. II Ann. Agron.(Paris) n.s.2:306-362. My./Je.1932. no.3.

Moreau, L. & Vinet, E.
Rôle des matières de réserve de la vigne dans la mise a fruit des cépages et dans la véraison des raisins. Ann. Agron. (Paris) n.s.2: 363-374. My./Je.1932. no.3.

Cugnac, A. de.
Recherches sur les glucides solubles des grains de diverses variétés de blé, et leurs rapports avec la valeur boulangère. Ann. Agron.(Paris) n.s.2: 375-383. My./Je. 1932. no.3.

Arch. Pharm.& Ber. Deut. Pharm. Ges. (Berlin)
Itallie, L. van & Steenhauer, A.J.
Rauwolfia serpentina Benth. Arch. Pharm. & Ber. Deut. Pharm. Ges. 270: 313-322. Je.1932. no.6.

Kofler, L. & Ratz, H.
Die kristalle in den mikrosublimaten von Cetraria islandica bestehen aus fumarsäure. Arch. Pharm. & Ber. Deut. Pharm. Ges. 270: 338-340. Je. 1932. no.6.

Arch. Pharm. & Ber. Deut.Pharm. Ges. (cont.)

Orechoff, A. & Konowalowa, R.

Ueber die alkaloide von Leontice eversmanii Bge. I. Arch. Pharm. & Ber. Deut. Pharm. Ges. 270: 329-334. Je.1932. no.6.

Leontamin & leontidin.

Biochem. Zeitschr. (Berlin)

Bernhauer, K. & Waelsch, H.H.

Ueber die umwandlung aromatischer und hydroaromatisscher verbindungen durch pilze. I. Der abbau der chinasäure und der oxybenzoesäuren. Biochem. Zeitschr. 249: 223-226. Je.11, 1932. no.1/3.

Nielsen, N.

Ueber das vorkommen von wuchsstoff bei Boletus edulis. Biochem. Zeitschr. 249: 196-198. Je.11, 1932. no.1/3.

Bol. Min. Agr. Nac. Argentine.

Marchionatto, J. B.

La roya amarilla del trigo en la zona cereal. Difusión de la plaga - Importancia económica - Medios de lucha. Bol. Min. Agr. Nac. Argentine 30: 215-221. map. O./D.1931(Rec'd Je.1932) no.4.

Puccinia glumarum tritici.

Bot. Gaz. (Chicago)

Greene, R. A.

Composition of the fiber and waste of Agave lechuguilla. Bot. Gaz. 43: 484-491. Je.1932. no.4.

Haas, A.R.C. & Halma, F.F.

Relative transpiration rates in citrus leaves. Bot. Gaz. 43: 466-473. illus. Je.1932. no.4.

Hamly, D. H.

Softening of the seeds of Melilotus alba. Bot. Gaz. 43: 345-375. illus., pl.iv-v. Je. 1932. no.4.

Hayward, H. E.

The seedling anatomy of Ipomoea batatas. Bot. Gaz. 43: 400-420. illus.,pl.vi-vii. Je.1932. no.4.

Bot. Gaz. (cont.)

Martin, G. W.
Systematic position of the slime molds and its bearing on the classification of the fungi. Bot. Gaz. 43: 421-435. Je.1932. no.4.

Shull, C.A. & Shull, S.P.
Irregularities in the rate of absorption by dry plant tissues. Bot. Gaz. 43: 376-399. illus. Je.1932. no.4.

Stanfield, J. F.
Osmotic pressure of leaves of Pinus scopulorum, and certain environmental factors. Bot. Gaz. 43: 453-465. illus. Je.1932. no.4.

Stover, E. L.
Life history of Nymphoides peltatum. Bot. Gaz. 43: 474-483. illus. Je.1932. no.4.

Whitfield, C. J.
Ecological aspects of transpiration. I. Pike's Peak region: climatic aspects. Bot.Gaz. 43: 436-452. illus. Je.1932. no.4.

Bryologist. (Pittsburg)

Bartram, E. B.
Schlotheimia lancifolia, sp.nov. Bryologist 35: 9-10. illus. Ja.1932(Rec'd Je.) no.1.

Nichols, G. E.
Notes on Michigan bryophytes. Bryologist 35: 5-9. Ja.1932(Rec'd Je.) no.1.

Porter, C. L.
Some Arctic-alpine mosses from the central Rocky mountains. Bryologist 35: 11. Ja.1932. (Rec'd Je.) no.1.

[Reginald Heber Howe]. Bryologist 35: 16. Ja. 1932(Rec'd Je.)
Notice of death.

Williams, R. S.
Two undescribed Himalayan mosses. Bryologist 35: 1-5. illus. Ja.1932(Rec'd Je.) no.1.
Mielichhofera lahulensis, Lindbergia koelzii, n.spp.

Bull. Cl. Sci. Acad. Roy. Belg. (Bruxelles)

Verplancke, G.

Une maladie à virus filtrant du "Pelargonium zonale". Bull.Cl. Sci. Acad. Roy. Belg. V,18: 269-281. 1 pl. 1932. no.3.

Wildeman, E. de.

La myrmécophilie du "Randia eetveldeana" De Wild. et Dur. (rubiacées). Bull. Cl. Sci. Acad. Roy. Belg. V,18: 52-58. illus. 1932. no.1.

Bull. Fan Mem.Inst. Biol.

Ching, R. C.

The studies of Chinese ferns. III-V. Bull. Fan Mem. Inst. Biol. 2: 2-14, 15-28, 185-223. 41 pl. on 27. Mr.20,30, Je.22,1931. no.1-2,10.

Hu, H. H. & Tsai, H. T.

Notes on some labiatae from Szechuan. Bull. Fan Mem. Inst. Biol. 2: 259-262. pl. i-ii. N.7, 1931. no.13.

Bull. Imp. For. Exp. Stat. Tokyo.

Kitajima, K.

Studies on the "mizogusare-byo" of living "hiba" (Thujopsis dolabrata S. et Z.) caused by Fomes robustus Karst. Bull. Imp. For. Exp. Stat. Tokyo no.31: 41-62. pl.i-iii. N.1931.

In Japanese with English summary: p.61-62.

Kitajima, K. & Kawamura, J.

Ueber die antiseptische wirkung der höheren fettsäuren gegen holzzerstörende pilze. Bull. Imp. For. Exp. Stat. Tokyo no.31: 101-113. N.1931.

In Japanese with German Summary: p.108-113.

Bull. Misc. Inform.Kew.(London)

Airy-Shaw, H. K.

A revision of the genus Leycesteria. Bull. Misc. Inform. Kew. 1932: 161-176. no.4.

L. crocothyrsos, n.sp.

The cultivation of geraniums for essential oil. Bull. Misc. Inform. Kew. 1932: 205-208. no.4.

"The following notes have been prepared from an article by A. Rolet which appeared in "L'Éclaireur agricole et horticole" of November 1,1931".

Bull. Misc. Inform. Kew (cont.)

Fischer, C.E.C.

Contributions towards a flora of British North Borneo: I. Bull. Misc. Inform. Kew 1932: 176-182. no.4.

Lanjouw, J.

Contributions to the flora of tropical America: XI. New Euphorbiaceae collected by the Oxford University expedition to British Guiana, 1929. Bull. Misc. Inform. Kew. 1932: 183-193. illus. no.4.

Turrill, W. B.

On the flora of the Nearer East. XI. A contribution to the flora of Albania. Bull. Misc. Inform. Kew 1932: 193-198. no.4.

Bull. Mus. Roy. d'Hist. Nat. de Belg.

Stockmans, F.

Sur des epidermes de dicotylédonees (Dewalquea gelindenensis Saporta et Marion et Litsea elatinervis Saporta et Marion) des Marnes de Gelinden (paléocène). Bull. Mus. Roy. d'Hist. Nat. de Belg. v.8, no.9. 10 p. illus. F.1932. no.9.

Bull. Pop. Inform. Arnold Arb.

Anderson, E. & Judd, W. H.

Rosa rugosa and its hybrids. Bull. Pop. Inform. Arnold Arb. III,6:29-35. illus. Je.24,1932.no.8/9.

Bull. Torr. Club.

Ames, L.M.

An hermaphroditic self-sterile but cross-fertile condition in Pleurage anserina. Bull. Torr. Club 59: 341-345. illus. Je.1932. no.6.

Dodge, B. O.

The non-sexual and the sexual functions of microconidia of Neurospora. Bull. Torr. Club.59: 347-360. illus., pl.23-24. Je.1932. no.6.

Gleason, H. A.

Studies on the flora of northern South America. XVII. A group of species in Miconia section Jucunda. Bull. Torr. Club. 59: 361-376. Je.1932. no.6.

Wodehouse, R. P.

Tertiary pollen. I. Pollen of the living representatives of the Green river flora. Bull. Torr. Club 59:313-340. illus., pl.20-22. Je. 1932. no.6.

Bull. Union Agr. Egypt (Le Caire)
Casoria, M.
L'orobanche. Bull. Union Agr. Egypt. 30: 198-203. Ap. 1932 no.231.

Canad. Flor. (Peterboro, Ont.)
Poesch, C. H.
Forcing plants with artificial light. Canad. Flor. 27: 207-208. Je.14, 1932. no.12.

China Journ. (Shanghai)
Porterfield, W. M.
The flora of the Shanghai area. China Journ. 16: 287-292. My.1932. no.5.

Compt. Rend. Acad. Agr. France. (Paris)
Cormier, P.
Le Septoria graminum, champignon parasite du blé. Compt. Rend. Acad. Agr. France 18: 671-672. Je.8, 1932. no.20.

Compt. Rend. Acad. Sci. Paris.
Becquerel, P.
La reviviscence des plantules desséchées soumises aux actions du vide et des très basses temperatures. Compt. Rend. Acad. Sci. Paris 194: 2158-2159. Je.13, 1932. no.24.

Damiens, A. & Blaignan, Mlle. S.
Sur le brome normal (règne végétal): plantes et fruits comestibles. Compt. Rend. Acad. Sci. Paris 194: 2077-2080. Je.6, 1932. no.23.

Daniel, L.
Nouvelles recherches sur la descendance de certaines composées greffées. Compt. Rend. Acad. Sci. Paris 194: 1999-2002. illus. Je.6, 1932. no.23.

Echevin, R.
La migration automnale du phosphore des feuilles chez les arbres. Compt. Rend. Acad. Sci. Paris 194: 2160-2162. Je.13, 1932. no.24.

Compt. Rend. Acad. Sci. Paris (cont.)

Gavaudan, B.
Sur l'identité du vacuome métachromatique et de la leucosine des monadinées et chrysomonadinées. Compt. Rend. Acad. Sci. Paris 194: 2075-2077. illus. Je.6, 1932. no.23.

Sartory, A., Sartory, R., Meyer, J. & Antonioli, M.
Recherches cytologiques sur le développement d'une microsiphonée. Compt. Rend. Acad. Sci. Paris 194: 2156-2157. Je.13, 1932. no.24.
Actinomyces allenbachii.

Compt. Rend. Soc. Biol. Paris.

Richard, J.
Origine et structure du spermatozoide de Fucus. Compt. Rend. Soc. Biol. Paris. 110: 436-438. Je.17, 1932. no.21.

Contr. Boyce Thompson Inst. Plant Res.

Barton, L. V.
Effect of storage on the vitality of delphinium seeds. Contr. Boyce Thompson Inst. Plant Res. 4: 140-153. illus. Je.1932. no.2.

Crocker, W., Zimmerman, P.W. & Hitchcock, A. E.
Ethylene-induced epinasty of leaves and the relation of gravity to it. Contr. Boyce Thompson Inst. Plant Res. 4: 177-218. illus. Je.1932.no.2.

Eckerson, S. H.
Conditions affecting nitrate reduction by plants. Contr. Boyce Thompson Inst. Plant Res. 4: 119-130. Je.1932. no.2.

Guthrie, J.D., Denny, F.E. & Miller, L.P.
Effect of ethylene chlorhydrin treatments on the catalase, peroxidase, pH, and sulphydryl content of gladiolus corms. Contr. Boyce Thompson Inst. Plant Res. 4:131-140. Je.1932.no.2.

Hitchcock, A.E., Crocker, W. & Zimmerman, P.W.
Effect of illuminating gas on the lily, narcissus, tulip, and hyacinth. Contr. Boyce Thompson Inst. Plant Res. 4: 155-176. illus. Je.1932. no.2.

Contr. Boyce Thompson Inst. Plant Res. (cont.)
McCool, M.M.
Use of peats in composts to increase nitrification and plant growth. Contr. Boyce Thompson Inst. Plant Res. 4: 257-271. illus. Je.1932. no.2.

McCool, M. M.
Value of peats for mineral soil improvement. Contr. Boyce Thompson Inst. Plant Res. 4: 245-255. illus. Je.1932. no.2.

Youden, W. J.
Statistical analysis of seed germination data through the use of the chi-square test. Contr. Boyce Thompson Inst. Plant Res. 4: 219-232. Je. 1932. no.2.

Contr. N.Y. Bot. Gard.
Small, J. K. & Alexander, E.J.
Botanical interpretation of the iridaceous plants of the Gulf states. Contr. N.Y. Bot. Gard. 327. p.325-357. illus. 1931.
Excerpt from the forth-coming Manual of the flora of the southeastern United States.

K. Danske Vidensk. Selsk. Skrift. Naturv. Math. Afd.
Rosenvinge, L. K.
The marine algae of Denmark... pt.IV. Rhodophyceae IV. (Gignartiales, Rhodymeniales, Nemastomatales). K. Danske Vidensk. Selsk. Skrift. r.7, Naturv. Mat. Afd. 7: 491-627. illus., pl.viii. 1931.

Deut. Landw. Presse (Berlin)
Stilbach, K.
Beobachtungen en erbsenrost. Deut. Landw. Presse 59: 302. Je.11,1932.
Uromyces pisi.

Ecol. Monogr. (Druham, N. C.)
McLaughlin, W. T.
Atlantic coastal plain plants in the sand barrens of northwestern Wisconsin. Ecol. Monogr. 2: 335-383. illus., (incl. maps). Jl.1932. no.3.

Flor. Exch. (N.Y.)

Scott, J. C.

How science is harnessing electricity to save horticulture. Flor. Exch. 80(1): 11. illus. Jl.2, 1932.

New method of soil sterilization described for the first time.

Flow. Grow. (Calcium, N.Y.)

Auten, B. C.

Peony root-galls. Flow. Grow. 19: 299. illus. Jl.1932. no.7.

Forstw. Centralbl. (Berlin)

Lemmel,

Adam Schwappach. Forstw. Centralbl. 54: 353-370. Je.1, 1932. no.11.

Fortschr. Landw. (Vienna)

Buchinger, A.

Ergebnisse der selektion nach der saugkraft bei einigen kohlarten. Fortschr. Landw. 7: 313-315. illus. Je.15, 1932. no.12.

Gard. Chron. (London)

The breeding of fruits for modern uses. Gard. Chron. III, 91: 465-466. illus. Je.18, 1932. no.2373.

Exell, A. W.

The death of the woad industry. Gard. Chron. III, 91: 463. illus. Jr.18, 1932. no.2373.

Ward, F.K.

Mr. F. Kingdon Ward's eleventh expedition in Asia. VI. Gard. Chron. III,91: 462-463. illus. Je.18, 1932. no.2373.

Wilson, G. F.

Foliage. In his Garden pests: their detection and control. Gard. Chron. III,91: 464. illus. Je.18, 1932. no.2373.

Journ. Agr. Res. (Washington, D.C.)

Allen, R. F.

A cytological study of heterothallism in Puccinia triticina. Journ. Agr. Res. 44: 733-754. 11 pl. on 6. My.15, 1932. (Rec'd Je.20) no.10.

Green, J. R.

Chemical and physical properties of petroleum spray oils. Journ. Agr. Res. 44: 773-787. illus. My.15, 1932(Rec'd Je.20) no.10.

Kifer, H.B. & Munsell, H. E.

Vitamin content of three varieties of spinach. Journ. Agr. Res. 44: 767-771. My.15, 1932(Rec'd Je.20) no.10.

Lackey, C. F.

Restoration of virulence of attenuated curly-top virus by passage through Stellaria media. Journ. Agr. Res. 44: 755-765. illus. My.15,1932. (Rec'd Je.20) no.10.

Journ. Amer. Soc. Agron. (Geneva, N.Y.)

Jenkins, M.T.

Differential resistance of inbred and cross-bred strains of corn to drought and heat injury. Journ. Amer. Soc. Agron. 24: 504-506. Je.1932. no.6.

Martin, J. H.

Recurving in sorghums. Journ. Amer. Soc. Agron. 24: 500-503. Je.1932. no.6.

Waldron, L. R.

Differences of injury by frost to wheat plants grown comparably. Journ. Amer. Soc. Agron. 24: 494-500. illus. Je.1932. no.6.

Journ. Bacteriol. (Baltimore)

Harris, R.S., Bunker,J.W.M. & Milas, N.A.

The germicidal activity of vapors from irradiated oils. Journ. Bacteriol. 23: 429-435. Je. 1932. no.6.

Journ. Counc. Sci.Industr. Res. Australia. (Melbourne)

Geach, W. L.

Foot and root rots of wheat in Australia. Fusarium culmorum (W.G.Sm.) Sacc. as a causal organism. Journ. Counc. Sci. Industr. Res. Australia 5: 123-128. My.1932. no.2.

Journ. Dept. Agr. Victoria (Melbourne)
Raw, A. R.
Endosperm characters in wheat. Investigations with Free Gallipoli, 1928-1931. Journ. Dept. Agr. Victoria 30: 247-254. illus. My.1932. no.5.

Journ. Econ. Entom. (Geneva, N.Y.)
Hollaway, T.E. & Rands, R. D.
Sugarcane insect pests and diseases with special reference to United States plant quarantines. Journ. Econ. Entom. 25: 461-470. Je.1932. no.3.

Kellerman, K. F.
Ozonium root-rot, a problem of the eradication of the soil-infecting fungus. Journ. Econ. Entom. 25: 433-434. Je.1932. no.3.

Parks, H. B.
The changing flora of the southwest. Journ. Econ. Entom. 25: 506-513. Je.1932. no.3.

Stevens, N.E. & Mook, P.V.
Recent observations on strawberry dwarf. Journ. Econ. Entom. 25: 447-454. illus. Je.1932. no.3.

Journ. Helminth. (London)
Triffitt, M. J.
Preliminary note on the use of root excretions as a method of controlling the nematode Heterodera schachtii. Journ. Helminth. 10: 181-182. Je.11932. no.2/3

Jounr. Hered. (Washington)
Bledsoe, R.P.
A rye-wheat hybrid. Journ. Hered. 23: 181-185. illus. Ap.1932. no.4.

Cook, R. C.
Bacon predicted triumphs of plant breeding. Journ. Hered. 23: 162-165. Apr.1932. no.4.

Praeger, W. E.
Did Shakespeare know plant hybrids? Journ. Hered. 23: 161-162. Apr.1932. no.4.

Journ. Hered. (cont.)

Ragionieri, A.

A new double Ranunculus. Journ. Hered. 23: 157-158. pl. Ap.1932. no.4.

Ranunculus of Castello.

Shamel, A.D. & Pomeroy, C. S.

Bud variation in apples. A study of the rôle of bud mutation in deciduous fruit improvement. Journ. Hered. 23: 173-180. illus. Ap.1932. no.4.

Smith, C. O.

Two species hybrids. Hybrids of the Saucer peach of possible value as ornamentals. Journ. Hered. 23: 167-172. illus. Ap.1932. no.4.

Journ. N.Y. Bot. Gard.

Small, J.K.

Cypress trees and air-plants. Journ. N.Y. Bot. Gard. 33: 117-123. illus. Je.1932. no.390.

Journ. Pharm. Soc. Japan.

Nakarai, S. & Sano, T.

Zur toxikologische untersuchung über assacu, eine südamerikanische giftpflanze. Journ. Pharm. Soc. Japan 52: 55-59. tab. My.1932.no.5.

Hura crepitans.

Journ. Soc. Trop. Agr. Japan (Taiwan)

Ishii, M.

Studies on the sugars and organic acids of Magnifera indica L. Journ. Soc. Trop. Agr. Japan 4: 7-17. Mr.1932. no.1.

In Japanese.

Kanehira, R. & Sasaki, S.

An enumeration of Formosan trees in the Taihoku herbarium. I- Journ. Soc. Trop. Agr. Japan. 4: 65-75. Mr.1932. no.1.

Masamune, G.

Contribution to our knowledge of the flora of the southern part of Japan. VIII. Journ. Soc. Trop. Agr. Japan 4: 76-78. Mr.1932. no.1.

Yamamoto, Y.

Observationes ad floram Formosanam. II. Journ. Soc. Trop. Agr. Japan 4: 49-54. illus. Mr.1932. no.1.

Journ. Washington Acad. Sci.
Berry, E. W.
A new palm from the upper Eocene of Ecuador. Journn. Washington Acad. Sci. 22: 327-329. illus. Je.19, 1932. no.12.
Astrocaryum sheppardi

Kolloid-Zeitschr. (Dresden)
Samec, M.
Osmose und diffision einiger pflanzenkolloide. (Stärkesubstanzen - ligninsulfosäure - humate). Kolloid-Zeitschr. 59: 266-278. Je.1932. no.3.

Malayan Agr. Journ. (Kuala Lumpur)
Sharples, A
Diseases of rubber. Malayan Agr. Journ. 20: 223-229. My.1932. no.5.

Mem. Coll. Agr. Kyoto Imp. Univ.
Hemmi, T.
Studies on some wood-destroying fungi attacking conifers in Japan. Mem. Coll. Agr. Kyoto Imp. Univ. no.20. 29 p. illus., pl.i-v. Ap.1932.

Seto, F.
Experimentelle untersuchungen über die hemmende und die beschleunigende wirkung des erregers der sogenannten "bakanae" - krankheit, Lisea fujikuroi Sawada, auf das wachstum der reiskeimlinge. Mem. Coll. Agr. Kyoto Imp. Univ. no.18. 23 p. 1 pl. Ja. 1932.

Mitt. Deut. Landw. Ges. (Berlin)
Schaffnit, E.
Aus unserer versuchstätigkeit mit wein-, obst- und gartengewächsen. Mitt. Deut. Landw. Ges. 47: 471-472. illus. Je.18, 1932. no.25.

Monatsh, Chem. (Vienna)
Wessely, F. & Nadler, E.
Ueber die inhaltsstoffe der wurzel von Pimpinella saxifraga. II. Monatsh. Chem. 60: 141-144. Je. 1932. no.3.

Nachr. Schädlingsbekämpfung. (Leverkuser, b. Köhn a Rh.)
Josifović, M.
Beiträge zur kenntnis von Polystigma rubrum (Pers. D. C.), des erregers der lohekrankheit der zwetsche. Nachr. Schadlingsbekampfung 7: 41-49. My.1932. no.2.

Nachr. Schädlingsbekämpfung. (cont.)

Kordes, H.

Neue ergebnisse über die entwicklung des erregers der mauke an reben und des wurzelkropfes der obstbäume und deren bekämpfung. Nachr. Schädlingsbekämpfung. 7: 59-66. illus. My. 1932. no.2.

Loewel, E. L.

Kann fusikladium allein durch schwefelmittel nach der blüte wirksam bekämpft werden? Nachr. Schädlingsbekämpfung 7: 50-51. My. 1932. no.2.

Nat. Greenkeeper (Cleveland, O.)

Boggs, A.

Eradication of brown patch. Nat. Greenkeeper 6(7): 18. port. Jl.1932. no.7.

Nature (London)

Crane, M.B. & Darlington, C.D.

Chromatid segregation in tetraploid Rubus. Nature 129: 869. Je.11, 1932. no.3267.

The Hon. Mrs. Huia Onslow. Nature 129: 859. Je.11, 1932. no.3267.

Scott, D. H.

Heterospory and the angiosperms. Nature 129: 871. Je.11,1932. no.3267.

Naturwissensch. (Berlin)

Pringsheim, E.G.

Neues über purpurbakterien. Naturwissensch. 20: 479-483. illus. Je.24, 1932. no.26.

Northwest Science. (Cheney)

Ashlee, T. R.

A contribution to the Latah flora of Idaho. Northwest Science 6: 69-82. illus. Je.1932. no.2.

Notizbl. Bot. Gart. Berlin.

Burret, M.

Palmae neogeae. Notizbl. Bot. Gart. Berlin 11: 313-327. Mr.30, 1932. no.105.

Diels, L.

Matoniacea nova papuasica. Notizbl. Bot. Gart. Berlin 11: 311-312. Mr.30, 1932. no.105.

Phanerosorus maior.

Notizbl. Bot. Gart. Berlin (cont.)

Domke, W.

Zur kenntnis einiger thymelaeaceen. Notizbl. Bot. Gart. Berlin 11: 348-363. illus. Mr.30, 1932. no.105.

Ducke, A.

Neue gattungen aus der Hylaea brasiliens. Notizbl. Bot. Gart. Berlin 11: 341-347. Mr.30, 1932. no.105.

Nycticalanthus, Dodecastigma; Anomalocalyx, Polygonanthus (first belonging to Rutaceae, rest to Euphorbiaceae).

Harms, H.

Einige amerikanische meliaceen. Notizbl. Bot. Gart. Berlin 11: 381-388. Mr.30, 1932. no.105.

Cedrela steinbachii, C. herrerae, Guarea fissicalyx, G. klugii, Trichilia trolii, T. buchtienii, T. sampaiоana, T. williamsii, n.spp.

Krause, K.

Neue asiatische araceen. Notizbl. Bot. Gart. Berlin 11: 331-332. Mr.30, 1932. no.105.

Scindapsus tonkinensis, Raphidophora celebica, Arisaema petelotii, n.spp.

Krause, K.

Ueber einige von H.Léveillé beschriebene chinesische liliaceen. Notizbl. Bot. Gart. Berlin 11: 329-330. Mr.30, 1932. no.105.

Markgraf, Fr.

Neue apocynaceen aus Südamerika IV. Notizbl. Bot. Gart. Berlin 11: 337-340. Mr.30, 1932. no.105.

Mattfeld, J.

Caryophyllaceae novae sinenses. Notizbl. Bot. Gart. Berlin 11: 333-336. Mr.30, 1932. no.105.

Arenaria leucasteria, A. monilifera, n.spp.

Melchior, H.

Die veilchen der Provinz Kwantung (Südchina). Notizbl. Bot. Gart. Berlin 11: 364-378. Mr.30, 1932. no.105.

Notizbl. Bot. Gart. Berlin. (cont.)

Mildbraed, J.
Neue arten der gattung Ogcodeia. Notizbl. Bot. Gart. Berlin 11: 418-423. Mr.30, 1932. no.105.
Obcodeia pseudo-naga, O. acreana, O. guianensis, n.spp.

Mildbraed, J.
Neue und seltene arten aus dem südlichen Ostafrika (Tanganyika-Territ. Mandat) leg. H.J. Schlieben. Notizbl. Bot. Gart. Berlin 11: 393-417. Mr.30, 1932. no.105.

Pilger, R.
Plantago tomentosa Lam. und P. tomentosa Gilibert. Notizbl. Bot. Gart. Berlin 11: 328. Mr.30, 1932. no.105.

Schulz, O. E.
Cruciferae variae. Notizbl. Bot. Gart. Berlin 11: 389-392. Mr.30, 1932. no.105.
Arabis viereckii, A. endlichii, Descurainia bartschii, Neuontobotrys berningeri, n.spp.

Širjaev, G.
Zwei neue leguminosen aus Kleinasien. Notizbl. Bot. Gart. Berlin 11:379-380. Mr.30, 1931. no.105.
Onobrychis krausei, Ononis krausei.

Ohio Journ. Sci. (Columbus)

Berry, W.
A new Trigonocarpus from Ohio. Ohio Journ. Sci. 32: 194-196. illus. My.1932. no.3.
T. steencensis.

Chapman, A. G. & Camp, W. H.
Starch synthesis in the variegated leaves of Pelargonium. Ohio Journ. Sci. 32: 197-217. illus., 1 pl. My.1932. no.3.

Hicks, L. E.
Ranges of pH tolerance of the Lemnaceae. Ohio Journ. Sci. 32: 237-244. illus. My.1932. no.3.

Phytopath.

Alben, A.O., Cole, J.R. & Lewis, R.D.
Chemical treatment of pecan rosette.
Phytopath. 22: 595-601. illus. Je.1932. no.6.

Allen, T.C. & Riker, A.J.
A rot of apple fruit caused by Phytomonas melophthora, n.sp., following invasion by the apple maggot. Phytopath. 22: 557-571. illus. Je. 1932. no.6.

Forward, D. F.
The influence of altered host metabolism upon modification of the infection type with Puccinia graminis tritici p.f. 21. Phytopath. 22: 493-555. illus. Je.1932. no.6.

Reddick, D.
Some diseases of wild potatoes in Mexico.
Phytopath. 22: 609-612. Je.1932. no.6.

Samuel, G.
Macrosporium solani on tomato fruit. Phytopath. 22: 613-614. illus. Je.1932. no.6.
Does not cause nailhead spots.

Snell, W. H.
Nathaniel Orson Howard, 1880-1930. Phytopath. 22: 491-492. port. Je.1932. no.6.

Stevens, N.E. & Nance, N. W.
Efficiency of oiled wraps in the commercial control of apple scald. Phytopath. 22: 603-607. Je.1932. no.6.

Uppal, B. N. & Desai, M. K.
Two new hosts of the downy mildew of sorghum in Bombay. Phytopath. 22: 587-594. illus. Je.1932. no.6.
Maize & teosinte.

Weston, W.H., jr. & Uppal, B. N.
The basis for Sclerospora sorghi as a species.
Phytopath. 22: 573-586. illus. Je.1932. no.6.

Plant. Chron. (Madras, India)

Wallace, G. B.
Coffee bean disease. Relation of Nematospora gossypii to the disease. Plant. Chron. 27: 279. My.21,1932.no.11.

Proc. Nat. Acad. Sci.

Brink, R. A. & Cooper, D. C.
Chromosome rings in maize and Oenothera. Proc. Nat. Acad. Sci. 18: 447-455. illus. Je.1932. no.6.

Brink, R. A. & Cooper, D. C.
A strain of maize homozygous for segmental interchanges involving both ends of the P-br chromosome. Proc. Nat. Acad. Sci. 18: 441-447. illus. Je.1932. no.6.

Burnham, G. R.
An interchange in maize giving low sterility and chain configurations. Proc. Nat. Acad. Sci. 18: 434-440. illus. Je.1932. no.6.

Queensl. Nat. (Brisbane)

Herbert, D. A.
The plant ecology of Palm Island. (cont.) Queensl. Nat. 8: 24-30. Ap.1932. no.2.

Young, J. E.
The large-leafed or giant stinging tree. Queensl. Nat. 8: 21-23. illus. Ap.1932. no.2.
Laportea moroides.

Repert. Spec. Nov. Beih. (Dahlem bei Berlin)

Jonas, Fr.
Die vegetation der emsländischen Heidekölke. In Beiträge zur systematik und pflanzengeographie IX. Repert. Spec. Nov. Beih. 66: 41-68. My.31, 1932.

Langerfeldt, J.
Ueber trichombildung bei irideen und ihre physiologische bedeutung. In Beiträge zur systematik und pflanzengeographie IX. Repert. Spec. Nov. Beih. 66: 1-19. pl. i-iii. My.31, 1932.

Meyer, F. J.
Blatt- und wurzelwettbewerb im sommerwald und nadelwald. In Beiträge zur systematik und pflanzengeographie IX. Repert. Spec. Nov. Beih. 66: 96-118. pl.iv-xxv. My.31,1932.

Repert. Spec. Nov. Beih. (cont.)

Preuss, H.

Gedanker zur entwicklungsgeschichte der flora des nordwestdeutschen flachlandes seit seiner letzten eisbedeckung. In Beiträge zur systematik und pflanzengeographie IX. Repert. Spec. Nov. Beih. 66: 181-197. My.31, 1932.

Sabidussi, H.

Aus den Karawanken. Pflanzengesellschaften der Matschacheralpe und des Bärentales. In Beiträge zur systematik und pflanzengeographie IX. Repert. Spec. Nov. Beih. 66: 201-278. My.31, 1932.

Timm, R.

Ueber artbegriffe. In Beiträge zur systematik und pflanzengeographie IX. Repert. Spec. Nov. Beih. 66: 20-40. My.31, 1932.

Wein, K.

Die geschichte der einführung und ältesten einbürgerung von Datura stramonium. In Beiträge zur systematik und pflanzengeographie IX. Repert. Spec. Nov. Beih. 66: 119-179. My.31, 1932.

Wein, K.

Die wandlungen im sinne des wortes "flora", In Beiträge zur systematik und pflanzengeographie IX. Repert. Spec. Nov. Beih. 66: 74-87. My.31, 1932.

Rev. Agr. Afrique Nord.

Mallamaire, A.

L'organisation des services phytopathologiques dans nos colonies. Rev. Agr. Afrique Nord. 30: 360-362. Je. 1932. no.3.

Rev. Algol. (Paris)

Arwidsson, Th.

The higher marine algae hitherto known from Kamtchatka. Rev. Algol. 6: 147-158. My.15, 1932. no.2.

Biswas, K.

Census of Indian algae scope of algological studies in India. Rev. Algol. 6: 197-219. My.15, 1932. no.2.

Rev. Algol. (cont.)

Chadefaud, M.
Observation de Thamniochaete huberi Gay en vendée. Rev. Algol. 6: 221-224. illus. My.15, 1932. no.2.

Dickinson, C. I.
A new adherent Codium from South Africa. Rev. Algol. 6: 131-136. illus., pl.3. My.15, 1932. no.2.
C. stephensiae.

Feldmann, J.
Sur la répartition, dans la Méditerranée occidentale, du Melanopsamma tregoubovii Ollivier var. cystoseirae Oll. Pyrénomycète parasite du Cystoseira abrotanifolia C.Ag. Rev. Algol. 6: 225-226. My.15, 1932. no.2.

Grintzesco, J. & Péterfi, S.
Contribution à l'étude des algues vertes de Roumanie. Rev. Algol. 6: 159-175. illus. My.15, 1932. no.2.

Lami, R.
Micro-atolls et micro-récifs frangeants de Lithophyllum incrustans. Rev. Algol. 6: 227-230. illus. My.15, 1932. no.2.

Nayal, A. A.
An enumeration of Egyptian Chlorophyceae and Cyanophyceae. Rev. Algol. 6: 177-195. My.15, 1932. no.2.

Skuja, H.
Le genre Pleurodiscus doit-il etre maintenu? Rev. Algol. 6: 137-146. illus. My.15, 1932. no.2.

Riv. Ital. Essen. e Profumi (Milano)

Ajon, L.
Il fattore mimetico nolla impollinazione di alcune orchidee indigene. Riv. Ital. Essen. e Profumi 14: 177-178. Je.13, 1932. no.6.

Ajon, G.
Notizie sul malsecco degli agrumi. Riv. Ital. Essen. e Profumi 14: 181-182. Je.15, 1932. no.6.

Riv. Ital. Essen e Profumi (cont.)

Morani, V.

Una malattia dei rosai: l'Actinonema rosae. Riv. Ital. Essen. e Profumi 14: 175. Je.15, 1932. no.6.

Subasio, T. del

In herbis vita la "Camomilla". Riv. Ital. Essen. e Profumi 14: 169-173. illus. Je.15, 1932. no.6.

Riv. Patol. Veg. (Pavia)

Preti, G.

Sulla presenza del "Pythium de baryanum Hesse nelle Piante di Cereus. Riv. Patol. Veg. 22: 121-132. illus. My./Je.1932. no.5/6.

Schrift. Naturf. Ges. Danzig.

Wangerin, W.

Die pflanzengeographischen verhältnisse der umgegend von Danzig. Schrift. Naturf. Ges. Danzig 19: 37-122. illus. 1931. no.3.

Schweiz. Zeitschr. Obst- u. Weinb. (Wädenswil)

Osterwalder, A.

Starkes auftreten der astdürre an kirschbäumen. Schweiz. Zeitschr. Obst- u. Weinb. 41: 242-248. illus. Je.11, 1932. no.12.

Science.

Dayton, W. A.

Ashe, pioneer forester and botanist. Science 75: 629-630. Je.17, 1932. no.1955.

Rivers, T. M.

Viruses. Science 75: 654-656. Je.24, 1932. no.1956.

Tiedjens, V. A.

Growing cotton and other crop plants with ammonium nitrogen. Science 75: 648. Je.17, 1932. no.1955.

Scient. Agr. (Ottawa)

Engelbert, V.

A study of various factors influencing seed production in alfalfa (Medicago sativa). Scient. Agr. 12: 593-603. Je.1932. no.10.

Scient. Agr. (cont.)

Robertson, H. T.

Maturation of foot and root tissue in wheat plants in relation to penetration by Ophiobolus graminis Sacc. Scient. Agr. 12: 575-592. illus. Je. 1932. no.10.

Sci. Proc. Roy. Dublin Soc.

Clinch, P.

Cytological studies of potato plant affected with certain virus diseases. Sci. Proc. Roy. Dublin Soc. n.s.,20: 143-172. pl.4-8. My. 1932. no.13/20.

Dillon, T. & McGuinness, A.

On alginic acid; its mode of occurrence and its constitution. Sci. Proc. Roy. Dublin Soc. n.s.,20: 129-133. My.1932. no.13/20.

Tidsskr. Planteavl. (København)

Stapel, C.

Om rodaalen (Heterodera radicicola Greeff) og nogle forsøg til dens bekaempelse (Experiments in control of root-knot nematodes). Tidsskr. Planteavl. 38: 250-272. illus. 1932. no.2.

Brief English summary: p.272.

Tijdschr. Plantenz.

Muyzenberg, E.W.B. v.d.

Onderzoek over Cladosporium cucumerinum Ellis & Arthur (de veroorzaker van het vruchtvuur van de komkommer). Tijdschr. Plantenz. 38: 81-96. 1932. no.5.

Torreya.

Bancroft, H.

A puzzling discovery of a capsule of Martynia louisiana. Torreya 32: 59-64. illus. My./Je. 1932. no.3.

Core, E. L.

Some aspects of the phytogeography of West Virginia. Torreya 32: 65-71. My./Je.1932. no.3.

Gleason, H. A.

The pronunciation of botanical names. Torreya 32: 53-58. My./Je.1932. no.3.

Netting, J. S.

A second record for Listera smallii Wiegand in West Virginia. Torreya 32: 72. My./Je.1932. no.3.

Trans. Nat. Hist. Soc. Formosa.

Fujita, Y.

Cunninghamia konishii, Hayata and Cunninghamia lanceolata, Hook. viewed from the volatile constituents. Trans. Nat. Hist. Soc. Formosa 22: 46-49. Ap.1932. no.118,119.

Fujita, Y.

Supplement to the remarks on Formosan camphor trees. Trans. Nat. Hist. Soc. Formosa 22: 43-45. Ap.1932.

Masamune, G., Suzuki, T. & Fukuyama, H.

A list of plants from Mt. Senjio (Taihoku) Trans. Nat. Hist. Soc. Formosa 22: 25-42. Ap.1932. no.118,119.

Suzuki, T.

A new variety of Rhododendron keiskei Miq. Trans. Nat. Hist. Soc. Formosa 22: 23-24. Ap. 1932. no.118,119.

Rhododendron keiskei hypoglaucum.

Die Umschau (Frankfurt)

Trümpener, E.

Ein neuer erfolg der immunitätszüchtung. Die Umschau. 36: 443-445. illus. Je.4,1932. no.23.

U.S. Dept. Agr. Off. Rec.

Brilliant scientist is lost to Department in death of N.A. Cobb. U.S. Dept. Agr. Off. Rec. 11: 148. Je.18, 1932. no.25.

U.S. Dept. Agr. Plant Dis. Rep.

Gravatt, G.F. & Clapper, R. B.

Verticillium wilt of maple, ailanthus, and elm. U.S. Dept. Agr. Plant Dis. Rep. 16: 96-98. Je.15, 1932. no.9.

Steiner, G. & Buhrer, E.M.

A list of plants attacked by Tylenchus dipsaci, the bulb or stem nema. U.S. Dept. Agr. Plant Dis. Rep. 16: 76-85. Je.1, 1932. no.8.

U.S. Dept. Agr. Techn. Bull.
Levine, M.N. & Cotter, R. U.
Susceptibility and resistance of Berberis and related genera to Puccinia graminis. U.S. Dept. Agr. Techn. Bull.300. 26 p. illus. My.1932.

Univ. Iowa Stud.
Mounts, B. T.
The development of foliage leaves. Univ. Iowa Stud. v.14, no.5. 19 p. iii. pl. Ag.15,1932(Rec'd Je.)
In Vitis vulpina & Catalpa bignonoides.

Zeitschr. Pflanzenernähr. Düng. u. Bodenk. A, Wiss. Teil (Leipzig)
Mucco, J..O.
Die pflanze als elektrizitätsleiter. Zeitschr. Pflanzenernähr. Düng. u. Bodenk. A, Wiss. Teil 24:334-341. illus. 1932. no.5/6.

Zeitschr. Wiss. Mikros. (Leipzig)
Elsner, W.
Wirkungen des methylenblaus auf die lebende pflanzenzelle. (Beiträge zur kenntnis der vitalfärbung.) Zeitschr. Wiss. Mikros. 49:28-59. Je.1932. no.1.

Exper. Stat. Publ.
Young, V. H. & others.
Cotton wilt studies. IV. Effect of fertilizers on cotton wilt. Arkansas Agr. Exp. Stat. Bull. 272. 26 p. illus. My.1932.

Johnson, E.
The puncture vine in California. California Agr.Exp. Stat. Bull. 528. 42 p. illus. My.1932.

Exper. Stat. Publ. (cont.)

Anderson, P. J.
Frenching, or strap-leaf disease. In Tobacco substation at Windsor report for 1931. Connecticut Agr. Exp. Stat. Bull. 335:256-260. illus. Mr.1932.

Haensler, C. M.
Twig blight and canker of the chestnut oak. New Jersey Agr. Exp. Stat. Dept. Bot. Nursery Dis. Notes 4(12):3-4. Je.1932.
Mimeographed.
Diplodia longispora, or Sphaeropsis quercina or S. malorum.

New Jersey agricultural experiment station - Dept. of botany.
Another canker disease of Rhododendron. Its Nursery Dis. Notes 4(12):2-3. Je.1932.
Caused by Phomopsis sp.
Mimeographed.

New Jersey agricultural experiment station - Dept. of botany.
Maple wilt. Its Nursery Dis. Notes 4(12): 2. Je.1932.
Mimeographed.

New Jersey agricultural experiment station - Dept. of botany.
Pine needle rust. Its Nursery Dis. Notes 4(12):1. Je.1932.
Coleosporium solidaginis.
Mimeographed.

Streeter, L. R., Chapman, P. J., Harman, S. W., & Pearce, G. W.
Spray and other deposits on fruit. New York Agr. Exp. Stat. Bull. 611. 19 p. illus. Ap.1932.

Kuntz, P. R.
Censo de las variedades de caña de azucar sembradas en Puerto Rico correspondiente a la cosecha de 1931-32. Puerto Rico Estac. Exp. Insul. Circ. 98. 19 p. 4 maps. 1932.

Exper. Stat. Publ. (cont.)

Kuntz, P. R.

El mosaico en las nuevas variedades de caña de azucar P. R. 803, P. R. 807, F. C. 916 y S. C. 12(4). Puerto Rico Estac. Exp. Insul. Circ. 96. 10 p. illus. 1932.

New Books.

Burrell, R. C.

An introduction to phytochemical research. [Columbus, Ohio state university] 1931.

Dufrenoy, J.

Les maladies du peuplier. In L'arbre et l'eaux Congr. Ann. 19., 1930. p.113-128. illus. 1931.

Franck, W. J.

General seed bibliography... by W. J. Frank and Miss W. H. Bruijning. 2 v. Wageningen, 1931.

Typewritten and mimeographed in Wageningen, Rijksproefstation voor zaadcontrôle.

Girardi, G., & Del Lungo, A.

Le piante acquatiche nei giardini e negli acquari. Milano, U. Hoepli, 1930.

Correction.

V.14, no.5, p.7.

Chem. News no. at end of entry should be 3749.

LC

BOTANY

CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

LIBRARY
RECEIVED
★ AUG 3 - 1932 ★
U. S. Department of Agriculture

Vol. 14, No.14. July 4 - 16, 1932.

Agr. & Live-stock, India. (Calcutta)

Dastur, J. F.
Foot-rot and "black point" diseases of wheat in the central provinces. Agr. & Live-stock, India 2:275-282. pl.x-xii. My.1932. no.3.

Sankaran, R.
A preliminary note on the contabescence of anthers in cotton. Agr. & Live-stock, India 2:297-308. pl. My.1932. no.3.

Agr. Gaz, N. S. W. (Sydney)

Ballantyne, J. A., & Cayzer, L. S.
Removal of arsenical residue from apples. Agr. Gaz. N. S. W. 43:459-466. Je.1,1932. no.6.

Macindoe, S. L.
Resistance of stem rust. Agr. Gaz. N. S. W. 43:420-422. Je.1,1932. No.6.
Recent developments in breeding resistant wheats.

Magee, C. J. & Morgan, W. L.
Diseases and pests of glass-house tomatoes. Agr. Gaz. N. S. W. 43:427-437. illus. Je.1,1932. no.6.
Diseases: p.428-433.

Amer. Fern Journ.

Benedict, J. E. Jr.

Dryopteris floridana (Hook.) Kuntze in North Carolina. Amer. Fern. Journ. 22:56. Ap./Je. 1932. no.2.

Benedict, R. C.

Note on Botrychium. Amer. Fern Journ. 22:58. Ap./Je.1932.

Refers to Mr. Graves' note in O./D. Journal in regard to difference of fruiting time of two species geographically associated.

Graves, E. W.

Botrychium alabamense in North Carolina. Amer. Fern Journ. 22:59-60. Ap./Je.1932. no.2.

Graves, E. W.

The botrychiums of Indiana. Amer. Fern Journ. 22:48-52. pl.4. Ap./Je.1932. no.2.

Weatherby, C. A.

A curious phenomenon in the Christmas fern. Amer. Fern.Journ. 22:55-56. illus. Ap./Je. 1932. no.2.

Polystichum acrostichoides f. multifidum.

Wiggins, I. L.

The pteridophytes of San Diego county, California. Amer. Fern Journ. 22:33-42. Ap./Je. 1932. no.2.

Amer. Journ. Bot.

Matzke, E. B.

Flower variations and symmetry patterns in Stellaria media, and their underlying significance. Amer. Journ. Bot. 19:477-507. illus. Je. 1932. no.6.

Penfound, W. T.

The anatomy of the castor bean as conditioned by light intensity and soil moisture. Amer. Journ. Bot. 19:538-546. illus. Je.1932.

Rea, H. E. & Karper, R. E.

Propagating sorghum by cuttings. Amer. Journ. Bot. 19:464-476. illus. Je.1932. no.6.

Amer. Journ. Bot. (cont.)

Sawyer, W. H.

Stomatal apparatus of the cultivated cranberry Vaccinum macrocarpon. Amer. Journ. Bot. 19:508-513. pl.xli. Je.1932. no.6.

Taylor, W. R.

Notes on the genus Anabaenopsis. Amer. Journ. Bot. 19:454-463. pl.xxxix-xl. Je. 1932. no.6.

Waksman, S. A. & Nissen, W.

On the nutrition of the cultivated mushroom, Agaricus campestris, and the chemical changes brought about by this organism in the manure compost. Amer. Journ. Bot. 19:514-537. Je.1932. no.6.

Yarbrough, J. A.

Anatomical and developmental studies of the foliar embryos of Bryophyllum calycinum. Amer. Journ. Bot. 19:443-453. pl.xxxvii-xxxviii. Je.1932. no.6.

Ann. Agr. Exp. Stat. Chosen (Suigen, Chosen, Japan)

Sato, K. & Yumiyama, H.

Studies on the summer and winter forms in barley. I- Ann. Agr. Exp. Stat. Chosen 6:1-24. 2 pl. on 1. Mr.1932. no.1/2.

Japanese.

On the difference in susceptibility to illumination.

Sonoda, S., Suzuki, M. & Oyama, K.

Pollination studies in apples. Ann. Agr. Exp. Stat. Chosen 6:35-47. Mr.1932. no.1/2.

Japanese.

Ann. Phytopath, Soc. Japan (Tokyo)

Abe, T.

On the influence of copper sulphate to the growth of Piricularia oryzae, with special reference to the temperature as an environmental factor. Ann. Phytopath. Soc. Japan 2:171-196. Mr.1930(Rec'd Jl.1932). no.3.

Japanese with English resume: p.195-196.

Ideta, A.

A brief history of plant pathology in Japan. Ann. Phytopath, Soc. Japan 2:197-206. Mr. 1930(Rec'd Jl.1932) no.3.

Ann. Phytopath. Soc. Japan. (cont.)

Kamei, S.

On the life-history of Uredinopsis pteridis, with a special bearing on its peridermial stage. Ann. Phytopath. Soc. Japan 2:207-228. pl. Mr.1930(Rec'd Jl.1932) no.3.

Japanese with English resumé: p.226-228.

Peridermium balsameum on Abies mayriana.

Nakata, K.

Comparative studies of Bact. sesami with Bact. solanacearum and Bact. sesamicola. Ann. Phytopath Soc. Japan 2:229-243. pl. Mr. 1930(Rec'd Jl.1932) no.3.

Japanese with English resumé: p.242-243.

B. sesamicola identical with B. sesami, the latter distinct from B. solanacearum.

Suzuki, H.

Experimental studies on the possibility of primary infection of Piricularia oryzae and Ophiobolus miyabeanus internal of rice seeds. Ann. Phytopath. Soc. Japan 2:245-275. illus., pl. Mr.1930(Rec'd Jl.1932). no.3.

Japanese with English resumé: p.274-275.

Yamada, W.

On the fungicidal action of lime-sulphur mixture. Ann. Phytopath. Soc. Japan 2:297-298. Mr.1930(Rec'd Jl.1932). no.3.

For control of dogare disease of mulberry (Diaporthe nomurai).

Atti R. Accad. Naz. Lincei VI, Rend. Cl. Sci. Fis., Mat. e Nat. (Rome)

Curzi, M.

Contributo alla conoscenza della biologia e della sistematica degli stipiti dello Sclerotium rolfsii. Atti R. Accad. Naz. Lincei VI, Rend. Cl. Sci. Fis., Mat. e Nat. 15:241-245. F.7, 1932. no.3.

Danin, Z.

Sul contenuto gassoso dei cenobii di Rivularia polyotis (J. Ag.) Hauck. Atti R. Accad. Naz. Lincei VI, Rend. Cl. Sci. Fis. Mat. e Nat. 15:317-322. F.21,1932. no.4.

Ber. Deut. Bot. Ges. (Berlin)

Blochwitz, A.
Variabilität und vererbung bei schimmelpilzen. Ber. Deut. Bot. Ges. 50:248-256. Je.23,1932. no.5.

Györffy, I.
Über abnormitäten einiger coniferen-blätter. Ber. Deut. Bot. Ges. 50:220-228. illus. Je.23, 1932. no.5.

Noack, K. L.
Ueber Hypericum-kreuzungen. II. Beobachtungen an Hypericum-artbastarden. Ber. Deut. Bot. Ges. 50:256-268. illus., pl.viii. Je.23,1932. no.5.

Rimbach, A.
Nachträgliche dickenzunahme kontraktiler monokotylen-wurzeln. Ber. Deut. Bot. Ges. 50:215-219. illus. Je.23,1932. no.5.

Schoute, J. C.
Über die caryophyllaceen-dekussation. Ber. Deut. Bot. Ges. 50:229-236. illus. Je.23, 1932. no.5.

Tobler, F.
Zue entwicklungsgeschichte des flechtenkörpers. Ber. Deut. Bot. Ges. 50:237-247. illus. Je. 23,1932. no.5.

Uphof, J. C. Th.
Die entomophilie der cyperaceengattung Dichromena Michx. Ber. Deut. Bot. Ges. 50:208-214. illus. Je.23,1932. no.5.

Blue Anchor (Sacramento, Calif.)

Allen, F. W.
Maturity and rate of ripening of Gravenstein apples in relation to bitter pit development. Blue Anchor 9:6,27-29. illus. Jl.1932. no.7.

Bot. Jahrb. Engl. (Leipzig)

Meyer, F. J.
Die verwandtschaftsbeziehungen der alismataceen zu den Ranales im lichte der anatomie. Bot. Jahrb. Engl. 65:53-59. Je.1,1932. no.1.

Bot. Jahrb. Engl. (cont.)

Milbraed, J.
Zur kenntnis der vegetationsverhältnisse Nord-Kameruns. Bot. Jahrb. Engl. 65:1-52. Je.1,1932. no.1.

Pilger, R.
Bemerkungen über anthokladien und inflorszenzen. Bot. Jahrb. Engl. 65:75-96. Je.1,1932. no.1.

Suza, J.
Ueber das vorkommen von Tessellina pyramidata Dum., eines mediterranen lebermooses, in Mähren, Č.S.R. Bot. Jahrb. Engl. 65:60-74. illus. (maps) Je.1,1932. no.1.

Bot. Kozlem. (Budapest)

Barra, I.
A szölöfajták levegönyílásának fluktuációja. (Ueber die fluktuation der spaltöffnungen bei rebensorten.) Bot. Kozlem. 29:23-55. 1932. no.1/4.
German summary: p.47-55.

Degen, Á.
Megemlékzés Istvánffi Gyuláról. (Gyula von Istvanffi.) Bot. Közlem. 29:12-22. 1932.
Brief German summary; p.22.

Ernyey, J.
Benko Józsel természettudományi hagyatéka. (Der naturwissenschaftliche nachlass von J. Benkó). Bot. Közlem. 29:56-72. 1932. no.1/4.
German summary; p.71-72.

Fehér, J.
Az utcai világítás hatása a vadgesztenyefák korai lombhullasara. (Der einfluss der strassenbeleuchtung auf den sommerlaubfall der rosskastanien.) Bot. Közlem. 29:76-79. 1932. no.1/4.
German summary: p.78-79.

Göllner, J.
A Colletotrichum lagenarium egyik új alakjáról. (Über eine neue entwicklungsform von Colletotrichum lagenarium.) Bot. Közlem. 29:73-75. illus. 1932. no.1/4.
German summary: p.75.

Bot. Kozlem. (cont.)

Javorek, S.

Apró közlémenyek a magyar flóra köréböl. (Kleinere mitteilungen über die flora v. Ungarn.) Bot. Közlem. 29:79-82. 1932. no.1/4.

Brief German summary; p.82.

Mágocsy-Dietz, S.

Csikmadefalvi Istvánffi Gyula emlékezete. (Zum gedächtnis Gyula Istvanffi's von Csikmadéfalva.) Bot. Kozlem. 29:1-11. port. 1932. no.1/4.

German summary: p.7-11.

Bull. Misc. Inform. Kew (London)

Airy-Shaw, H. K.

On the identity of Aconitum acaule Diels. Bull. Misc. Inform. Kew 1932:241-245. no.5.

Fischer, C. E. C.

New or little known plants from South India. I- Bull. Misc. Inform. Kew 1932:245-247. no.5.

Hopea jacobi, Eriochrisis rangacharii, Isachne setosa, n. spp.

Marsden-Jones, E. M. & Turrill, W. B.

Researches on Silene maritima and S. vulgaris: VIII. Genetics of anthocyanin inheritance and of other characters in S. maritima. Bull. Misc. Inform. Kew 1932:229-241. no.5.

Sandwith, N. Y.

Contributions to the flora of tropical America. XII. New and noteworthy species from British Guiana, mainly collected by the Oxford University expedition, 1929 (cont.). Bull. Misc. Inform. Kew 1932:209-229. no.5.

Turrill, W. B.

On the flora of the Nearer East: XII. Dr. Giuseppi's 1931 collection from Euboea and other parts of Greece. Bull. Misc. Inform. Kew 1932:248-250. no.5.

Bull. Soc. Chim. Biol. (Paris)

Gillot, P. & Wioland, H.

Variations comparees de quelques glucides dans la potentille rampante (Potentilla reptans L.) et dans la potentille printanière (Potentilla verna L.) Bull. Soc. Chim. Biol. 14:822-831. My.1932. no.5.

Hée, A. & Bayle, L.

Recherches chimiques sur la germination. I- Evolution des substances grasses et du phosphore lipoïdique chez le Lupinus albus au cours des premiers stades du developpement. Bull. Soc. Chim. Biol. 14:758-732. My.1932. no.5.

Lévy, G.

Etude de l'influence de l'aluminium sur le developpement du Sterigmatocystis nigra. Bull. Soc. Chim. Biol. 14:745-757. My.1932. no.5.

Simonnet, H. & Tanret, G.

Sur quelques propriétés physiologiques de la nériine (nerioside) et des autres glucosides du laurier-rose. Bull. Soc. Chim. Biol. 14:724-744. illus. My.1932. no.5.

Tanret, G.

Sur les glucosides des feuilles de laurier-rose. Bull. Soc. Chim. Biol. 14:708-723. My.1932. no.5.

Cavanillesia.

Allorge, P.

L'Isoetes lacustris L. dans la Chaine Cantabrique. Cavanillesia 5:28-30. 1932. no.1/4.

Codina, J.

Contribució a l'estudi dels macromicets de Catalunya. Cavanillesia 5:1-23. 1932. no.1/4.

Font y Quer, P.

De flora occidentale adnotationes. X. Cavanillesia 5:45-49. pl.ii-iii. 1932. no.1/4.

Jahandiez, E. & Weiller, M.

Herborisations dans le Sud-Ouest marocain et l'Anti-Atlas. Cavanillesia 5:1-23. 1932. no.1/4.

Cavanillesia. (cont.)

Pau, C.
Sobre plantas de Andalucía. Cavanillesia 5:41-44. 1932. no.1/4.

Thériot, I.
Mousses de la Sierra Nevada récoltées par le Dr. R. Maire en 1925. Cavanillesia 5:36-40. pl.i. 1932. no.1/4.

Chem. & Industr.

Melville, J.
The essential oil or Wintera colorata. Chem. & Industr. 51:546. Jl.1,1932. no.27.

Compt. Rend. Acad. Sci. Paris.

Blaringhem, L.
Sur l'hérédité du sexe chez la sauge des près (Salvia pratensis L.) Compt. Rend. Acad. Sci. Paris 194:2187-2191. Je.20,1932. no.25.

Dangeard, P.
Le Vacoume des algues et sa transmission par les zoospores. Compt. Rend. Acad. Sci. Paris 194:2319-2322. illus. Je.27,1932. no.25.

Guilliermond, A.
Sur la structure des bactéries. Compt. Rend. Acad. Sci. Paris. 194:2322-2324. Je.27,1932. no.26.

Lefèvre,
Sur la présence de péridiniens dans un dépôt fossile des Barbades. Compt. Rend. Acad. Sci. Paris 194:2315-2316. Je.27,1932. no.26.

Léger, L. & Gauthier, M.
Endomycètes nouveaux des larves aquatiques d'insectes. Compt. Rend. Acad. Sci. Paris 194:2262-2265. illus. Je.27,1932. no.26.
Describes new genera Stachylina (S. longa, S. macrospora), Opunticlla (O. digitata), Stipella (S. vigilans), Orphella (O. coronata), Genistella (G. ramosa).

Lys, J. M.
Composition et évolution des réserves chez Cyclamen latifolium. Compt. Rend. Acad. Sci. Paris 194:2231-2233. Je.20,1932. no.25.

Compt. Rend. Acad. Sci. Paris. (cont.)

Mirande, M.
Sur le dégagement d'acide cyanhydrique par certains champignons. Compt. Rend. Acad. Sci. Paris 194:2324-2326. Je.27,1932. no.26.

Sartory, A., Sartory, R., Meyer, J. & Antonioli, M.
De la présence d'un pigment voisin de la prodigiosine chez un Actinomyces pathogène. Compt. Rend. Acad. Sci. Paris 194:2339-2340. Je.27, 1932. no.26.

Sauvageau, C.
Sur quarte Ectocarpus. Compt. Rend. Acad. Sci. Paris. 194:2260-2261. Je.27,1932. no.26.
E. virescens, E. hincksiae, E. simplex, E. globifer.

Yen-an, F.
Sur la présence de centrosomes et d'asters chez un angiosperme, Lonicera alpigens L. Compt. Rend. Acad. Sci. Paris 194:2317-2319. illus. Je.27,1932. no.26.

Compt. Rend. Sco. Biol. Paris.

Conard, A.
Sur la croissance du noyal chez Degagnya majuscula (Kütz.) Conard (= Spirogyra majuscula Kütz.) Compt. Rend. Soc. Biol. Paris 110:600-601. Je.27,1932. no.22.

Conard, A.
Sur le mécanisme de la séparation dicentrique des plaques anaphasiques chez Degagnya majuscula (Kütz.) Conard (= Spirogyra majuscula Kütz.) Compt. Rend. Soc. Biol. Paris 110:601-604. Je.27,1932. no.22.

Hollande, A. C. & Hollande, G.
La structure cytologique des cellules des cyanophycées. Compt. Rend. Soc. Biol. Paris 110:680-682. Jl.1,1932. no.23.

Lambert, J.
Les facteurs de la radiosensibilité des graines avant l'apparition des phénomènes morpholigiques. Compt. Rend. Soc. Biol. Paris 110:583-586. Je.27,1932. no.22.

Compt. Rend. Soc. Biol. Paris. (cont.)

Lenoir, M.

Le noyau et le cytoplasme vivants dans l'éperon des graines jeunes du Corydalis cava. Compt. Rend. Soc. Biol. Paris 110:615-617. Je.27, 1932. no.22.

Jonesco, S.

Influence du zinc sur la respiration des graines germées de Lupinus albus. Compt. Rend. Soc. Biol. Paris 110:655-657. Je.27, 1932. no.22.

Desert (Pasadena)

Gates, H. E.

Cacti to be found in Clark County, Nevada. Desert (Pasadena) 4:29. illus. Jl.1932. no.3.

Graves, H. S.

James William Toumey. Desert (Pasadena) 4:29-30. Jl.1932. no.3.

Farming South Africa (Pretoria)

Doidge, E. M.

"Black spot" of mangoes. Farming South Africa 7:89-91. illus. Je.1932. no.75.

Anthracnose & Bacillus mangiferae.

Plessis, S. J. du

Anthracnose of the vine. Farming South Africa 7:104. Je.1932. no.75.

Plessis, S. J. du

White mould in onions. Farming South Africa 7:112-114. illus. Je.1932. no.75.

Forestry (Gt. Brit.) (London)

Bryan, J.

Methods of applying antiseptics. Forestry (Gt. Brit.) 6:75-81. Je.1932. no.1.

Campbell, W. G.

A chemical approach to the study of wood preservation. Forestry (Gt. Brit.) 6:82-89. Je.1932. no.1.

Dallimore, W.

William Lobb and John Jeffrey. Forestry (Gt. Brit.) 6:5-8. Je.1932. no.1.

Forestry (Gt. Brit.) (cont.)

Wallace, T.

The nutrition of woody plants (with special reference to cultivated fruit plants) Forestry (Gt. Brit.) 6:9-26. pl.i. Je.1932. no.1.

Fortschr. Landw. (Vienna)

Heinisch, O.

Der bogenamarant (Amarantus retroflexus L.) ein wenig beachtetes unkraut. Fortschr. Landw. 7:344-347. illus. Jl.1932. no.13.

Schröder, H.

Die phenolfärbung des roggenkornes als sortenmerkmal. Fortschr. Landw. 7:339-340. Jl.1. 1932. no.13.

Gard. Chron. (London)

The breeding of fruits for modern uses. (concl.) Gard. Chron. III, 91:479-480. Je.25,1932. no.2374.

Comber, J.

Magnolia sargentiana. Gard. Chron. III, 91:438. Je.11,1932. no.2372.

Friend, H.

Corsican plant lore. XIII. The flora of Ajaccio. Gard. Chron. III, 91:476-477. Je.25,1932. no.2374.

Grove, A.

Lilium catesbaei. Gard. Chron. III, 91:442-443. illus. Je.11,1932. no.2372.

Hutchinson, J.

Two more "Lapponicum" rhododendrons. Gard. Chron. III, 91:438. Je.11,1932. no.2372.

R. glomerulatum, R. fimbriatum, n. spp.

Jeffers, R. H.

Gladiolus hybrids. Gard. Chron. III, 92:11-12. illus. Jl.2,1932. no.2375.

Salmon, E. S. & Ware, W. M.

Scab on the spur wood and bud scales of the pear. Gard. Chron. III, 91:446-447. illus. Je.11,1932. no.2372.

The sensitive stamens of Berberis. Gard. Chron. III, 91:471. Je.25,1932. no.2374.

Gard. Chron. (London)

Stearn, W. T.
Lysichitum camtschatcense and L. americanum. Gard. Chron. III, 91:477-478. illus. Je.25, 1932. no.2374.

Ward, F. K.
Mr. F. Kingdon Ward's eleventh expedition in Asia. VII. The Burma frontier. Gard. Chron. III, 92:8-9. illus. Jl.2,1932. no.2375.

Ward, F. K.
Plant hunting beyond Burma. Gard. Chron. III, 91:444-445. Je.11,1932. no.2372.

Gartenbauwiss. (Berlin)

Vogel, F. & Weber, E.
Untersuchungen über umfang und verlauf der nährstoffaufnahme, substanzibildung und stoffwanderung bei treibgurke. Gartenbauwiss. 6:478-499. Je.8,1932. no.5.

Genetics.

Beadle, G. W.
Genes in maize for pollen sterility. Genetics 17:413-431. illus. Jl.1932. no.4.

Beadle, G. W.
The relation of crossing over to chromosome association in Zea-Euchlaena hybrids. Genetics 17:481-501. illus. Jl.1932. no.4.

Emerson, S. & Sturtevant, A. H.
The linkage relations of certain genes in Oenothera. Genetics 17:393-412. illus. Jl.1932. no.4.

Flory, W. S. Jr.
Genetic and cytological investigations on Asparagus officinalis L. Genetics 17:432-458. 4 pl. Jl.1932. no.4.

Hacienda (New York)

González, A. de J.
La alimentación de las plantas. Hacienda 27:265-267. Jl.1932. no.7.

Indian For. (Dehra Dun)
Jamwall, H. S.
The eradication of Parrotia jacquemontiana from the conifer forests of Kashmir. Indian For. 58:317-322. Je.1932. no.6.

Indian Journ. Agr. Sci. (Calcutta)
Dastur, R. H. & Cooper, R. E.
The osmotic and suction pressures of the rice plant, Oryza sativa, L., when treated with different salts: a method of determining the salt requirements of plants. Indian Journ. Agr. Sci. 2:99-137. Ap.1932. no.2.

Inform. Agr. (Spain (Madrid)
Collar, F.
Enfermedades de las especies frutales arbustivas. La vid. Inform. Agr. (Spain) 22:161-165. illus. Je.15,1932.

Intern. Sugar Journ. (London)
Diseases of sugar cane. Intern. Sugar Journ. 34:254-255. Jl.1932. no.403.
Summaries of principal papers read at Fourth Congress of International Soc. of Sugar cane Technologists.

Journ. Agr. Res. (Washington, D. C.)
Horsfall, J. G., Kertesz, Z. I. & Green, E. L.
Some effects of root rot on the physiology of peas. Journ. Agr. Res. 44:833-848. Je.1, 1932(Rec'd Jl.12) no.11.

Powers, L.
Cytological and genetic studies of variability of strains of wheat derived from interspecific crosses. Journ. Agr. Res. 44:797-831. illus., 5 pl. on 3. Je.1,1932(Rec'd Jl.12) no.11.

Journ. Amer. Chem. Soc.
Clark, E. P.
Deguelin. IV. The structure of deguelin and tephrosin. Journ. Amer. Chem. Soc. 54:3000-3008. Jl.1932. no.7.

Santos, A. C. & Adkilen, P.
The alkaloids of Argemone mexicana. Journ. Amer. Chem. Soc. 54:2923-2924. Jl.1932. no.7.
Berberine and protopine.

Journ. Amer. Chem. Soc. (cont.)

Spies, J. R. & Drake, N. L.
Two constituents of Parosela barbata (Oerst.) Rybd. Journ. Amer. Chem. Soc. 54:2935-2938. Jl.1932. no.7.
A fish poison.

Journ. Amer. Pharm. Assoc. (Easton, Pa.)

Harwood, A. A.
Examination of the juices of the leaves of Monarda punctata and Monarda fistulosa. Journ. Amer. Pharm. Assoc. 21:569-570. Je.1932. no.6.

Jones, H. D.
Chemical studies of the fresh juice of the maguey plant (manso fino, Karw.) no.2. Journ. Amer. Pharm. Assoc. 21:354-356,574-575. Ap., Je.1932. no. 4,6.

Journ. Arnold Arb. (Cambridge, Mass.)

Hu, H. H.
Notulae systematicae ad floram sinensem IV. Journ. Arnold Arb. 13:333-336. Jl.1932. no.3.

Rehder, A.
New species, varieties and combinations from the herbarium and the collections of the Arnold Arboretum (cont.) Journ. Arnold Arb. 13:337-341. Jl.1932. no.3.

Rehder, A.
Notes on the ligneous plants described by Léveillé from Eastern Asia. Journ. Arnold Arb. 13:299-332. Jl.1932. no.3.

Palmer, E. J.
The Crataegus problem. Journ. Arnold Arb. 13:342-362. Jl.1932. no.3.

Sax, H. J.
Chromosome pairing in Larix species. Journ. Arnold Arb. 13:368-374. illus., pl.51. Jl.1932. no.3.

Sax, K.
Chromosome relationships in the Pomoideae. Journ. Arnold Arb. 13:363-367. pl.50. Jl.1932. no.3.

Journ. Arnold Arb. (cont.)

Sax, K.

Meiosis and chiasma formation in Paeonia suffruticosa. Journ. Arnold Arb. 13:375-384. illus., pl.52. Jl.1932. no.3.

Journ. Chem. Soc. London.

Robertson, A. & Stephenson, R. J.

Lichen acids. Part III. The constitution of barbatic acid and the syntheses of isorhizonic acid and methyl barbatate. Journ. Chem. Soc. London 1932:1675-1681. Je.1932.

Journ. Dept. Agr. Ireland (Dublin)

Murphey, P. A. & McKay, R.

Further observations and experiments on the origin and control of onion mildew. Journ. Dept. Agr. Ireland 31:60-76. illus. 1932. no.1.

Journ. Exp. Biol. (London)

Delf, E. M.

Experiments with the stipes of Fucus and Laminaria. Journ. Exp. Biol. 9:300-313. Jl.1932. no.3.

Journ. Helminth. (London)

Imperial bureau of agricultural parasitology.

Differential diagnosis of plant-parasitic eelworms. Journ. Helminth. 10:53-64. F.1932.

Notes & Memor. no.5.

Journ. Indian Inst. Sci. (Madras)

Tummin Katti, M. C. & Patwardhan, V. N.

Chemical examination of the root-bark of Plumbago rosea, Linn. Journ. Indian Inst. Sci. 15A:9-15. 1932. no.2.

Journ. N. Y. Bot. Gard.

Swift, M. E.

Pythium crown- and stem-rot of Begonia. Journ. N. Y. Bot. Gard. 33:141-143. illus. Jl.1932. no.391.

Kosmos (Stuttgart)

Carthaus, E.

Früchte der tropen. Kosmos 1932:232-236. illus. Jl.1932. no.7.

Kosmos (cont.)

Lindemuth, K.

Wie kann man die getreidearten in blühenden, reifenden und ausgereiften zustande von einander unterscheiden? Kosmos 1932:245-250. illus. Jl.1932. no.7.

Landbouwk. Tijdschr. Maandbl. Nederl. Genootsch. Landbouwwetensch. (Amsterdam)

Kramer, M.

De bloeiwijze en het bloeien der weidegrassen. Landbouwk. Tijdschr. Maandbl. Nederl. Genootsch. 44:287-305, 325-342. Ap., My.1932. no.532,533.

Madrona (San Francisco)

Wiggins, I. L.

Tia Juana to San Jose del Cabo - a botanical expedition through lower California. Madrona 2:65-71. Jl.1932. no.8.

Malayan For.

Browne, F. G.

Sakai plant names. Malayan For. 1:142-144. Ap.1932. no.4.

Durant, C. C. L.

Notes on the timber of Cameron Highlands. Malayan For. 1:149-154. Ap.1932. no.4.

Mem. Coll. Agr. Kyoto Imp. Univ.

Gicklhorn, J.

Beobachtungen zu fragen über form, lage und entstehung des golgi-binnenapparates. Protoplasma 15:365-395. illus. Ap.1932. no.3.

Nisikawa, Y.

Chemical properties of solutions prepared from the sodium fluosilicate-hydrated lime mixtures with special reference to their toxicity to plants. Mem. Coll. Agr. Kyoto Imp. Univ. no.21. 15 p. Ap.1932.

Mém. Soc. Fribourg Sci. Nat. Bot.

Jaquet, F.

Catalogue raisonné des plantes vasculaires due canton de Fribourg et des contrées limitrophes. Mém. Soc. Fribourg Sci. Nat. Bot. v.5. 380 p. 1930.(Rec'd Jl.1932)

Missouri Bot. Gard. Bull. (St. Louis)

Perry, L. M.

A new alga for Missouri. Missouri Bot. Gard. Bull. 20:94. Je.1932. no.6.

Species of Lemanea.

A titanic plant. Missour Bot. Gard. Bull. 20:89-91. 4 pl. on 2. Je.1932. no.6.

Amorphophallus titanum.

Written zinc labels again. Missouri Bot. Gard. Bull. 20:93. Je.1132. no.6.

Mycologia (Lancaster, Pa.)

Bender, H. B.

The genera of fungi imperfecti. Mycologia 24:410-412. Jl./Ag.1932. no.4.

Corrections and additions to his thesis: The genera of fungi imperfecti: North American species and hosts, with particular reference to Connecticut. (not yet published)

Gill, L. S.

Notes on the pycnial stage of Peridermium cerebroides. Mycologia 24:403-409. illus. Jl./Ag.1932. no.4.

Guba, E. F.

Monograph of the genus Pestalotia. II. Mycologia 24:353-397. illus. Jl./Ag.1932. no.4.

Guba, E. F.

Mycological nomenclature. Mycologia 24:415-419. Jl./Ag.1932. no.4.

Morrow, M. B.

The soil fungi of a pine forest. Mycologia 24:398-402. Jl./Ag.1932. no.4.

Seaver, F. J.

Photographs and descriptions of cup fungi. 17. A new species of Godronia. Mycologia 24:353-354. pl. 9. Jl./Ag.1932. no.4.

G. parasitica.

Nature (London)

Haldane, J. B. S.
The inheritance of acquired characters. Nature 130:20. Jl.2,1932. no.3270.

Parkin, J.
A genus of Ranunculaceae hitherto unrecorded for New Zealand. Nature 130:23-24. Jl.2, 1932. no.3270.
Ranunculus tenuicaulis of Cheeseman not a Ranunculus, may be an Anemone.

Robinson, G. M. & Robinson, R.
Developments in the chemistry of the anthocyanins. Nature 130:21. Jl.2,1932. no.3270.

Sahni, B.
Reconstruction of an Indian fossil cycad. Nature 130:24. Jl.2,1932. no.3270.

Woolf, B.
Recent advances in the study of enzymes. Nature 129:928-930. Je.25,1932. no.3269.

Obst.- u. Gemüseb. (Berlin)

Gante, Th.
Die eckige blattfleckenkrankheit der gurken. Obst-. u. Gemüseb. 78:88-89. illus. Je.15, 1932. no.6.
Bacterium lachrymans.

Loewel, E. L.
Was ist der fusikladiumbekämpfung mit schwefelkalk-bleiarseniat im alten land zu beobachten? Obst- u. Gemüseb. 78:87-88. Je.15,1932. no.6.

Reusrath, Th.
Uspulun, ein bewährtes mittel gegen tomaten- und bakterienkrebs. Obst- u. Gemüseb. 78:89. Je.15,1932. no.6.

Orchid Rev. (Richmond, England)

Arnold, R. E.
Sir Hugh Low in Sarawak (cont.) Orchid Rev. 40:208-211. Jl.1932. no.469.

Clement, E.
Raising orchid seedlings. Orchid Rev. 40:195-206. illus. Jl.1932. no.469.

Philipp. Agr. (Los Banos)

Juliano, J. B.

The cause of sterility in Spondias purpurea Linn. Philipp. Agr. 21:15-24. pl.i-v. Je.1132. no.1.

Stevens, F. L. & Celino, M. S.

Papaya leaf spot. Philipp. Agr. 21:9-14. illus. Je.1932. no.1.

Best for the present to regard Mycosphaerella caricae as synonymous with Sphaerella caricae and to regard association of Helminthosporium caricae with M. caricae as purely accidental.

Villadolid, D. V. & Sulit, M. D.

A list of plants used in connection with fishing activities in the Laguna de Bay regions and in Batangas Province, Luzon. Philipp. Agr. 21:25-35. Je.1932. no.1.

Philipp. Journ. Agr.

Aldaba, V. C.

On the growth of coconut roots. Philipp. Journ. Agr. 3:59-64. 6 pl. 1932. no.1.

Vibar, T. & Montemayor, Z.

Arrowroot (Marantha arudinacea L.); its possibilities in the Philippines. Philipp. Journ. Agr. 3:65-71. 2 pl. 1932. no.1.

Planta Arch. Wiss. Bot. (Berlin)

Beyerle, R.

Untersuchungen über die regeneration von farnprimärblättern. Planta Arch. Wiss. Bot. 16:622-665. illus. Je.11,1932. no.4.

Helm, J.

Uber die beeinflussung der sprossgewebedifferenzierung durch entfernen junger blattanlagen. Planta Arch. Wiss. Bot. 16:607-621. illus. Je.11,1932. no.4.

Mager, H.

Beiträge zur kenntnis der primären wurzelrinde. Planta Arch. Wiss. Bot. 16:666-708. illus. Je.11,1932. no.4.

Pekarek, J.

Ein vergessenes objekt für das studium der kern- und zellteilungsvorgänge im leben. Planta Arch. Wiss. Bot. 16:788-800. Je.11, 1932. no.4.

Planta Arch. Wiss. Bot. (cont.)

Schanderl, H.

Okologische untersuchungen an sogenannten kompasspflanzen. Planta Arch. Wiss. Bot. 16:709-762. illus. Je.11,1932. no.4.

Zollikofer, C.

Untersuchungen zum fertilitätsproblem der heterostylen. Planta Arch. Wiss. Bot. 16:763-787. illus. Je.11,1932. no.4.

Prakt. Blätt. Pflanzenb. u. Pflanzensch. (Freising)

Böning, K.

Die bekämpfung der brennfleckenkrankheit des tabask (Colletotrichum tabacum) durch beizung des samens und vorbeugende behandlung der pflanzen mit chemischen mitteln. Prakt. Blätt. Pflanzenb. u. Pflanzensch. 32:89-106. illus. Je./Ag.1932. no.3/5.

Zattler, F.

Ueber die bildung des taues und seine physiologische wirkung auf die pflanze. Prakt. Blätt. Pflanzenb. u. Pflanzensch. 32:73-89. illus. Je./Ag.1932. no.3/6.

Proc. Assoc. Off. Seed Anal. No. Amer.

Bass, C. M.

Germination equipment recently installed in the Virginia Laboratory. Proc. Assoc. Off. Seed Anal. No. Amer. 21(1928/1929):37-41. Ap.1929.

Crocker, W.

Physiology of seed germination. Proc. Assoc. Off. Seed Anal. No. Amer. 21(1928/1929): 29-35. Ap.1929.

Thornton, B. J.

Factors causing low germination in sorghum seed. Proc. Assoc. Off. Seed Anal. No. Amer. 21(1928/1929):23-26. Ap.1929.

Protoplasma (Leipzig)

Becker, W. A.

Uber die vitalfärbung der zellplatte. Protoplasma 15:478-481. illus. Ap.1932. no.3.

Höfler, K.

Zur tonoplastenfrage. Protoplasma 15:462-477. Ap.1932. no.3.

Reply to article "Plasmalemma oder tonoplast?" by Friedl Weber.

Protoplasma (cont.)
Weber, F.
Plasmalemma oder tonoplast? Protoplasma 15:453-461. Ap.1932. no.3.

Rev. Agr. Com. y Trab. Cuba (Habana)
Balboa, F.
Estudio histológica micro-fotográfico de la caña brava. Rev. Agr. Com. y Trab. Cuba 13(12):7-22. illus. Je.1932.

Menéndez Ramos, R.
Experiencias con variedades de caña en la isla de Cuba. Rev. Agr. Com. y Trab. Cuba 13(12):23-55. Je.1932.

Rev. Bot. Appl. (Paris)
Boulnois,
Traitement indigène de la lèpre par l'écorce d'un Cynométra en usage chez les Guérés de la région de Toulépleu (Côte d'Ivoire). Rev. Bot. Appl. 12:451-453. Je.1932. no.130.
C. vogelii.

Ducke, A.
Notes sur l'origine du copahu de la région amazionienne. Rev. Bot. Appl. 12:433-437. Je.1932. no.130.
Species of Copaifera and Eperua (E. oleifera n. sp.)

Normand, D.
Sur la présence probable du bossé au Cameroun. Rev. Bot. Appl. 12:469-471. Je.1932. no.130.
Tree possessing properties of Guarea cedrata, undetermined.

Perrier de la Bathie, H.
Les plantes introduites à Madagascar (suite). Rev. Bot. Appl. 12:462-468. Je.1932. no.130.

Rogeon, J.
Notes sur les graminées fourragères soudanaises. Rev. Bot. Appl. 12:454-462. Je.1932. no.130.

Rev. Gén. Bot. (Paris)
Michel-Durand, E.
Origine protidique ou glucidique des tannins. Rev. Gén. Bot. 44:161-214. My.1932. no.521.

Rev. Gén. Hort. Cult. Fruit. (Paris)
Vivet, E.
Traitez le blanc de l'artichaut. Rev. Gén. Hort. Cult. Fruit. 10:90. Je.1932. no.109.
Oïdiopsis taurica.

Rev. Path. Vég. & Entom. Agr. (Paris)
Guyot, A. L.
Observations sur la distribution géographique comparée de quelques espèces végétales et de certains de leurs parasites naturels. 2. Sur quelques champignons parasites de graminées. Rev. Path. Vég. & Entom. Agr. 19:36-47. pl. F.1932.

Rev. Zool. Agr. et Appl. (Bordeaux)
Dufrenoy, J.
Les maladies des graisiers en Angleterre. Rev. Zool. Agr. et Appl. 30:187-190. D. 1931. no.12.
Red plant, cauliflower and "small leaf", last named caused by aphis.

La maladie et les ennemis des ormes. Rev. Zool. Agr. et Appl. 30:41-47. Mr.1931. no.3.
See p.41-44.

Rhodora (Boston)
Blake, S. F.
Polygonum caespitosum var. longisetum in the United States. Rhodora 34:146-147. Jl. 1932. no.403.

Eaton, R. J.
Panicum virgatum L. var. cubense Griseb. (or var. obtusum Wood?) in Plymouth County, Massachusetts. Rhodora 34:149. Jl.1932. no.403.

Evans, A. W.
Notes on the Cladoniae of Connecticut. Rhodora 34:121-142. Jl.1932. no.403.

Fernald, M. L.
An estuarine variety of Gratiola lutea. Rhodora 34:147-149. Jl.1932. no.403.
Gratiola lutea glaberrima.

Rhodora (cont.)

Pennell, F. W.
Some belated corrections to my revision of Veronica in America. Rhodora 34:149-151. Jl.1932. no.403.

Strausbaugh, P. D. & Core, E. L.
Phymosia remota. Rhodora 34:142-146. illus. Jl.1932. no.403.

Weatherby, C. A.
Anacharis densa on Long Island. Rhodora 34:151-152. Jl.1932. no.403.

Sbornik Českoslov. Akad. Zemĕd. (Praha)

Mikyška, R.
O smilkových pastvinách ve štiavnickém středohoři. (Ueber die nardeta-weiden im Schemnitzer mittelgebirge) Sbornik Českoslov. Akad. Zemĕd. 7:189-216. illus. 1932. no.2/3.
Czech with German summary.

Schweiz. Apoth. Zeit.

Prof. Dr. Otto A. Oesterle, Schweiz. Apoth. Zeit. 70:338-341. port. Jl.2,1932. no.27.

Science

The botanical garden at Jerusalem. Science v.76, no.1957, suppl. p.10. Jl.1,1932.

Control of yeast growth. Science v.76, no.1958, suppl. p.9. Jl.8,1932.
Discovery of Dr. R. J. Williams of the University of Oregon.

Steiner, G.
Nathan Augustus Cobb. Science 76:8-9. Jl.1,1932. no.1957.

Sci. Bull. Dept. Agr. So. Africa

Neethling, J. H.
Wheat varieties in South Africa: Their history and development until 1912. Sci. Bull. Dept. Agr. So. Africa 108. 40 p. 1932.

Soil Sci. (Baltimore)

Clark, H. E. & Shive, J. W.
Influence of continuous aeration upon the growth of tomato plants in solution cultures. Soil Sci. 34:37-40. pl.i. Jl.1932. no.1.

Soil Sci. (cont.)

Skinner, C. E.

The soil as a habitat for growth of green algae. Soil Sci. 34:25-28. Jl.1932. no.1.

Thom, C. & Humfeld, H.

Notes on the association of microörganisms and roots. Soil Sci. 34:29-36. Jl.1932. no.1.

So. African Gard. (Johannesburg)

Bolus, L.

A new Lithops from Bushmanland and a new Argyroderma from the Van Rhynsdorp division. So. African Gard. 22:177. illus. Je.1932.

L. vanzylii, A. congregatum.

Transvaal veld flowers. So. African Gard. 22:178. illus. Je.1932. no.6.

Kalanchoe thyrsiflora.

Stain Techn.

Camp, W. H. & Liming, F. G.

The use of basic fuchsin in plant anatomy. Stain Techn. 7:91-93. Jl.1932. no.3.

Succulenta (Leeuwarden)

Duursma, G. D.

Mooie gasteria's. Succulenta 14:172-176. illus. Jl.1932. no.7.

Duursma, G. D.

Haworthia truncata, Schönl. Succulenta 14:169-172. illus. Jl.1932. no.7.

Sugar News (Manila)

Villaneuva, L.

The role of the P.O.J. varieties in the cane sugar industry of Louisiana, U. S. A. Sugar News 13:355-359. Je.1932. no.6.

Tijdschr. Plantenz.

Huyzenberg, E. W. B. v. d.

Onderzoek over Cladosporium cucumerinum Ellis & Arthur (de veroorzaker van het Vruchtvuur van de komkommer). (concl.) Tijdschr. Plantenz. 38:97-118. pl.v-vii. 1932. no.6.

Trop. Agriculture West Indies (Trinidad)

Hayes, T. R.

Groundnut rosette disease in the Gambia. Trop. Agriculture West Indies 9:211-217. illus. Jl.1932. no.7.

Trop. Woods, Yale Univ. Sch. For. (New Haven, Conn.)

Espina, R. & Giacometto, J.

Trees of the Sierra Nevada de Santa Marta. Trop. Woods, Yale Univ. Sch. For. 30:17-37. Je.1,1932.

Greene, E. C. jr.

Santa María: a neotropical timber of the genus Calophyllum. Trop. Woods, Yale Univ. Sch. For. 30:9-19. Je.1,1932.

Standley, P. C.

The cohune palm an Orbignya, not an Attalea. Trop. Woods, Yale Univ. Sch. For. 30:1-3. Je.1,1932.

O. cohune.

Standley, P. C.

Holtonia, a new genus of trees of the family Rubiaceae. Trop. Woods, Yale Univ. Sch. For. 30:37-38. Je.1,1932.

H. myriantha comb. nov. (Sickingia myriantha Standl.)

Standley, P. C.

Revision of some American species of Calophyllum. Trop. Woods, Yale Univ. Sch. For. 30:6-9. Je.1,1932.

Stevenson, N. S.

The Cohune palm in British Honduras. Trop. Woods, Yale Univ. Sch. For. 30:3-5. Je.1,1932.

U. S. Dept. Agr. Off. Rec.

Weed seeds buried deep in soil thirty years grow when planted. U. S. Dept. Agr. Off. Rec. 11:130. Jl.9,1932. no.28.

U. S. Dept. Agr. Plant Dis. Rep.

Miller, P. R. & Fate, L. R.

The 1932 flag smut survey. U. S. Dept. Agr. Plant Dis. Rep. 16:99-103. illus.(maps) Jl.1,1932. no.10.

U. S. Dept. Agr. Plant Dis. Rep. (cont.)
Waite, M. B.
Unusual late infections of peach leaf curl. U. S. Dept. Agr. Plant Dis. Rep. 16:109-110. Jl.1,1932. no.10.

U. S. Dept. Agr. Techn. Bull.
Sprague, G. F.
The inheritance of colored scutellums in maize. U. S. Dept. Agr. Techn. Bull. 292. 43 p. Ap.1932(Rec'd Jl.)

Univ. Iowa Stud. Nat. Hist. (Iowa City)
Nelson, H. C.
Development of the foliaceous cotyledons of Cucurbita maxima. Univ. Iowa Stud. Nat. Hist. v.14, no.6. 19 p. illus., iv pl. 1932(Rec'd Jl.) no.6.

Welsh Journ. Agr. (Cardiff, Wales)
Griffith, M., Evans, W. & Williams, E. E.
The eradication of bracken. Welsh Journ. Agr. 8:229-232. Ja.1932.

Zeitschr. Pflanzenernähr. Düng. u. Bodenk. A, Wiss. Teil (Leipzig)
Kreyzi, R.
Beiträge zur phosphorsäureaufnahme der pflanze in wasserkultur. Zeitschr. Pflanzenernähr. Düng. u. Bodenk. A, Wiss. Teil 25:156-179. 1932. no.3/4.

Der Züchter (Berlin)
Brieger, F.
Hyazinthen und tulpen. Der Züchter 4:137-147. illus. Je.1932. no.6.

Sapěhin, A. A.
Die züchterische bedeutung der verkürzung der vegetationsperiode nach T. D. Lyssenko. Der Züchter 4:147-151. illus. Je.1932. no.6.

Exper. Stat. Publ.
Thomas, H. E.
Verticillium wilt of strawberries. California Agr. Exp. Stat. Bull. 530. 16 p. illus. Je. 1932(Rec'd Jl.)

Exper. Stat. Publ. (cont.)

Bouquet, A. G. P.
An analysis of the characters of the inflorescence and the fruiting habit of some varieties of greenhouse tomatoes. Cornell Agr. Exp. Stat. Mem. 139. 42 p. illus. Ap.1932 (Rec'd Jl.)

Cardinell, H. A. & Gaston, H. P.
Comparisons of methods of making spray applications. Michigan Agr. Exp. Stat. Spec. Bull. 220. 25 p. illus. My.1932(Rec'd Jl.)

Drewes, H.
Spinach varieties. Michigan Agr. Exp. Stat. Spec. Bull. 225. 48 p. illus. My.1932. (Rec'd Jl.)

Muncie, J. H.
Common diseases of cereals in Michigan. Michigan Agr. Exp. Stat. Circ. 142. 54 p. illus. Ap.1932(Rec'd Jl.)

Wildon, C. E.
Garden roses. Michigan Agr. Exp. Stat. Spec. Bull. 222. 47 p. Ap.1932(Rec'd Jl.)

Percival, G. P. & Potter, G. F.
Amount and variability of spray residue on New Hampshire Baldwins. New Hampshire Agr. Exp. Stat. Techn. Bull. 49. 15 p. Ap.1932(Rec'd Jl.)

McKay, M. B. & Dykstra, T. P.
Potato virus diseases. Oregon investigations 1924-1929. Oregon Agr. Exp. Stat. Bull. 294. 40 p. illus. Ja.1932(Rec'd Jl.)

Sherbakoff, C. D.
The more important diseases of apples in Tennessee. Tennessee Agr. Exp. Stat. Bull. 145. 54 p. My.1932(Rec'd Jl.)

Wisconsin agricultural experiment station.
Plant diseases. In Report of director 1930/31. Its Bull. 421:55-71. illus. F.1932(Rec'd Jl.)

Exper. Stat. Publ. (cont.)

Beath, O. A., Draize, J. H. & Eppson, H. F.

Three poisonous vetches. Wyoming Agr. Exp. Stat. Bull. 189. 23 p. illus. My.1932. (Rec'd Jl.)

Astragalus bisulcatus, A. scobinatus, A. campestris.

New Books.

Barton-Wright, E. C.

Recent advances in botany. London, J. & A. Churchill, 1932.

I. Some theories regarding plant structure. II. Paleobotany. III. Experimental methods in relation to the species problem. IV-VI. Fungi (Reproduction, heterothallism, mycorrhiza). VII-VIII. Algae (Phaeophyceae, Florideae). IX. The virus diseases of plants.

Casares-Gil, A.

Briófitas (2 parte) Musgos pt. 1. Madrid, Museo nacional de ciencias naturles, 1932. (Flora ibérica)

Conn, H. W. & H. J.

Bacteria, yeasts and molds in the home. 3d rev. ed. Boston, Ginn and company, 1932.

Lan, J.

Les plantes indochinoises de grande culture v.2. Plantes industrielles et quelquefois alimentaires. Hanoi, Imprimerie d'Extrême-orient, 1930.

Lowig, E.

Die sterilitätserscheinungen bei den höheren Pflanzen...Neudamm, J. Neumann, 1931. (Wissenschaft und technik des gartenbaues. hrgs. von Prof. Dr. Höstermann & H. R. Wehrhahn h. 3)

Lundegårdh, H.

Die nährstoffaufnahme der pflanze. Jena, G. Fischer, 1932.

Includes chapter on dry spot of oats.

Nakai, T.

Flora sylvatica koreana part XIX. Ulmaceae et Moraceae. Keijyo, Japan, Mr.1932.

New Books (cont.)

Oliver, G. W. & Hottes, A. C.
Plant culture. 6th ed. N. Y., A. T. De La Mare company, 1932.

Rahn, O.
Physiology of bacteria. Phila., P. Blakiston's sons, 1932.

Rosenvinge, L. K. & Warming, E., eds.
The botany of Iceland. v.1-3, pt.1 (no.1-10) Copenhagen, J. Frimodt, 1912-32.

U. S. Dept. of agriculture
Yearbook [1931] Washington, 1932.

Zahlbruckner, A.
Catalogus lichenum universalis bd. 8, bog. 21-30. Leipzig, Borntraeger, [1932]

BOTANY

CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY,
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D.C.

LIBRARY
RECEIVED
AUG 1 1932
Department of Agriculture

Vol.14, no.15. July 18 - 30, 1932.

Acta Horti Gothoburg.

Fries, H.
Bidrag till kännedomen om floran i Göteborgs och Bohus län 6. Acta Horti Gothoburg. 7:15-21. 1932.

Fries, H.
Om Gagea minima (L.) Ker. inom Göteborgs- och Bohus län. Acta Horti Gothoburg. 7:13-14. 1932.

Fröderström, H.
The genus Sedum L., a systematic essay, pt. III. Acta Horti Gothoburg. 7, app. 126 p. lxviii pl. 1932.

Magnusson, A. H.
Beiträge zur systematik der flechtengruppe Lecanora subfusca. Acta Horti Gothoburg. 7:65-87. 1932.
L. excludens Malme ined., L. septentrionalis, L. subfuscata, L. crassula, L. meridionalis, L. cinereofusca n. spp.

Nilsson, G.
Tvenne avvikande former av Populus tremula L. Acta Horti Gothoburg. 7:7-12. illus. 1932.

Rosén, W.
Zur embryologie der campanulaceen und lobeliaceen. Acta Horti Gothoburg. 7:31-42. illus. 1932.

Skottsberg, C.
Pipturi species hawaiienses novae. Acta Horti Gothoburg. 7:1-5. 1932.
P. eriocarpus, P. pachyphyllus, P. rockii, P. brighamii, P. oahuensis, P. helleri.

Acta Horti Gothoburg. (cont.)

Skottsberg, C.
Remarks on Pipturus argenteus and P. incanus of Weddell. Acta Horti Gothoburg. 7:43-63. illus. 1932.

Skottsberg, C.
Pipturus "albidus" outside the Hawaiian Islands. Acta Horti Gothoburg. 7:23-29. illus. 1932.
P. polynesicus, P. nadeaudii n. spp.

Acta Inst. et Horti Bot. Univ. Tartuensis.

Lippmaa, T.
Beiträge zur kenntnis der flora und vegetation Südwest-Estlands. Acta Inst. et Horti Bot. Univ. Tartuensis v.2, fasc.3/4, [no.1] 253 p. illus. (incl.maps), xv pl., 3 maps. 1932.

Lippmaa, T.
Pflanzensoziologische betrachtungen. Acta Inst. et Horti Bot. Univ. Tartuensis v.2, fasc. 3/4, [no.2] 32 p. 1932.

Addisonia (New York)

Addisonia v.17, no.2. col.pl.553-560. Je.1932.
Tradescantia longifolia, Agrimonia gryposepala, Sphaeralcea umbellata, Amsonia ludoviciana, Helianthus strumosus, Ascelpias lanceolata, Harrisia fragrans, Clytostoma callistegioides.

Amer. Bot. (Indianapolis, Ind.)

Clute, W. N.
Frost-flower structure. Amer. Bot. 38:119-120. 1 pl. Jl.1932. no.3.

Clute, W. N.
Meaning of plant names. LI. The loosestrifes. Amer. Bot. 38:132-135. Jl.1932. no.3.

Gleason, H. A.
Vegetable insect poisons. Amer. Bot. 38:138-139. Jl.1932. no.3.
Cracca virginiana, Anabasis aphylla.

Greulach, V. A.
Goethe as a botanist. Amer. Bot. 38:125-129. Jl.1932. no.3.

Starry, D. E.
Panama pteridophytes. Amer. Bot. 38:129-131. Jl.1932. no.3.

Amer. Nat. (Lancaster, Pa.)

Brink, R. A. & Cooper, D. C.
A structural change in the chromosomes of maize leading to chain formation. Amer. Nat. 64:310-322. illus. Jl./Ag.1932. no.705.

Jacot, A. P.
The status of the species and the genus. Amer. Nat. 64:346-364. Jl./Ag.1932. no.705.

Sinnott, E. W.
Shape changes during fruit development in Cucurbita and their importance in the study of shape inheritance. Amer. Nat. 64:301-309. Jl./Ag.1932. no.705.
Cucurbita pepo.

Amer. Orchid Soc. Bull.

Lumsden, D.
The Cypripedieae. Amer. Orchid Soc. Bull. 1:6-10. illus. Je.1932. no.1.

Rupp, H. M. R.
Dendrobium kestevenii. Amer. Orchid Soc. Bull. 1:22. Je.1932. no.1.

Anal. Inst. Biol. Univ. Nac. Mexico.

Baxter, E.
Una nueva especie de Opuntia de la Baja California. Anal. Inst. Biol. Univ. Nac. Mexico 3:181-182. 1932. no.2.
O. lagunae.

Anales Soc. Cient. Arg. (Buenos Aires)

Molfino, J. F.
Contribución al estudio de las maderas argentinas. Datos botánicos, físicos y quimicos. Anales Soc. Cient. Arg. 113:241-290. Je.1932. no.6.

Ann. Sci. Nat. Bot. (Paris)

Chaze, J.
Contribution a l'étude biologique des alcaloïdes du tabac. Ann. Sci. Nat. Bot. X, 14:5-116. illus., ii pl. Je.1932. no.1.

Prat, H.
L'épiderma des graminées étude anatomiques et systématique. Ann. Sci. Nat. Bot. X, 14:117-324. illus., xx pl. Je.1932. no.1.

Ann. Tecn. Agr. (Rome)

Fabbri, A.

Azione del cloruro di sodio sulla germinazione dei semi. Ann. Tecn. Agr. 5:203-228. diagrs. My.1,1932. no.3.

Pirovano, A.

Sulla origine ibrida del moscato d'Amburgo. Ann. Tecn. Agr. 5:281-286. ii pl. on 1. My.1, 1932. no.3.

Prinzi, D.

L'impollinazione artificiale in rapporto al miglioramento della produzione delle piante arboree da frutto. Ann. Tecn. Agr. 4:406-437. Jl.1, 1932.

Ann. Missouri Bot. Gard. (St. Louis)

Goodman, G. J.

A new Nama from Idaho. Ann. Missouri Bot. Card. 19:177-178. Ap./S.1932. no.2/3.

N. psammophilum, n. sp.

Hitchcock, C. L.

A monographic study of the genus Lycium of the western hemisphere. Ann. Missouri Bot. Gard. 19:179-374. pl.12-124. Ap./S.1932. no.2/3.

Ann. Transvaal Mus. (Pretoria)

Young, R. G. N.

A record of the species of Tephrosia Persoon and Lessertia de Candolle in the Witwatersrand district. Ann. Transvall Mus. 14:397-413. illus., pl.x-xvii. 1932. no.4.

Ann. Rep. Conserv. Dept. N. Y.

Burkholder, P. R.

Plankton studies in some northern New York waters. Ann. Rep. Conserv. Dept. N. Y. 21(Suppl.):222-251. illus. 1932.

Muenscher, W. C.

Acquatic vegetation of the Oswegatchie and Black River watersheds (including the eastern end of Lake Ontario and the upper stretch of the St. Lawrence River). Ann. Rep. Conserv. Dept. N. Y. 21(Suppl.):199-221. illus. 1932.

Ann. Rep. Dept. Agr. Mauritius.

Mauritius. Dept. of agriculture.

[Report of the] botanical division 1930 In its Ann. Rep. 1930:10-13. 1932.

Ann. Rep. East Malling Res. Stat.
Wormald, H. & Harris, R. V.
Notes on certain plant diseases observed in 1931. Ann. Rep. East Malling Res. Stat. 19(1931):47-50. My.1932.

Austral. Journ. Exp. Biol. & Med. Sci. (Adelaide)
Wood, J. G.
The physiology of xerophytism in Australian plants. The carbohydrate metabolism of plants with tomentose succulent leaves. Austral. Jour. Exp. Biol. & Med. Sci. 10:89-95. Je.16,1932. no.2.

Ber. Ohara Inst. Landw. Forsch. (Kuraschiki)
Kondo, M., Okamura, T., Isshiki, S., & Kasahara, Y.
Untersuchungen über "photoperiodismus" der reispflanzen. 1. mitteilung. Ber. Ohra Inst. Landw. Forsch. 5:243-280. pl.xiii-xxi. 1932.

Biol. Zentralbl. (Leipzig)
Brieger, F.
Faktorenanalyse bei sippenbastarden von Aquilegia vulgaris. Biol. Zentralbl. 52:430-436. illus. 1932. no.7.

Biochem. Zeitschr. (Berlin)
Niethammer, A.
Die pollenkeimung und chemische reizwirkungen im zusammenhange mit der mikrochemie des kornes. Biochem. Zeitschr. 249:412-420. Jl.5,1932. no.4/6.

Bot. Jaarb. (Gent)
Langendonck, H. J. van
De vegetatie en oecologie der schorrenplanten van Saaftingen. Een bijdrage tot de studie der halophyten. Bot. Jaarb. v.23. 128 p. illus., (incl. map), pl., tab. 1932.
French summary: p.120-122.

Brooklyn Bot. Gard. Rec.
Berry, E. W.
The story of fossil plants. Brooklyn Bot. Gard. Rec. 21:209-237. illus. Jl.1932. no.4.

Bull. Amer. peony Soc.
Miyazawa, B.
The history and present status of the Chinese Peony in Japan. Bull. Amer. Peony Soc. 31:3-10. illus. Je.1932. no.50.

Bull. Div. Path. Bur. Sugar Exp. Stat. Queensl.

Bell, A. F. & Cottrell-Dormer, W.

The cane-killing weed. Bull. Div. Path. Bur. Sugar Exp. Stat. Queensl. 3:13-24. illus. 1932.

Striga.

Bell, A. F.

Dwarf disease of sugar cane. Bull. Div. Path. Bur. Sugar Exp. Stat. Queensl. 3:3-12. illus. 1932.

Cottrell-Dormer, W.

Red-stripe disease of sugar-cane in Queensland. Bull. Div. Path. Bur. Sugar Exp. Stat. Queensl. 3:25-59. illus., col. pl. 1932.

Disease known as top-rot in Queensland, identical with that known as red-stripe in other countries; another bacterial stripe disease resembles mottled-stripe and is tentatively called Queensland mottled-stripe.

Bull. Inst. Agron. & Stat. Rech. Gembloux.

Journée, C. & Larose, E.

Quelques résultats d'essais sur variétés de froment. Bull. Inst. Agron. & Stat. Rech. Gembloux 1:19-34. F.1932. no.1.

Summaries in Flemish, German & English.

Tests for resistance to cold, fungi &c.

Verplancke, G.

L'examen microbiologique du sol. Bull. Inst. Agron. &Stat. Rech. Gembloux 1:35-45. illus., col. pl. F.1932. no.1.

Summaries in Flemish, German & English.

Bull. Mysore Coffee Exp. Stat. (Bangalore City)

Mayne, W. W.

Seasonal periodicity of coffee leaf disease (Hemileia vastatrix B. & Br.) 2d report. Bull. Mysore Coffee Exp. Stat. no.6. 22 p. 3 diagr. 1931.

Bull. Nat. Mus. Canada.

Malte, M. O.

The so-called Agropyron caninum (L.) Beauv. of North America. Bull. Nat. Mus. Canada 68:27-48. v pl. 1932.

Bull. Sci. Pharm. (Paris)

Mascré, M.

Marc Bridel, 1883-1931. Bull. Sci. Pharm. 39:377-381. Je.1932. no.6.

Bull. Sci. Pharm. (cont.)

Maurin, E.

Influence de l'altitude sur les dérivés anthracéniques chez les plantes qui en contiennent. Bull. Sci. Pharm. 39:351-354. Je.1932. no.6.

Nunès, M. P. & Weitz, R.

Origine, description et valeur pharmacologique d'un aconit nouveau d'Indochine. Bull. Sci. Pharm. 39:372-377. illus. Je.1932. no.6.

A. semigaleatum.

Bull. Soc. Hist. Nat. Afr. Nord. (Alger)

Maire, R.

Deux maladies des tomates en Algérie. Bull. Soc. Hist. Nat. Afr. Nord. 23:119-120. My.1932. no.5.

1. La maladie du "fil". 2. L'érinose des jeunes tomates.

Bull. Soc. Roy. Bot. Belg. (Bruxelles)

Bommer, C.

Auguste Barbey: A travers les forêts de Pinsapo d'Andalousie. Bull. Soc. Roy. Bot. Belg. 64(II,14):112-117. 2 pl. on 1. 1932.

Summary of Barbey's work issued in 1931.

Choisy, M.

La classification des gyrophoracées. Bull. Soc. Roy. Bot. Belg. 64(II,14):119-123. illus. 1932. no.1.

Hauman, L.

Esquisse phytogéographique de l'Argentine subtropicale et de ses relations avec la géobotanique Sud-Américaine. Bull. Soc. Roy. Bot. Belg. 64(II,14):20-64. illus., pl. i-xvi. (incl. map) 1932. no.1.

Haverland, E. A. J.

Antoine Verhulst, 1856-1931. Bull. Soc. Roy. Bot. Belg. 64(II,14):7-8. 1932. no.1.

Martens, P.

Dépouillement cuticulaire et phénomènes osmitiques dans les poils staminaux de Tradescantia. Note préliminaire. Bull. Soc. Roy. Bot. Belg. 64(II,14):108-111. illus. 1932. no.1.

Bull. Soc. Roy. Bot. Belg. (cont.)

Tiberghien, A.

Phytotypie et phytotypes. Notice sommaire, bibliographique et historique sur l'impression des plantes a l'aide des plantes elles-mêmes. Bull. Soc. Roy. Bot. Belg. 64(II,14):81-91. 1932. no.1.

Verhulst, A.

Remarques de phytostatique sur la florule des environs d'Auvelais. Bull. Soc. Roy. Bot. Belg. 64(II,14):124-127. 1932. no.1.

Verplancke, G.

Étude histologique et cytologique des parties aériennes de la pomme de terre atteinte de "spindle tuber". Bull. Soc. Roy. Bot. Belg. 64(II,14):128-176. 3 pl. on 2. 1932. no.1.

Burma For. Bull. (Bot. Ser.)

Parkinson, C. E.

A note on the Burmese species of the genus Dipterocarpus. Burma For. Bull. 27 (Bot. Ser. 4) 35 p. illus. (maps), 18 (i.e. 19) pl. on 15. 1932.

Cactus & Succ. Journ. (Los Angeles)

Frick, G. A.

Euphorbia virosa Willd. Cactus & Succ. Journ. 4:206. Jl.1932. no.1.

Grant, C.

The turk's head in Porto Rico. Cactus & Succ. Journ. 4:207-209. illus. Jl.1932. no.1.

Cactus intortus.

White, A. & Sloane, B. L.

The Stapelieae. 11. Stapelia. The Stapeltonia section. Cactus & Succ. Journ. 4:217-220. illus. Jl.1932. no.1.

Wright, Y.

Utahia sileri in flower. Cactus & Succ. Journ. 4:213-214. illus. Jl.1932. no.1.

Calif. Citrogr. (Los Angeles)

Fawcett, H. S.

New angles on treatment of bark diseases of citrus. Calif. Citrogr. 17:406-408. Jl.8, 1932. no.28.

Psorosis, decorticosis of lemons, brown rot gummosis.

Calif. Citrogr. (cont.)

Johnston, J. C.
Interesting type of winter injury to citrus trees. Calif. Citrogr. 17:402. illus. Ag.1932. no.10.

Shamel, A. D. & Pomeroy, C. S.
Influence of number of leaves on growth of Washington navel orange. Calif. Citrogr. 17:394,396. Ag.1932. no.10.

O Campo (Rio de Janeiro)

Martina, G.
Estudo chimico sobre algumas frutas brasileiras. O Campo 3(5):31. illus. My.1932. no.5.
Mango.

Candollea (Genève)

Aellen, P.
Eine neue Atriplex-art aus Australien. Candollea 4:505-506. O.1931.
A. hochreutineri.

Becherer, A.
Sur les Anemone uralensis DC. et fischeriana DC. Candollea 4:507-510. O.1931.

Briquet, J.
Le Bupleurum junceum L. Candollea 4:285-291. F.1931.

Briquet, J.
Decades plantarum novarum vel minus cognitarum series altera dec. 26-28. Candollea 4:317-352. My.1932.

Favre, J.
Le Ranunculus seguieri Vill. dans le Haut-Jura. Candollea 4:281-283. F.1931.

Hochreutiner, B. P. G.
Le genre Asterochlaena Garcke doit-il être conservé? Candollea 4:313-315. F.1931.
Belongs to Pavonia.

Johnston, I. M.
A new species of Trigonotis from southwestern China. Candollea 4:309-310. F.1931.
T. muriculata.

Keller, R.
Hypericum tauricum. Candollea 4:279. F.1931.

Candollea (cont.)

Macbride, F.
A new Peruvian species of Sorocea. Candollea 4:311. F.1931.
S. briquetii.

Saint-Yves, A.
Contribution a l'étude des Avena sect. Avenastrum (Eurasie et région méditerranéenne) Candollea 4:353-504. illus., pl.iv. Jl.1931.

Saint-Yves, A.
Festuca de la Nouvelle Zélandie (herbier du Professeur Wall) Candollea 4:293-307. illus. F.1931.

Circ. Estac. Exp. Agr. la Molina (Lima)

Abbott, E. V.
Enfermedades de las plantas cultivadas en el Perú. Circ. Estac. Exp. Agr. la Molina no.18. 76 p. illus., 9 col. pl. D.1931.

Citrus Indust. (Tampa, Fla.)

Fudge, B. R.
Further studies on hydrogen-ion concentration in citrus grove soils, Ridge section. Citrus Indust. 13(7):5,20-21,24. Jl.1932.

Compt. Rend. Acad. Agr. France

Ravaz, L.
La lutte contre le mildiou. Compt. Rend. Acad. Agr. France 18:783-785. Je.29,1932. no.23.

Compt. Rend. Acad. Sci. Paris

Joyet-Lavergne, Ph
Sur quelques caractères de sexualisation cytoplasmique chez les algues et les champignons. Compt. Rend. Acad. Sci. Paris 195:73-74. Jl.4, 1932. no.1.

Lecomte, H.
Notice sur Jean Paul Vuillemin. Compt. Rend. Acad. Sci. Paris 195:5-7. Jl.4,1932. no.1.

Rutihauser, Fr
Sur la composition chimique de la petite pervenche (Vinca minor L.) Compt. Rend. Acad. Sci. Paris 195-75-77. Jl.4,1932. no.1.

Compt. Rend. Soc. Biol. Paris

Manceau, R. & Revol, L.

Influence du parisitisme sur la teneur en azote de deux especes d'euphorbes. Compt. Rend. Soc. Biol. Paris 110:849-850. Jl.11, 1932. no.24.

Uromyces pisi on E. cyparissias & E. gerardiana.

Manceau, P.

Reactions du Penicillium glaucum cultivé sur liquide type de Raulin, additionné de doses groissantes de pyrocatechine; métabolisme des sucres. Compt. Rend. Soc. Biol. Paris 110:852. Jl.11, 1932. no.24.

Manceau, P., Revol, L., & Charmillon, R.

Variation du phosphore éthero-soluble au cours de la maturation et de la germination des graines de marron d'Inde. Compt. Rend. Soc. Biol. Paris 110:850-851. Jl.11,1932. no.24.

Contr. Biol. Lab. Sci. Soc. China Bot. Ser.

Teng, S. C.

Observations on the germination of chlamydospores of Tilletia horrida Tak. Contr. Biol. Lab. Sci. Soc. China Bot. Ser. 6:111-115. (incl. pl.) N.15,1932. no.9/10.

Teng, S. C.

A preliminary report on the studies of certain diseases of cotton. Contr. Biol. Lab. Sci. Soc. China Bot. Ser. 6:117-134. N.15,1931. no.9/10.

Cyrtosis - Control of Rhizoctonia damping off.

Contr. Gray Herb. (Boston)

Smith, L. B.

Studies in the Bromeliaceae III. Contr. Gray Herb. 98, 36 p. vi pl. Ap.14,1932.

1. Notes preliminary to a revision of the Bromeliaceae. 2. Provisional key to the genus Guzmania with notes on new or critical species.

Cytologia (Tokyo)

Stout, A. B.

Chromosomes numbers in Hererocallis, with reference to triploidy and secondary polyploidy. Cytologia 3:250-259. Je.1932. no.3.

Tschechow, W. & Kartaschowa, N.

Karyologisch-systematische untersuchung der tribus Loteae and Phaseoleae unterfam. Papilionatae. Cytologia 3:221-249. illus. Je.1932. no.3.

Cytologia (cont.)

Wakayama, K.

Contributions to the cytology of fungi. IV. Chromosome number in autobasidiomycetes. Cytologia 3:260-284. illus. Je.1932. no.3.

Yamaha, G.

Ueber die ionenwirkung auf die chromosomen der pollenmutterzellen on Tradescantia reflexa. I. Cytologia 3:333-336. Je.1932. no.3.

Dansk Bot. Ark. (København)

Christensen, C.

The pteridophyta of Madagascar. Dansk Bot. Ark. v.7. 253 p. 80 pl. 1932.

With contributions of H. Perrier de la Bathie (distribution), A. H. G. Alston (Selaginella) and Johs. Iversen (Isoetes).

Ecology (Brooklyn, N. Y.)

Allard, H. A.

Length of day in relation to the natural and artificial distribution of plants. Ecology 13:221-234. illus. Jl.1932. no.3.

Demaree, D.

Submerging experiments with Taxodium. Ecology 13:258-262. Jl.1932. no.3.

Shapiro, A. A. & DeForest, H.

A comparison of transpiration rates in chaparral. Ecology 13:290-295. Jl.1932. no.3.

Tate, G. H. H.

Life zones at Mount Roraima. Ecology 13:235-257. illus. Jl.1932. no.3.

Whitfield, C. J.

Osmotic concentrations of chaparral, coastal sagebrush, and dune species of southern California. Ecology 13:279-285. illus. Jl.1932. no.3.

Explor. & Field-work Smithson. Inst.

Swallen, J. R.

Collecting grasses in Texas, Louisiana and northeastern Mexico. Explor. & Field-work Smithson. Inst. 1931-87-90, illus. 1932.

Flor. Rev. (Chicago)

Chadwick, L. C.
Arboretums in North America. Flor. Rev. 70(1807):23,64. map. Jl.14,1932. no.1807.

Chadwick, L. C.
Ornamental plant diseases. Flor. Rev. 70(1808):14,63-66. Jl.21,1932. no.1808.

Fruit Grow. **Fruiterer, Flor. & Mark. Gard.** (London)

Moore, M. H.
Some fundamental considerations regarding successful control of apple scab. Fruit Grow, Fruiterer, Flor. & Mark. Gard. 73:591-593. illus. Ap.7,1932. no.1895.
Reprinted in Ann. Rep. East Malling Res. Stat. 19. (1931):73-77. pl. My.1932

Gard. Chron. (London)

Darnell, A. W.
The genus Androsace. (cont.) Gard. Chron. III, 92:47. Jl.16, 1932. no.2377.

Jeffers, R. H.
Gladiolus hybrids. (cont.) Gard. Chron. III, 92:45-46. Jl.16,1932. no.2377.

Johnson, A. T.
Leaf colour in spring. Gard. Chron. III, 92:24-25. Jl.9,1932. no.2376.

Needham, C. W.
Breaking in tulips. Gard. Chron. III, 92:44-45. illus. Jl.16,1932. no.2377.

Taylor, G.
Two new species of Meconopsis from Nepal. Gard. Chron. III, 92:41. Jl.16,1932. no.2377.
M. dhwojii, M. longipetiolata.

Ward, F. K.
Mr. F. Kingdon Ward's eleventh expedition in Asia. VIII. We reach the Seinghku confluence. Gard. Chron. III, 92:42-43. illus. Jl.16, 1932. no.2377.

Gard. Illus. (London)

Dillistone, G.
Lily gardens and garden lilies. I. Gard. Illus. 54:425-426. illus. Jl.16,1932. no.2784.

Guiseppi, P. L.
Some of the Dionysias of Persia. Gard. Illus. 54:412-413. illus. Jl.9,1932.

Gartenw. (Berlin)

Grünhagen, F.
Erfahrungen mit niwelka in der praxis. Gartenw. 36:410. Jl.8,1932. no.28.

Nessel, H.
Emil Miethe. Gartenw. 36:420. port. Jl.8,1932. no.28.

Weissflog, J.
Niwelka zur erhöhung der haltbarketi von schnittblumen. Gartenw. 36:409-410. illus. (p.411) Jl.8,1932. no.28.

Hadar (Jaffa)

Reichert, I. & Hellinger, E.
Further experiments on the control of Diplodia stem-end rot of citrus by pruning and spraying. Hadar 5:142-143. Je.1932. no.6.

Helvetica Chim. Acta (Basel)

Karrer, P. & Morf, R.
Pflanzenfarbstoffe XLI. Tarazanthin aus Tussilago farfara (Huflattich). Helvetica Chin. Acta 15:863-864. 1932. no.4.

Hereditas (Lund)

Clausen, J.
Remarks upon H. G. Bruun's paper on Viola canina L. Hereditas 17:67-70. 1932. no.2.

Dahlgren, K. V. O.
Ueber eine form von Primula officinalis mit pistilloiden staubgefässen and ihre vererbung. Hereditas 17:115-130. illus. 1932. no.1.
English summary: p.127-128.

Gustafsson, Å.
Spontane chromosomenzahlerhöhung in pollenmutterzellen und die damit verbundene geminibildung. Hereditas 17:100-114. illus. 1932. no.1.

Lamprecht, H.
Zur genetik von Phaseolus vulgaris. III. Zweiter beitrag zur vererbung der testafarbe. IV. Studien über genenkoppelung, mit einem fall von erblich bedingtem wechselnden crossoverprozent V. Spaltungsergebnisse nach kreuzung einer weisssamigen mit gefärbtsamigen bohnenlinien. Hereditas 17:1-20,21-53,54-66. illus. 1932. no.1.

Hereditas (cont.)

Nilsson, E.

Erblichkeitsversuche mit Pisum, III-V. III. Ein reproduktionsletaler biotypus und seine spaltungsverhältnisse. IV. Ein fall von monohybrid-petaloidie. V. Eine monohybride spaltung mit drei phänotypen. Hereditas 17:71-99. illus. 1932. no.1.

Hoppe-Seyl. Zeitschr. Phus. Chem. (Berlin)

Klein, G. & Linser, H.

Zur bildung der betaine und der alkaloide in der pflanze. I. Die bildung von stachydrin und trigonellin. Hoppe-Seyl. Zeitschr. Phys. Chem. 209:75-96. Jl.4,1932. no.1/2.

Willstätter, R. & Rohdewald, M.

Ueber den zustand der zuckerspaltenden enzyme in der heferzelle. Hoppe-Zeyl. Zeitschr. Phus. Chem. 209-38-48. Jl.4,1932. no.1/2.

III. Mitt. "Zur freilegung des invertins aus der hefe".

Indische Cult. (Soerbaja)

Zeilinga, A. E.

De belangrijkste zeikten van de djeroek manis- en koprokboomen in de djeroerkcentra von Oost-Java. Indische Cult. 17:263-267. illus. Je.16,1932. no.12.

Phytophthoradisease and scab of citrus.

Jahrb. Wiss. Bot. (Leipzig)

Gradmann, H.

Untersuchungen über die abhängigkeit der transpiration und des welkens von den wasserverhältnissen des bodens. Jahrb. Wiss. Bot. 4:558-663. illus. 1932. no.6.

Jaretzky, R.

Beziehungen zwischen chromosomenzahl und systematik bei den cruciferen. Jahrb. Wiss. Bot. 4:485-527. illus. 1932. no.6.

Went, F. W.

Eine botanische polaritätstheorie. Jahrb. Wiss. Bot. 4:528-557. 1932. no.6.

Journ. Dept. Agr. Victoria (Melbourne)

Hammond, A. A.

Common orchard diseases. Control measures recommended. Journ. Dept. Agr. Victoria 30:261-264. illus. Je.1932. no.6.

Journ. Dept. Agr. Victoria (cont.)

Raw, A. R.

Endosperm characters in wheat. Investigations with Free Gallipoli, 1928-1931. II. Journ. Dept. Agr. Victoria 30:288-300. illus. Je. 1932. no.6.

Winter injury to peach trees. Journ. Dept. Agr. Victoria 30:270-274,278. illus. Je. 1932. no.6.

Report of committee appointed to investigate losses of fruit trees in the Goulburn Valley during the spring of 1931.

Journ. Fac. Sci. Hokkaido Imp. Univ. Ser. V, Bot. (Sapporo)

Yamada, Y.

Notes on some Japanese algae III. Journ. Fac. Sci. Hikkaido Imp. Univ. Ser. V, Bot. 1:109-123. illus., pl.xxi-xxv. F.1932. no.3.

Journ. Gen. Physiol. (Baltimore, Md.)

Hollenberg, G. J.

Some physical and chemical properties of the cell sap of Halicystis ovalis (Lyngb.) Aresch. Journ. Gen. Physiol. 15:651-653. Jl.20,1932. no.6.

Osterhout, W. J. V. & Stanley, W. M.

The accumulation of electrolytes. V. Models showing accumulation and a steady state. Journ. Gen. Physiol. 15:661-689. illus. Jl.20, 1932. no.6.

Stone, F. M. & Coulter, C. B.

Porphyrin compounds derived from bacteria. Journ. Gen. Physiol. 15:629-639. Jl.20,1932. no.15.

Tang, P.-S.

The effects of CO and light on the oxygen consumption and on the production of CO_2 by germination seeds of Lupinus albus. Journ. Gen. Physiol. 15:655-663. Jl.20,1932. no.6.

Journ. Linn. Soc. Bot. (London)

Cockayne, L., Simpson, G. & Thomson, J. S.

Some New Zealand indigenous-induced weeds and indigenous-induced modified and mixed plant-communities. Journ. Linn. Soc. Bot. 49:13-45. pl.3-7. Je.23,1932. no.326.

Journ. Linn. Soc. Bot. (cont.)
Scott, D. H.
On a Scolecopteris (S. oliveri, sp. n.) from the permo-carboniferous of autun. I. The fructification. Journ. Linn. Soc. Bot. 49:1-12. illus., pl.i-ii. Je.23,1932. no.326.

Journ. Min. Agr. Gt. Brit. (London)
Broom rape. Journ. Min. Agr. Gt. Brit. 39:311-312. col.pl. Jl.1932.
See also Adv. Leafl. Min. Agr. & Fisheries Gt. Brit. no. 120.

Journ. Washington Acad. Sci.
Blake, S. F.
New Central American Asteraceae collected by H. H. Bartlett. Journ. Washington Acad. Sci. 22:379-386. illus. Jl.19,1932. no.13.
Harleya gen.nov. H. oxylepis (Oliganthes) Aplopappus bartlettii, Wedelia adhaerens, Melanthera parirceps, Calea fluviatilis, Liabum dimidium, n. spp.

Kranke Pflanze (Dresden)
Landgraf, T.
Eine bedenkliche azaleenseuche. Kranke Pflanze 9:42-43. illus. Ap./My.1932. no.4/5.
Pestalozzia.

Landbouwk. Tijdschr. Maandbl. Nederl. Genootsch. Lanbouwwetensch. (Amsterdam)
Kramer, M.
De bloeiwijze en het bloeien der weidegrassen. II. Festuca ovina L. (Schapengras). Landbouwk. Tijdschr. Maandbl. Nederl. Genootsch. Landouwwetensch. 44:377-391. illus. Je.1932. no.534

Suringar, J. V.
Bepaling van den osmotischen druk of der celsapconcentratie, in verband net het vorstgevaar der planten. Landbouwk. Tijdschr. Maandbl. Nederl. Genootsch. 44:413-419. Je.1932. no.534.

Landbouw Tijdschr. Vereen. Landb. Nederl.-Indië (Buitenzorg)
Nijholt, J. A.
Over vergiftiging door het eten van cassavewortels en daaruit bereide producten. (Concerning poisoning through eating cassava roots and products prepared therefrom). Landbouw Tijdschr. Vereen. Landb. Nederl.-Indië 7:859-871. My. 1932. no.11.
English summary: p.871.

Landw. Jahrb. (Berlin)

Schilberszky, K.

Ueber abnormale knollenbildungen an der kartoffelpflanze. Landw. Jahrb. 75:915-930. illus. 1932. no.6.

Malayan Agr. Journ. (Kuala Lumpur)

Thompson, A.

Mycological notes. Malayan Agr. Journ. 20:307-309. Je.1932. no.6.

Brief notes on diseases of oil palm, tobacco, coffee and tea.

Mem. & Proc. Manchester Lit. & Phil. Soc.

Howarth, W. O. & Chippindale, H. G.

Notes on the biology of Coryne sarcoides Jacq. and C. urnalis Nyl. Mem. & Proc. Manchester Lit. & Phil. Soc. 75:47-60. illus. 1931.

Howarth, W. O. & Chippindale, H. G.

On some fungi occurring on rhododendrons. Mem. & Proc. Manchester Lit. & Phil. Soc. 75:95-104. illus., pl. 1931.

Cause of high death-rate in hybrid rhododendrons is defective grafting, Pestalotia macrotricha and Diplodina eurhododendri proved quite innocuous to healthy tissue.

Mitt. Bot. Mus. Univ. Zürich

Däniker, A. U.

Katalog der pteridophyta und Embryophyta siphonogama. Ergebnisse derreise ... nach Neu-Caledonien und den Loyalty-Inseln (1924/6) 4. Je.1,1932 (Beibl. Vierteljahrsschr. Naturf. Ges. Zürich no.19)

Monatsschr. Deut. Kakteen-Ges. (Berlin)

Bödeker, E.

Echinopsis ritteri Böd. sp. n. Monatsschr. Deut. Kakteen-Ges. 4:141-143. illus. Jl. 1932. no.7.

Gunther, W.

Das cristata-wunder und seine ursachen. Monatsschr. Deut. Kakteen-Ges. 4:147-157. illus. Jl.1932. no.7.

Herre, H.

Eine zweite sammelreise nach Namaqualand. (schluss) Monatsschr. Deut. Kakteen-Ges. 4:139-141. illus. Jl.1932. no.7.

Monatsschr. Deut. Kakteen-Ges. (cont.)

Weingart, W.
Cereus childsii Blanc. Monatsschr. Deut. Kakteen-Ges. 4:144-145. Jl.1932. no.7.

Nat. Hort. Mag. (Washington, D. C.

Andrews, D. M.
Yuccas - dwarf, evergreen and hardy. Nat. Hort. Mag. 11:230-233. illus. Jl.1932. no.3.

Bates, A.
The illusive ivy. II. Nat. Hort. Mag. 11:213-219. illus. Jl.1932. no.3.

Blakeslee, A. F.
Are freesias fragrant? Nat. Hort. Mag. 11:211-212. Jl.1932. no.3.

Henry. M. G.
A few unusual Loniceras. Nat. Hort. Mag. 11:165-166. Jl.1932. no.3.

Huntington, A. F.
Wild crocuses of spring and autumn. Nat. Hort. Mag. 11:220-226. Jl.1932. no.3.

Morrison, B. Y.
Notes on Calochortus. Nat. Hort. Mag. 11:239-242. 15 pl. on 8. Jl.1932. no.3.

Senoir, R. M.
Campanulas for the rock gardens. Nat. Hort. Mag. 11:185-194. 4 pl. on 3. Jl.1932. no.3.

Nature (London.)

Haldane, J. B. S.
Chain reactions in enzymatic catalysis. Nature 130:61. Jl.9,1932. no.3271.

Prof. Roland Thaxter. Nature 139:84-85. Jl.16,1932. no.3272.

Richter, D.
Chain reactions in enzymatic catalysis. Nature 130:97. Jl.16,1932. no.3272.
Refers to J. B. S. Haldane's article of same title in Nature 130:61. Jl.9,1932.

Nature Mag. (Washington, D. C.)

Elliott, C. N.

The Alatamaha secret, lost tree of Georgia swamps still hides after century and a half. Nature Mag. 20:89-90. illus. Ag.1932. no.2.

Franklinia alatamaha.

New Flora & Silva (London)

Adam, R. M.

Ben Lawers. The story of its flowers. New Flora & Silva 4:248-260. 6 pl. on 3. Jl. 1932. no.4.

Anderson, A. W.

Gaya, Plagianthus or Hoheria? New Flora & Silva 4:241-247. 1 pl. Jl.1932. no.4.

Gaya, a South American genus, New Zealand species referred to Hoheria, Plagianthus of little value as garden plant.

Bean, W. J.

Magnolias. I. New Flora & Silva 4:232-240. 2 pl. on 2. Jl.1932. no.4.

Hay, T.

New Meconopsis. New Flora & Silva 4:225-226. 1 pl. Jl.1932. no.4.

M. dhwojii, M. longipetiolata. (Described by G. Taylor in Gard. Chron. III, 92:41. Jl.16,1932)

Lemperg, F.

Gentians of the European Alps. II. Taller-growing perennial species. New Flora & Silva 4:282-286. Jl.1932. no.1.

McFarland, J. H.

Three distinctive American shrubs. New Flora & Silva 4:221-224. 3 pl. on 2. Jl. 1932. no.4.

Hydrangea arborescens grandiflora, H. quercifolia, Gordonia alatamaha.

Phillips, G. A.

A new Thalictrum. New Flora & Silva 4:271-272. Jl.1932. no.4.

Undetermined.

Stern, F. C.

Bearded flag iris. New Flora & Silva 4:227-231. Jl.1932. no.4.

Phytopath.

Ark, P. A.
The behavior of Bacillus amylovorus in soil. Phytopath. 22:657-660. illus. Jl.1932. no.7.

Flor, H. H.
The effect of delayed planting on the control of bunt by copper carbonate dust. Phytopath. 22.651-655. Jl.1932. no.7.

Flor, H. H.
The production of bunt chlamydospores in the vegetative tissue of the wheat plant. Phytopath. 22:661-664. Jl.1932. no.7.

Jaynes, H. A.
Pineapple disease (Thielaviopsis ethaceticus) on sugar cane at Tucumán, Argentina. Phytopath. 22:667-668. Jl.1932. no.7.

Kraybill, H.R., Brewer, P. H., Sampson, R.W. & Gardner, M.W.
A noninfectious leaf-deforming principle from mosaic tomato plants. Phytopath. 22:629-636. illus. Jl.1932. no.7.

Mackie, W. W.
A hitherto unreported disease of maize and beans. Phytopath. 22:637-644. illus. Jl.1932. no.7.
Rhizoctonia bataticola.

Smith, W. K.
The effect of different temperatures on the reaction of Hope wheat to bunt. Phytopath. 22:615-627. Jl.1932. no.7.

Streeter, L.R., Mader, E.O. & Kokoski, F. J.
The adherence of copper dusts to foliage. Phytopath. 22:645-650. Jl.1932. no.7.

Zeller, S. M.
Armillaria crown rot of strawberry. Phytopath. 22:665-666. illus. Jl.1932. no.7.
A.mellea.

Phytopath. Zeitschr. (Berlin)

Gassner, G.
Ueber verschiebungen der rostresistenz während der entwicklung der getreidepflanzen. Phytopath. Zeitschr. 4:549-596. 1932. no.6.

Phytopath. Zeitschr. (cont.)

Nahmmacher, J.
Beitrag zur immunitätszüchtung der gerste gegen Ustilago nuda forma spec. hordei. Phytopath. Zeitschr. 4:597-630. 1932. no.6.

Naumov, N.
Professor von Jaczewski. Phytopath. Zeitschr. 4:545-548. port. 1932. no.5.

Reitsma, J.
Studien über Armillaria mellea (Vahl) Quél. Phytopath. Zeitschr. 4:461-522. illus. 1932. no.5.

Stahel, G.
Zur kenntnis der siebröhrenkrankheit (phloëmnekrose) des kaffeebaumes in Surinam. II. Phytopath. Zeitschr. 4:539-544. illus. 1932. no.5.

Stein, E.
Über den durch radiumbestrahlung von embryonen erzeugten erblichen krankheitskomplex der phytocarcinome von Antirrhinum majus. Phytopath. Zeitschr. 4:523-538. illus. 1932. no.5.

Tornow, E.
Ein wirkung und nachweis des quecksilbers bei der beizung des saatguts. Phytopath. Zeitschr. 4:631-637. 1932. no.6.

Prakt. Ratg. Obst.-u. Gartenb. (Frankfurt a.d.O.)

Küster, O.
Das sachgemässe anlegen der ertragsbeete für champignons. Prakt. Ratg. Obst.-u. Gartenb. 47:313-315. illus. Jl.3,1932. no.27.

Proc. Nat. Acad. Sci.

Rhoades, M. M.
The genetic demonstration of double strand crossing-over in Zea mays. Proc. Nat. Acad. Sci. 18:481-484. Jl.1932. no.7.

Progr. Agr. & Vitic. (Montpellier)

Ravaz, L.
Mildiou, rot gris, rot brun. Progr. Agr. & Vitic. 49:29-31. col.pl. Jl.10,1932. no.28.

Rep. Comm. Exp. Stat. Hawaiian Sugar Plant. Assoc.
Martin, J. P.
Pathology. Rep. Comm. Exp. Stat. Hawaiian Sugar Plant. Assoc. 1930/31:45-58. 2 pl. 1931.

Rev. Chim. Industr.
Gloess, P.
Les plantes marines et leurs utilisations. Rev. Chim. Industr. 41:162-165. Je.1932. no.486.

Rev. de Tabacos Madrid.
Heterodera radicicola. Rev. de Tabacos Madrid 1932(15):11-12. illus. Je.1932.

Rev. Zool. et Bot. Afr.
Baker, E. G.
New Leguminosae from the Belgian Congo. Rev. Zool. et Bot. Afr. 21:297-305. My.15, 1932. no.4.

Beeli, M.
Note sur un champignon des termitières. Rev. Zool. et Bot. Afr. 21:327-328. illus. My.15,1932. no.4.
Mycena termitum, sp. nov.

Staner, P.
Contribution à l'étude de la flore du Congo. Rev. Zool. et Bot. Afr. 21:329-330. My.15, 1932. no.4.

Rhodesia Agr. Journ. (Salisbury)
Hopkins, J. C. F.
A list of plant diseases occurring in Southern Rhodesia, suppl. 2 (June 1931 to May 1932) Rhodesia Agr. Journ. 29:462-467. Je.1932. no.6.

Science
Dr. Mitsutaro Shirai. Science 76:48. Jl.15,1932. no.1959.
Notice of death.

McMurtrey, J. E. jr.
Effect of thallium on growth of tobacco plants. Science 76:86. Jl.22,1932. no.1960.

Taubenhaus, J. J. & Ezekiel, W. N.
Seed transmission of cotton wilt. Science 76:61-62. Jl.15,1932. no.1959.

Sci. Rep. Tohoku Imp. Univ., 4. Ser. (Biol.) (Sendai)
Hiramatsu, K.
On the daily progress of carbon assimilation in the shadow and natural conditions. Sci. Rep. Tohoku Imp. Univ. 4. ser. (Biol.) 7:239-257. My.1932. no.2.

Yoshii, Y. & Jimbo, T.
Mikrochemischer nachweis von aluminium und sein vorkommen im pflanzenreich. Sci. Rep. Tohoku Imp. Univ. 4. ser., (Biol.) 7:67-77. Mr.1932. no.1.

Scient. Agr. (Ottawa)
Strong, W. J.
Parthenocarpy in the cucumber. Scient. Agr. 12:665-669. illus. Jl.1932. no.11.

So. Afr. Fruit Grow. (Cape Town)
Blatt, R. J.
Fruits of the guava family. So. Afr. Fruit Grow. 19:149. Je.1932. no.6.

Svenska Linné-Sällsk. Arsskr.
Fries, R. E.
Oscar Juel, nagra minnesord. Svenska Linné-Sällsk. Arsskr. 15:90-94. port. 1932.
Brief English summary: p.143-144.

Sernander, R.
Th. M. Fries, 1832-1932. Svenska Linné-Sällsk. Arsskr. 15:1-6. port. 1932.
Brief English summary: p.142.

Tea Quart. Tea Res. Inst. Ceylon.
Tubbs, F. R.
The germination of tea seed. Tea Quart. Tea Res. Inst. Ceylon 5:66-68. 2 pl. (diagrs.) My.1932. no.2.

Torreya
Cockerell, T. D. A.
What is a species? Torreya 32:95-96. Jl./Ag.1932. no.4.

Edwards, J. L.
Wolfiella floridana in northern New Jersey. Torreya 32:100. Jl./Ag.1932. no.4.

Skutch, A. F.
Observations on the flower behavior of the avocado in Panama. Torreya 32:85-94. illus. Jl./Ag.1932. no.4.

Torreya (cont.)
Torrey, R. H.
The Corema conradii station on Shawangunk Mountain. Torreya 32:97-100. illus. Jl./Ag.1932. no.4.

Trans. Highl. & Agr. Soc. Scotl.
Hendrick, J.
The prevention of finger-and-toe in turnips. Liming and a disease-resistant variety. Trans. Highl. & Agr. Soc. Scotl. V, 44:52-63. 1932.
Variety, Bruce.

U. S. Dept. Commerce Trade Prom. Ser.
Concannon, C. C.
Tung oil. U. S. Dept. Commerce Trade Prom. Ser. 113. 106 p. illus. 1932.

Veröffentl. Geobot. Inst. Rübel, Zurich
Braun-Blanquet, J. & Rübel, E.
Flora von Graubünfen lfg. 1. Veröffentl. Geobot. Inst. Rübel Zürich no. 7. 382 p. map. 1932.

Vict. Nat. (Melbourne)
McLennan, E.
Notes on Australian coral fungi - Clavaria L. spp. Vict. Nat. 49:28-34. col. pl. ii. Je.1932. no.2.

Nicholls, W. H.
Our rarer orchids. 5. Caladenia pumila Rogers. Vict. Nat. 49:50-52. illus. Je.1932. no.2.

Sainsbury, G. O. K.
The study of Australian mosses. (cont.) Vict. Nat. 49:46-49. Je.1932. no.2.

Zeitschr. Gesamte Getreide- u. Mühlenw. (Berlin)
Grüss, J.
Subfossile weizenstärke. Zeitschr. Gesamte Getreide- u. Mühlenw. 19:126-129. illus. Je.1932. no.6.

Zeitschr. Pilzk. (Leipzig)
Killermann, S.
5 L. Quélet (1832-1899). Zeitschr. Pilzk. 16(n.s.11):19-23. Je.1932. no.2.

Krause, E. H. L.
Was ist Agaricus mappa Batsch? Zeitschr. Pilzk. 16(n.s.11):39-40. Je.1932. no.2.

Zeitschr. Pilzk. (cont.)
Neuhoff, W.
Vergiftungen durch den ritterpilz Tricholoma robustum A. und Schw. Zeitschr. Pilzk. 16(n.s.11):23-26. Je.1932. no.2.

Passecker, F.
Tintenchampignon und karbolchampignon. Zeitschr. Pilzk. 16(n.s.11):36-39. Je.1932.
Psalliota.

Zeitschr. Zellforsch. & Mikrosk. Anat. (Berlin)
Christoff, M. & Gentscheff, G.
Untersuchungen über das verhalten des nukleolus während der kernteilung. Zeitschr. Zellforsch. & Mikrosk. Anat. 15:540-546. illus., pl.iv-v. Je.23,1932. no.3.

Zentralbl. Bakt. Abt. II (Jena)
Steinberg, R. A.
Iron, zink and Aspergillus. A reply to H. Bortels. Zentralbl. Bakt. Abt. II, 96:139-142. Je.22,1932. no.5/7.

Szilvinyi, A.
Trichoderma nunbergii n. sp. Zentralbl. Bakt. Abt. II, 86:135-139. illus. Je.22, 1932. no.5/7.

Exper. Stat. Publ.
Nelson, M. & Ware, J. O.
The relation of nitrogen, phosphorus, and potassium to the fruiting of cotton. Arkansas Agr. Exp. Stat. Bull. 273. 75 p. Je.1932.

Florida agricultural experiment station
Plant pathology In its Ann. Rep. 45(1930/31): 105-123. [1932]

Koehler, B. & Jones, F. R.
Alfalfa wilt as influenced by soil temperature and soil moisture. Illinois Agr. Exp. Stat. Bull. 378. 79 p. illus., 2 pl. on 1. Je.1932.

Burkholder, C. L.
Dusting vs. spraying of apples 1927-1931. Indiana Agr. Exp. Stat. Bull. 356. 28 p. D.1931(Recd Jl.23,1932)

Exper. Stat. Publ. (cont.)

Miles, L. E.
Control of basal-rot of Narcissus. Mississippi Agr. Exp. Stat. Techn. Bull. 19. 12 p. illus. F.1932.

Werner, H. O.
Tuber development in Triumph potatoes as influenced by time of planting on dry land in northwestern Nebraska. Nebraska Agr. Exp. Stat. Res. Bull. 61. 46 p. diagrs. My.1932(Rec'd Jl.)

Blake, M. A.
Report of the Dept. of horticulture 1930/31. Ann. Rep. N. J. Agr. Exp. Stat. 52:255-305. [1932]

Martin, W. H.
Report of the Dept. of plant pathology 1930/31. Ann. Rep. N. J. Agr. Exp. Stat. 52:307-316. [1932]
Consists of "Diseases in 1930 arranged by their hosts." For summary of work see p. 47-52.

New Jersey agricultural experiment station - Dept. of plant pathology.
Fire blight of ornamentals. Its Nursery Dis. Notes v.5, no.1. 3 p. Jl.1932.

Tilford, P. E.
Calla lily root rot and its control. Ohio Agr. Exp. Stat. Bimonth. Bull. 157:138-145. illus. Jl./Ag.1932.
Phytophthora richardia.

Puhr, L. F. & Hume, A. N.
Variations in amounts of carbohydrates in the leaves of corn. South Dakota Agr. Exp. Stat. Bull. 270. 33 p. Mr.1932(Recd Jl.22)

State Publications.

Pridham, A. M.
The gladiolus; its history, classification and culture. Cornell Ext. Bull. 231. 65 p. illus. Ap.1932(Rec'd Jl.)

New Books

Algemeen landbbouw syndicaat
Handboek voor de koffiecultuur. v. 1. De ziekten van de koffie door Dr. W. Bally. Amsterdam, J. H. De Bussy, 1931.

New Books (cont.)

Arnaud, G. & M.
Traité de pathologie végétale. v.1, pt. 1 & 2 and atlas. Paris, P. Lechevalier, 1931 (Encyclopédie mycologique t. 3-5)

Chalk, L.
Some East African Coniferae and Leguminosae By L. Chalk, J. Burtt Davy and H. E. Desch. Oxford, Clarendon press, 1932. (Forest trees and timbers of the British Empire, Ed. by L. Chalk and J. Burtt Davy. I.)

Chermezon, H.
Cyperaceae. Tananarive, G. Pitot & Cie., F.1931. (Catalogue des plantes de Madagascar publié par l'Académie malgache [v.2])

Cunningham, G. H.
The rust fungi of New Zealand, together with the biology, cytology and therapeutics of the Uredinales. Dunedin, N. Z., J. McIndoe, 1931.

Esmarch, F.
Die blattrollkrankheit der kartoffel. Berlin, J. Springer, 1932(Monographien zum pflanzenschutz hrsg. von Progessor Dr. H. Morstatt, 8)

Gistl, R. & N. & Arnold, fr. v.
Handelspflanzen Deutschlands, Oesterreichs und der Schweiz. Stuttgart, F. Enke, 1932.

Goldsmith, G. W. & Hafenrichter, A. L.
Anthokinetics. The physiology and ecology of floral movements. Washington, D. C. Mr.1932 (Carnegie institution of Washington. Publ. no.420)

Gt. Brit. Ministry of agriculture and fisheries.
Collected leaflets on fungus diseases of fruit trees. 6th ed. London, 1932.

Griggs, R. F.
A key to the families of flowering plants, wild or cultivated, in the northeastern United States. 2d. ed. Washington, D. C., 1932.

Hopkins, J. C. F.
Diseases of tobacco in Southern Rhodesia with special reference to the flue-cured Virginian varieties. [Salisbury], 1931.

Published under the authority of the Minister of agriculture and lands, Southern Rhodesia.

New Books. (cont.)

Hultén, E.
Süd-Kamtschatka. In Karsten, G. Vegetationsbilder. r. 23, heft 1/2. pl.1-12. 1932.

Perrier de la Bathie, H.
Orchidaceae d'après R. Schlechter. Tannanarive, G. Pitot & Cie., O. 1930. (Catalogue des plantes de Madagascar publié par l'Académie malgache [v.1])

Post, T. B.
Diseases of geraniums (Pelargonium spp.) Washington, D. C., Je.1932. (Mimeographed)
From Div. Hort. Crops & Dis., Bur. Plant Ind., U. S. Dept. Agr.
Bacterial spots, Botrytis spot, Cercospora spot, Dropsy, Pythium (black leg)

Sempio, C.
Sulla interpretazione del meccanismo intimo de azione dello solfo come anticrittogamico. Roma, 1932. (Mem. R. Accademia d'Italia Cl. Sci. Fis., Mat. e Nat. v.3, Biol. n.2)

Strey, W.
Entwicklungsgeschichte der prothallien von Equisetum limosum Willd. und Equisetum variegatum Schleich. Marburg, 1931.
Inaug.-diss. Univ. Marburg.

Toni, G. de
Bibliographia algologica universalis ... Fori Livii, typis Valbonesianis, 1931. v.1.

Villamiquel y Hardin, F.
Fifty common herbs and their medicinal uses. Leicester, The Minerva Co., 1931.
At head of title: Health from the garden & hedgerow.

Wulff, E. V.
Vvedenie v istoricheskui͡u geografiiu rasteniĭ (Introduction to the historical geography of plants) Leningrad, 1932. (Prilozh. 52, Trudy Prikl. Bot., Gen. i Selak. (Suppl. 52 Bull. Appl. Bot., Gen. & Plant-Breed.)
Russian with English summary.

Reprints from journals not yet rec'd or not available.

David, J. J.

Notes on parasitic fungi in Wisconsin XIX. Reprinted from Trans. Wisc. Acad. Sci. 27:183-192. - 1932.

Corrections.

V.14, no.13, p.2-3

Bot. Gaz. vol. should be 93.

V.13, no.23, p.29-30.

Rhodora vol. should be 33.

BOTANY

CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D.

LIBRAR
RECEIVED
★ AUG 9 1932

Vol.14, no.16. August 1-13, 1932.

Acta Phytochim. (Tokyo)

Hattori, S.
Beiträge zur spektrographie der flavone. V. Ueber die beziehungen zwischen lichtabsorption und hydroxylsubstitution bei den flavonderivaten. Acta Phytochim. 6:131-154. illus. Ap.1932. no.1.

Hattori, S.
Ueber 5.7.8-trioxyflavon. Erwiderung auf die bemerkung von M. Nierenstein. Acta Phytochim. 6:177-178. Ap.1932. no.1.

Miwa, T.
Ueber baicalinase, ein flavonglucuronide spaltendes enzym. I- Acta Phytochim. 6:155-171. Ap.1932. no.1.

Nierenstein, M.
Ueber oxy-chrysin (5.7.8- trioxy-flavon) bzw. nor-wogonin. Acta Phytochim. 6:173-175. Ap.1932. no.1.

Tamiya, H.
Ueber die verwendbarkeit von verschiedenen kohlenstoffverbindungen in bau- und betriebsstoffwechsel der schimmelpilze. Studien über die stoffwechselphysiologie von Aspergillus oryzae. IV. Acta Phytochim. 6:1-129. illus. Ap.1932. no.1.

Agr. Puertorriqueno (San Juan)

Nolla, J. A. B.
Las enfermedades del tabaco en Puerto Rico. Agr. Puertorriqueno 12(13):7-8,13-16. illus. Jl.15,1932. no.13.

Amer. Journ. Bot.

Bergman, H. F.

Intracarpellary fruits and other central proliferations of the floral axis in Hibiscus. Amer. Journ. Bot. 19:600-603. illus. Jl. 1932. no.7.

Buchholz, J. T. & Blakeslee, A. F.

Pollen-tube growth in primary and secondary 2n + 1 Daturas. Amer. Journ. Bot. 19:604-626. illus. Jl.1932. no.7.

Couch, J. N.

The development of the sexual organs in Leptolegnia caudata. Amer. Journ. Bot. 19:584-599. pl.xlii-xliv. Jl.1932. no.7.

Evans, A. W.

A new Plagiochasma from Texas. Amer. Journ. Bot. 19:627-631. illus. Jl.1932. no.7.

Plagiochasma cuneatum.

Ferguson, M. C. & Coolidge, E. B.

A cytological and genetical study of petunia. IV. Pollen grains and the method of studying them. Amer. Journ. Bot. 19:644-658. pl.xlv. Jl. 1932. no.7.

Hutchings, S. S.

Light in relation to the seed germination of Mimulus ringens L. Amer. Journ. Bot. 19:632-643. illus. Jl.1932. no.7.

Lepeschkin, W. W.

The influence of narcotics, mechanical agents, and light upon the permeability of protoplasm. Amer. Journ. Bot. 19:568-580. Jl.1932. no.7.

Lepeschkin, W. W.

Influence of visible and ultraviolet rays on the stability of protoplasm. Amer. Journ. Bot. 19:547-558. Jl.1932. no.7.

Porges, N.

Citric acid production by Aspergillus niger. Amer. Journ. Bot. 19:559-567. Jl.1932. no.7.

Swallen, J. R.

Peniculus, a new grass genus from British Honduras. Amer. Journ. Bot. 19:581-583. illus. Jl.1932. no.7.

P. angustifolius.

Amer. Potato Journ.
Fernow, K. H. & Black, L. M.
Yellow dwarf in New York State. Amer. Potato Journ. 9:116-117. Jl.1932. no.7.

Stevenson, F. J. & Milstead, E. H.
Potato breeding technique. Amer. Potato Journ. 9:111-116. Jl.1932. no.7.

Ann. Géorgr. (Paris)
Dubois, G.
Les modifications postglaciaires de la silve européene, d'après les résultats des analyses polliniques des tourbes. Ann. Géogr. 41:339-350. illus. Jl.15,1932. no.232.

Ann. Rep. Dept. Agr. Jamaica.
Sutherland, J. B.
Plant diseases in Kamaica in 1931. Ann. Rep. Dept. Agr. Jamaica 1932:17-21.

Arch. Pflanzenb. (Wiss. Arch. Landw. Abt. A) (Berlin)
Fehér, D. & Kiszelcy, Z.
Untersuchungen über die zeitlichen änderungen der bodenacidität. Arch. Pflanzenb. (Wiss. Arch. Landw. Abt. A) 9:172-196. illus. Je.17,1932. no.1.

Schoene, G.
Die kohldistel (Cirsium oleraceum) und ihre bekämpfung. Arch. Pflanzenb. (Wiss. Arch. Landw. Abt. A) 9:55-103. illus. Je.17,1932. no.1.

Arch. Rubbercult. Nederl.-Indië (Batavia, Java)
Frey-Wyssling, A.
Onderzoekingen over de verdunningsreactie en de beweging der latex tijdens het tappen van Hevea brasiliensis. (Investigations on the dilution reaction and the movement of the latex of Hevea brasiliensis during tapping.) Arch. Rubbercult. Nederl.-Ind. 16:241-327. illus. My./Je. 1932. no.3.
English translation: p.285-327.

Ramaer, H.
De kieming van Hevea-stuifmeel. (The germination of Hevea pollen.) Arch. Rubbercult.Nederl.-Ind. 16:328-348. illus. My./Je.1932. no.3.
English summary: p.347-348.

Bartonia (Philadelphia)

Fogg, J. M. Jr.

Notes on a few introduced species in the Philadelphia local area. Bartonia 13:48-49. F.13, 1932.

Artemisia biennis, Coronopus didymus, Cardamine pratensis.

Pennell, F. W.

"Polygala verticillata" in eastern North America. Bartonia 13:7-17. illus., pl.2-3. F.13,1932.

Richards, H. G.

Notes on the marine algae of New Jersey. Bartonia 13:38-46. F.13,1932.

Richards, H. G.

The subway tree - a record of a Pleistocene cypress swamp in Philadelphia. Bartonia 13:1-6. pl.1. F.13,1932.

True, R. H.

Kyllinga pumila in Philadelphia. Bartonia 13:47. F.13,1932.

Wherry, E. T.

The eastern long-styled phloxes, I- Bartonia 13:18-37. illus., pl.4-7. F.13, 1932.

Beih. Bot. Centralb. Abt. II (Dresden)

Keller, P.

Der postglaziale eichenmischwald in der Schweiz und den nachbargebieten. Beih. Bot. Centralbl. Abt. II, 49:176-204. illus. Je. 1932. no.1.

Klika, J.

Der Seslerion coeruleae-verband in den Westkarpathen. (Eine vergleichende soziologische studie.) Beih. Bot. Centralbl. Abt. II, 49:133-175. illus., pl.iv-v. Je.1932. no.1.

Rechinger, K. H.

Vorarbeiten zu einer monographie der gattung Rumex. Beih. Bot. Centralbl. Abt. II, 49:1-132. illus., pl.i-iii. Je.1932. no.1.

Beih. Bot. Centralbl. Abt. II (cont.)

Singer, R.
Monographie der gattung Russula. Beih. Bot. Centralbl. Abt. II, 49:205-380. Je.1932. no.1.

Beih. Bot. Centralbl. Ergänzungsbd.

Bavendamm, W.
Oekologische fragen in der mikrobiologie. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:1-6. 1932.

Braun-Blanquet, J.
Zur kenntnis nordschweizerischer waldgesellschaften. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:7-42. 1932.

Brockmann-Jerosch, H. & Brockmann-Jerosch, M.
Pflanzengeographische eindrücke von der Hebrideninsel Lewis. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:43-54. 1932.

Diels, L.
Circaester eine hochgradig reduzierte Ranunculaceae. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:55-60. illus. 1932.

Du Rietz, G. E.
Zur vegetationsökologie der ostschwedischen küstenfelsen. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:61-112. pl.i-iii. 1932.

Gessner, F.
Die entstehung und vernichtung von pflanzengesellschaften an vogelnistplätzen. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:113-128. illus. 1932.

Haase-Bessell, G.
Digitalis-studien IV. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:129-159. illus., pl.iv. 1932.

Beih. Bot. Centralbl. Ergänzungsb. (cont.)

Leick, E.
Zur methodik der relativen taumessung. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:160-189. illus. 1932.

Lüdi, W.
Die waldeschichte der Grimsel. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:190-226. illus. 1932.

Markgraf, F.
Aus de Bredower forst. Okologie ihrer landschafts typischen pflanzengesellschaften. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:227-240. illus. 1932.

Mattick, F.
Bodenreaktion und flechtenverbreitung. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:241-271. 1932.

Meyer, F. J.
Anatomie und systematische stellung der Burnatia enneandra Micheli. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:272-291. illus. 1932.

Münch, E.
Ueber standortsrassen der waldbäume. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:292-308. illus. 1932.

Naumann, A.
Zur ökologie der bewurzelung pontischer stauden. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:309-358. illus. 1932.

Nordhagen, R.
Ueber die einrollung der fruchtstiele bei der gattung Cyclamen und ihre biologische bedeutung. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:359-395. illus. 1932.

Rubner, K.
Das ursprüngliche areal der fichte in Europa. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:396-407. fold. map. 1932.

Salibury, E. J.
The interrelations of soil, climate and organism, and the use of stomatal frequency as an integrating index of the water relations of the plant. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:408-420. 1932.

Beih. Bot. Centralbl. Ergänzungsbd. (cont.)

Schade, A.

Die verbreitung von Racodium rupestre Pers. und Coenogonium nigrum (Huds.) Zahlbr. in Sachsen nebst einigen biologischen bemerkungen. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:421-437. illus. 1932.

Schratz, E.

Ueber die bedeutung pflanzlicher temperaturmessungen bei transpirationsuntersuchungen am standort. In Festschrift Oscar Drude. Beih. Bot. Centralbl. Ergänzungsbd. 49:438-455. diagrs. 1932.

Simon, J.

Die kultur niederer organismen auf erde. Ergebnisse bodenbakteriologischer untersuchungen und ihre wertung. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:456-468. pl.v. 1932.

Söding, H.

Hormone und pflanzenwachstum. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:469-481. 1932.

Tobler, F.

Hochverehrter Herr Drude, Lieber kollege und freund. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:iii-v. port. 1932.

Tobler, F.

Vermehrungsweise und verbreitung bei Cladonia. In Festschrift Oscar Drude Beih. Bot. Centralbl. Erganzungsbd. 49:482-494. illus., pl.vi-vii. 1932.

Walter, H.

Die wasserverhältnisse an verschiedenen standorten in humiden und ariden gebieten. In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:495-514. illus. 1932.

Wangerin, W.

Florenelemente und arealtypen (Beiträge zur arealgeographie der detuschen flora). In Festschrift Oscar Drude Beih. Bot. Centralbl. Ergänzungsbd. 49:515-566. 1932.

Biochem. Zeitschr. (Berlin)

Boysen-Jensen, P.

Ueber die bildung und biologische bedeutung des wachstumsregulators bei Aspergillus niger. Biochem. Zeitschr. 250:270-280. Jl.19,1932. no.1/6.

Chrzaszez, T., Tiukow, D. & Zakomorny, M.

Ueber die biochemische umwandlung des äthylalkohols in citronensäure durch schimmelpilze. Biochem. Zeitschr. 250:254-269. Jl.19,1932. no.1/6.

Franken, H.

Ueber den zusammenhang zwischen den natürlichen uronsäuren, pentosen und pentosanen. Biochem. Zeitschr. 250:53-60. Jl.19,1932. no.1/6.

Iwanoff, N. N.

Ueber die veränderlichkeit der chemischen zusammensetzung der pflanzen. Biochem. Zeitschr. 250:430-447. Jl.19,1932. no.1/6.

Klein, G. & Linser, H.

Cholinstoffwechsel bei pflanzen. I. Biochem. Zeitschr. 250:220-253. Jl.19,1932. no.1/6.

Biol. Rev. & Biol. Proc. Cambridge Phil. Soc.

Evans, H.

The physiology of succulent plants. Biol. Rev. & Biol. Proc. Cambridge Phil. Soc. 7:181-211. Jl.1932. no.3.

Bol. R. Soc. Espan. Hist. Nat. (Madrid)

Nuamuno, L. M.

Notas micológicas. II. Adiciones a los Hifales de la flora espanola. Bol. R. Soc. Espan. Hist. Nat. 32:161-169. illus. Ap.30, 1932. no.3.

Bot. Tidsskr, (København)

Petersen, J. B.

The algal vegetation of Hammer Bakker. Bot. Tidsskr. 42:1-44. illus. 1932. no.1.

Raunkiaer, C.

Lidt om Leontodon autumnalis. Bot. Tidsskr. 42:59-69. 1932. no.1.

Wanscher, J. H.

Studies on the chromosome numbers of the Umbelliferae. (A second preliminary report.) Bot. Tidsskr. 42:49-58. illus. 1932. no.1.

Bulet. Grad. Bot. Univ. Cluj (Roumania)

Borza, A. & Nyárády, E. J.

Plante noui sau rare pentru flora Romaniei. (Neue oder seltene pflanzen der rumänischen flora). Bulet. Grad. Bot. Univ. Cluj 11:66-68. 1932. no.3/4.

Brief German summary: p.68.

Grintzesco, J.

John Briquet. (1870-1931). Bulet. Grad. Bot. Univ. Cluj 11:93-96. 1932. no.3/4.

French summary: p.95-96.

Issler, E.

Chenopodien und Thymi aus Rumänien. Bulet. Grad. Bot. Univ. Cluj 11:65. 1932. no.3/4.

Nyárády, E. J.

Adnotatiuni la flora Romaniei. VII. Glossen zur flora Rumäniens. Bulet. Grad. Bot. Univ. Cluj 11:97-98. 1932. no.3/4.

Nyárády, E. J.

Les formes vraies et fausses de l'espèce Alyssum alpestre L. Bulet. Grad. Bot. Univ. Cluj 11:69-78. illus. 1932. no.3/4.

Podpera, J.

Ad Bryophyta Romaniae, cognoscenda communicatio. Bulet. Grad. Bot. Univ. Cluj 11:53-54. illus. 1932. no.3/4.

Pop, E.

Vitis silvestris Gmel. in Romania. Comunicare preliminara. (Vitis silvestris Gmel. in Rumänien. Vorläufige mitteilung.) Bulet. Grad. Bot. Univ. Cluj 11:78-93. fold. map. 1932. no.3/4.

German summary: p.88-91.

Bull. Amer. Iris Soc.

Reed, G. M. & Matsuki, B.

Translation of the explanatory text of Doctor Manabu Miyoshi's illustrated album of Hana-Shöbu. Bull. Amer. Iris Soc. no.44:3-29. illus., port. Jl.1932.

Bull. Assoc. Chim. Sucrerie & Distill. France & Colon. (Paris)

Colin, H. & Chaudun, A.

La floculation des jus végétaux en milieu alcalin. Bull. Assoc. Chim. Sucrerie & Distill. France & Colon. 49:172-179. My.1932. no.5.

Bull. Nat. Mus. Canada

Rousseau, J.
Études floristiques sur la région de Matapédia (Québec). Bull. Nat. Mus. Canada 66:1-25. illus., pl.i. 1931.

Rousseau, J.
Notes sur la flore de la région de Saint-Urbain, comté de Charleboix (Québec). Bull. Nat. Mus. Canada 66:26-30. illus.(maps), pl.ii. 1931.

Bull. N. Y. State Coll. For. Syracuse.

Hirt, R.R.
On the biology of Trametes suaveolens (L.) Fries. Bull. N. Y. State Coll. For. Syracuse v.5, no.1c 36 p. 7 pl. on 4. My.1932.

Bull. Peking Nat. Hist.

Jones, L. R.
Diseases in plants and its control. Bull. Peking Nat. Hist. 6:83-84. Mr.1932. no.3.
Abstract of lecture given before the Peking Society of Natural History, Oct.9, 1931.

Bull. Soc. Bot. France (Paris)

Burollet, P. A.
Nouvelles recherches sur la flore et la végétation de la Tunisie. Bull. Soc. Bot. France 79:183-184. Jl.2,1932. no.3/4.

Cugnac, A. de
Quelques données sur le contingent glucidique soluble des grains de blé. Bull. Soc. Bot. France 79:231-236. Jl.2,1932. no.3/4.

Gagnepain, F.
Orchidacées nouvelles d'Indo-Chine. Bull. Soc. Bot. France 79:162-168. Jl.2,1932. no.3/4.

Gavaudan, P. & Varitchak, B.
L'évolution du vacuome et le glycogène chez Asoidea rubescens. Bull. Soc. Bot. France 79:177-182. pl.v. Jl.2,1932. no.3/4.

Guillaumin, A.
Espèces et localités nouvelles de Symplocos d'Indo-Chine. Bull. Soc. Bot. France 79:169-177. Jl.2,1932. no.3/4.

Bull. Soc. Bot. France (cont.)

Guillaumin, A.

Matériaux pour la flore de la Nouvelle-Calédonie. XXVIII. Papavéracées. Bull. Soc. Bot. France 79:225-226. Jl.2,1932. no.3/4.

Issler, E.

Nomenclature et origine du Groseiller rouge. Bull. Soc. Bot. France 79:241-245. illus. Jl.2,1932. no.3/4.

Killian, C.

Recherches écologiques sur les fluctuations saisonnières de la transpiration chez les végétaux du climat méditerranén. (concl.) Bull. Soc. Bot. France 79:185-220. Jl.2,1932. no.3/4.

Pellegrin, F.

Les "bois d'or" d'Afrique occidentale. Bull. Soc. Bot. France 79:221-225. Jl.2,1932. no.3/4.

Sarçocephalus, Mitragyna.

Sennen,

L'abbé J. Soulié. Un grand investigateur qui vient de mourir, 1868-1930. Bull. Soc. Bot. France 79:239-241. Jl.2,1932. no.3/4.

Sennen,

Exsiccata "Plantes d'Espangne". Vingt-cinq ans de publication. Bull. Soc. Bot. France 79:227-230. Jl.2,1932. no.3/4.

Vladesco, A.

Essai d'organogénie expérimentale chez les fougères. Bull. Soc. Bot. France 79:236-239. illus. Jl.2,1932. no.3/4.

China Journ. (Shanghai)

Yancey, M.

Orchids of the Philippines. China Journ. 17:28-31. 3 pl. Jl.1932. no.1.

Coll. Trav. Chim. Tchécosl. (Prague)

Votoček, E. & Valentin, F.

Notices phytochimiques. I. Sur les glucides de la gomme de Viscaria vulgaris (Lychnis viscaria L.) Coll. Trav. Chim. Tchécosl. 4:282-284. 1932. no.6.

Compt. Rend. Acad. Agr. France (Paris)

Boutaric, A., Doladilhe, M. & Piettre, M.

Sur l'emploides matieres colorantes comme agents anticryptogamiques, dans les maladies des végétaux. Compt. Rend. Acad. Agr. France 18:819-824. Je.6,1932. no.24.

Gervais, P.

Le diagnostic ligneux des plantes vivaces (vignes) dans ses rapports avec la production. Compt. Rend. Acad. Agr. France 18:804-806. Je.6,1932. no.24.

Notes by M. Vinet, p.806-814.

Voisenat,

Quelques observations sur les anomalies de la germination des semences. Compt. Rend. Acad. Agr. France 18:801-804. Je.6,1932. no.24.

Compt. Rend. Acad. Sci. Paris

André, É. & Hou, K.

Sur les lipoxydases des graines de Glycine soja (Sieb.) et de Phaseolus vulgaris (L.) Compt. Rend. Acad. Sci. Paris 195:172-174. Jl.11,1932. no.2.

Becquerel, P.

La déhiscence de l'anthère du lis blanc. Compt. Rend. Acad. Sci. Paris 195:165-167. Jl.11,1932. no.2.

Blaringhem, L.

Sur la réapparition de la fertilité chez une mutante de Digitale sauvage (Digitalis purpurea L. var. nov.). Compt. Rend. Acad. Sci. Paris 195:193-196. Jl.18,1932. no.3.

Bugnon, P. & Parrot, A.

Sur la valeur morphologique du cotylédon chez les Ombellifères monocotylédones. Compt. Rend. Acad. Sci. Paris 195:332-334. illus. Jl.25, 1932. no.4.

Cugnac, A. de

Nouvel argument en faveur de l'hypothèse d'une origine hybride pour Bromus gussonii Parlat. Compt. Rend. Acad. Sci. Paris 195:167-169. Jl.11,1932. no.2.

Dauphiné, A.

Sur les propriétés d'imbibition du collenchyme. Compt. Rend. Acad. Sci. Paris 195:169-170. Jl. 2,1932. no.2.

Compt. Rend. Acad. Sci. Paris (cont.)

Hocquette, M. & Villard, R.

Action de l'éther en vapeurs saturantes sur les noyaux quiescents et en cinèse des plantules de Raphanus sativus. Compt. Rend. Acad. Sci. Paris 195:262-264. Jl.18,1932. no.3.

Marinesco, N.

L'influence d'une atmosphère électrique artificielle sur l'ascension de la sève. Compt. Rend. Acad. Sci. Paris 195:178-181. illus. Jl.11, 1932. no.2.

Miège, E.

Influence de divers facteurs sur le développement de l'inflorescence des céréales. Compt. Rend. Acad. Sci. Paris 195:267-269. Jl.18, 1932. no.3.

Oudin, A.

Sur les variations considérables que présente, d'un arbre à l'autre, le pouvoir rotatoire de l'essence de térébenthine du pin maritime (Pinus pinaster Sol.), et la fixité relative de ce pouvoir rotatoire pour un arbre donné. Compt. Rend. Acad. Paris 195:185-186. Jl.11,1932. no.2.

Plantefol, L.

Sur le pouvoir de concentration du cytoplasme: formation de cristaux par des grains de pollen, à partir du rouge neutre. Compt. Rend. Acad. Sci. Paris 195:264-266. Jl.18,1932. no.3.

Taboury,

Sur la présence accidentelle du sélénium dans certains végétaux. Compt. Rend. Acad. Sci. Paris 195:171. Jl.11,1932. no.2.

Compt. Rend. Soc. Biol. Paris

Conard, A.

Sur le rôle de la poche cytoplasmique contenant le noyau chez Degagnya majuscula (Kütz.) Conard (-Spirogyra majuscula Kütz.) Compt. Rend. Soc. Biol. Paris 110:980-983. illus. Jl.25,1932. no.26.

Fernandes, A.

Chromosomes et classification du genre Narcissus L. Compt. Rend. Soc. Biol. Paris 110:1065-1067. Jl.25,1932. no.26.

Compt. Rend. Soc. Biol. Paris (cont.)

Gonçalves de Cunha, A.
Remarques sur la cytologie du développement de la graine de blé. Compt. Rend. Soc. Biol. Paris 110:1043-1044. Jl.25,1932. no.26.

Gonçalves da Cunha, A.
Sur le dépot d'amidon dans les cellules de l'albumen pendant le développement des graines. Compt. Rend. Soc. Biol. Paris 110:1045-1046. Jl.25,1932. no.26.

Jacobshon, K. P. & Cruz, A. da
Sur la diffusion de la fumarase dans les tissus végétaux. Compt. Rend. Soc. Biol. Paris 110:1063-1064. Jl.25,1932. no.26.

Joyet-Lavergne, P.
La recherche des zones d'oxydation dans la cellule végétale. Compt. Rend. Soc. Biol. Paris 110:918-920. Jl.19,1932. no.25.

Mangenot, G.
Action des colorants vitaux sur le plasmode de Fuligo septica Gmel. Compt. Rend. Soc. Biol. Paris 110:907-910. Jl.19,1932. no.25.

Radoeff, A.
Stimulation de la croissance par des sels minéraux, des colorants vitaux, et divers composés organiques, chez le riz (Oryza sativa). Compt. Rend. Soc. Biol. Paris 110:955-958. Jl.19,1932. no.25.

Contr. U. S. Nat. Herb. (Washington)

Smith, A. C.
The American species of Thibaudieae. Contr. U. S. Nat. Herb. 28:311-547. 19 pl. 1932. no.2.

Deut. Landw. Presse (Berlin)

Molz, E.
Die bekämpfung des rübennematoden mittels des chlorkalk-aktivierungsversahrens. Deut. Landw. Presse 59:371-372. Jl.23,1932. no.30.

Flor. Exch. (N. Y.)

Progress and trends of botanical gardens and arboretums. Flor. Exch. 80(5):21,27-28. Jl.30,1932.
Extracts from the committee report prepared for the convention of the A.A.N.

Formosan Agr. Rev.

Kazashima, K.

The study of the origin of tobacco plant on Formosa. Formosan Agr. Rev. 1932: 541-547. no.307.

Japanese.

Kojo, K.

Studies of regeneration of vine cuttings in sweet potato. Formosan Agr. Rev. 1932: 548-558. no.307.

Japanese.

Forstarchiv (Hannover)

Geyr, H. F. von

Nochmals: Rhabdocline. Forstarchiv 8:241-245. Jl.15,1932. no.14.

Rhode, T.

Des vordringen der Rhabdocline-schütte in Deutschland. Forstarchiv 8:247-249. map. Jl.15,1932. no.14.

Gard. Bull. Straits Settlem. (Singapore)

Corner, E. J. H.

The identification of the brown-root fungus. Gard. Bull. Straits Settlem. 5:317-350. illus. Je.20,1932. no.12.

Fomes noxius, n.sp., F. lamaensis var. secedens, F. pachyphloeus var.hispidus n.var.

Gard. Chron. (London)

The behavior of garden plants. VI. Salix vitellina var. pendula. Gard. Chron. III, 92:53. Jl.23,1932. no.2378.

Friend, H.

Corsican plant lore. XIV. Some indigenous fruits. Gard. Chron. III, 92:62-64. Jl.23, 1932. no.2378.

Grove, A.

Lilium wallichianum. Gard. Chron. III, 92:60-62. illus. Jl.23,1932. no.2378.

Jeffers, R. H.

Gladiolus Hybrids. (concl.) Gard. Chron. III, 92:64. Jl.1932. no.2378.

Ward, F. K.

Primula dumicola, W. W. Sm. Gard. Chron. III, 92:59. Jl.23,1932. no.2378.

Gartenfl. (Berlin)
Ansorge, C.
Paphiopedilum insigne ansorgei n. var.
Gartenfl. 81:165. illus. Jl.1932.

Gartenw. (Berlin)
Die bedeutung der radiumbestrahlung für das pflanzenwachstum. Gartenw. 36:433. Jl.15, 1932. no.29.

Schwartz, G.
Vorbeugende bekämpfung der aelchen. Gartenw. 36:424-425. Jl.15,1932. no.29.
Various hosts.

Hedwigia (Dresden)
Blochwitz, A.
Die perithezien des Aspergillus flavus.
Hedwigia 72:55-57. illus. Jl.1932. no.3.

Dangeard, P.
Phytoplancton des Açores d'après les récoltes de M. O. C. Schmidt. Hedwigia 72:58-67. illus. Jl.1932. no.3.

Erichsen, C. F. E.
Lichenologische beiträge, II. Hedwigia 72:75-91. illus. Jl.1932. no.3.

Krasske, G.
Beiträge zur kenntnis der diatomeenflora der Alpen. Hedwigia 72:92-134. illus., pl.ii-iii. Jl.1932. no.3.

Tobler, F.
Elfvings untersuchungen über flechtengonidien. Hedwigia 72:68-74. Jl.1932. no.3.

Indian For. (Dehra Dun)
Macalpine, R. I.
The identification of the garjans (Dipterocarpus spp.), Cox's Bazar division, Bengal. Indian For. 58:359-361. pl.17-20. Jl.1932. no.7.

Parker, R. N.
Casuarina root-nodules. Indian For. 58:363-364. Jl.1932. no.7.

Indische Cult. (Soerbaja)
Zeilinga, A. E.
De belangrijkste ziekten van de djeroek manis- en keprokboomen in de djeroerkcentra van Oost-Java. (slot.) Indische Cult. 17:297-301. illus. Jl.1,1932. no.13.

Inform. Agr. (Spain) (Madrid)
Collar, F.
Enfermedades de las especies frutales arbustivas. (cont.) Inform. Agr. (Spain) 22:177-182. illus. Je.30,1932. no.508.
Peronospora viticola, Erisiphe tuckeri.

Journ. Agr. Res. (Washington, D. C.)
Lauritzen, J. I.
Development of certain storage and transit diseases of carrot. Journ. Agr. Res. 44:861-912. Je.15,1932(Recd Ag.6). no.12.

Journ. Biol. Chem. (Baltimore)
Hanna, W. F., Vickery, H. B. & Pucher, G. W.
The isolation of trimethylamine from spores of Tilletia levis, the stinking smut of wheat. Journ. Biol. Chem. 97:351-358. Ag.1932. no.2.

Pruess, L. M., Peterson, W. H. & Fred, E. B.
Isolation and identification of ergosterol and mannitol from Aspergillus fischeri. Journ. Biol. Chem. 97:483-489. Ag.1932. no.2.

Journ. Bot. (London)
Barton, W. C. & Riddelsdell, H. J.
Rubus leucanthemus? P. J. Muell. (Auctt. Brit.). Journ. Bot. 70:188-191. Jl.1932. no.835.
R. surrejanus, R. purbeckensis, n. spp. R. surrejanus var. wealdensis n. var.

Burkill, H. J.
Cardamine pratensis Linn. with abnormal flowers. Journ. Bot. 70:207. Jl.1932. no.835.

Dandy, J. E. & Exell, A. W.
Kissen: a mythical traveller in Arabia. Journ. Bot. 70:198-199. Jl.1932. no.835.

Drabble, E.
Crepis oporinoides Boissier in Britain. Journ. Bot. 70:207-208. Jl.1932. no.835.

Exell, A. W.
An enumeration of the species of Polygala in the Belgian Congo. (concl.) Journ. Bot. 70:181-187. Jl.1932. no.835.

Journ. Bot. (cont.)

Pugsley, H. W.

Notes on Euphrasia. Journ. Bot. 70:200-204. Jl.1932. no.835.

E. asturica, E. schinzii, n.spp.

Ridley, H. N.

The genus Urophyllum in Malaya. Journ. Bot. 70:191-197. Jl.1932. no.835.

Journ. Coll. Agr. Imp. Univ. Tokyo

Kusano, S.

Dormancy in the summer sorus of Synchytrium. Journ. Coll. Agr. Imp. Univ. Tokyo 11:427-439. illus. Je.30,1932. no.4.

Kusano, S.

The host-parasite relationship in Olpidium. Journ. Coll. Agr. Imp. Univ. Tokyo 11:359-426. illus. Je.30,1932. no.4.

Journ. Fac. Agr. Hokkaido Imp. Univ. Sapporo

Inoh, S.

Embryological studies on Sargassum and Cystohpyllum. Journ. Fac. Agr. Hokkaido Imp. Univ. Sapporo V, 1:125-133. illus. F.1932. no.4.

Journ. Hered. (Washington)

Clark, F. H.

Inheritance of white sheath in maize. Journ. Hered. 23:235-237. illus. Je.1932. no.6.

Costello, D. F.

Branched catkins in the crack willow. Journ. Hered. 23:238. illus. Je.1932. no.6.

Shamel, A. D. & Pomeroy, C. S.

Bud variation in apples. A study of the rôle of bud mutation in deciduous fruit improvement. (concl.) Journ. Hered. 23:213-221. illus. My.1932. no.5.

Landw. Jahrb. Schweiz. (Bern)

Meier, K.

Bericht der eidgenössischen versuchsanstalt für obst-, wein- und gartenbau in Wädenswil für die jahre 1929 und 1930. Landw. Jahrb. Schweiz. 46:497-592. illus. 1932. no.4.

Magyar Bot. Lap. (Budapest)

Bornmüller, J.
Diagnoses plantarum novarum e flora Anatoliae. Magyar Bot. Lap. 30:55-78. 1931.

Bornmüller, J.
Zur bryophyten-flora kleinasiens. Magyar Bot. Lap. 30:1-21. 1931.

Degen, A.
A Celtis tournefortii Lam. elöfordulása a horvat tengerparton. (Ueber das vorkommen der Celtis tournefortii Lam. im kroatischen küstengebiete.) Magyar Bot. Lap. 30:79-80. 1931.
Megjegyzések néhány keleti növényfajról. (Bemerkungen über einige orientalische pflanzenarten.) XC.

Filarszky, N.
Adatok horvát-szlavonország és a Balkán néhány más országának Chara-vegetációjához. (Beiträge zur kenntnis der charenvegetation Kroatien-Slavonien's und einiger anderen länder der Balkan-Halbinsel.). Magyar Bot. Lap. 30:81-99. 1931.
German summary: p.98-99.

Gáyer, G.
Batographiae jegyzetek. II. (Batographische notizen II.) Magyar Bot. Lap. 30:101-108. 1931.

Gyelnik, V.
Alectoriae nonnullae novae vel minus cognitae. Magyar Bot. Lap. 30:53-54. 1931.
A. forissii, A. ostrobotniae, n. spp.

Gyelnik, V.
Parmelia pokornyi rokonsági köre és leszármazása. (The relationship and descendence of Parmelia pokornyi). Magyar Bot. Lap. 30:45-52. 1931.

Györffy, I.
Ascidien von Pelargonium zonale. Magyar Bot. Lap. 30:112-113. illus. 1931.

Györffy, K.
Az Oxymitra paleacea Bisch. (Tessellina pyramidtata Dum.) spörája eredéséröl. (Uber das reffen der sporen von Oxymitra paleacea Bisch. (Tessellina pyramidata Dum.). Magyar Bot. Lap. 30:162. 1931.

Magyar Bot. Lap. (cont.)

Györffy, I.
Dissodon hornschuchii (Grev. et Arnott.) Broth. nö a jégvölgyi csúcs oldalában. (Ueber das vorkommen von Dissodonhornschuchii (Grev. et Arnott.) Broth. an der wand der eistaler spitze.) Magyar Bot. Lap. 30:100. 1931.

Györffy, I.
Karfiolascidien aus Béla (Zipsen). Magyar Bot. Lap. 30:114-115. illus. 1931.

Györffy, I.
Der standort des Ledum palustre beim Csorbersee in gefahr. Magyar Bot. Lap. 30:108-110. 1931.

Kümmerle, J. B.
Equiseten-bastarde als verkannte artformen. Magyar Bot. Lap. 30:146-160. illus. 1931.

Murr, J.
Der dreifache reliktengürtel der oesterr. Ostalpen. Magyar Bot. Lap. 30:33-41. 1931.

Murr, J.
Formenkategorien nach höhenzonen. Magyar Bot. Lap. 30:22-33. 1931.

Pénzes, A.
Adatok Budapest adventiv flórájához. II. Beiträge zur kenntnis der adventiv-flora von Budapest. II. Magyar Bot. Lap. 30:132-135. illus. 1931.

Pénzes, A.
Beiträge zur kenntnis der gramineen Bulgariens. Magyar Bot. Lap. 30:110-111. pl.i. 1931.

Szatala, O.
Lichens du Maroc recueillis par M. le baron G. Andreánszky en 1930. Magyar Bot. Lap. 30:115-126. 1931.

Szatala, Ö.
Uj zuzmók. II. (Neue flechten II). Magyar Bot. Lap. 30:135-136. 1931.

Szepesfalvi, J.
Adatok Dél-Dalmácia mohaflóraájához. (Zur moosflora Süd-Dalmatiens). Magyar Bot. Lap. 30:137-146. 1931.
Hungarian p.137, German p.137-146.

Magyar Bot. Lap. (cont.)

Szepesfalvi, J.

Riccia frostii a Balkán-félszigeten. (Riccia frostii auf der Balkanhalbinsel.) Magyar Bot. Lap. 30:41-44. 1931.

German summary: p.42-44.

Szepesfalvi, J.

Tessellina pyramidata Dum. aus Macedonien. Magyar Bot. Lap. 30:160-161. 1931.

Mid-Pacific Mag.

Dunkle, M. B.

Plant life of Santa Catalina Island. Mid-Pacific Mag. 44:55-56. Jl.1932. no.1.

Wilder, G. P.

Early plant life of Hawaii, together with a partial list of some later introductions. Mid-Pacific Mag. 44:3-17. illus. Jl.1932. no.1.

Nature (London)

Corkill, L.

Inheritance of fluorescence in rye-grass. Nature 130:134. Jl.23,1932. no.3273.

Huskins, C. L.

Fatuoids or false wild oats. Nature 130:132-133. Jl.23,1932. no.3273.

Refers to E. T. Jones article of same title. Notes by E. T. Jones, p.133-134.

MacBride, E. W.

The inheritance of acquired characters. Nature 130:128-129. Jl.23,1932. no.3273.

Refers to J. B. S. Haldanes' article of same title. Note by J. W. Heslop Harrison, p.129.

Naturforsch. (Berlin)

Dohrer, H.

Hutdoppelbildung bei pilzen. Naturforsch. 9:114. illus., pl.24. Je.1932. no.3.

Dermocybe cinnamonea.

Dohrer, H.

Schlangenfichte. Naturforsch. 9:113-114. illus., pl.23. Je.1932. no.3.

Picea excelsa.

Naturwissensch. (Berlin)

Hartmann, M.

Neue ergebnisse zum befruchtungs- und sexualitätsproblem. Naturwissensch. 20:567-573. illus. Jl.29,1932. no.31.

K. Norske Vidensk. Selsk. Forh. (Trondheim)

Blom, C.

Ein neuer Rumex-bastard aus Norwegen, R. domesticus Hn. x obovatus Dans., - R. lycheanus. K. Norske Vidensk. Selsk. Forh. 4:13-15. illus. 1932.

Dixon, H. N.

Some mosses from South Georgia. K. Norske Vidensk. Selsk. Forh. 4:179-181. 1932.

Lid, J.

A list of some Norwegian Sphagna. K. Norske Vidensk. Selsk. Forh. 4:172-174. 1932.

K. Norske Vidensk. Selsk. Skrift.

Høeg, O. A.

Notes on the Devonian flora of western Norway. K. Norske Vidensk. Selsk. Skrift. 1931. no.6. 17 p. illus., 8 pl. 1932.

Lyche, R. T.

Adventifloraen i buvik. K. Norske Vidensk Selsk. Skrift. 1931. no.2. 14 p. 1932.

Obst- u. Gemüseb. (Berlin)

Winkelmann, A.

Neuere arbeiten über die braunfleckenkrankheit der tomaten (Caldosporium fulvum). Obst- u. Gemüseb. 78:104-105. Jl.15,1932.

Plant Physiology

Clements, H. F.

Mannose and the first sugar of photosynthesis. Plant Physiology 7:547-550. Jl.1932. no.3.

Cooper, H. P.

Relation of hydrogen-ion concentration of soils to the growth of certain pasture plants. Plant Physiology 7:527-532. Jl.1932. no.3.

Crafts, A. S.

A dual-purpose microscope lamp. Plant Physiology 7:553-555. illus. Jl.1932. no.3.

Culpepper, C. W. & Caldwell, J. S.

Relation of age and of seasonal conditions to composition of root, petiole, and leaf blade in rhubarb. Plant Physiology 7:447-479. Jl. 1932. no.3.

Plant Physiology (cont.)

Gerdel, R. W.
Determination of the inorganic nitrogen in the corn plant by the expressed sap method. Plant Physiology 7:517-526. Jl.1932. no.3.

Greathouse, G. A.
Effects of the physical environment on the physico-chemical properties of plant saps, and the relation of these properties to leaf temperature. Plant Physiology 7:349-390. illus. Jl.1932. no.3.

Gunderson, M. F. & Skinner, C. E.
Suggestions for growing mass cultures of algae for vitamin and other physiological study. Plant Physiology 7:539-540. Jl.1932. no.3.

Kienholz, R.
A useful instrument for measuring height growth. Plant Physiology 7:556-558. illus. Jl.1932. no.3.
Drill point gauge

Lund, E. J.
Comparison of the effects of temperature on the radial and longitudinal electric polarities in wood and cortex of the Douglas fir. Plant Physiology 7:505-516. illus. Jl.1932. no.3.

Scarth, G. W.
Mechanism of the action of light and other factors on stomatal movement. Plant Physiology 7:481-504. Jl.1932. no.3.

Shriner, R. L.
Determination of starch in plant tissues. Plant Physiology 7:541-546. Jl.1932. no.3.

Skinner, C. E.
Isolation in pure culture of green algae from soil by a simple technique. Plant Physiology 7:533-537. Jl.1932. no.3.

Thomas, W.
Composition of current and previous season's branch growth in relation to vegetative and reproductive responses in Pyrus malus L. Plant Physiology 7:391-445. illus. Jl.1932. no.3.

Tottingham, W. E.
A plant test of the sun lamp. Plant Physiology 7:551-553. illus. Jl.1932. no.3.

Repert. Spec. Nov. Beih. (Dahlem Bei Berlin)

Eig, A.

Les éléments et les groupes phytogéographiques auxiliaires dans la flore palestinienne. II. Tableaux analytiques. Repert. Spec. Nov. Beih. v.63. no.2. 120 tab. F.29,1932.

Res. Bull. Coll. Exp. For. Coll. Agr. Hokkaido Imp. Univ. Sapporo, Japan.

Tatewaki, M.

The forest associations and the ligneous flora in the Uryu University experimental forest. I. Res. Bull. Coll. Exp. For. Coll. Agr. Hokkaido Imp. Univ. Sapporo, Japan 7:(99-130). 4 pl. 1932.

In Japanese.

Tatewaki, M.

A list of plants collected in the Teshio University experimental forest. II. Res. Bull. Coll. Exp. For. Coll. Agr. Hokkaido Imp. Univ. Sapporo, Japan 7:(181)-(208). 1932.

In Japanese.

Tatewaki, M.

A list of plants collected in the Wakayama University experimental forest. I- Res. Bull. Coll. Exp. For. Coll. Agr. Hokkaido Imp. Univ. Sapporo, Japan 7:(131)-(180). 1932.

In Japanese.

Yamaguchi, S.

A note on nematoda parasitic to the younglings of Picea glehnii Mast. and P. jezoensis Carr. Res. Bull. Coll. Exp. For. Coll. Agr. Hokkaido Imp. Univ. Sapporo, Japan 7:(209)-(215). illus. 1.pl. 1932.

In Japanese.

Tylenchus pratensis.

Rev. Hort. (Paris)

Hay, R.

Quatre nouvelles espèces de Primula. Rev. Hort. 104:150-152. illus. Jl.16,1932. no.7.

P. eximia, P. buryana, P. wollastonii, P. rotundifolia.

Lesourd, F.

Quelques pommes américaines cultivées en France. Rev. Hort. 104:156-157. 1 col.pl. Jl.16,1932. no.7.

Maiden blush, Cornish aromatic, Ben Davis, Jonathan.

Rhodesia Agr. Journ. (Salisbury)

Mundy, H. G.

Twenty-one years of plant introduction trial in southern Rhodesia. Rhodesia Agr. Journ. 29:503-516. illus., 2 pl. on 1. Jl.1932. no.7.

Rhodora (Boston)

Evans, A. W.

Notes on the Cladoniae of Connecticut. (cont.) Rhodora 34:153-164. Ag.1932. no.404.

Fassett, N. C.

Notes on the flora of Boothbay, Maine, III. Pogonia ophioglossoides (L.) Ker, f.albiflora Rand & Redfield. in sphagnum, Ocean Point. Rhodora 34:167-168. Ag.1932. no.404.

Fernald, M. L. & Weatherby, C. A.

Bartonia; a comedy of errors. Rhodora 34:164-167. Ag.1932. no.404.

Fernald, M. L. & Weatherby, C. A.

Pinus strobus L., forma prostrata (Mast.) comb. nov. Rhodora 34:168. Ag.1932. no.404.

P. strobus var. prostrata [Masters] in Kew Hand-list Conif. 101(1896), nomen...

Science

Bills, C. E. & McDonald, F. G.

The carotene content of ten varieties of carrots. Science 76:108. Jl.29,1932. no.1961.

Hutchins, L. M.

Peach mosaic - a new virus disease. Science 76:123. Ag.5,1932. no.1962.

La Rue, C. D.

A device for focussing the dissecting microscope with the foot. Science 76:104-105. Jl.29, 1932. no.1961.

Soil Sci. (Baltimore)

Cobb, M. J.

A quantitative study of the microörganic population of a hemlock and a deciduous forest soil. Soil Sci. 33:325-345. My.1932. no.5.

Soil Sci. (cont.)

Cole, R. C.

The diurnal and seasonal changes in the sugar content of the sap and tissue of potato plants as affected by soil fertilization. Soil Sci. 33:347-362. My.1932. no.5.

Pierre, W. H., Pohlman, G. G. & McIlvaine, T. C.

Soluble aluminum studies: I- Soil Sci. 34:145-160. Ag.1932. no.2.

So. African Gard. (Johannesburg)

Bolus, L. & Lewis, J. G.

Plants new or noteworthy. (cont.) Three new gladioli belonging to the section Dracocphali. So. African Gard. 22:204-205. illus. Jl. 1932. no.7.

Gladiolus leptophyllus, G. retrocurvus, G. barnardii, n. spp.

Trop. Agr.

Sylva, K. J. A.

Vanda teres. Trop. Agr. 78:343-344. illus. Je.1932. no.6.

Vierteljahrsschr. Naturf. Ges. Zürich

Däniker, A. U.

Ergebnisse der reise von Dr. A. U. Däniker nach Neu-Caledonien und den Loyalitätsinseln (1924/25). 2. Neue phanerogamen von Neu-Caledonien und den Loyalitäts-inseln. Vierteljahrsschr. Naturf. Ges. Zürich 76:160-213. illus. 1931. no.3/4.

Mitteilungen aus dem botanischen museum der universität Zürich. CXXXVII (III).

Keller, P.

Untersuchungen am pfahlbau "bleiche"-arbon. Vierteljahrsschr. Naturf. Ges. Zürich 76:304-315. illus. 1931. no.3/4.

Kränzlin, F.

Beiträge zur kenntnis der Melastomataceae. Vierteljahrsschr. Naturf. Ges. Zürich 76:147-159. 1931. no.3/4.

Neuweiler, E.

Die pflanzenreste aus dem spätbronzezeitlichen pfahlbau "sumpf" bei zug. Vierteljahrsschr. Naturf. Ges. Zürich 76:116-132. 1931. no.3/4.

Schinz, H.

Beiträge zur kenntnis der afrikanischen flora. XXXVI. Vierteljahrsschr. Naturf. Ges. Zürich 76:133-146. illus. 1931. no.3/4.

Zeitschr. Pflanzenkr. (Stuttgart)

Köck, G.
Die bedeutung der kulturellen bekämpfungsmethoden im praktischen pflanzenschutz. Zeitschr. Pflanzenkr. 42:383-389. Jl./Ag. 1932. no.7/8.

Niethammer, A.
Die beizwirkung von germisan auf die keimung einzelner wiesengräser bei unterschiedlichen keimtemperaturen. Zeitschr. Pflanzenkr. 42:364-383. Jl./Ag.1932. no.7/8.

Supper, R.
Ueber die wirking von trockenbeizen. Zeitschr. Pflanzenkr. 42:305-350. Jl./Ag. 1932. no.7/8.

Zeitschr. Zücht. A.Pflanzenzücht. (Berlin)

Berkner, F. W. & Schröder, H.
Untersuchungen über die morphologischen merkmale zweier weizensorten in ihren beziehungen zueinander und zum witterungsverlauf. Zeitschr. Zücht. A.Pflanzenzücht. 17:474-484. Jl.1932. no.4.

Kattermann, G.
Farbxenien bei weizenkreuzungen und das erbliche verhalten blaugefärbter aleuronschicht bei der verwendeten neuartigen weizenrasse im allgemeinen. Zeitschr. Zücht. A.Pflanzenzücht. 17:413-446. illus. Jl.1932. no.4.

Pissarev, V.
Ueber die methodik der züchtung der kautschukliefernden pflanze "guayule". Zeitschr. Zücht. A.Pflanzenzücht. 17:583-621. illus. Jl.1932. no.4.

Raum, H.
Ueber die halmlänge bei weizen und gerste mit rücksicht auf die halmfestigkeit. Zeitschr. Zücht. A.Pflanzenzücht. 17:397-412. Jl.1932. no.4.

Schaeffler, H.
Untersuchungen an bastardluzernen. Zeitschr. Zücht. A.Pflanzenzücht. 17:485-562. illus. Jl.1932. no.4.

Tschermak, E.
Bemerkungen über echte und falsche grössenxenien. Zeitschr. Zücht. A.Pflanzenzücht. 17:447-450. Jl.1932. no.4.

Zeitschr. Zücht. A. Pflanzenzücht. (cont.)

Wagner, S.
Ein beitrag zur züchtung des topinambur und zur kastration bei Helianthus. Zeitschr. Zücht. A.Pflanzenzücht. 17:563,582. illus. Jl.1932. no.4.

Wakar, B. A., Krot, E. G. & Brekina, L. A.
Zytologische untersuchungen über F_7 der konstanten bastarde zwischen Triticum vulgare Vill. x Triticum durum Desf. Zeitschr. Zücht. A.Pflanzenzücht. 17:451-473. illus. Jl. 1932. no.4.

Exper. Stat. Publ.

California Agricultural Experiment Station.
Plant pathology. Calif. Agr. Exp. Stat. Rep. 1930/31:85-87. 1932.

Indiana. Agricultural Experiment Station.
Department of botany. Indiana Agr. Exp. Stat. Rep. Circ. 44:17-23. illus. Je.30, 1931(Recd Ag.1932)

Iowa Agricultural Experiment Station.
Botany and plant pathology section. In Report on agricultural research. Iowa Agr. Exp. Stat. Rep. 1930/31:39-51. [1932]

Cation, D.
Three virus diseases of the peach in Michigan. Michigan Agr. Exp. Sta. Circ. Bull. 146. 11 p. illus. Jl.1932.

Minnesota Agricultural Experiment Station.
Plant pathology and botany. In its Ann. Rep. 39(1930/31):63-66. 1932.

Murneek, A. E. & Logan, J. C.
Autumnal migration of nitrogen and carbohydrates in the apple tree, with special reference to leaves. Missouri Agr. Expt. Sta. Res. Bull. 171. 30 p. Jl.1932.

New Books

Baur, E.
Konsequenzen der vererbungslehre für die pflanzenzüchtung. In Handbuch der vererbungswissenschaft. bd.3, lfg.16, [pt.1] 1932.

New Books (cont.)

Bratenahl, F.
Historic trees, boxwood, yew and stone. Some unusual material on a cathedral hillside. Washington, D. C., All Hallows Guild, 1932.

Cornell university - College of agriculture - Dept. of Plant breeding.
Plant breeding literature 108. 1932.

The flowering plants of South Africa...v.11. I. B. Pole Evans, ed. London, L. Reeve & Co., 1931.

Holbert, J. R.
Importance of the physiological viewpoint in a corn improvement program. Bloomington, Ill., Pantagraph printing and stationery co., 1932.
Abstract of thesis.

Imperial bureau of plant genetics - School of agriculture.
Interspecific and intergeneric hybridization in relation to plant breeding. F.1932.
Mimeographed.

Indian institute of science, Bangalore.
Investigations on the spike-disease of sandal. III, V. Report of progress made during the quarter ending 30th September 1931, 31st March 1932. 1932.
V. Subrahmanyan, ed..

Konrad, P. & Maublanc, A.
Icones selectae fungorum... fasc.7. [1932]

Miège, É.
Enroulement et torsion des feuilles des céréales. Rabat, Impremerie Foch, 1932.

Miège, É.
Étude de quelques caractères des feuilles de vereales. 1932.

Tabulae biologicae periodicae, W. Junk, ed. hrsg. C. Oppenheimer u. Pincussen v.2. no.2. Berlin W. Junk, 1932.

Upsala. Universitet - Botaniska institutionen.
Symbolae botanicae upsalienses. Arbeten från Botaniska institutionen i Uppsala.
1. Bruun, H. G. Cytological studies in Primula 1932, with special reference to the relation between the karyology and taxonomy of the genus.

New Books (cont.)

Cadman, E. J.,
The life-history and cytology of Didymium nigripes Fr. Trans. Roy. Soc. Edinb. 57:125-139. 1931.

Gause, E. C.
Die entwicklung einiger laubmoosvorkeime. Marburg, K. Euker, 1931.

Gisiger, L.
Zur kenntnis des fluorions, seine mikrochemische bestimmung und seine wirkung auf pflanzen. Zürich, A. G. Gebr. Leemann & Co., 1931.

Hoehn, R.
Ueber schädigungen von pflanzen durch gase, dämpfe, staub und rauch. Wurzburg, Druck von Gebrüder Memminger, 1931.

Indo China, French. Inspection général de l'agriculture, de l'élevage et des forêts.
Le benjoin. Hanoi, Imprimerie d'extrême-orient, 1931.

Kröning, W.
Die beziehungen zwischen der verteilung des saponins und den systematischen einheiten bei der gattung Anthurium. Berlin, P. Funk, 1931.

Muth, H.
Untersuchungen über die befruchtungs-verhaltnisse bei Vicia sepium L. (Zaunwicke) und Lathyrus pratensis L. (wiesenplatterbse). Langensalza, Druck, Hermann Beyer & söhne, 1931.

Corrections.

Vol. 14, no.15, p.24.
and should read under in title of article under Sci. Rep. Tohoku Imp. Univ., Hiramatsu.

Vol.14, no.15, p.8.
no.28 should read no.10 under Calif. Citrogr; Jl. 8 should be Ag.

Vol.14, no.15, p.15.
The vol. should be 76, the number 4, under Jahrb. Wiss. Bot.

LC

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D.C.

Vol.14, no.17. August 15-27, 1932

Agron. Colon. (Paris)

Mallamaire, A.

Sur une maladie du caféier à la Côte d'Ivoire. Agron. Colon. 21:193-197. Je.1932. no.174.

Fomes lignosus.

Anales Soc. Cient. Agr. (Buenos Aires)

Stuckert, T.

Las malváceas Argentinas. Anales Soc. Cient. Agr. 114:1-37. Jl.1932. no.1.

Angew. Bot. (Berlin)

Bockmann, H.

Ein beitrag zur biologie und wirtschaftlichen bedeutung des erregers der braunfleckigkeit des weizens: Macrophoma hennebergii (Kühn). Angew. Bot. 14:79-86. Ja./F.1932. no.1.

Brandenburg, E.

Die herz- und trockenfäule der rüben -- ursache und bekämpfung. Angew. Bot. 14:194-224. 4 pl. on 2. My./Je.1932. no.3.

Dounine, M. S. & Simsky, A. M.

Haftfähigkeit der trockenbeizmittel. Angew. Bot. 14:33-78. Ja./F.1932. no.1.

Loew, O.

Die physiologische funktion des calciums. Angew. Bot. 14:169-182. My./Je.1932. no.3.

Loewel, E. L.

Das auftreten des fusicladiums in altländer obstbaugebiet in seiner abhängigkeit von klima, standort, obstarten und -sorten und seine praktische bekämpfung auf grund zweijähriger versuche des obstbauversuchsringes. Angew. Bot. 14:233-277. illus. My./Je.1932. no.3.

Angew. Bot. (cont.)

Niemann, W.
Ueber beziehungen zwischen blattgrösse und spaltöffnungszahl in abhängigkeit von der bodenfeuchtigkeit. Angew. Bot. 14:1-27. illus. Ja./F.1932. no.1.

Rathschlag, H.
Vorkommen und verbreitung der fusskrankheitsserreger in der börde im jahre 1930/31. Angew. Bot. 14:28-33. illus. Ja./F.1932. no.1.

Schmidt, E. W.
Ueber jodnekrose an zuckerrübenkeimlingen. Angew. Bot, 14:229-232. illus. My./Je.1932. no.3.

Ann. Byrol.

Chalaud, G.
Mycorhizes et tuberisation chez Sewardiella tuberifera Kashyap. Ann. Bryol. 5:1-16. illus. 1932.

Dixon, H. N., Schiffner, V. & Verdoorn, Fr.
Bryophyta nova (1-5). Ann. Bryol. 5:159-164. illus. 1932.
Chaetomitrium divergens, Trocholejeunea (T. levieri), Frullania kashyapii, Frullania grevilleana var. nov. gebaueri, F. inopinata.

Dixon, H. N.
Contributions to the moss flora of Sumatra. Ann. Bryol. 5:17-50. 1932.

Gams, H.
Die verbreitung einiger splachnaceen und der Oreas martiana in den Alpen. Ann. Bryol. 5:51-68. illus. 1932.
Beiträge zur analytischen behandlung von moosarealen IV.

Herzog, T.
Neue Hepaticae aus der weiteren Indomalaya. Ann. Bryol. 5:82-98. illus. 1932.

Herzog, T.
Neue und bemerkenswerte bryophyten, von H. Burgeff 1927/28 auf Java und den Philippinen gesammelt. Ann. Bryol. 5:69-82. illus. 1932.

Khanna, L. P.
Germination of spores of Cyathodium kashyapii Khanna. Ann. Bryol. 5:99-102. illus. 1932.

Ann. Bryol. (cont.)

Loeske, L.
Zur merkmals-bewertung bei der umgrenzung von laubmoos-arten. Ann. Bryol. 5:103-110. 1932.

Sainsbury, G. O. K.
Some New Zealand species of Bryum. Ann. Bryol. 5:111-114. 1932.

Schiffner, V.
Ueber Scapania degenii Schffn. Ann. Bryol. 5:115-120. illus. 1932.

Verdoorn, F.
The future of taxonomic hepaticology. Ann. Bryol. 5:121-124. 1932.

Verdoorn, F.
Hepaticae selectae et criticae, series III et IV(1932). Ann. Bryol. 5:125-144. illus. 1932.

Zwickel, W.
Verbreitung der ocellen bei den lebenmoosen. Ann. Bryol. 5:145-158. tab. 1932.

Ann. Épiph. (Paris)

Dufrenoy, J.
Maladie bacterienne du tabac dans le sud-ouest de la France. Ann. Épiph. 17:446-455. illus. 3 pl. Je.6,1932. no.6.

Joessel, P. H. & Bordas, J.
Recherches sur les dépérissements de l'abricotier dans la vallée du Rhone (1927 à 1930). Ann. Épiph. 17:325-361. illus., 7 pl. Ap.10, 1932. no.5.

Ann. di Bot. (Rome)

Bambacioni-Mezzetti, V. & Benedetto, M. di
Sulla rigenerazione delle radici in rapporto coll'azione antagonistica di alcuni sali nutritizi. Ann. di Bot. 19:395-410. Jl.10,1932. no.3.

Cappelletti, C.
Il rivestimento cuticolare dello spadice di Arum italicum, in relazione alla funzione respiratoria. Ann. di Bot. 19:411-422. illus. Jl.10,1932. no.3.

Ann. di Bot. (cont.)

Colla, S.
Richerche sul contenuto gassoso di alcune alghe. Ann. di Bot. 19:426-464. illus. Jl.10,1932. no.3.

Córi, M.
Cellule pulsanti e "correnti d'azione" nelle piante, in relazione all'ascensione dell'acqua. Ann. di Bot. 19:465-482. Jl.10,1932. no.3.

Dragone-Testi, G.
Azione di alcuni alcaloidi sullo sviluppo di Protococcus viridis Ag. Ann. di Bot. 19:528-543. Jl.10,1932. no.3.

Dragone-Testi, G.
I peli fogliari dell'Helichrysum petiolatum D. Don come materiale cellulosico per l'industria cartaria. Ann. di Bot. 19:492-496. illus. Jl.10,1932. no.3.

Lusina, G.
Aggiunte alla flora delle oasi di Cufra. Ann. di Bot. 19:423-425. Jl.10,1932. no.3.

Lusina, G.
Contributo alla flora delle isole del Quarnero. Ann. di Bot. 19:544-549. Jl.10,1932. no.3.

Negodi, G.
Aspetti della partenocarpia in specie del genere Papaver. Ann. di Bot. 19:497-509. pl.xi. Jl.10,1932. no.3.

Negodi, G.
Comportamento del cromatismo dei petali in incroci intraspecifici di Papaver rhoeas L. e sua interpretazione. Ann. di Bot. 19:510-527. Jl.10,1932. no.3.

Sorrentino, S.
I pini fossili del Monte Vaticano. Ann. di Bot. 19:483-491. illus. Jl.10,1932. no.3.
Pinus caranoi, n.sp.

Ventura, M.
Ulteriori osservazioni sull'embriologia di Daphniphyllum macropodum Miq. Ann. di Bot. 19:550-553. Jl.10,1932. no.3.

Annuaire Agr. Suisse
Faes, H. & others
La lutte contre les parasites de la vigne, champignons et insectes, en 1930 et 1931.
Annuaire Agr. Suisse 33:1-34. illus. 1932.

Ann. Rep. Dept. Agr. Gambia
Brooks, A. J.
Virus diseases of groundnuts. Ann. Rep. Dept. Agr. Gambia 1931/32:9-10. 1932.
Rosette and another form which causes chlorosis of leaves.

Ann. Rep. Dept. Plant Path. Seale-Hyne Agr. Coll. (Newton Abbot)
Beaumont, A.
Notes on fungal diseases during the year.
Ann. Rept. Dept. Plant Path. Seale-Hayne Agr. Coll. 8:8-13. Mr.1932.

Beih. Bot. Centralbl. Abt. I (Dresden)
Daumann, E.
Ueber korkartige substanzen im blütennektarium von Brownea (Hermesias). Beih. Bot. Centralbl. Abt. I, 49:710-719. illus. Jl.1932. no.3.
Beiträge zur kenntnis der nektarien III.

Daumann, E.
Ueber postflorale nektarabscheidung. Zugleich ein weiterer beitrag zur unseren kenntnissen über ungewöhnlichen blumenbesuch der honigbiene. Beih. Bot. Centralbl., Abt. I, 49:720-734. illus. Jl.1932. no.3.

Kopetzky-Rechtperg, O.
Die nucleolen in kern der desmidiaceen. Beih. Bot. Centralbl., Abt. I, 49:686-702. pl.viii. Jl.1932. no.3.

Pascher, A.
Ueber das vorkommen von kontraktilen vakuolen bei pennaten diatomeen. Beih. Bot. Centralbl. Abt. I, 49:703-709. illus. Jl.1932. no.3.

Pascher, A.
Ueber eine in ihrer jugend rhizopodial und animalisch lebende epiphytische alge (Perone). Beih. Bot. Centralbl. Abt. I, 49:675-685. illus. Jl.1932. no.3.
Der beiträge zur morphologie und biologie epiphytischer algen 3. teil.
Perone nov. gen. (P. dimorpha)

Beih. Bot. Centralbl. Abt. I (cont.)

Schneider, M.

Untersuchungen über die embryobildung und -entwicklung der cyperaceen mit berücksichtigung angrenzender fragen wie vergleich der embryobildung und -entwicklung von cyperaceen und gräser, keimung bei den cyperaceen, rolle des saugorgans der cyperaceen bei der keimung. Beih. Bot. Centralbl. Abt. I, 49:649-674. illus. Jl.1932. no.3.

Zwickel, W.

Studien über die ocellen der lebermoose. Beih. Bot. Centralbl. Abt. I, 49:569-648. illus. Jl. 1932. no.3.

Ber. Deut. Bot. Ges. (Berlin)

Bergdolt, E.

Beiträge zur geschichte der botanik im Orient. I. Ibn Wahhschija: Die kultur des veilchens (Viola odorata L.) und die bedingungen des blühens in der ruhezeit. Ber. Deut. Bot. Ges. 50:321-336. Jl.28,1932. no.6.

Cholodny, N.

Lichtwachstumsreaktion und phototropismus. II. Vorläufige mitteilung. Ber. Deut. Bot. Ges. 50:317-320. Jl.28,1932. no.6.

Heilbronn, A.

Polyploidie und generationswechsel. Ber. Deut. Bot. Ges. 50:289-299. illus. Jl.28,1932. no.6.

Heinricher, E.

Beiträge zur morphologie der primulaceenblüte. Ber. Deut. Bot. Ges. 50:304-316. illus. Jl.28, 1932. no.6.

Katz, N.

Zur kenntnis der moore des fernen ostens. Ber. Deut. Bot. Ges. 50:273-288. Jl.28,1932. no.6.

Kummer, H.

Fett und fettsäuregehalt bei gramineensamen in beziehung zur lichtbedürftigkeit bei der keimung. Ber. Deut. Bot. Ges. 50:300-303. Jl.28,1932. no.6.

Vorläufige mitteilung.

Lilienstern, M.

Ueber osmotische beziehungen zwischen wirtspflanze und parasit. Ber. Deut. Bot. Ges. 50:337-340. Jl.28,1932. no.6.

Cuscuta arvensis on Melilotus alba and Cicer.

Biochem. Zeitschr. (Berlin)

Klein, G. & Tauböck, K.

Argininstoffwechsel und harnstoffgenesebei höheren pflanzen. Biochem. Zeitschr. 251:10-50. illus. Jl.27,1932. no.1/3.

Biol. Gen. (Vienna)

Himmelbaur, W. & Stibal, E.

Entwicklungsrichtungen in der blütenregion der gattung Salvia L. Eine phylogenetische studie. Biol. Gen. 8:449-474. pl.i-ii. 1932. no.2.

Boll. R. Staz. Patol. Veg. Roma (Firenze)

Curzi, M.

De fungi morbis africanis. I. De quibusdam hyphomycetibus parasitis Somaliae. Boll. R. Staz. Patol. Veg. Roma n.s., 12:149-168. illus. pl.i-iii. 1932. no.2.

Cercodeuterospora n. gen. (C. trichophila); Cercospora italica, C. somalensis, n. spp. C. sesami var. somalensis n.v.

Curzi, M.

I tripidi come causa della "malattia del pennacchio" del pesco. Boll. R. Staz. Patol. Veg. Roma n.s., 12:238-243. illus. 1932. no.2.

Petri, L.

L'applicazione della terapia interna control il "mal secco" dei limoni. Boll. R. Staz. Patol. Veg. Roma n.s., 12:236-237. 1932. no.2.

Rabinovitz Sereni, D.

Ricerche biologiche sulla Rhizoctonia dei semenzai di citrus. Boll. R. Staz. Patol. Veg. Roma n.s., 12:187-209. illus. 1932. no.2.

Savastano, G.

L'endoxerosi del limone in Sicilia. Boll. R. Staz. Patol. Veg. Roma n.s., 12:169-186, pl.iv-v. 1932. no.2.

Sibilia, C.

Un parassita del finocchio. Boll. R. Staz. Patol. Veg. Roma n.s., 12:210-235. illus. 1932. no.2.

Ramularia foeniculi.

Boll. Soc. Ital. Biol. Sper. (Napoli)

Colla, S.

Richerches sul movimento degli stami di alcune Berberidacee. II. Azione dell' acqua distillata sui movimenti degli stami di Berberis vulgaris L. ' Boll. Soc. Ital. Biol. Sper. 7:546-549. My.1932. no.5.

Boll. Soc. Nat. Napoli

Fiore, M.

Miceti fossili rinvenuti su di una palma (Latanites sp.) del Bolca. Boll. Soc. Nat. Napoli 43:153-156. pl.i. Ap.15,1932.

Callorites, Pseudopezizites, Didymosphaerites (new genera); Gloeosporium trotteri n. sp.

Zirpolo, G.

Studi sulla bioluminescenza batterica X. Azione dei batteri luminosi sulla germinazione dei semi. Boll. Soc. Nat. Napoli 43:393-424. Ap.15,1932.

Bot. Mus. Leafl. Harvard Univ.

Ames, O.

An extension of range for Epidendrum rhynchophorum. Bot. Mus. Leafl. Harvard Univ. no.3. 4 p. illus. Jl.28,1932.

Ames, O.

A new Epidendrum from Spanish Honduras. Bot. Mus. Leafl. Harvard Univ. 2:1-3. Je.29, 1932.

E. edwardsii.

Ames, O. & Schweinfurth, C.

Two new orchids from Yucatan and Trinidad. Bot. Mus. Leafl. Harvard Univ. 2:4-7. Je.29,1932.

Pleurothallis yucatanensis, Epidendrum broadwayi.

Hubbard, F. T. & Redher, A.

Nomenclatorial notes on plants growing in the botanical garden of the Atkins institution of the Arnold Arboretum at Soledad, Cienfuegos, Cuba. Bot. Mus. Leafl. Harvard Univ. no.1. 11 p. Je.7,1932.

Hubbard, F. T.

On the identity of kirsanna. Bot. Mus. Leafl. Harvard Univ. 2:8. Je.29,1932.

"In the Rif the Berber vernacular name of the seed is shasanna and the Arabic name is kirsanna."

Vicia ervilia.

Bull. Agence Gén. Colon. France (Paris)
Renaud, M.
Contribution a l'étude des bois de la Guyane française. Bull. Agence Gén. Colon. France 25:970-1031. 5 pl. Jl.1932. no.279.

Bull. Assoc. Chim. Sucrerie & Distill. France & Colon. (Paris)
P., L.
Considérations sur les maladies de la betterave ainsi que sur les maladies parasitaires des plantes en général. (cont.) Bull. Assoc. Chim. Sucrerie & Distill. France & Colon. 49:232-235. Je.1932. no.6.

Bull. Counc. Sci. & Ind. Res. Austr. (Melbourne)
Young, W. J., Bagster, L. S., Hicks, E. W. & Huelin, F. E.
The ripening and transport of bananas in Australia. Bull. Counc. Sci. & Ind. Res. Austr. 64. 52 p. 1932.

Bull. Dept. Interior, For. Serv. Canada
Eades, H. W.
British Columbia softwoods; their decays and natural defects. Bull. Dept. Interior, For. Serv. Canada no. 80. 117 p. illus., 8 col. pl. on 4. 1932.

Bull. Dept. Agr. United Prov. Agra & Oudh (Allahabad)
Mitra, A. K.
Common diseases of papayas in the United Provinces. Bull. Dept. Agr. United Prov. Agra & Oudh 16:15-18. 1932.
Stem rot, leaf curl.

Bull. Inst. Pin Bordeaux
Guinier, P.
Les champignons du pin maritime. Bull. Inst. Pin Bordeaux 1932:150-154. Jl.15,1932. no.31.
Peridermium, Ungulina annosa, Armillariella mellea, Trametes pini, Ceratostomella.

Bull. Mens. l'Agence Écon. l'Afrique Occid. Franç. (Paris)
Hedin, L.
Esquisses rapide de la végétation des hords laguinaires dans la région de Grand Bassam et de Bingerville (Côte d'Ivoire). Bull. Mens. l'Agence Écon. l'Afrique Occid. Franç. 13:211-215. illus. Jl.1932. no.139.

Bull. Min. Agr. Egypt Techn. & Sci. Serv.

Nattrass, R. M.
Cercospora disease of Calotropis procera. Bull. Min. Agr. Egypt Techn. & Sci. Serv. no.106. 6 p. vii pl. 1932.

Bull. Misc. Inform. Kew (London)

Airy-Shaw, H. K.
Two new species of Dentella. Bull. Misc. Inform. Kew 1932:289-292. no.6.
D. serpyllifolia, (D. repenti (L.)), D. concinna.

Burtt Davy, J. & Hoyle, A. C.
New trees and shrubs from tropical Africa. Bull. Misc. Inform. Kew 1932:257-270. illus. no.6.

Craib, W. G.
Contributions to the flora of Siam. Additamenta XXXIV. Bull. Misc. Inform. Kew 1932:276-289. no.6.

Fischer, C. E. C.
Contributions towards a flora of British North Borneo. II. Bull. Misc. Inform. Kew 1932:292-295. no.6.

Fischer, C. E. C.
Hackelia macrophylla. Bull. Misc. Inform. Kew 1932:298-299. no.6.
Author says correct name is "Hackelia uncinata (Benth).

Green, M. L.
Botanical names of lavender and spike. Bull. Misc. Inform. Kew 1932:295-297. no.6.
Lavandula officinalis, L. latifolia.

Marsden-Jones, E.M. & Turrill, W. B.
Researches on Silene maritima and S. vulgaris. IX. A statistical study of characters in a wild population of S. vulgaris. Bull. Misc. Inform. Kew 1932:271-276. no.6.

Phillips, E. P.
Inezia, a new genus of Compositae from South Africa. Bull. Misc. Inform. Kew 1932:297-298.
I. integrifolia (Lidbeckia)

Sandwith, N. Y.
Ruyschia phylladenia Sandwith. Bull. Misc. Inform. Kew 1932:299-300. no.6.

Bull. Mus. Hist. Nat. Paris

Bourdouil, C. Mlle.

Dominance du caractère amylacé chez un maïs hybride de première génération. Bull. Mus. Hist. Nat. Paris. II. 4:337-338. Ap.1932. no.3.

Chouard, P.

Endymion vincentinus (Hoffm. et Link). Remarques sur la phylogénie du genre Endymion. Bull. Mus. Hist. Nat. Paris II, 4:354-363. illus., pl. Ap.1932. no.3.

Conard, L.

Détermination de plantes du Cambodge. (cont.) Bull. Mus. Hist. Nat. Paris II, 4:438-445. My.1932. no.4.

Costantin, J., Pebard, P. & Magrou, J.

Altitude et précocite du développement des germes chez la pomme de terre. Bull. Mus. Hist. Nat. Paris II, 4:332-334. 2 pl. on 1. Ap. 1932. no.3.

Georges, L.

Note sur le genre Pirus en Afrique du Nord. Bull. Mus. Hist. Nat. Paris II, 4:348-353. illus. Ap.1932. no.3.

Humbert, H.

L'herbier H. Perrier de la Bathie (plantes de Madagascar). Bull. Mus. Hist. Nat. Paris II, 4:345. Ap.1932. no.3.

Saint-Yves, A.

Un Festuca nouveau de l'Afrique équatoriale. Bull. Mus. Hist. Nat. Paris II, 4:346-347. illus. Ap.1932. no.3.

F.congolensis.

Bull. So. Calif. Acad. Sci. (Los Angeles)

Hoffman, R.

Notes on the flora of the Channel Islands off Santa Barbara, California. Bull. So. Calif. Acad. Sci. 31:46-60. My./Ag.1932. no.2.

Munz, P. A.

Southern California plant notes. IV. Bull. So. Calif. Acad. Sci. 31:61-70. My./Ag.1932. no.2.

Cactus & Succ. Journ. (Los Angeles)

Croizat, L.

Ceropegia fusca Bolle. Cactus & Succ. Journ. 4:227-229. illus. Ag.1932. no.2.

Cactus & Succ. Journ. (cont.)

Johansen, D. A.

Contributions toward a monograph of the genus Dudleya. Cactus & Succ. Journ. 4:230-232. Ag.1932. no.2.

Walther, E.

Pachyphytum brevifolium. Cactus & Succ. Journ. 4:237-238. illus. Ag.1932. no.2.

White, A. & Sloane, B. L.

The Stapelieae. 12. Stapelia. The Stapletonia section. Cactus & Succ. Journ. 4:233-236. illus. Ag.1932. no.2.

Canad. Flor. (Peterboro, Ont.)

Tilford, P. E.

Calla lily root rot and its control. Canad. Flor. 27:276. Ag.9,1932. no.16.

Compt. Rend. Soc. Biol. Paris

Gain, E.

Sur une mutation vosgienne du Narcissus pseudonarcissus L. Compt. Rend. Soc. Biol. Paris 110:1154-1156. Jl.29,1932. no.27.

Leonir, M.

Origine caryo-cytoplasmique du fuseau acromatique chez l'Allium cepa. Etude sur matérial fixé. Compt. Rend. Soc. Biol. Paris 110:1156-1157. Jl.29,1932. no.27.

Compt. Rend. Soc. Phys. & Hist. Nat. Genève

Chodat, F. & Landis, J.

Etude sur la nutrition de quelques protoascomycètes. Compt. Rend. Soc. Phys. & Hist. Nat. Genève 49:52-57. Ja./Mr.1932. no.1.

Deshusses, J. & Dehusses, L.

Une anguillulose de l'hortensia (Hydrangea hortensis Sm.). Compt. Rend. Soc. Phys. & Hist. Nat. Genève 49:72-74. Ja./Mr.1932. no.1.

Hochreutiner, B. P. G.

John Briquet. Compt. Rend. Soc. Phys. & Hist. Nat. Genève 49:19-25. Ja./Mr.1932. no.1.

Schopfer, W. H.

Sur le facteur accessoire de croissance de microorganisme contenu dans le germe de blé; son action sur la sexualité de Phycomyces. Compt. Rend. Soc. Phys. & Hist. Nat. Genéve 49:70-72. Ja./Mr.1932. no.1.

Deut. Landw. Presse (Berlin)

Frickhinger, H. W.

Erfolge der gemüsesamen-beizung. Deut. Landw. Presse 59:398. Ag.6,1932. no.32.

Use of tillatin R.

Empire For. Journ.

Atkins, W. R. G.

The measurement of daylight in relation to plant growth. Empire For. Journ. 11:42-52. 1932. no.1.

Robertson, C. C.

The cultivation of Mexicanpines in the Union of South Africa, with notes on the species and their original habitat. Empire For. Journ. 11:58-72. fold. map. 1932.

Gard. Chron. (London)

Darnell, A. W.

The genus Androsace. Gard. Chron. III, 92:82,115. Jl.30,Ag.13,1932. no.2379,2381.

Hutchinson, J.

Plants new or noteworthy. Gard. Chron. III, 93:98. Ag.6,1932. no.2380.

Rhododendron exquisitum, n. sp., R. cinnabarinum var. aestivale, n. var.

Ingram, C.

Honey guides of Cape gladioli. Gard. Chron. III, 92:94-95. illus. Ag.6,1932. no.2380.

Krelage, E. H.

Gladiolus ramosus. Gard. Chron. III, 92:80. Jl.30,1932. no.2379.

Supplement to R. H. Jeffers' article on "Gladiolus hybrids".

Shewell-Cooper, W. E.

The control of club root of Brassicas: 1931 and 1932 trails in Cheshire. Gard. Chron. III, 92:83. Jl.30,1932. no.2379.

Wormald, H.

A bacterial disease of lilacs. Gard. Chron. III, 92:116-117. illus. Ag.13,1932. no.2381.

"Symptons agree with those of lilac blight caused by Bacterium (Pseudomonas syringae)"...

Gard. Illus. (London)

Dillistone, G.

Lily gardens and garden lilies. II. Gard. Illus. 54:472-473. illus. Ag.6,1932. no.2787.

Gartenbauwiss. (Berlin)

Moog, H.

Beiträge zur ampelographie II. Gartenbauwiss. 6:561-611. illus. Jl.25,1932. no.6.

Niethammer, A.

Die beizung unseres gemüsesaatgutes mit germisan. Gartenbauwiss. 6:650-681. illus. Jl.25,1932. no.6.

Rzimann, G.

Regenerations- und transplantationsversuche an Daucus carota. Gartenbauwiss. 6:612-636. illus. Jl.25,1932. no.6.

Trenkle, R.

Zur frage der praktischen auswertung der untersuchungsergebnisse über die befruchtungsverhältnisse bei stein- und kernobst. Gartenbauwiss. 6:637-649. illus. Jl.25,1932. no.6.

Genetica (The Hague)

Beijer, J. J.

Ueber die knospenvariationen des Coleus hybridus. Genetica 14:279-318. illus. 1932. no.3/4.

Haan, H. de

The heredity of emergencies in Pisum sativum. Preliminary communication. Genetica 14:319-320. 1932. no.3/4.

Nijdam, F. E.

Kruisingem met Trifolium pratense L. Genetica 14:161-278. illus. 1932. no.3/4.

English summary: p.272-274.

Hadar (Jaffa)

Reichert, I. & Hellinger, E.

On Botrytis tip-end rot of banana fruits in Palestine. Hadar 5:162-163. illus. Jl. 1932. no.7.

B. cinerea.

Hong Kong Nat.

Herklots, G. A. C.

The flowering shrubs and trees of Hong Kong. II. Hong Kong Nat. 3:87-98. illus., pl.19-20. My. 1932. no.2.

Herklots, G. A. C.

Lilium brownii var. colchesteri, Wilson. Hong Kong.Nat. 3:82-86. pl.17-18. My.1932. no.2.

Jarrett, V. H. C.

Ehretia longiflora, Champ. Hong Kong Nat. 3:152. My.1932. no.2

Intern. Bull. Plant Prot.

Bouriquet, G.

Madagascar: list of the parasites and diseases of cultivated plants. Intern. Bull. Plant Prot. 6:105-107. Jl.1932. no.7.

Iowa State Coll. Journ. Sci. (Ames, Ia.)

Drake, C. J., Tate, H. D. & Harris, H. M.

Preliminary experiments with aphids as vectors of yellow dwarf.. Iowa State Coll. Journ. Sci. 6:347-354. illus., 1 pl. Ap.1932. no.3.

Yellow dwarf of onion.

Martin, J. N., Erwin, A. T. & Lounsberry, C. C.

Nectaries of Capsicum. Iowa State Coll. Journ. Sci. 6:277-282. 2 pl. Ap.1932. no.3.

Jahrb. Wiss. Bot. (Leipzig)

Lachenmeier, J.

Transpiration und wasserabsorption intakter pflanzen nach vorausgegangener verdunkelung bei konstanz der lichtintensität und der übrigen aussen faktoren. Jahrb. Wiss. Bot. 76:765-827. illus., tab. 1932. no.5.

Seyfert, F.

Ueber den physikalischen nachweis von mitogenetischen strahlen. Jahrb. Wiss. Bot. 76:747-764. illus. 1932. no.5.

Zimmermann, W.

Beiträge zur kenntnis der georeaktionen. III. Der plagiotrope wuchs von Tradescantia- sprossen und anderen morphologisch dorsiventralen organen. Jahrb. Wiss. Bot. 76:665-746. illus. 1932. no.5.

Journ. Agr. Sci. (London)

Martin, H. & Salmon, E. S.

The fungicidal properties of certain spray-fluids, IX. The fungicidal properties of the products of hydrolysis of sulphur. Journ. Agr. Sci. 22:595-616. Jl.1932. no.3.

Journ. Amer. Pharm. Assoc. (Easton, Pa.)

Jones, H. D., Furbeck, G. N. & Colorado, R.

Isolation and study of the saponin content of the juice and leaf of the agave plant, maguey, Manso Fino. Journ. Amer. Pharm. Assoc. 21:787-793. Ag.1932. no.8.

Journ. Dept. Agr. Victoria (Melbourne)

Barnard, C.

Studies of the growth and fruit bud formation. I. A year's observations on Victorian apples. Journ. Dept. Agr. Victoria 30:349-361. illus. Jl.1932. no.7.

Grieve, B. J.

Rose diseases and their control. XIX. Downy mildew of roses. XX. Grey mould or blossom blight. Journ. Dept. Agr. Victoria 30:362-364. illus. Jl.1932. no.7.

Journ. Dept. Agr. West. Austral. (Perth)

Pittman, H. A.

Brown rot of citrus. Journ. Dept. Agr. West. Austral. II, 9:286-289. Je.1932. no.2.

Journ. Genetics (London)

Jenkin, T. J. & Sethi, B. L.

Phalaris arundinacea, Ph. tuberosa, their F_1 hybrids and hybrid derivatives. Journ. Genetics 26:1-36. illus., pl.i-ii. Jl.1932. no.1.

Koller, P. Ch.

Further studies in Tradescantia virginiana var. humilis and Rhoeo discolor. Journ. Genetics 26:81-96. illus., pl.iii-iv. Jl. 1932. no.1.

Mather, K.

Chromosome variation in Crocus. I. Journ. Genetics 26:129-142. illus. Jl.1932. no.1.

Punnett, R. C.

Further studies of linkage in the sweet pea. Journ. Genetics 26:97-112. illus. Jl.1932. no.1.

Journ. Genetics. (cont.)
Stone, L. H. A.
A somatic variation in the sweet pea. Journ. Genetics 26:113-114. pl.v-vi. Jl.1932. no.1.

Journ. Hered. (Washington)
Collins, G. N.
The rediscovery of teosinte in Guatemala. Journ. Hered. 23:261-265. illus. Jl.1932. no.7.

Journ. N. Y. Bot. Gard.
Small, J. K.
Whence came the native trees of the Botanical garden? Journ. N. Y. Bot. Gard. 33:165-170. illus. Ag.1932. no.392.

Journ. Washington Acad. Sci.
Berry, E. W.
Fossil stipules of Platanus. Journ. Washington Acad. Sci. 22:413-416. illus. Ag.19,1932. no.14.

Kartoffel, Zeitschr. Kartoffelbauges. (Berlin)
Schlumberger, O.
Die produktion krebsfester anerkannter pflanzkartoffeln im jahre 1931. Kartoffel. Zeitschr. Kartoffelbauges 12:157-158. Ag.1,1932. no.15.

Meded. Proefst. Vorstenl. Tabak Java (Klaten)
Thung, T. H.
De huidige stand van het Phytophthora-vraagstuk in de Vorstenlanden. Meded. Proefst. Vorstenl. Tabak Java no.74. 50 p. illus. 1932.

Mitt. Inst. Allg. Bot. Hamburg
Behre, K.
Ueber blattdrüsen bei den dipterocarpaceen Shorea pinanga Scheff. und Balanocarpus zeylanicus Trimen. Mitt. Inst. Allg. Bot. Hamburg 9:179-182. illus. 1932. no.1.

Mitt. Inst. Allg. Bot. Hamburg

Bein, E.

Untersuchungen über die korrelationen zwischen blattstiel und blattspreite. Mitt. Inst. Allg. Bot. Hamburg. 9:1-66. illus. 1932. no.1.

Hein, H.

Ueber geotropismus und phototropismus an blütenorganen und früchten. Mitt. Inst. Allg. Bot. Hamburg 9:67-178. illus. 1932. no.1.

Möller's Deut. Gärtn.-Zeit. (Erfurt)

Heydt, A.

Riesenblumige stiefmütterchen. Viola tricolor maxima Trimardeau-hybriden. Möller's Deut. Gärtn.-Zeit. 47:256-257. Ag.1,1932. no.22.

Laubert, R.

Eine schädliche pilzkrankheit von Campanula mayii hort. Möller's Deut. Gärtn.-Zeit. 47:267. Ag.11,1932. no.23.

Coleosporium campanulae.

Monatsschr. Deut. Kakteen-Ges. (Berlin)

Bödeker, F.

Mammillaria sinistrohamata Böd. sp. n. Monatsschr. Deut. Kakteen-Ges. 4:162-164. illus. Ag.1932. no.8.

Djakonow, W. M.

Wie schnell keimen kakteensamen? Monatsschr. Deut. Kakteen-Ges. 4:175-182. illus. Ag.1932. no.8.

Weingart, W.

Cereus huntingtonianus spec. nov. Monatsschr. Deut. Kakteen-Ges. 4:165-168. illus. Ag.1932. no.8.

Nachrichtenbl. Deut. Pflanzenschutzd. (Berlin)

Rabien, H.

Beitrag zur frage der schädigung des saatgutes durch trockenbeizen. Nachrichtenbl. Deut. Pflanzenschutzd. 12:61-62. illus. Ag.1932. no.8.

Nature (London)

Haldane, J. B. S.

The inheritance of acquired characters. Nature 130:204. Ag.6,1932. no.3275.

Reply to Prof. MacBride and Harrison's articles in Nature 130:128. Jl.23,1932.

Nature (cont.)

Semmens, E. S.
Hydrolysis in green plants by moonlight. Nature 130:243. illus. Ag.13,1932. no.3276.

Smith, K. M.
Filtration of plant viruses. Nature 130:243. Ag.13,1932. no.3276.

New Zeal. Journ. Agr. (Wellington)

Cunningham, G. H.
Orchard sprays in New Zealand. III. The copper series. New Zeal. Journ. Agr. 45:33-39. Jl. 1932. no.1.

Nuovo Giorn. Bot. Ital. (Firenze)

Barsali, E.
Prodromo della flora Umbra. (cont.) Nuovo Giorn. Bot. Ital. 36:346-415. 1932. no.2.

Cobau, R.
Su la flora dei "gessi" bolognesi. Nuovo Giorn. Bot. Ital. 39:313-345. 1932. no.2.

Colla, S.
Richerche sul movimento degli stami in alcune Berberidacee. IV. Le modificazioni dei tessuti dello stame durante la contrazione. Nuovo Giorn. Bot. Ital. 39:182-208. illus. 1932. no.2.

Danin, Z.
Sulle cavità gassose di Rivularia polyotis (J. Ag.) Hauck e sui gas in essa contenuti. Nuovo Giorn. Bot. Ital. 39:165-181. illus. 1932. no.2.

Francini, E.
Lo sviluppo del sistema conduttore nelle plantule di alcune Orchidaceae. Nuovo Giorn. Not. Ital. 39:226-242. illus. 1932. no.2.

Martelli, U.
"Pelagodoxa henryana" Becc. palma delle Isole Marquesas. Nuovo Giorn. Bot. Ital. 39:243-250. illus., pl.vii-ix. 1932. no.2.

Negodi, G.
Ibridazioni nel genere "Iris". Nuovo Giorn. Bot. Ital. 39:209-222. illus. 1932. no.2.

Nuovo Giorn. Bot. Ita. (cont.)

Peyronel, B.

Influence della temperatura sullo sviluppo della "Dicranophora fulva" Schröter. Nuovo Giorn. Bot. Ita. 39:309-312. 1932. no.22.

Provasi, T.

Contributo alla conoscenza del carpostegio nelle labiate. Nuovo Giorn. Bot. Ital. 39:254-331. pl.x-xiii. 1932. no.2.

Sella, M.

II tartufo bianco in Istria. Nuovo Giorn. Bot. Ital. 39:155-164. illus. 1932. no.2.

Tuber magnatum.

Vaccaneo, R.

Una nuova "Hydnora" della Somalia Italiana. Nuovo Giorn. Bot. Ital. 39:304-308. illus., pl.xiv. 1932. no.2.

H. cornii, (...parasita del sistema radicale dell' Albizzia lebbek...)

Oesterr. Bot. Zeitschr. (Wien)

Janchen, E.

Entwurf eines stambaumes der blütenpflanzen nach Richard Wettstein. Oesterr. Bot. Zeitschr. 81:161-166. illus. Je.25,1932. no.3.

Jordanoff, D.

Der einfluss der narkotisierung auf die entwicklung einiger arten der hymenomycetengattung Coprinus. Oesterr. Bot. Zeitschr. 81:167-193. illus. Je.25,1932. no.3.

Lämmermayr, L.

Der lichtgenuss von Juniperus communis und die wacholdergärtschen des Schöckels bei Graz. Oesterr. Bot. Zeitschr. 81:209-217. Je.25, 1932. no.3.

Stolz, H.

Der mikrochemische nachweis des pilocarpins und pilocarpidins. Oesterr. Bot. Zeitschr. 81:194-208. illus. Je.25,1932. no.3.

Widder, F. J.

Der bastard Alectorolophus alpinus x buccalis und seine eltern. Oesterr. Bot. Zeitschr. 81:218-227. illus. Je.25,1932. no.3.

Ohio Journ. Sci. (Columbus)

Berry, Willard

A remarkable specimen of Callixylon newberryi (Dawson) Elkins et Wieland, from the Ohio shale. Ohio Journ. Sci. 32:385-388. illus. Jl.1932. no.4.

Schaffner, J. H.

Orthogenetic evolution of degree of divergence between carpel and foliage leaf. Studies in determinate evolution. VI. Ohio Journ. Sci. 32:367-378. illus. Jl.1932. no.4.

Philipp. Agr. (Los Baños)

Stevens, F. L.

Two fungous invasions often following the coconut leaf miner, Promecotheca cumingii Baly. Philipp. Agr. 21:80-82. illus. Jl.1932. no.2.

Epicoccum cocos n. sp., Pestalozzia palmarum.

Phytopath.

Burkholder, W. H.

Carbohydrate fermentation by certain closely related species in the genus Phytomonas. Phytopath. 22:699-707. Ag.1932. no.8.

Gilman, J. C.

Louis Hermann Pammel, 1862-1931. Phytopath. 22:669-674. port. Ag.1932. no.8.

Senn, P. H.

The effect of the sugary gene in corn on resistance to seedling blight caused by Gibberella saubinetti. Phytopath. 22:675-697. illus. Ag.1932. no.8.

Stevens, N. E.

Keeping quality as a factor in selecting new varieties of small fruits. Phytopath. 22:715-719. Ag.1932. no.8.

Zeller, S. M.

Crinkle disease of strawberry. Phytopath. 22:709-713. illus. Ag.1932. no.8.

Planta Arch. Wiss. Bot. (Berlin)

Döpp, W.

Die apogamie bei Aspidium remotum Al. Br. Planta Arch. Wiss. Bot. 17:86-152. illus., pl.i-x. Jl.22,1932. no.1.

Planta Arch. Wiss. Bot. (cont.)

Petersen, J. B.

Ueber das wachstum von erdalgen. Planta Arch. Wiss. Bot. 17:15-21. Jl.22,1932. no.1.

Vorläufige mitteilung.

Stålfelt, M. G.

Der stomatäre regulator in der pflanzlichen transpiration. Planta Arch. Wiss. Bot. 17:22-85. illus. Jl.22,1932. no.1.

Troll, W.

Morphologie der schildförmigen blätter. Planta Arch. Wiss. Bot. 17:153-230. illus. Jl.22,1932. no.1.

Wetzel, K.

Das carboxylatische system in grünen blatt. Planta Arch. Wiss. Bot. 17:1-14. Jl.22,1932. no.1.

Proc. Roy. Soc. Ser. B (London)

Tomkins, R. G.

The action of certain volatile substances and gases on the growth of mould fungi. Proc. Roy. Soc. Ser. B, 111:210-226. illus. Ag.2,1932. no.B-771.

Proc. Roy. Soc. Victoria (Melbourne)

Thomas, L. A.

The readvancement of the vegetation over the mined areas of Bedigo. Proc. Roy. Soc. Victoria 44:77-91. illus., pl.ix. F.1932. no.1.

Proc. Utah Acad. Sci.

Harrison, B. F.

The rise and development of the megagametophyte in Fritillaria pudica and Fritillaria atropurpurea. Proc. Utah Acad. Sci. 9(1931/1932):9-15. pl.iii-iv. 1932.

Snow, E.

A preliminary report on the algae of Utah Lake. Proc. Utah Acad. Sci. 9(1931/1932):21-28. 1932.

Queensl. Agr. Journ. (Brisbane)

Morwood, R. B.

Report of maize Diplodia experiments 1932-31. Queensl. Agr. Journ. 38:22-23. Jl.1, 1932. No.1.

Repert. Spec. Nov. Fedde (Berlin)

Bordzilowski, E.

De plantis nonnullis Armeniacis et Dzhawakheticis. Repert. Spec. Nov. Fedde 30(Repert. Europ. & Med. 3, 34/37):363-399. pl.cxxx-cxxxi. Jl.15,1932. no.807/815.

Extr. ex Bull. Jard. Bot. Kiew XII-XIII [1931] pp.105-143.

Bornmüller, J.

Bearbeitung der von H. Burgeff und Th. Herzog in den kriegsjahren 1916-1918 in Mazedonien gesammelten pflanzen. (cont.) Repert. Spec. Nov. Fedde 30(Repert. Europ. & Med. 3, 34/37):337-362. Jl.15,1932. no.807/815.

Mansfeld, R.

Die gattung Catasetum L. C. Rich. Repert. Spec. Nov. Fedde 30:257-275. Jl.15,1932. no.807/815.

Parker, R. N.

Scaphula a new genus of the Dipterocarpaceae. Repert. Spec. Nov. Fedde 30:325-327. Jl.15, 1932. no.807/815.

S. glabra.

Poellnitz, K. von

Claytonia Gronov. und Montia Mich. Repert. Spec. Nov. Fedde 30:279-325. Jl.15,1932. no.807/815.

Smirnow, P.

Eine neue Koeleria (K. sclerophylla) aus Mittel-Russland. Repert. Spec. Nov. Fedde 30(Repert. Europ. & Med. 3, 34/37):399-400. Jl.15,1932. no.807/815.

Smith, J. J.

Die orchideen der Anambas- und Natoena-Inseln. Repert. Spec. Nov. Fedde 30:327-336. Jl.15,1932. no.807/815.

Suessenguth, K.

Einige neue pflanzen aus Südamerika. Repert. Spec. Nov. Fedde 30:275-279. Jl.15,1932. no.807/815.

Rev. Bot. Appl. (Paris)

Guillaumin, A.

Classification, origine et phylogénie des Hespérides. D'après les trabaux de T. Tanaka. Rev. Bot. Appl. 12:543-547. Jl.1932. no.131.

Rev. Bot. Appl. (cont.)

Perrier de la Bathie, H.
Les plantes introduites à Madagascar. (concl.)
Rev. Bot. Appl. 12:530-543. Jl.1932. no.131.

Russell, M. W.
Note sur la structure du Zygophyllum geslini
Cosson. Rev. Bot. Appl. 12:518-520. illus.
Jl.1932. no.131.

Rev. Gen. Bot. (Paris)

Eichhorn, A.
Chromocentres et prochromosomes; leur relations
réciproques avec les chromosomes. Rev. Gen. Bot.
44:260-263. Je.1932. no.522.

Moruzi, C.
Recherches cytologiques et expérimentales sur la
formation des perithèces chez les ascomycetes. I-
Rev. Gen. Bot. 44:217-247,248-259. illus.,
xi pl. Je.1932. no.522.
I. Étude cytologique de la formation des péri-
thèces chez quelques lichens crutaces. II. Etude
cytologique et expérimentale de la formation des
perithèces chez les champignons du genre Neurospora.

Rhododendron Soc. Notes

Balfour, F. R. S.
Ernest Henry Wilson. Rhododendron Soc.
Notes 3:289-294. [1931] no.5.
Rhododendrons of Wilson's introduction:
p.293-294.

Hay, T.
Nepaul rhododendrons. Rhododendron Soc.
Notes 3:288. [1931] no.5.

Rogers, J. M.
The honey fungus on rhododendrons. Rhodo-
dendron Soc. Notes 3:306. [1931] no.5.
Armillia mellea.

Tagg, H. F.
Descriptions of Rhododendrons auritum (Tagg)
bulu (J. Hutchinson), micromeres (Tagg), minuti-
florum (contributed by Alfred Rehder), recurvoides
(Tagg), sordidum (Hutchinson) and spilanthum
(Hutchinson). Rhododendron Soc. Notes 3:278-
279. [1931] no.5.

Rhododendron Soc. Notes (cont.)

Tagg, H. F.

An enumeration of the specimens of Rh. oleifolium and Rh. racemosum in the herbarium of the Royal botanic garden, Edinburgh, with notes on the the distribution of the two species. Rhododendron Soc. Notes 3:321-326. [1931] no.5.

Science

Kostoff, D. & Kendall, J.

Origin of a tetraploid shoot from the region of a tumor on tomato. Science 76:144. Ag.12, 1932. no.1963.

Moore, C. N. & Haskins, C. P.

Note on premature flowering in grapefruit from x-rayed seeds. Science 76:167-168. Ag.18, 1932. no.1964.

Spaeth, J. N.

Dormancy in Tilia seeds. Science 76:143-144. Ag.12,1932. no.1963.

Scient. Agr. (Ottawa)

Hockey, J. F. & Ward, R. W.

Studies in apple storage. I. The influence of fungicides on flavour and sugar content. Scient. Agr. 12:709-715. Ag.1932. no.12.

Scient. Month. (Lancaster, Pa.)

Bancroft, H.

Herbs, herbals, herbalists. Some sketches from the history of medical botany in the old world. Scient. Month. 35:239-253. illus. S.1932. no.3.

Ricker, P. L.

The protection of our native flowers. Scient. Month. 35:273-275. S.1932. no.3.

Sitzungsb. Akad. Wiss. Wienm Math.-Naturw. Kl. Abt. IIb.

Wessely, F. & Nadler, E.

Ueber die inhaltsstoffe der wurzel von Pimpinella saxifraga. II. Sitzungsb. Akad. Wiss. Wien, Math.-Naturw. Kl. Abt. IIb, 141:141-144. 1932. no.2/3.

Succulenta (Leeuwarden)

Duursma, G. D.

Mooie gasteria's II. Linguae. Succulenta 14:192-197. illus. Ag.1932. no.8.

Succulenta (cont.)

Karsten, M. C.

Rudolf Marloth (1855-1921). Zijn leven en werken. II. Succulenta 14:189-192. Ag.1932. no.8.

Techn. Publ. N. Y. State Coll. For. Syracuse

Carpenter, C. H.

An atlas of paper-making fibres. Techn. Publ. N. Y. State Coll. For. Syracuse (Bull. v.4, no.3b.) no.35. 44 pl. 1932.

Trans. Nat. Hist. Soc. Formosa

Kurosawa, E.

On the overgrowth phenomenon of rice seedlings related to the excretion of the cultures of Lisea fujikuroi Saw. Trans Nat. Hist. Soc. Formosa 22:198-201. Je.1932. no.120.

In Japanese.

Masamune, G.

Miscellaneous notes on the Formosan plants. Trans. Nat. Hist. Soc. Formosa 22:195. Je.1932. no.120.

In Japanese.

Masamune, G.

Phytogeographic position of Formosa when her indigenous genera are concerned. Trans. Nat. Hist. Soc. Formosa 22:164-194. Je.1932. no.120.

Japanese with English Résumé.

Shimada, Y.

Discovery of Sedum obtuso-lineare Hayata in Tansui. Trans. Nat. Hist. Soc. Formosa 22:197-198. Je.1932. no.120.

In Japanese.

Suzuki, S.

Discovery of Balanophora tobiracola and Citrus tachibana in the gorge of Taroko. Trans. Nat. Hist. Soc. Formosa 22:196. Je.1932. no.120.

In Japanese.

U. S. Dept. Agr. Plant Dis. Rep.

Fawcett, H. S.

Two Phytophthoras of citrus found in new localities. U. S. Dept. Agr. Plant Dis. Rep. 16:130. Ag.15,1932. no.12.

P. citrophthora, P. hibernalis.

U. S. Dept. Agr. Plant Dis. Rep. (cont.)

Hastings, R. J., Newton, W. & Steiner, G.
Root decline of narcissi. U. S. Dept. Agr. Plant Dis. Rep. 16:112-113. Ag.1,1932. no.11.
Caused by Tylenchus pratensis, a Cylindrocarpon and other nematodes also present.

Lindgren, R. M.
Field observations of needle rusts of spruce in Minnesota. U. S. Dept. Agr. Plant Dis. Rep. 16:126-129. Ag.15,1932. no.12.
Melampsoropsis spp.

Newhall, A. G.
Eradication of the bulb nema Tylenchus dipsaci from the New York onion district. U. S. Dept. Agr. Plant Dis. Rep. 16:136-137. Ag.15,1932. no.12.

Rosen, H. R.
Blight on Cotoneaster in Arkansas. U. S. Dept. Agr. Plant Dis. Rep. 16:129-130. Ag.15,1932. no.12.
Caused by Bacillus amylovorus.

Schneiderhan, F. J.
An unusual russetting of York Imperial fruits. U. S. Dept. Agr. Plant Dis. Rep. 16:131-132. Ag. 15,1932. no.12.

Weiss, F.
Notes on some diseases of ornamentals. U. S. Dept. Agr. Plant Dis. Rep. 16:122-124. Ag.1, 1932. no.11.

Wescott, C.
Coniothyrium diplodiella (Speg.) Sacc. on rose. U. S. Dept. Agr. Plant Dis. Rep. 16:124. Ag.1, 1932. no.11.

Vict. Nat. (Melbourne)

Messmer, Mrs. C. A.
Notes on Chiloglottis reflexa (Lab.) Cheel. Vict. Nat. 49:74-76. Jl.1932. no.3.

Sainsbury, G. O. K.
The study of Australian mosses. (cont.) Vict. Nat. 49:77-80. Jl.1932. no.3.

Zeitschr. Indukt. Abstamm. u. Vererbungsl. (Leipzig)

Hämmerling, J.
Entwicklung und regeneration bei Acetabularia mediterranea (Ein beitrag zur physiologie des zellkerns). Zeitschr. Indukt. Abstamm. u. Vererbungsl. 62:92-93. 1932. no.1/2.

Honing, J. A.
Plasmatische einflüsse auf spaltungsverhaltnisse. Zeitshcr. Indukt. Abstamm. u. Vererbungsl. 62:93-95. 1932. no.1/2.

Michaclis, P.
Ueber die beziehungen zwischen kern und plasma bei den reziprok verschiedenen Epilobium-bastarden. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 62:95-101. 1932. no.1/2.

Plate, L.
Genetik und abstammungslehre. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 62:47-67. 1932. no.1/2.

Sabnis, T. S.
Inheritance of variegation. II. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 62:213-231. illus. 1932. no.1/2.

Schwanitz, F.
Experimentelle analyse der genom- und plasmonwirkung bei moosen. V. Protonemaregeneration aus blättchen, chloroplastengrösse, chloroplastenzahl, assimilatorische relation. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 62:232-248. illus. 1932. no.1/2.

Stein, E.
Zur entstehung und vererbung der durch radiumbestrahlung erzeugten phytocarcinome. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 62:1-13. illus. 1932. no.1/2.

Exper. Stat. Publ.

Richmond, R. G.
Red-clover pollination by honeybees in Colorado. Colorado Agr. Exp. Stat. Bull. 391. 22 p. illus. Jl.1932.

Exper. Stat. Publ. (cont.)

Stuart, N. W.
Nitrogen and carbohydrate metabolism of young apple trees as affected by excessive applications of sodium nitrate. New Hampshire Agr. Exp. Stat. 50. 26 p. Je.1932.

North Dakota Agr. Exp. Stat.
[Report of botany and plant pathology]. In its Bienn. Rep. Progr., Bull. 256 (1929/31):24-28. illus. F.1932.

Weniger, W.
Diseases of grain and forage crops in North Dakota. North Dakota Agr. Exp. Stat. Bull. 255. 97 p. illus. Ja.1932.
Revision of Bull. 166.

Moore, J. C.
Electrical resistance of pear tissue as an index to maturity. Oregon Agr. Exp. Stat. Bull. 300. 18 p. illus. Je.1932.

New Books

Coley, M.
Wild flower preservation, a collector's guide. 2nd ed., rev. London, P. Allan, 1932.

Congrès international de pathologie comparée
Comptes rendus. Paris, 1932.

Ewart, A. J.
Flora of Victoria. [Melbourne], University Press, 1930.

Haselhoff, E.
Grundzüge der rauchschadenkunde. Berlin, Borntraeger, 1932.

Pape, K.
Die wirtschaftsgeographischen grundlagen der versorgung Hamburgs mit gemüse. Hamburg, 1931.
Diss. - Hamburg.

Das pflanzenreich... heft 99. IV(1) Cycadaceae
von J. Schuster. Leipzig, W. Engelmann, 1932.

Sheets, E. W.
New, rare, and good old irises and iris lover's guide. Treholme gardens. Washington, [National capital press, inc., 1932]

New Books (cont.)

Sorauer, P.
Handbuch der pflanzenkrankheiten, 5 neubearb. aufl., hrsg. von dr. O. Appel v. 3. Die pflanzlichen parasiten 2nd teil. Berlin, P. Parey, 1932.

Wehlburg, C.
Onderzoekingen over erwtenanthracnose. Baarn, N. V. Hollandia-Drukkerij, 1932.
Proefschrift- Utrecht.
Ascocyta pisi, A. pinodella, Mycosphaerella pinodes.

Yamamoto, Y.
Supplementa iconum plantarum formosanarum, no.5. Taihoku, Formosa, Government research institute, Ap.10, 1932.

Reprints from Journals not yet rec'd or not available.

Fernald, M. L.
The linear-leaved North American species of Potamogeton, section Axillares. Reprinted from Mem. Amer. Acad. Arts & Sci. v.17, no.1. Jl. 1932. as Mem. Gray Herb. no.III. 183 p. xl pl., maps. 1932.

BOTANY

CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D.C.

U. S. Department of Agric

Vol. 14, no. 18. Aug. 29-Sept.10,1932.

Agr. Journ. Dept. Sci. & Agr. Barbados

Hardy, F.

Some aspects of the flora of Barbados II. Agr. Journ. Dept. Sci. & Agr. Barbados 1(2):31-74. Ap. 1932.

Agr. Puertorriqueno

Nolla, J.A.B.

Les enfermedades del tabaco en Puerto Rico. Agr. Puertorriqueno 12(14):5-6,13-14. 12(15): 11-12. illus. Jl.31,Ag.15,1932.

Angew. Bot.

Kirchhoff, H.

Ueber den einfluss der keimungstemperatur und anderer keimbettfaktoren auf das verhalten gebeizten getreides. Angew. Bot. 14:349-385. Jl./Ag.1932. no.4.

Köhler, E.

Allgemeines über viruskrankheiten bei pflanzen. Angew. Bot. 14:334-348. Jl./Ag.1932. no.4.

Loewel, E.L.

Das auftreten des fusicladiums in altländer obstbaugebiet in seiner abhängigkeit von klima, standort, obstarten und -sorten und seine praktische bekämpfung auf grund zwei jähriger versuche des obstbauversuchsringes. Angew. Bot. 14:281-333. illus. Jl./Ag.1932. no.4.

Ann. Appl. Biol.

Eyre, J.C.

Cultural studies on the Aspergilli, with special reference to lipase production of strains isolated from stored copra and cacao. Ann. Appl. Biol. 19:351-369. Ag.1932. no.3

Findlay, W.P.K.

A study of Paxillus panuoides Fr. and its effects upon wood. Ann. Appl. Biol. 19:331-350. illus.,pl.xix-xxi. Ag.1932 no.3.

Ann. Appl. Biol. (cont.)

Forster, H. C. & others

Experiments in England, Wales and Australia on the effect of length of day on various cultivated varieties of wheat. Ann. Appl. Biol. 19:378-412. illus.,pl.xxii-xxiii. Ag.1932. no.3.

Smith, K. M.

Studies on plant virus diseases. XI. Further experiments with a ringspot virus; its identification with spotted wilt of the tomato. Ann. Appl. Biol. 19:305-330. illus.,pl.xiv-xviii. Ag.1932. no.3.

Stoughton, R.H.

The influence of environmental conditions on the development of the angular leaf-spot disease of cotton. IV. The influence of atmospheric humidity on infection. Ann. Appl. Biol. 19:370-377. Ag.1932. no.3.

Ann. Bot.

Archbold, H.K.

Chemical studies in the physiology of apples. XII. Ripening processes in the apple and the relation of time of gathering to the chemical changes in cold storage. Ann. Bot. 46:407-459. illus. Jl.1932. no.183.

Brown, R.

The absorption of the solute from aqueous solutions by the grain of wheat. Ann. Bot. 46:571-582. illus. Jl.1932. no.183.

Dickson, H.

Polarity and the production of adventitious growing points in Marchantia polymorpha. Ann. Bot. 46:683-701. illus.,pl.xxv. Jl.1932. no.183.

Ferguson, J. M.

On the mitotic division of Draparnaldia glomerata. Ann. Bot. 46:703-709. pl.xxvi. Jl. 1932. no.183.

Gwynne-Vaughan, H.C.I. & Williamson, H.S.

The cytology and development of Ascobolus magnificus. Ann. Bot. 46:653-670. illus.,pl. xxi-xxiii. Jl.1932. no.183.

Heine, E.M.

The New Zealand species of Xiphophora with some account of the development of the oogonium. Ann. Bot. 46:557-569. illus.,pl.xvii-xviii. Jl.1932. no.183.

Ann. Bot. (cont.)

Howard, F. L.
Nuclear division in plasmodia of Physarum. Ann. Bot. 46:461-477. illus.,pl.xv. Jl.1932. no.183.

Leach, W.
Further experimental methods in connexion with the use of the katharometer for the measurement of respiration. Ann. Bot. 46:583-596. illus. Jl.1932. no.183.

Lind, E. M.
A contribution to the life-history and cytology of two species of Ulothrix. Ann. Bot. 46:711-725. illus.,pl.xxvii-xxviii. Jl.1932. no.183.
U. rorida, U.zonata.

Manton, I.
Introduction to the general cytology of the Cruciferae. Ann. Bot. 46:509-556. illus. Jl.1932. no.183.

Percival, J.
Cytological studies of some wheat and Aegilops hybrids. Ann. Bot. 46:479-501. illus. Jl. 1932. no.183.

Tetley, U.
The development and cytology of the leaves of healthy and "silvered" Victoria plum-trees. Ann. Bot. 46:633-652. illus.,pl.xix-xx. Jl.1932. no.183.

Thoday, D. & Woodhead, N.
Studies in growth and differentiation. II. A preliminary survey of the morphology and anatomy of Kleinia articulata, Haw. Ann. Bot. 46:671-682. illus.,pl.xxiv. Jl.1932. no.183.

Tutin, T. G.
A Cretaceous gleicheniaceous fern from western Greenland. Ann. Bot. 46:503-508. illus.,pl. xvi. Jl.1932. no.183.

Widdowson, E. M.
Chemical studies in the physiology of apples. XIII. The starch and hemicellulose content of developing apples. Ann. Bot. 46:597-631. illus. Jl.1932. no.183.

Ann. Rep. Exp. & Res. Stat. Nursery & Mark. Gard. Industr. Devel. Soc. Cheshunt.

Nursery & market garden industries' development society. Experimental research Station, Turner's Hill, Cheshunt.

Mycological investigations Its Ann. Rep. 17(1931): 37-48. 1932.

Damping-off of tomato seedlings. P.H. Williams.- The control of tomato leaf mould by spraying, B. F. Bewley and O. B. Orchard. - Mosaic disease of the tomato. G. C. Ainsworth. - Physiological investigations of mosaic disease of the tomato. W. H. Read. - The nature of the virus principle of mosaic disease. W. F. Bewley. - Physiological investigations of mosaic disease. B. D. Bolas.

Ann. Rep. Pom. & Fruit Grow. Soc. Quebec.

Godbout, F.

Spray service report for 1931. Ann. Rep. Pomol. & Fruit Grow. Soc. Quebec 38(1931):106-112. [1932]

Mainly on apple.

Arch. Mikrobiol. (Berlin)

Kubiena, W.

Ueber fruchtkörperbildung und engere standortwahl von pilzen in bodenhohlräumen. Arch. Mikrobiol. 3:507-542. illus. Ag.6,1932. no.4.

Rippel, K.

Ueber wirkung von fungiziden auf Cladosporium fulvum Cooke und die aussichten einer chemotherapeutischen bekämpfung des pilzes. Arch. Mikrobiol. 3:543-558. Ag.6,1932. no.4.

Zugleich ein beitrag zu den arbeitsmethoden der experimentellen phytopathologie.

Schwartz, W.

Untersuchungen über die symbiose von tieren mit pilzen und bakterien. Arch. Mikrobiol. 3:453-472. illus. Ag.6,1932. no.4.

Neue untersuchungen über die pilzsymbiose der schildläuse (Lecaniinen). II.

Tamiya, H.

Eine bemerkung über die bedeutung des pufferungsmögens der kulturlösung für den stoffwechsel von Aspergillus oryzae. Arch. Mikrobiol. 3:559-560. Ag.6,1932. no.4.

Arch. Pflanzenb. (Wiss. Arch. Landw. Abt. A) (Berlin)

Kiessling, L.E. & Schmidt, A.

Die beeinflussung des wachstums von Aspergillus niger. Arch. Pflanzenb. (Wiss. Arch. Landw. Abt. A) 9:293-305. Ag.4,1932. no.2.

Schrifftum: p.305.

Klinkowski, M.

Die biologische stellung der luzerne im spiegel der weltwirtschaft. Arch. Pflanzenb. (Wiss. Arch. Landw. Abt. A) 9:234-292. illus. Ag.4,1932. no.2.

Rathlef, H. v.

Materialien zur kenntnis des reifen pollenkornes der kartoffel. II. Der erbgang der pollenqualität. Arch. Pflanzenb. (Wiss. Arch. Landw. Abt. A) 9:344-388. Ag.4,1932. no.2.

Scheibe, A.

Das keimpflanzenwachstum des hafers in seiner abhängigkeit von der physiologischen konstitution des saatgutes. Arch. Pflanzenb.(Wiss.Arch. Landw. Abt. A) 9:197-233. illus. Ag.4,1932. no.2.

Boll. Soc. Ital. Biol. Sper. (Napoli)

Bergamaschi, M.

Funghi endofiti di epatiche. Boll. Soc. Ital. Biol. Sper. 7:724-726. Je.1932. no.6.

Ingber, E.

Azione biologica dei raggi roentgen molli. (Morfologica esterna). Ricerche eseguite sulla Vicia faba var. min. Boll. Soc. Ital. Biol. Sper. 7:731-732. Je.1932. no.6.

Pollacci, G.

Influenza della nutrizione sulla formazione dei sessi nella canapa (Cannabis sativa). Boll. Soc. Ital. Biol. Sper. 7:719-724. Je.1932. no.6.

Bot. Mag. Tokyo

Honda, M.

Nuntia ad floram Japoniae XVI-XVII. Bot. Mag. Tokyo 46:371-374,419-422. My.,Je.1932. no.545,546.

Inariyama, S.

Cytological studies in the genus Lycoris I. Conjugation of chromosomes in meiosis of Lycoris albiflora Koidz. Bot. Mag. Tokyo 46:426-434. illus. Je.1932. no.546.

Japanese with English summary.

Bot. Mag. Tokyo (cont.)

Sakurai, K.

Beobachtungen über Japanische moosflora I. Bot. Mag. Tokyo 46:375-384. My.1932. no.545.

Shimotomai, N. & Kayama, Y.

Geschlechtschromosomen bei Pogonatum inflexum Lindb. und chromosomenzahlen bei einigen anderen laubmoosen. Bot. Mag. Tokyo 46:385-391. illus. My.1932. no.545.

Japanese with German summary.

Yamaha, G.

Ueber den isoelektrischen punkt der bakteriensuspensionen. Bot. Mag. Tokyo 46:423-425. Je.1932. no.546.

Bot. Arch. (Leipzig)

Becker, H. J.

Die immunisation mit pflanzlichen lipoiden und die störung der verwandtschaftsreaktionen durch lipoide. Bot. Arch. 34:267-286. Ag.1932. no.2.

Mildebrath, D.

Untersuchungen über die beeinflussung der geotropischen reaktion der wurzeln von Zea mays nach vorbehandlung mit fluoresceinfarbstoffen und salzen Bot. Arch. 34:161-215. illus. Ag.1932. no.2.

English abstract: p.212-213.

Steinecke, F.

Untersuchungen über die phyletische stellung der microsporaceen. Bot. Arch. 34:216-229. illus. Ag.1932. no.2.

English abstract: p.228.

Microsporaceae connective link between Ulotrichaceae and Tribonemaceae.

Wudtke, E. H.

Das vorkommen von Thiobacillus thioparus und Th. thioxydans in wildböden und die formenfülle in kulturen von thioparus. Bot. Arch. 34:287-336. Ag.1932. no.2.

Ziegenspeck, H.

Neues über die quellung der geraniumgranne. Bot. Arch. 34:230-266. Ag.1932. no.2.

English abstract: p.264-266.

Broteria Cienc. Nat.

Rick, J.

Monographia pezizinearum riograndensium. (cont.) Broteria Cienc. Nat. 1:97-105. Ag.1,1932.

Durella braunii n.sp.

Bull. Agr. & Hort. Belg.
Verplancke, G.
Notes sur une maladie bactérienne du tabac.
Bull. Agr. & Hort. Belg. no.1:40-47. illus. no.1.
French and Dutch on alternate pages.
Bacterium melleum

Bull. Assoc. Sci. Intern. Agr. Pays Chauds
Maugini, A.
La production de l'encens dans la Somalie Italienne. Bull. Assoc. Sci. Intern. Agr. Pays Chauds 1932:5-11. illus. Jl.1932.
Boswellia carterii.

Bull. For. Serv. Canada.
Hale, J. D.
The identification of woods commonly used in Canada. Bull. For. Serv. Canada no.81. 31 p. illus., 14 pl. on 7. 1932.

Bull. Inst. Agron. Stat. Rech. Gembloux
Marchal, E.
Recherches et observations effectuées à la Station de phytopathologie de l'état pendant la période 1927-1931. Bull. Inst. Agron. Stat. Rech. Gembloux 1:164-174. Ag.1932. no.3.

Bull. Mens. Soc. Nat. Hort. France (Paris)
Chevalier, C.
Les broméliacées à ovaire inferé (broméliées-archeobroméliées). Bull. Mens. Soc. Nat. Hort. France V, 5:334-347. Jl.1932.

Bull. Ohio Biol. Surv.
Schaffner, J. H.
Revised catalog of Ohio vascular plants. Bull. Ohio Biol. Surv. 25(v.5,no.2) 215 p. Ja.9,1932.

Bull. Soc. Mycol. France (Paris)
Butignot, E.
Une anomalie curieuse de Cortinarius infractus (Pers.) Bull. Soc. Mycol. France 48:90. Jl.31,1932. no.1.

Heim, R. & Remy, L.
Fungi brigantiani. III. Especes rare ou nouvelles de Discomycetes des Alpes briançonnaises. Bull. Soc. Mycol. France 48:53-73. illus.,pl.ix-x. Jl.31,1932. no.1.

Bull. Soc. Mycol. France (cont.)

Naoumoff, N.

Le professeur A. de Jaczewski. Bull. Soc. Mycol. France 48:91-93. port.(front.) Jl.31, 1932. no.1.

Pilat, A.

Additamenta ad floram Sibirae Asiaeque orientalis mycologicam. I. Polyporaceae. Bull. Soc. Mycol. France 48:1-52. illus.,pl.i-viii. Jl.31,1932. no.1.

Pouchet, A.

Considérations sur Rhodotus palmatus (Bull.,Fries) R. Maire, et sur ses variations. Bull. Soc. Mycol. France 48:76-83. illus.,col.pl.xi. Jl.31,1932. no.1.

Schaeffer, J.

A propos de Russula chamaeleontina. Bull. Soc. Mycol. France 48:84-89. Jl.31,1932. no.1.

Bull. Utsunomiya Agr. Coll. Japan

Chizaki, Y.

Chromosome studies of F_1 Aegiolops speltoides x Triticum monococcum. Bull. Utsunomiya Agr. Coll. Japan 2:43-47. illus. Jl.1932.

Canad. Journ. Res. (Ottawa)

Henry, A. W.

Influence of soil temperature and soil sterilization on the reaction of wheat seedlings to Ophiobolus graminis Sacc. Canad. Journ. Res. 7:198-203. 1 pl. Ag.1932. no.2.

Compt. Rend. Acad. Sci. Paris

Germain, H.

Sur quelques diatomées d'eau douce vivant en tubes muquex. Compt. Rend. Acad. Sci. Paris 195:445-447. Ag.17,1932. no.7.

Compt. Rend. Assoc. Intern. Essais Semences (Copenhagen)

Buchinger, A.

Welchen anteil haben embryo und endosperm an der saugkraft der getreidefrüchte? Dargestellt an Triticum spelta muticum? Compt. Rend. Assoc. Intern. Essais Semences 19:46-64. illus. 1932. no.1.

Kamensky, K. W,

Ueber den bau keimloser getreidesamen. Compt. Rend. Assoc. Intern. Essais Semences 19:30-40. illus. 1932. no.1.

Compt. Rend. Assoc. Intern. Essais Semences (cont.)

Radu, I. F.

Beitrag zur beurteilung der keimfähigkeit der harten körner und zur festsetzung der dauer der keimversuche von Trifolium- und Medicago-samen. Compt. Rend. Assoc. Intern. Essais Semences 19: 41-45. 1932. no.1.

Contr. Gray Herb. (Boston)

Robinson, B. L.

Records preliminary to a general treatment of the Eupatorieae X. Contr. Gray Herb. 100: 3-19. Ag.9,1932.

Robinson, B.L.

The Stevias of Bolivia. Contr. Gray Herb. 100:36-69. Ag.9,1932.

Robinson, B. L.

The Stevias of Peru. Contr. Gray Herb. 100: 20-36. Ag.9,1932.

Ergebnisse Biol. (Berlin)

Kolbe, R. W.

Grundlinien einer allgemienen ökologie der diatomeen. Ergebn. Biol. 8:221-348. illus. 1932.

Forstw. Centralbl. (Berlin)

Hartmann, F.

Untersuchungen über ursachen und gesetzmässigkeit exzentrischen dickenwachstums bei nadel- und laubbäumen. (cont.) Forstw. Centralbl. 54:547-566. illus. Ag.15,1932. no.16.

Gard. Chron. (London)

Darnell, A. W.

The genus Androsace (cont.) Gard. Chron. III, 92:143-144. Ag.20,1932. no.2382.

Friend, H.

Corsican plant lore. XV. The citron family (1). Gard. Chron. III, 92:140. Ag.20,1932. no.2382.

Grove, A.

Hybrid lilies. I. Gard. Chron. III, 92:140-142. Ag.20,1932. no.2382.

Hall, A. D.

Tulipa clusiana seeding. Gard. Chron. III, 92:157. Ag.27,1932. no.2383.

Gard. Chron. (cont.)

Long buried seeds. Gard. Chron. III, 92:151. Ag.27,1932. no.2383.

Parkin, J.

The origin of flowering plants. Gard. Chron. III, 92:158. Ag.27,1932. no.2383.

Ward, F. K.

Mr. F. Kingdon Ward's eleventh expedition in Asia. XI. First impressions. Gard. Chron. III, 92:158-160. illus. Ag.27,1932. no.2383.

Gard. Chron. Amer.

Anderson, A. W.

Plant hunting in Murchiku. Gard. Chron. Amer. 36:304-306,312-313. illus. S.1932. no.9.

South Isl., New Zealand.

Gartenw. (Berlin)

Brucker, W.

Der wurzelkrebs der obstgehölze. Gartenw. 36:508-509. illus. Ag.19,1932. no.34.

Rathlef, H. v.

Ueber die pollenqualität der edelrosen. (schluss). Gartenw. 36:506-507. illus. Ag.19,1932. no.34.

Gartenz. (Wien)

Svolba, F.

Einige abnormitäten an pflanzen. Gartenz. (Wien) 1932:99-101. illus. Jl.1932. no.7.

Genetics

Cleland, R. E.

Further data bearing upon circle-formation in Oenothera, its cause and its genetical effect. Genetics 17:572-602. S.1932. no.5.

Emerson, R.A. & Anderson, E.G.

The A series of allelomorphs in relation to pigmentation in maize. Genetics 17:503-509. S.1932. no.5.

Lesley, J. W.

Trisomic types of the tomato and their relation to the genes. Genetics 17:545-559. illus. S.1932. no.5.

Singleton, W. R.

Cytogenetic behavior of fertile tetraploid hybrids of nicotiana rustica and Nicotiana paniculata. Genetics 17:510-544. illus. S.1932. no.5.

Hawaiian Plant. Rec.

Martin, J. P., Carpenter, C. W. & Weller, D. M.
Leaf scald disease of sugar cane in Hawaii. Hawaiian Plant. Rec. 36:145-196. illus.,1 col.pl. 2 fold tab. 1932. no.2.

Hoppe-Seyl. Zeitschr. Phys. Chem. (Berlin)

Andersson, B.
Ueber hexosediphosphatdehydrogenase und carbozylase in pflanzensamen. Hoppe-Seyl. Zeitschr. Phys. Chem. 210:15-29. Ag.11,1932. no.1/2.

Idaho For.

Hubert, E. E.
The blister rust situation in Idaho in 1932. Idaho For. 14:21-22. 1932.

Indian For. (Dehra Dun)

Aiyar, T.V.V.
The sholas of the Palghat division, - a study in the ecology and silviculture of the tropical rainforests of Western Ghats. Indian For. 58:414-432. map. Ag.1932. no.8.

Parker, R. N.
Cryptocarya amygdalina Ness and C. floribunda Ness. Indian For. 58:437-438. Ag.1932. no.8.

Journ. Agr. Res. (Washington, D. C.)

Miller, E. V.
Some physiological studies of Gloeosporium perennans and Neofabraea malicorticis. Journ. Agr. Res. 45:65-77. illus. Jl.15,1932(Rec'd Ag.24) no.2.

Steinmetz, F.H. & Arny, A. C.
A classification of the varieties of field beans, Phaseolus vulgaris. Journ. Agr. Res. 45: 1-50. illus. Jl.1,1932(Ag.30) no.1.

Wahl, H. A.
The migration of Bacillus amylovorus in the tissue of the quince. Journ. Agr. Res. 45:59-64. 2 pl. on 1. Jl.1,1932(Ag.8) no.1.

Journ. Bot. (London)

Cambridge university. Herbarium.
Notes from the university herbarium, Cambridge. Journ. Bot. 48(suppl.):1-8. Ag.1932. no.836.
3. Schedae herbarium florae cantabrigiensis a W.T. Stearn et J.S.L. Gilmour editum. Decades I-II.
4. Schedae ad sertum cantabrigiense exsiccatum a W.T.Stearn editum. Decades I-II.

Journ. Bot. (cont.)

Dandy, J. E.
The tropical African Hydrocharis. Journ. Bot. 70:226-228. Ag.1932. no.836.
H. chevalieri (Ottelia)

Flintoff, R. J.
Arctostaphylos in N.E. Yorkshire: a doubtful record. Journ. Bot. 70:235-236. Ag.1932. no.836.

Gibson, C.M.
Seeds and tubercules in Ficaria verna Hudson. Journ. Bot. 70:239. Ag.1932. no.836.

Grubb, V. M.
Marine algae of Korea and China, with notes on the distribution of Chinese marine algae. Journ. Bot. 70:213-219. (incl.map) Ag.1932. no.836.

Petch, A.
New Vice-county records for Sphagna, mostly north country. Journ. Bot. 70:234-235. Ag. 1932. no.836.

Petch, T.
The cherry in Ceylon. Journ. Bot. 70:229-231. Ag.1932. no.836.

Ridley, H.N.
The genus Urophyllum in Malaya. (concl.) Journ. Bot. 70:219-226. Ag.1932. no.836.

Sprague, T.A.
The type-species of Allantoma. Journ. Bot. 70:231-233. Ag.1932. no.836.
Lectotype species: A torulosa.

Journ. Dept. Agr. So. Australia (Adelaide)

Davidson, J.
Some observations on the causes of the surface blemishes of oranges in South Australia. Journ. Dept. Agr. So. Australia 35:1381-1387. 2 pl. on 1. Jl.15,1932. no.12.
Mechanical injury, insects, oleocellosis.

Harris, J.B.
Die back of apricot trees in the Barossa district. Journ. Dept. Agr. So. Australia 35:1394-1395. Jl.15,1932. no.12.

Journ. Dept. Agr. So. Australia (cont.)

Quinn, G.

The influence of rootstocks on the texture and flavor of orange fruits. Journ. Dept. Agr. So. Australia 35:1357-1367. Jl.15,1932. no.12.

Journ. Ecol. (Cambridge, Engl.)

Carter, N.

A comparative study of the alga flora of two salt marshes. I. Journ. Ecol. 20:341-370. Ag.1932. no.2.

Dovey and Canvey Island salt marshes.

Cockayne, L. & Calder, J.W.

The present vegetation of Arthur's Pass(New Zealand) as compared with that of thirty-four years ago. Journ. Ecol. 20:270-283. illus.,pl.18-20. Ag. 1932. no.2.

Leach, W. & Polunin, N.

Observations on the vegetation of Finmark. Journ. Ecol. 20:416-430. pl.xxvi-xxix, map. Ag.1932. no.2.

Moss, E. H.

The vegetation of Alberta. IV. The poplar association and related vegetation of central Alberta. Journ. Ecol. 20:380-415. pl.xxii-xxv. Ag.1932. no.2.

Pearsall, W.H.

Phytoplankton in the English lakes. II. The composition of the phytoplankton in relation to dissolved substances. Journ. Ecol. 20:241-262. Ag.1932. no.2.

Watson, W.

The bryophytes and lichens of moorland. Journ. Ecol. 20:284-313. illus. Ag.1932. no.2.

Journ. Hered. (Washington)

Mangelsdorf, P. C.

Mechanical separation of gametes in maize. Journ. Hered. 23:289-295. illus. Ag.1932. no.8.

Journ. Indian Bot. Soc. (Madras)

Chowdhury, N. P.

On the occurrence of superficial abaxially placed sori in Osmunda claytoniana. Journ. Indian Bot. Soc. 11:137-145. illus., 1 pl. Ap.1932. no.2.

Journ. Indian Bot. Soc. (cont.)

Dastur, R.H. & Billimoria, M.C.
Study of some aspects of the physiology of the tendrils of Cucurbitaceae. Journ. Indian Bot. Soc. 11:148-168. illus. Ap.1932. no.2.

Mehra, P.N.
A note on the occurrence of superficial sori in Osmunda claytoniana. Journ. Indian Bot. Soc. 11:146-147. Ap.1932. no.2.

Mitra, A. K.
On a branched cone of Equisetum maximum. Journ. Indian Bot. Soc. 11:119-126. illus. 1 pl. Ap.1932. no.2.

Mitter, J. H., & Tandon, R. N.
Fungus flora of Naini Tal. I. Journ. Indian Bot. Soc. 11:178-184. Ap.1932. no.2.

Mullan, D. P.
Observations on the biology and physiological anatomy of some Indian halophytes. Journ. Indian Bot. Soc. 11:103-118. 6 pl. Ap.1932. no.2.

Pande, S. K.
On the morphology of Notothylas indica Kashyap. Journ. Indian Bot. Soc. 11:169-177. 6 pl. Ap.1932. no.2.

Parandekar, S.A. & Ajrekar, S.L.
Obersvations on Puccinia thwaitesii Berk. Ap.1932. no.2.

Sutaria, R.N.
Somatic cell division in Aloe vera, L. Journ. Indian Bot. Soc. 11:132-136. 2 pl. Ap.1932. no.2.

Journ. Landw. (Berlin)

Tornau, O., & Meyer, K.
Experimentelle untersuchungen zur okologie des hafers. I. Journ. Landw. 80:161-187. 1932. no.3.

Journ. S. E. Agr. Coll. Wye

Goodwin, W., Salmon, E. S. & Ware, W. M.
The control of apple scab. I. Allington pippin and Newton wonder. Journ. S.E. Agr. Coll. Wye 30:51-62. illus. Jl.1932.

Journ. S. E. Agr. Coll. Wye (cont.)
Goodwin, W., Salmon, E. S. & Ware, W. N.
The control of apple scab on Worcester Pearmain and Allington Pippin; a three years' experiment. Journ. S.E. Agr. Coll. Wye 30:28-50. illus. Jl.1932.

Meddel. Kungl. Lantbruksstyrelsen. (Sweden)
Sweden. Kungl. Lantbruksstyrelsen
Normalförteckning over Svenska växtnamn, ny reviderad upplaga. Its Meddel. on 291. 68 p. 1932.

Meded. Inst. Suikerbiet. (Bergen op, Zoom)
Brandenburg, E.
Physiologische ziekten der bieten. I. Hartrot oorzaak en bestrijding. Meded. Inst. Suikerbiet. 2:43-75. 3 pl. on 2. Ap.1932. no.2.

Mem. Torr. Club
Yuncker, T. G.
The genus Cuscuta. Mem. Torr. Bot. Club. 18:113-331. illus. Je.11,1932. no.2.

Mitt. Bayerisch. Bot. Ges. Erforsch. Heim Flora.
Gerstlauer, L.
Beobachtungen an bayerischen orchideen. Mitt. Bayerisch. Bot. Ges. Erforsch. Heim. Flora 4:205-207. Mr.15,1932. no.12.

Mycologia (Lancaster, Pa.)
Burlingham, G.S.
Two new species of Lactaria. Mycologia 24: 460-463. illus. S,/O.1932. no.5.
L. villozonata, L. nigroviolascens.
Dodge, B. O.
Notes on three hemlock fungi. Mycologia 24: 421-429. illus., pl.10-11. S./O.1932. no.5.
Dermatea balsamea, Myxosporium abietinum?, Diaporthe conorum of which Phomopsis occulta is the pycnidial stage.

Donald, L.
A new fungus for the United States. Mycologia 24:455-456. S./O.1932. no.5.
Sorosphaera veronicae on Veronica arvensis.

Kanouse, B. B.
A physiological and morphological study of Saprolegnia parasitica. Mycologia 24:431-451. pl.12-13. S./O.1932. no.5.

Mycologia (cont.)

Mehrlich, F. P.

Pseudopythium phytophthoron a synonym of Phytophthora cinnamomi. Mycologia 24:453-454. S./O.1932. no.5.

Taubenhaus, J.J., & Ezekiel, W. N.

On a new damping-off disease of Texas bluebonnets. Mycologia 24:457-459. illus. S./O.1932. no.5.

Pythium debaryanum and Rhizoctonia on Lupinus texensis.

West, E.

Notes on Sarcosphaera funerata. Mycologia 24:464-466. pl.14. S./O.1932. no.5.

Note by F. J. Seaver: p.465-466.

Nature (London)

Husain, A.

Leaf-curl in cotton and other plants. Nature 130:312. Ag.27,1932. no.3278.

Virus causing leaf crinkle in Sudan not the same as causes leaf crinkle in zinnias at Dehra Dun.

Naturforsch. (Berlin)

Hachfeld, G.

Missbildung am blutenstand von Digitalis purpurea L. Naturforsch. 9:134-135. pl.30-31. Jl.1932. no.4.

New Phytol. (London)

Arber, A.

Studies in floral morphology. IV. On the Hypecoideae, with special reference to the androecium. New Phytol. 31:145-173. illus. Ag.10,1932. no.3.

Saunders, E. R.

On some recent contributions and criticisms dealing with morphology in angiosperms. New Phytol. 31:174-219. illus. Ag.10,1932. no.3.

Notas Prel. Mus. La Plata

Cabrera, A. L.

Compuestas nuevas de la República Argentina. Notas Prel. Mus. La Plata 1:323-332. illus. 1931. no.3.

Hysterionica pulchella, Podocoma spegazzinii, Mutisia castellanosii n. spp.; Hysterionica bakeri var. aberrans var. n.

Pharm. Zentralh. (Dresden)

Muszynski, J., & Strazewicz, W.

Wurzelälchen - Heterodera radicicola Greeff-ein parasit des baldrians. Pharm. Zentralh. 73:516-520. illus. Ag.18,1932. no.33.

Philipp. Journ. Sci. (Manila)

Marañon, J. & Santos, J. K.

Morphological and chemical studies on the seeds of Erythrina variegata var. orientalis (Linnaeus) Merrill. Philipp. Journ. Sci. 48: 563-580. 6 pl. Ag.1932. no.4.

Phil. Trans. Roy. Soc. London

Seward, A. C.

A Persian Sigillaria. Phil. Trans. Roy. Soc. London 221:370-390. pl.34-35. 1932.

S. persica.

Phytopath.

Adams, J. F.

Bacterial and fungous flora in certain sulphur fungicides. Phytopath. 22:785-786. S.1932. no.9.

Bryan, M. K.

Color variations in bacterial plant pathogens. Phytopath. 22:787-788. illus. S.1932. no.9.

Burkholder, W. H., & Guterman, C.E.F.

Synergism in a bacterial disease of Hedera helix. Phytopath. 22:781-784. S.1932.

Phytomonas hederae.

Cotter, R. H.

A new form of oat stem rust from a barberry area. Phytopath. 22:788-789. S.1932. no.9.

Physiologic form of Puccinia graminis avenae.

Johnson, J.

The properties of plant viruses from different host species. Phytopath. 22:741-757. S.1932. no.9.

Miles, L. E., & Persons, T. D.

Verticillium wilt of cotton in Mississippi. Phytopath. 22:767-773. illus. S.1932. no.9.

Miller, P. R.

Pathogenicity of three red-cedar rusts that occur on apple. Phytopath. 22:723-740. illus. S.1932. no.9.

Gymnosporangium juniperi-virginianae, G. germinale, G. globosum.

Pierstorff, A. L.

A centralized scab-spray service. Phytopath. 22-759-766. illus. S.1932. no.9.

Sprague, R.

Notes on Phyllosticta rabiei on chick-pea, II. Phytopath. 22:786-787. S.1932. no.9.

Phytopath. (cont.)

Weber, G. F.

Blight of peppers in Florida caused by Phytothora capsici. Phytopath. 22:775-780. illus. S.1932. no.9.

Prace Wydz. Chor. Rośl. Państw. Inst. Nauk. Gosp. Wiejsk. Bydgoszczy.

Garbowski, L.

Spostrzezenia nad chorobami roślin uprawnych w wielkopolsce i na pomorzu w okresie 1928 - 1931 r. (Observations sur les maladies des plantes cultivées dans l'ouest de la Pologne pendant la période 1928 - 1931.) Prace. Wydz. Chor. Rośl. Państw. Inst. Nauk. Gosp. Wiejsk. Bydgoszczy 11:1-50. 4 pl. 1932.

French résumé: p.50.

Garbowski, L. & Leszczenko, P.

Sprawdzanie odporności ziemniaków na raka ziemniaczanego (Synthytrium endobioticum (Schilb.) Perc. II. Essais de résistance des pommes de terre contre la galle verruqueuse, Synthytrium endobioticum (Schilb.) Perc. Prace Wydz. Chor. Rośl. Państw. Inst. Nauk. Gosp. Wiejsk. Bydgoszczy no.11:51-76. 1932.

Leszczenko, P.

Doświadczenia z nowemi środkami do zaprawiania nasion zbóż przeciw grzybkom głowniowym. (Essais de nouveaux remèdes pour le traitement des semences des céréales contre les ustilaginées. Prace Wydz. Chor. Rośl. Państw. Inst. Nauk. Gosp. Wiejsk. Bydgoszczy no.11:77-86. 1 pl. 1932.

French résumé: p.86.

Fungicides "Ziarnik" & "cyranik" controlling Tilletia tritici on wheat and Urocystis occulta on rye.

Proc. Amer. Carn. Soc.

Starkey, E. J.

Some carnation diseases found in the Western states. Proc. Amer. Carn. Soc. 41:36-55. illus. 1932.

Proc. Amer. Soc. Hort. Sci.

Aldrich, W. W.

Nitrogen intake and translocation in apple trees following fall, winter and spring sodium nitrate applications. Proc. Amer. Soc. Hort. Sci. 28(1931):532-538. Mr.1932.

Proc. Amer. Soc. Hort. Sci. (cont.)

Allen, F. W.
Maturity and rate of ripening of Gravenstein apples in relation to bitter pit development. Proc. Amer. Soc. Hort. Sci. 28(1931):639-645. Mr.1932.

Allen, R. C.
Factors influencing the flower color of hydrangeas. Proc. Amer. Soc. Hort. Sci. 28(1931):410-412. Mr.1932.

Beaumont, J. H., & Weaver, J. G.
Effects of light and temperature on the growth and tuberization of potato seedlings. Proc. Amer. Soc. Hort. Sci. 28(1931):285-290. 1 pl. Mr.1932.

Boswell, V. R.
Length of rest period on the tuber of Jerusalem artichoke (Helianthus tuberosus L.) Proc. Amer. Soc. Hort. Sci. 28(1931):296-300. Mr.1932.

Burrell, A. B., & Parker, R. G.
Pollination of the McIntosh apple in the Champlain Valley- Third progress report. Proc. Amer. Soc. Hort. Sci. 28(1931):69-84. Mr.1932.

Chadwick, L. C.
Factors influencing the rooting of deciduous hardwood cuttings. Proc. Amer. Soc. Hort. Sci. 28(1931):455-459. Mr.1932.

Chandler, W. H., Hoagland, D. R. & Hibbard, P. L.
Little-leaf or rosette in fruit trees. Proc. Amer. Soc. Hort. Sci. 28(1931):556-560. 1 pl. Mr.1932.

Darrow, G. M., & Sherwood, H.
Transpiration studies on strawberries. Proc. Amer. Soc. Hort. Sci. 28(1931):225-230. Mr.1932.

Davis, L. D., & Tufts, W. P.
Black-end and its occurrence in selected pear orchards. Proc. Amer. Soc. Hort. Sci. 28(1931):634-638. Mr.1932.

Dowd, O. J.
Studies in the transpiration rate of apple varieties. Proc. Amer. Soc. Hort. Sci. 28(1931):590-593. Mr.1932.

Proc. Amer. Soc. Hort. Sci. (cont.)

Edgecmbe, S.W., & Lantz, H.L.

Apple breeding: Statistical analysis of apple breeding material. Proc. Amer. Soc. Hort. Sci. 28(1931):93-96. Mr.1932.

Esper, H.C., & Roof, L. R.

Studies in propagation of softwood cuttings of ornamentals based on temperature, defoliation and kind of media. Proc. Amer. Soc. Hort. Sci. 28(1931): 452-454. Mr.1932.

Furr, J.R., & Degman, E.S.

Relation of moisture supply to stomatal behavior of the apple. Proc. Amer. Soc. Hort. Sci. 28(1931): 547-551. Mr.1932.

Griffiths, D.

Hybridity in the genus Lilium. Proc. Amer. Soc. Hort. Sci. 28(1931):62-66. Mr.1932.

Haller, M. H., & others

The respiration of some fruits in relation to temperature. Proc. Amer. Soc. Hort. Sci. 28(1931): 583-589. Mr.1932.

Hardy, M. B.

Self and cross fertility of red raspberry varieties. Proc. Amer. Soc. Hort. Sci. 28(1931): 118-121. Mr.1932.

Harley, C. P., & others.

A starch-splitting enzyme in apple tissues. Proc. Amer. Soc. Hort. Sci. 28(1931):561-565. Mr.1932.

Howard, W. L.

Vegetative propagation of deciduous fruits. Proc. Amer. Soc. Hort. Sci. 28(1931):465-469. Mr.1932.

Jones, I. D.

Preliminary report on relation of soil moisture and leaf area to fruit development of the Georgia Belle peach. Proc. Amer. Soc. Hort. Sci. 28(1931): 6-14. illus. Mr.1932.

Klein, I.

Rooting response of conifers to treatments with organic and inorganic compounds, Proc. Amer. Soc. Hort. Sci. 28(1931):447-451. Mr.1932.

Proc. Amer. Soc. Hort. Sci. (cont.)

Lantz, H. L.
Fruit breeding: A method of recording and analyzing data. Proc. Amer. Soc. Hort. Sci. 28(1931): 97-102. Mr.1932.

Latimer, L. P.
Further observations on factors affecting fruit setting of the McIntosh apple in New Hampshire. Proc. Amer. Soc. Hort. Sci. 28(1931):87-92. Mr.1932.

Overholser, E.L., & Claypool, L. L.
The relation of fertilizers to respiration and certain physical properties of strawberries. Proc. Amer. Soc. Hort. Sci. 28(1931):220-224. Mr.1932.

Overholser, E. L., & Claypool, L. L.
The relation of leaf area per peach to physical properties and chemical composition. Proc. Amer. Soc. Hort. Sci. 28(1931):15-17. Mr.1932.

Overley, F. L., Overholser, E. L. & Haut, I.A.
The relation moisture and spray applications to stomatal behavior and growth of Jonathan apples. Proc. Amer. Soc. Hort. Sci. 28(1931):543-546. 2 pl. on 1. Mr.1932.

Peacock, W. M., Wright, R.C. & Whiteman, T.M.
The relation of solar and sky radiation, temperature, and humidity to the sun-scald of potatoes in 1931. Proc. Amer. Soc. Hort. Sci. 28(1931):261-265. Mr.1932.

Pridham, A.M.S.
Summer flowering phloxes. Proc. Amer. Soc. Hort. Sci. 28(1931):418-422. Mr.1932.

Schrader, A.L., & Marth, P. C.
Light intensity as a factor in the development of apple color and size. Proc. Amer. Soc. Hort. Sci. 28(1931):552-555. 1 pl. Mr.1932.

Shuhart, D. V.
Endosperm and embryo development as related to filling of pecans and walnuts. Proc. Amer. Soc. Hort. Sci. 28(1931):161-163. 1 pl. Mr.1932.

Snyder, E.
A preliminary report on the breeding of Vinifera grape varieties. Proc. Amer. Soc. Hort. Sci. 28(1931):125-130. illus. Mr.1932.

Proc. Amer. Soc. Hort. Sci. (cont.)

Tukey, H. B., & Brase, K.

Experiences in rooting soft and hardwood cuttings of hardy fruits. Proc. Amer. Soc. Hort. Sci. 28(1931):460-464. Mr.1932.

Watkins, J. V.

Flower bud differentiation in the gladiolus. Proc. Amer. Soc. Hort. Sci. 28(1931):407-409. 2 pl. on 1. Mr.1932.

Streeter, L. R., & Pearce, G.W.

Light and pigment development in apples. Proc. Amer. Soc. Hort. Sci. 28(1931):49-52. Mr.1932.

Webber, H. J.

The economic importance of apogamy in Citrus and Mangifera. Proc. Amer. Soc. Hort. Sci. 28(1931):57-61. Mr.1932.

Webber, H. J.

Effect of selection within apogamic and clonal progenies. Proc. Amer. Soc. Hort. Sci. 28(1931): 53-56. Mr.1932.

Citrus.

Weinberger, J. H.

Growth of fruit and stomatal behavior of Elberta peaches as affected by weather conditions. Proc. Amer. Soc. Hort. Sci. 28(1931):539-542. Mr.1932.

Weinberger, J. H.

The relation of leaf area to size and quality of peaches. Proc. Amer. Soc. Hort. Sci. 28(1931): 18-22. Mr.1932.

Yarnell, S. H.

Chromosome behavior as a factor in berry breeding. Proc. Amer. Soc. Hort. Sci. 28(1931):114-117. Mr.1932.

Proc. Potato Assoc. Amer.

Muncie, J. H.

Yellow dwarf and moron diseases of potato in Michigan. Proc. Potato Assoc. Amer. 18:70-73. 1932.

Reddick, D., & others

Blight immune potato hybrids. Proc. Potato Assoc. Amer. 18:60-64. 1932.

Proc. Potato Assoc. Amer. (cont.)
Stuart, W., & Milstead, E.H.
Breaking the rest period of the potato.
Proc. Potato Assoc. Amer. 18:20-30. 1932.

Proc. Roy. Soc. Queensl.
Herbert, D. A.
The movements of Neptunia gracilis, an Australian sensitive plant. Proc. Roy. Soc. Queensl. 43:17-23. Mr.23,1932.

Jones, T.G.H., & White, M.
Essential oils from the Queensland flora. III-IV. Proc. Roy. Soc. Queensl. 43:24-27, 73-75. Mr.23,1932.
III. Agonis luehmanni. IV. A. elliptica.

White, C.T.
A previously underscribed Papuan dipterocarp. Proc. Roy. Soc. Queensl. 43:49. Mr.23,1932.
Hopea galbrifolia

White, C.T.
Two previously underscribed Queensland Myrtaceae. Proc. Roy. Soc. Queensl. 43:15-16. pl.i-ii. Mr.23, 1932.
Darwinia porteri, Melaleuca cheelii

White, C. T.
Two previously underscribed Rutaceae from south eastern Queensland. Proc. Roy Soc. Queensl. 43:46-48. Mr.23,1932.
Zieria collina, Acronychia suberosa.

Progr. Agr. & Vitic.
Cormier, P.
Le Septoria graminum champignon parasite du blé. Progr. Agr. & Vitic. 98:183-184. Ag.21,1932. no.34.

Repert. Spec. Nov. Beih. (Dahlem bei Berlin)
Lettau, G.
Monographische bearbeitung einiger flechtenfamilien. Repert. Spec. Nov. Fedde Beih. v.69, lfg.1. 96 p. 3 pl. Je.10,1932.

Rep. Advis. Dept. Harper-Adams Agr. Coll. (Newport, Engl.)
Preston, N.C.
Report of the advisory mycologist Ap., 1931-Mr.1932. Rep. Adv. Dept. Harper-Adams Agr. Coll. 7:4-7. My.1932.

Rep. Nat. Res. Counc. Canada

McRostie, G.P., & others.

Weeds and their control. Rep. Nat. Res. Counc. Canada 27. 15 p. 2 pl. 1932.

Manson, J. M.

Weed survey of the prairie provinces. Rep. Nat. Res. Counc. Canada 26. 34 p. (incl. maps). 1932.

Res. Bull. West. Scotl. Agr. Coll.

O'Brien, D.G., & Prentice, E. G.

A nematode disease of potatoes caused by Heterodera schachtii (Schmidt). Res. Bull. West Scotl. Agr. Coll. no.2. 63 p. illus., iii pl. [1932]

Rev. Gén. Bot. (Paris)

Carpentier, A.

Sur des empreintes de fructifications de ptéridospermées. Rev. Gén. Bot. 44:265-267. illus. Jl.1932. no.523.

Moruzi, C.

Recherches cytologiques et expérimentales sur la formation des périthèces chez les ascomycetes. (concl.) Rev. Gén. Bot. 44:268-304. illus. Jl.1932. no.523.

Rev. Mus. La Plata (Buenos Aires)

Cabrera, A. L.

Revisión de las especies sudamericanas del género Grindelia. Rev. Mus. La Plata 33(III,9):207-249. illus.,pl.ii-ix. 1932.

G.aegialitis n.sp.

Rev. Vitic. (Paris)

Boutaric, A., Doladilhe, M. & Piettre, M.

Sur le role des mouillants dans la fixation, par les tissus végétaux, des matières colorantes utilisées pour le traitement des maladies cryptogamiques. Rev. Vitic. 77:85-86. Ag.11,1932. no.1889.

Ranghiano, D.

A propos du "court-noue" de la vigne. Rev. Vitic. 77:105-108. Ag.18,1932. no.1990.

Science

Munz, P. A.

Dermatitis produced by Phacelia (Hydrophyllaceae). Science 76:194. Ag.26,1932. no.1965

Science (cont.)

Perry, J. T.
A possible hormone-secreting region in the grass coleoptile. Science 76:215-216. S.2,1932. no.1966.

Swayze, C. I.
Automatic control for vacuum apparatus. Science 76:196-197. illus. Ag.26,1932. no.1965.

Willis, L. G., & Rankin, W. H.
Is ammonium hydroxide toxic to cotton plants? Science 76:214-215. S.2,1932. no.1966.

Sci. Papers Inst. Phys. & Chem. Res. (Tokyo)

Takei, S., Miyajima, S. & Ono, M.
Ueber rotenon, den wirksamen bestandteil der derriswurzel. Sci. Papers Inst. Phys. & Chem. Res. (Tokyo) 19:1-26. Ag.1932. no.376.

Smithson. Misc. Coll. (Washington)

Meier, F. E.
Lethal action of ultra-biolet light on a unicellular green alga. Smithson. Misc. Coll. v.87, no.10. 11 p. 2 pl. on 1. Ag.17,1932(Publ. 3173)

So. African Gard. (Johannesburg)

Bolus, L.
Plants new or noteworthy. Four new species of Pelargonium. So. African Gard. 22:229,232. illus. Ag.1932.
P. caledonium, P. leptum, P. pulcherrimum, P.hollandii.

Bolus, L.
Lithops herrei, L. Bolus and Lithops herrei, var. plena, L. Bolus. So. African Gard. 22:221. illus. Ag.1932. no.8.

Tasmanian Journ. Agr.

Thomas, P. H.
Apple varieties raised in Tasmania. (4.) The Crofton. Tasmanian Journ. Agr. n.s., 3:131-133. illus. Ag.1,1932. no.3.

Turner, H. S.
Spore discharge of black spot (Venturia inaequalis). Tasmanian Journ. Agr. n.s., 3:128. Ag.1,1932. no.3.

Tidsskr. Planteavl. (København)

Denmark. Statens plantepatologiske forsøg.
Plantesygdomme i Danmark 1931. Tidsskr. Planteavl 38:349-390. 1932. no.3.
English summary: p.389-390.

Trans. Brit. Mycol. Soc. (London)

Barnes, B., & Melville, R.
Notes on British aquatic fungi. Trans. Brit. Mycol. Soc. 17:82-96. illus. Ag.11,1932. no.1/2.

Butcher, R. W.
Contribution to our knowledge of the ecology of sewage fungus. Trans. Brit. Mycol. Soc. 17: 112-124. pl.iii. Ag.11,1932. no.1/2.

Corner, E.J.H.
A Fomes with two systems of hyphae. Trans. Brit. Mycol. Soc. 17:51-81. illus. Ag.11,1932. no.1/2.
F.levigatus n.sp.

Grimes, M., O'Connor, M. & Cummings, H.A.
A study of some Phoma species. Trans. Brit. Mycol. Soc. 17:97-111. pl.i-ii. Ag.11,1932. no.1/2.

Miller, J. H.
British Xylariaceae II-III. Trans. Brit. Mycol. Soc. 17:125-135, 136-146. illus., pl.iv-vi. Ag.11, 1932. no.1/2.

Ogilvie, L.
Brown canker of roses in England. Trans. Brit. Mycol. Soc. 17:153. Ag.11,1932. no.1/2.

Pearson, A. A.
Modern work on the Hymenomycetes. Trans. Brit. Mycol. Soc. 17:16-34. Ag.11,1932. no.1/2.

Rea, C.
Appendix II to British Basidiomycetae. Trans. Brit. Mycol. Soc. 17:35-50. col. pl. Ag.11,1932. no.1/2.

Tomkins, R. G.
Measuring germination. Trans. Brit. Mycol. Soc. 17:147-149. Ag.11,1932. no.1/2.

Trans. Brit. Mycol. Soc. (cont.)
Tomkins, R. G.
Measuring growth. The Petri dish method. Trans. Brit. Mycol. Soc. 17:150-153. Ag.11, 1932. no.1/2.

U. S. Dept. Agr. Farm. Bull.
Harter, L. L., & Zaumeyer, W. J.
Bean diseases and their control. U. S. Dept. Agr. Farm. Bull. 1692. 27 p. illus. Jl.1932.

Valt. Maatalouskoet. Julkais.
Hilli, A.
Perunasyövän (Synchytrium endobioticum [Schilb.] Perc.) leviämisen syistä suomessa ja ulkomailla. (The reasons of the spread of potato wart (Synchytrium endobioticum [Schilb.] Perc.) in Finland and abroad.) Valt. Maatalouskoet. Julkais. no.46. 249 p. 2 pl., maps. 1932.
English abstract: p.231-249.

Zeitschr. Bot. (Jena)
Baas, J.
Eine frühdiluviale flora in Mainzer Becken. Zeitschr. Bot. 25:289-371. illus., pl.ii-v. 1932. no.6/7.

Gäumann, E.
Der einfluss der keimungstemperatur auf die chemische zusammensetzung der getreidekeimlinge. I- Zeitschr. Bot. 25:385-461. 1932. no.8/9.

Jost, L.
Die determinierung der wurzelstruktur. Zeitschr. Bot. 25:481-522. illus. 1932. no.10.

Schwarz, W.
Beiträge zur entwicklungsgeschichte der panaschierungen. I. Entwicklungsgeschichte der plastiden einiger grüner pflanzen. Zeitschr. Bot. 25:1-57. illus. 1931. no.1/2.

Sleumer, H. O.
Ueber sexualität und zytologie von Ustilago zeae (Beckm.) Unger. Zeitschr. Bot. 25:209-263. illus., pl.i. 1932. no.5.

Zeltner, H.
Ueber elektronase und andere reizbewegungen der ranken. Zeitschr. Bot. 25:97-172. illus. 1932. no.3/4.

Exper. Stat. Publ.

Horne, W.T., Essig, E.O. & Herms, W.B.
Plant disease and pest control. California Agr. Exp. Stat. Circ. 265. 144 p. Rev.Jl.1930. (Rec'd S.1932)
Revision of Circ. 265 issued Je.1932.

Platenius, H.
Carbohydrate and nitrogen metabolism in the celery plant as related to premature seeding. Cornell Agr. Exp. Stat. Mem. 140. 66 p. Ap.1932 (Rec'd S.)

Valleau, W. D.
Seed transmission and sterility studies of two strains of tobacco ringspot. Kentucky Agr. Exp. Stat. Res. Bull. 327:43-80. illus. F.1932(Rec'd S.)

Valleau, W.D.
A virus disease of delphinium and tobacco. Kentucky Agr. Exp. Stat. Res. Bull. 327:81-88. illus. F.1932(Rec'd S.)

Valleau, W. D.
A virus disease of plum and peach. Kentucky Agr. Exp. Stat. Res. Bull. 327:89-103. illus. F.1932(Rec'd S.)

Doran, W. L.
Downy mildew of cucumbers. Mass. Agr. Exp. Stat. Bull. 283. 22 p. My.1932(Rec'd Ag.)

New Jersey agricultural experiment station - Dept of plant pathology.
Fire blight of ornamentals. Its Nursery Dis. Notes 5(2):1-3. Ag.1932.
Mimeographed.

New Jersey agricultural experiment station - Dept. of plant pathology.
Peony blight. Its Nursery Dis. Notes 5(2): 3-4. Ag.1932.
"Not Botrytis blight."
Mimeographed.

Tennessee agricultural experiment station
[Report] on] horticulture. In its Ann. Rep. 44(1931):48-50. 1932.
B.D.Drain, Assoc. horticulturist.

Tennessee agricultural experiment station
[Report on] plant pathology. In its Ann. Rep. 44(1931):50-54. 1932.
C. D. Sherbakoff, plant pathologist.

NEW BOOKS

Berlin. Biologische reichsanstalt für land- und forstwirtschaft.
Untersuchung von kartoffeln auf befall mit kartoffelkrebs. In its Anleitung für die untersuchung von pflanzen, obst ind kartoffeln bei der einfuhr. Berlin, 1931. p.16-21. illus.

Bresadola, G.
Iconographia mycologica. XXI-XXII. Mediolani,1932.

Burtt, Davy, J.
A manual of the flowering plants and ferns of the Transvaal with Swaziland, South Africa, pt.2, Malvaceae to Umbelliferae (completing the Archichlamydeae) London &c., Longmans, 1932.

Degener, O.
Flora hawaiiensis. [Honolulu, 1932] illus. 23-1/2cm.
Running title: New illustrated flora of the Hawaiian Islands.

Hauser, M.
Polarität und blütenverteilung. Jena, G.Fischer, 1932. (Botanische abhandlungen hrsg. von K. Goebel, h.21)

Marloth, R.
The flora of South Africa. v.3, sect.I-II. (Ericales - Campanulales) Capetown, Darter Bros. & Co., 1932.

Plantenga, M. H.J.
Pathologische veranderungen in het phloeem. Baarn, N.V. Hollandria-drukkerij, 1932.
Proefschrift, Univ. Utrecht.
English summary: p.99-103.

Die pflanzenareale...hrsg. von E. Hannig und H. Winkler. 3. reihe, h. 6. Sandstede, H. Caldoniaceae I. Jena, G.Fischer, 1932.

Tresidder, M. C.
The trees of the Yosemite. Stanford University, Stanford university press, 1932.

Lc

BOTANY

CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY.
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

LIBRAR
RECEIVED
★ OCT 1 1932
U. S.

Vol.14, no.19. Sept.12-24, 1932.

Acta Bot. Fenn. (Helsingfors) (451H36A*)

Brenner, W.

Beiträge zur edaphischen ökologie der vegetation Finnlands. Acta Bot. Fenn. no.9. 58 p. illus. 1931. no.8/9.

Eklund, O.

Ueber die ursachen der regionalen verteilung der schärenflora Südwest-Finnlands. Acta Bot. Fenn. no.8. 133 p. illus. maps. 1931. no.8/9.

Acta Phytogeogr. Suecica (Upsala) (451Ac82)

Du Rietz, G. E.

Life-forms of terrestrial flowering plants I- Acta Phytogeogr. Suecica no.3. 95 p. illus. 1931.

Agricultura (Madrid) (15Ag84)

Regueral, F. G.

La foliocelosis o veteado de las hojas y las exigencias en cal de los frutales. Agricultura (Madrid) 4:465-468. illus. Ag.1932. no.44.

Agr. et Élev. Congo Belge (26Ag84)

Staner, P.

Maladies cryptogamiques de quelques plantes du Congo Belge. Agr. et Élev. Congo Belge 6:138-139. S.3,1932. no.12.

Diseases of maize, rice, sorghum, peanut.

Amer. Nat. (470Am36)

Brink, R. A.

Are the chromosomes aggregates of groups of physiologically interdependent genes? Amer. Nat. 66:444-451. S./O.1932. no.706.

Humphrey, L. M.

Somatic chromosomes of certain Minnesota orchids. Amer. Nat. 66:471-474. illus. S./O.1932. no.706.

*U. S. Dept. of Agr. Library call number.

Amer. Nat. (cont.)

Richey, F. D. & Sprague, G. F.
Some factors affecting the reversal of sex expression in the tassels of maize. Amer. Nat. 66:433-443. S./O.1932. no.706.

Ann. Crypt. Exot. (Paris) (450An74)

Gyelnik, V.
Peltigerae novae et rarae. Ann. Crypt. Exot. 5:39-40. Je.1932. no.1.
P. subhorizontalis, n. sp.

Gyelnik, V.
Was ist Solorina servediifera Nyl.? Ann. Crypt. Exot. 5:41-42. Je.1932. no.1.
Peltigera leptoderma.

Heim, R.
L'oeuvre de Giacomo Bresadola. Ann. Crypt. Exot. 5:5-15. port. Je.1932. no.1.
Liste chronologique des publications botaniques de G. Bresadola: p.12-15.

Magnusson, A. H.
Lichens from western Northamerica, mainly Washington and Alaska. Ann. Crypt. Exot. 5:16-38. Je.1932. no.1.

Ann. Rep. Dept. Agr. Cyprus (21C99)

Nattrass, R. M.
Annual report of the mycologist for 1931. Ann. Rep. Dept. Agr. Cyprus 1931:56-64. illus. 1932.

Ann. Rep. Dept. Agr. Tanganyika Terr. (24T15)

Wallace, G. B.
Report of the mycologist. Ann. Rep. Dept. Agr. Tanganyika Terr. 1930:53-55.

Arch. Koffiecult. Nederl.-Indië (Soerbaia) (68.28Ar2)

Wellensiek, S. J.
Bloembiologische waarnemingen aan cacao (Flowerbiological observations with Theobroma cacao L.) Arch. Koeffiecult. Nederl.-Indië 6:87-101. Jl. 1932. no.2.

Arch. Protistenk. (Jena) (439.8Ar2)

Geitler, L.
Der formwechsel der pennaten diatomeen (kieselalgen). Arch. Protistenk. 78:1-226. illus. 1932. no.1.

Ark. Bot. (Stockholm) (451Sv2)

Ahlner, S.

Gävletraktens Taraxacum-flora. Ark. Bot. v.24A, no.9. 17 p. 2 pl. 1932(F.29. 1932) no.4.

T. concinnum, n. sp.

Klinckowström, A. von

Zur morphologie der Plagiocystia verrucosa. III. Ein beitrag zur kenntnis der sporitkeimung der sporascoten bakterien. Ark. Bot. v.24A, no.10. 39 p. illus. 1932(My.30,1932) no.4.

Malme, G. O. A.

Die compositen der zweiten Regnellschen reise. III. Ark. Bot. v.24A, no.8. 66 p. illus., 2 pl. 1932(F.29,1932) no.4.

Santesson, C. G.

Drogen aus dem Kamerungebiete. III. Bololo - Cortex enantiae chlorantae Oliv. Ark. Bot. v.24A, no.11. 8 p. illus. 1932(Ap.18, 1932) no.4.

Beih. Bot. Centralbl. Abt. II (Dresden) (450B65Bo)

Bertsch, F.

Eine neue interglazialflora aus Süddeutschland. Beih. Bot. Centralbl. Abt. II 49:669-676. illus. Ag.1932. no.2/3.

Eig, A. & Feinbrun, N.

Bellavalia desertorum sp. n. Beih. Bot. Centralbl. Abt. II 49:666-668. illus. Ag.1932. no.2/3.

Hein, L.

Die polare waldgrenze in Europa. Beih. Bot. Centralbl. Abt. II 49:677-705. Ag.1932. no.2/3.

Mägdefrau, K.

Über Nathorstiana, eine Isoëtacee aus dem neokom von Quedlinburg a. Harz. Beih. Bot. Centralbl. Abt. II 49:706-718. illus., pl.xi-xii. Ag.1932. no.2/3.

Sirjaev, G.

Generis Ononis L. revisio critica. Beih. Bot. Centralbl. Abt. II 49:381-665. illus., pl.vii-ix. Ag.1932. no.2/3.

Bol. Estac. Exp. Insul. Puerto Rico (100P83)
Nolla, J. A. B.
Las enfermedades del tabaco en Puerto Rico. Bol. Estac. Exp. Insul. Puerto Rico no.39. 29 p. illus. 1932.

Bryologist (Pittsburg) (450B84)
Armitage, E.
Bryological notes on a West Indies cruise. Bryologist 35:23-28. Mr.1932. no.2.

Brown, M. S.
Entosthodon neoscoticus sp. nov. Bryologist 35:17-18. illus. Mr.1932. no.2.

Conard, H. S.
Mosses of Pine Hollow, Iowa. Bryologist 35:28-30. Mr.1932. no.2.

Gray, F. W.
Pygmies, here and there, now and then. Bryologist 35:18-23. Mr.1932. no.2.

Bulet. Grad. Bot. Univ. Cluj (Roumaina) (450C62)
Borza, A.
O campanie botanică internatională in România. (Une excursion botanique internationale en Roumanie). Bulet. Grad. Bot. Univ. Cluj 12:1-28. 1932. no.1/2.
Brief French résumé: p.28.

Nyárády, E. I.
Despre două specii critice de Violă. (O rectificare). (Ueber zwei kritische Viola arten. (Eine berichtigung).) Bulet. Grad. Bot. Univ. Cluj 12:102-103. 1932. no.1/2.
V. palustris, V. ambigua x hirta f. peterfii (V. peterfii).
German summary: p.103.

Pop, E.
Contribuţii la istoria vegetaţiei cvaternare din Transilvania. (Beitrag zur quaternären pflanzengeschichte Siebenburgens (Rumänien). Bulet. Grad. Bot. Univ. Cluj 12:29-102. illus. 1932. no.1/2.
German summary: p.88-99.

Bull. Agence Gén. Colon. France (Paris) (260C71B)
Renaud, M.
Contribution à l'étude des bois de la Guyane française (cont.) Bull. Agence Gén. Colon. France 25:1120-1170. 5 pl. Jl.1932. no.280.

Bull. Soc. Dendrol. France (Paris) (99.9So15)

Camus, A.

Sur quelques arbres et arbrisseaux. Bull. Soc. Dendrol. France 1932:5-7. F.15,1932(Rec'd S.) no.81.

Quelques localités de saules hybrides; Cistus monspeliensis x salviaefolius; Quercus ilex x coccifera.

Chassagne, M. & Görz, R.

Salix nouveaux de France. Bull. Soc. Dendrol. France 1931:68-88. N.15,1931. no.80.

Stefanoff, B.

Notes systématiques sur le pin leucoderme. Bull. Soc. Dendrol. France 1932:8-15. illus. F.15,1932. no.81.

China Journ. (Shanghai) (475C44)

Skvortzow, B. W.

Notes on trees and shrubs of northern Manchuria. 8. Genus Malus Mill. China Journ. 17:84-88. 5 pl. Ag.1932. no.2.

Citrus Grow. (Uitenhage) (80C495)

Doidge, E. M.

Fruit rots of oranges. Observed during the 1931 packing season. Citrus Grow. 1932(30):15, 17,19,21. illus. Ag.1932.

Compt. Rend. Acad. Sci. Paris (505P21)

Heyn, A. N. J.

Sur la méthode de détermination de plasticité des membranes cellulaires. Compt. Rend. Acad. Sci. Paris 195:494-496. Ag.29,1932. no.9.

Vouk, V.

Sur la biologie de Codium bursa. Compt. Rend. Acad. Sci. Paris 195:491-493. Ag.29, 1932. no.9.

Conifers in cultivation. Rep. Conifer Conf. Roy. Hort. Soc. 1931.

Balfour, F. R. S. (452.3C763)

The history of conifers in Scotland and their discovery by Scotsmen. In Conifers in cultivation. Rep. Conifer Conf. Roy. Hort. Soc. 1931. p.177-211. plates (fig. 52-63) 1932.

Borthwick, A. W.

Random notes on diseases of conifers. In Conifers in cultivation. Rep. Conifer Conf. Roy. Hort. Soc. 1931. p.55-61. 1932.

Conifers in cultivation. Rep. Conifer Conf. Roy. Hort. Soc. (cont.)

Cockayne, L.

Polymorphy in New Zealand conifers and its relation to horticulture. In Conifers in cultivation. Rep. Conifer Conf. Roy. Hort. Soc. 1931. p.151-164. plates (fig. 38-51) 1932.

Dallimore, W.

Reference list of conifers grown out of doors in the British Isles. In Conifers in cultivation. Rep. Conifer Conf. Roy. Hort. Soc. 1931. p.6-40. 1932.

Hillier, E. L.

Conifers of the temperate regions of the far east. In Conifers in cultivation. Rep. Conifer Conf. Roy. Hort. Soc. 1931. p.223-242. 1932.

Hornibrook, M.

Dwarf conifers. In Conifers in cultivation. Rep. Conifer Conf. Roy. Hort. Soc. 1931. p.62-81. plates (fig. 7-18) 1932.

Jackson, A. B.

Notes on Chinese conifers. In Conifers in cultivation. Rep. Conifer Conf. Roy. Hort. Soc. 1931. p.243-255. 2 pl. (fig. 76-79) 1932.

Slavin, A. D.

Some conifers cultivated in the United States. In Conifers in cultivation. Rep. Conifer Conf. Roy. Hort. Soc. 1931. p.86-150. plates (fig. 26-35) 1932.

Stewart, L. B.

Propagation of conifers. In Conifers in cultivation. Rep. Conifer Conf. Roy. Hort. Soc. 1931. p.82-85. plates (fig. 20-25) 1932.

Deut. Landw. Presse (Berlin) (18D482)

Lentz, J. v.

Stimulation hartschaliger samen mit schwefelsäure. Deut. Landw. Presse 59:462. S.10, 1932. no.37.

Setterl, M.

Merkmale wichtiger grassamen. Deut. Landw. Presse 59:463. illus. S.10,1932. no.37.

Flora (Jena) (450F66)

Hülsbruch, W.
Beiträge zur kenntnis der gattung Dysophylla und einiger anderer labiaten. Flora 126(n.s. 26):329-362. illus. S.25,1932. no.3/4.

Lloyd, F. E.
The range of structural and functional variety in the traps of Utricularia and Polypomopholyx. Flora 126(n.s.26):303-328. illus. S.25,1932. no.3/4.

Troll, W.
Botanische mitteilungen aus den tropen. IV-Vii. Flora 126(n.s.26):371-379,380-392,393-407,408-417. illus. S.25,1932. no.3/4.

Troll, W.
Ueber den bau den blühenden sprosse von Streptopus Mich. Flora 126(n.s.26):363-370. illus. S.25,1932. no.3/4.

Weiss, G.
Weitere beiträge zur kenntnis der endospermhaustorien in der gattung Veronica. Flora 126(n.s.26):418-464. illus. S.25,1932. no.3/4.

Forstw. Centralbl. (Berlin) (99.8F775)

Hartmann, H.
Untersuchungen über ursachen und gesetzmässigkeit exzentrischen dickenwachstums bei nadel- und laubbaumen. II. Untersuchungen über die gesetzmässigkeit erzentrischen dickenwachstums bei laubbäumen. Forstw. Centralbl. 54:581-590. S.1,1932. no.17.

Gard. Chron. (London) (80G162)

Darnell, A. W.
The genus Androsace. (cont.) Gard. Chron. III 92:179,197-198. S.3,10,1932. no.2384, 2385.

Friend, H.
Corsican plant lore. XVI. The citron family. (2). Gard. Chron. III 92:178. S.3,1932. no.2384.

Grove, A.
Hybrid lilies. II. Gard. Chron. III 92:177-178. S.3,1932. no.2384.

Gard. Chron. (cont.)
Ward, F. K.
Mr. F. Kingdon Ward's eleventh expedition in Asia. XII. First reconnaissance. Gard. Chron. III 92:194-195. illus. S.10,1932. no.2385.

Gartenw. (Berlin) (80G196)
Fischer, R.
Ein schleimpilz als gurkenschädling. Gartenw. 36:444. Jl.22,1932. no.30.
Physarum gyrosum.

Hilgardia (Berkeley, Calif.) (100C12H)
Webber, H. J.
Variations in citrus seedlings and their relation to rootstock selection. Hilgardia 7:1-79. illus. Je.1932(Rec'd S.) no.1.

Indian For. Rec. (99.9In22)
Dover, C.
Entomological investigations on the spike-disease of sandal (Santalum album Linn.) I. An introductory survey of the problem. Indian For. Rec. 17:1-53. 1932.

Indische Cult. (Soerbaja) (26In2)
Poel, J v.d.
Moelijkheden op tabaks-zaadbedden A. zuurgraad en afwijkingen in tabaksbibit. Indische Cult. 17:381-384. illus. Ag.15,1932. no.16.

Ital. Agr. (Milan) (16It1)
Bonvicini, M.
Sulla eraditarietà di una anomalia nel mais. Ital. Agr. 69:716-722. illus. Ag.1932. no.8.

Izv. Akad. Nauk SSSR(Bull. Acad. Sci. URSS). (Leningrad) (511Sa2B)
Nadson, G. A.
Contribution a l'étude des algues perforantes. Izv. Akad. Nauk SSSR(Bull. Acad. Sci. URSS.) (Leningrad) 1932:833-855. pl.i-iii. 1932. no.6.

Jahrb. Wiss. Bot. (Leipzig) (450P93J)
Daumann, E.
Ueber die "scheinnektarien" von Parnassia palustris und anderer blütenarten. Ein beitrag zur experimentellen blütenökologie. Jahrb. Wiss. Bot. 77:104-149. illus. 1932. no.1.

Fitting, H.
Untersuchungen über die empfindlichkeit und das unterscheidungsvermögen der Vallisneria-protoplasten für verschiedene a-aminosäuren. Jahrb. Wiss. Bot. 77:1-103. illus. 1932. no.1.

Jahrb. Wiss. Bot. (cont.)
Fliry, M.
Zur wirkung der endknospe auf die hypokotylstreckung des dikotylenkeimlings. Jahrb. Wiss. Bot. 77:150-184. illus. 1932. no.1.

Journ. Amer. Soc. Agron. (Geneva, N.Y.) (4Am34P)
Burnham, C. R.
The inheritance of Fusarium wilt resistance in flax. Journ. Amer. Soc. Agron. 24:734-748. S.1932. no.9.
Contr. Dept. Gen. Wisc. Agr. Exp. Stat. Paper no.129.

Jour. Biol. Chem. (Baltimore) (381J824)
Pucher, G. W., Vickery, H. B. & Wakeman, A. J.
The determination of the acids of plant tissue. Journ. Biol. Chem. 97:605-615. S.1932. no.3.

Journ. Bot. (London) (450J82)
Baker, E.
New African species of Leguminosae. Journ. Bot. 70:251-255. S.1932. no.837.

Cambridge university. Herbarium
Notes from the university herbarium, Cambridge no.3,4 (cont.) Journ. Bot. 48(Suppl.):9-16. S.1932. no.837.

Grubb, V. M.
Marine algae of Korea and China, with notes on the distribution of Chinese marine algae. (concl.) Journ. Bot. 70:245-250. S.1932. no.837.

Petch, T.
Australian Acacias in Ceylon. Journ. Bot. 70:256-258. S.1932. no.837.

Pugsley, H. W.
Euphrasia schinzii. Journ. Bot. 70:262. S.1932.
Proposes to substitute for E. schinzii Pugsl. a new name E. cisalpina.

Journ. Counc. Sci. Industr. Res. Australia (Melbourne) (514Au722)
Jarrett, P. H.
Investigations on flag smut of wheat. Journ. Counc. Sci. Industr. Res. Australia 5:165-169. Ag.1932. no.3.

Journ. Counc. Sci. Industr. Res. Australia (cont.)

Trumble, H. C.

Preliminary investigations on the cultivation of indigenous saltbushes (Atriplex spp.) in an area of winter rainfall and summer drought. Journ. Counc. Sci. Industr. Res. Australia 5:152-161. Ag.1932. no.3.

Journ. Gen. Physiol. (Baltimore) (447.8J822)

Blinks, L. R.

Protoplasmic potentials in Halicystis. II. The effects of potassium on two species with different saps. Journ. Gen. Physiol. 16:65-73. S.20,1932. no.1.

Castle, E. S.

Dark adaptation and the dark growth response of Phycomyces. Journ. Gen. Physiol. 16:75-88. S.20,1932. no.1.

Navez, A. E. & Robinson, T. W.

Automatic recording of movements of plant organs. Journ. Gen. Physiol. 16:125-131. illus. S.20,1932. no.1.

Navez, A. E. & Robinson, T. W.

Geotropic curvature of Avena coleoptiles. Journ. Gen. Physiol. 16:133-145. illus. S.20,1932. no.1.

Osterhout, W. J. V.

The kinetics of penetration. IV. Diffusion against a growing potential gradient in models. Journ. Gen. Phys. 16:157-163. illus. S.20, 1932. no.1.

Tang, P.-S.

Temperature characteristic for the anaerobic production of CO_2 by germinating seeds of Lupinus albus. Journ. Gen. Physiol. 16:65-73. S.20, 1932. no.1.

Journ. Pomol. & Hort. Sci. (London) (80J825)

Anderssen, F. G.

Chlorosis of deciduous fruit trees due to a copper deficiency. Journ. Pomol. & Hort. Sci. 10:130-146. 9 pl. on 3. Je.1932. no.2.

Marsh, R. W. & Walker, M. M.

The scab fungus (Venturia inaequalis) of apple shoots. Jour. Pomol. & Hort. Sci. 10:71-90. illus., 2 pl. on 1. Je.1932. no.2.

Journ. Pomol. & Hort. Sci. (London) (cont.)
Tutin, F.
A note on the toxicity of mineral oil sprays to vegetation. Journ. Pomol. & Hort. Sci. 10: 65-70. Je.1932. no.2.

Journ. Washington Acad. Sci. (500W276J)
Drechsler, C.
A species of Pythiogeton isolated from decaying leafsheaths of the common cat-tail. Journ. Washington Acad. Sci. 22: 421-449. illus. S.19,1932. no.15.
P. autossytum on Typha latifolia.

Kosmos (Stuttgart) (474K842)
Francé, R. H.
Woher kamen die kulturpflanzen? Kosmos 1932: 315-319. illus. S.1932. no.9.

Roeder, W. v.
Der kampf ums wasser. Kosmos 1932: 309-312. illus., 2 pl. on 1. S.1932. no.9.

Lingnan Sci. Journ. (Canton, China) (22.5C16)
Li, L. C.
On some fresh-water algae collected by Mr. Y. C. Wang in Nanking and Peiping, China. Lingnan Sci. Journ. 11: 375-377. Jl.22,1932. no.3.

Metcalf, F. P.
Botanical notes on Fukien and southeast China XIV. Verbenaceae. Lingnan Sci. Journ. 11: 405-408. illus. Jl.22,1932. no.3.

Price, W. R.
On the flora of Taitan Island, Amoy. Lingnan Sci. Journ. 11: 419-422. Jl.22,1932.
Small island at entrance of bay in which Amoy lies.

London Nat. (420L843)
Robbins, R. W.
Some preliminary remarks on brambles. London Nat. 1931: 62-68. 1932.

Malayan For. Rec. (99.8M29)
Foxworthy, F. W.
Dipterocarpaceae of the Malay Peninsula. Malayan For. Rec. no.10. 289 p. xxiii pl. 1932.

Meded. Besoek. Proefstat. (Buitenzorg) (109.5B46M)
Reydon, G. A.
Onderzoekingen van phytopathologischen aard Verslag Boesoek. Proefstat. 1931, Its Meded. 48:25-27. 1932.

Memor. Soc. Fauna & Flora Fenn. (Helsingfors) (511H365Me)
Björkstén, J. & Himberg, I.
Können höhere pflanzen luftstickstoff direkt assimilieren? Versuche mit Tritcum sativum. Memor. Soc. Fauna & Flora Fenn. 6:114-121. 1931.

Buch, H.
Ueber den phototropismus der panizeen. Memor. Soc. Fauna & Flora Fenn. 6:167-173. illus. 1931.

Cedercreutz, C.
Spirogyra fluvialitis Hilse, neu für Finnland. Memor. Soc. Fauna & Flora Fenn. 6:131-132. illus. 1931.

Eklund, O.
Die pH-werte einiger pflanzen-rhizosphären. Memor. Soc. Fauna & Flora Fenn. 6:107-112. 1931.

Häyrén, E.
Einige algenfunde an den meereskusten Estlands. Memor. Soc. Fauna & Flora Fenn. 6:174-179. 1931.

Häyrén, E.
Einige flechtenfunde aus Estland. Memor. Soc. Fauna & Flora Fenn. 6:122-128. 1931.

Lindberg, H.
Några för Finlands flora nya adventivväxter. Memor. Soc. Fauna & Flora Fenn. 6:181-187. illus. 1931.

Linkola, K.
Beobachtungen über das auftreten von samenkeimlingen in der felsenvegetation am Ladogasee. Memor. Soc. Fauna & Flora Fenn. 6:133-143. 1931.

Meurman, O.
Chromosome numbers in the family Cornaceae. Memor. Soc. Fauna & Flora Fenn. 6:95-100. illus. 1931.

Memor. Soc. Fauna & Flora Fenn. (cont.)

Pettersson, B.
Ferns and flowering plants on erratic blocks with special reference to their modes of dispersal. Memor. Soc. Fauna & Flora Fenn. 6:25-54. 1931.

Monatsschr. Deut. Kakteen-Ges. (Berlin) (451D482)

Bödeker, F.
Mammillaria wagneriana Böd., sp. n. Monatsschr. Deut. Kakteen-Ges. 4:199-201. illus. S.1932.

Weingart, W.
Die blüte des Cereus schmollii Weing. Monatsschr. Deut. Kakteen-Ges. 4:189-193. illus. S.1932. no.9.

Weissbrodt, E.
Kakteenkenntnis 1588 (nach Tabernaemontanus' Kräuterbuch). Monatsschr. Deut. Kakteen-Ges. 4:196-198. illus. S.1932. no.9.

Nachrichtenbl. Deut. Pflanzenschtzd. (Berlin) (464.9N11)

Wollenweber, H. W. & Richter, H.
Die Douglasienschütte und ihr erreger, Rhabdocline pseudotsugae Syd. Nachrichtenbl. Deut. Pflanzenschutzd. 12:71-74. illus. no.9.

Nature (London) (472N21)

Small, T.
Prevention of blight in seed potatoes. Nature 130:367. S.3,1932. no.3279.

Notizbl. Bot. Gart. Berlin (451B45N)

Berlin. Universität. Botanischer garten
Vermischte diagnosen VII. Notizbl. Bot. Gart. Berlin 11:510-514. Jl.11,1932. no.106.

Burret, M.
Palmae neogeae II. Notizbl. Bot. Gart. Berlin 11:499-501. Jl.11,1932. no.106.

Diels, L. & Mansfeld, R.
Die orchideen-gattung Chiloschista Lindl. Notizbl. Bot. Gart. Berlin 11:491-498. Jl.11, 1932. no.106.

Ducke, A.
Neue arten aus der Hylaea brasiliens. Notizbl. Bot. Gart. Berlin 11:471-483. Jl.11, 1932. no.106.
Vataireopsis, n.g. (V. speciosa); Botryarrhena n.g. (B. pendula).

Notizbl. Bot. Gart. Berlin (cont.)

Harms, H.
Araliaceae americanae novae II. Notizbl. Bot. Gart. Berlin 11:484-490. Jl.11,1932. no.106.

Heimerl, An.
Nyctaginaceen-studien. Notizbl. Bot. Gart. Berlin 11:450-470 Jl.11,1932. no.106.

Kirschstein, W.
Eine neue Mollisia. Notizbl. Bot. Gart. Berlin 11:502. Jl.11,1932. no.106.
M. fungicola.

Ulbricht, E.
"Pendel-schraubenflieger", ein neuer typus von flugfrüchten bei gehölzen des tropischen Afrika. Notizbl. Bt. Gart. Berlin 11:503-509. illus. Jl.11,1932. no.106.

Onze Ploeg Landb. Tijdschr. (Leuven) (130n9)

Jennes, J.
Twee ziekten der azalea's. Onze Ploeg Landb. Tijdschr. 11:235-239. Ag.1932. no.8.
Oorziekte of bladgallen der azalea's; kanker der azalea's.

Reyntjens, R.
Meer licht op de ontaardings- of de zoogenaamde virusziekten van den aardappel. Onze Ploeg Landb. Tijdschr. 11:225-230. Ag.1932. no.8.

Philipp. Agr. (Los Baños) (25P542)

Roldan, E. F.
Pythium root-rot disease of corn in the Philippine Islands. Philipp. Agr. 21:165-176. illus. Ag.1932. no.3.
P. arrhenomanes philippinensis.

Planta Arch. Wiss. Bot. (Berlin) (450P693)

Döring, H.
Zur mechanik des hitzetodes pflanzlicher zellen. Planta Arch. Wiss. Bot. 17:489-490. Ag.19,1932. no.2.

Kerstan, G.
Zur bestimmung der zucker aus pflanzenextrakten einschliesslich des glukosidzuckers. Planta Arch. Wiss. Bot. 17:490-492. Ag.13,1932. no.2.

Planta Arch. Wiss. Bot. (cont.)

Schöffel, K.
Untersuchungen über den blütenbau der ranunculaceen. Planta Arch. Wiss. Bot. 17:315-371. illus. Ag.13,1932. no.2.

Troll, W.
Beiträge zur morphologie des gynaceums. II. Uber das gynaceum von Limnocharis Humb. et Bonpl. Planta Arch. Wiss. Bot. 17:453-460. illus. Ag.13,1932.

Troll, W.
Morphologie der schildförmigen blätter. (concl.) Planta Arch. Wiss. Bot. 17:231-314. illus. Ag.13,1932. no.2.

Proc. Akad. Wetensch. Amsterdam (503Am8P)

Blaauw, A. H., Luyten, I. & Hartsema, A. M.
Die grundzahl der tulpenblute in ihrer abhängikeit von der temperatur. Proc. Akad. Wetensch. Amsterdam 35:485-497. illus., tab. 1932. no.4.

Roggeveen, P. M.
Mesozoisches koniferenholz (Protocupressinoxylon malayense n. s.) von der insel Soegi in Riouw-Archipel, Niederländisch Ost-Indien. Proc. Akad. Wetensch. Amsterdam 35:580-584. illus. 1932. no.4.

Proc. Roy. Soc. Ser. B (London) (501L84B)

Stiles, W.
Researches on plant respiration. I. The course of respiration of Lathyrus odoratus during germination of the seed and the early development of the seedling. Proc. Roy. Soc. Ser. B. 111:338-355. illus. S.1,1932. no. 772.

Protoplasma (Leipzig) (442.8P94)

Guilliermond, A.
La structure de la cellule végétale: les inclusions de cytoplasme et en particulier les chondriosomes et les plastes. Protoplasma 16:291-337. illus. Jl.1932(Rec'd S.) no.2.
Sammelreferat.

Höfler, K.
Plasmolyseformen bei Chaetomorpha und Cladophora. Protoplasma 16:189-214. illus. Jl.1932(Rec'd S.) no.2.

Protoplasma (cont.)

Küster, E.
Die protoplasmablasen der Caulerpa. (Beiträge zur pathologie des protoplasmas). Protoplasma 16:215-236. illus. Jl.1932(Rec'd S.) no.2.

Moder, A.
Beiträge zur protoplasmatischen anatomie des Helodea-blattes. Protoplasma 16:1-55. illus. Je.1932(Rec'd S.) no.1.

Pfeiffer, H.
Kleine beiträge zur bestimmung des IEP von protoplasten. V. Mikrokataphoretische versuche mit pflanzlichen zellen. VI. Das aufsuchen von fällungen nach einwirkung azidimetrisch abgestufter puffer- und salzlösungen. VII. Ueber die retardation der pulsationsfrequenz kontraktiler vakuolen. Protoplasma 15:590-611, 16:237-243, 244-252. illus. My., Jl.1932. nos.4,2.

Prát, S.
The polarity of the vacuole. Protoplasma 15:612-615. illus. My.1932(Rec'd S.) no.4.

Steward, F.C.
The absorption and accumulation of solutes by living plant cells. II. A technique for the study of respiration and salt absorption in storage tissue under controlled environmental conditions. Protoplasma 15:497-516. illus. My.1932. no.4.

Umrath, K.
Die bildung von plasmalemma (plasmahaut) bei Nitella mucronata. Protoplasma 16:173-188. illus. Jl.1932(Rec'd S.) no.2.

Weber, F.
Plasmolyse-permeabilität bei kälte. Protoplasma. 15:517-521. My.1932(Rec'd S.) no.4.

Weber, F.
Plasmolyse und "surface precipitation reaction". Protoplasma 15:522-531. illus. My.1932. no.4.

Weber, F.
Unterschiede in der säureresistenz der Helodea-blattzellen. Protoplasma 16:287-290. illus. Jl.1932(Rec'd S.) no.2.

Queensl. Agr. Journ. (Brisbane) (23Q33)
Simmonds, J. H.
Powdery spot and fruit scab of the passion vine. Queensl. Agr. Journ. 38:143-152. illus. Ag.1,1932. no.2.

Rep. Agr. Dept. St. Vincent (102W528)
St. Vincent agricultural dept.
Work connected with insect and fungus pests and their control. In its Rep. 1931:7-10. 1932.

Rep. Food Invest. Bd. Gr. Brit. (389.9G792R)
Archbold, H. K. & Widdowson, E. M.
Chemical work on fruit. Rep. Food Invest. Bd. Gt. Brit. 1931:230-272. 1932.
Researches at Imperial college of science and technology (on apples)

Horne, A. S.
Biological work on fruit. Rep. Food Invest. Bd. Gt. Brit. 1931:272-289. 4 pl. on 2. 1932.
Researches at Imperial college of science and technology (on apples)

Kidd, F.
Influence of fungal invasion and mechanical injury upon the rate of carbon-dioxide production of apples. Rep. Food Invest. Bd. Gt. Brit. 1931:111-114. 1932.

Onslow, M., Kidd, F. & West, C.
Biochemical study of senescense in apples. Rep. Food Invest. Bd. Gt. Brit. 1931:52-77. table. 1932.

Tomkins, R. G., and Trout, S. A.
The prevention of decay of stored fruit by the use of volatile compounds. Rep. Food Invest. Bd. Gt. Brit. 1931:117-119. 1932.

Tomkins, R. G.
Wastage in bananas. Rep. Food Invest. Bd. Gt. Brit. 1931:121-122. 1932.

Rep. Saghalien Centr. Exp. Stat. (J107.6Sal24)
Ishiyama, T.
Economic wild plants in southern Saghalien. I. Metachlamydeae. Rep. Saghalien Centr. Exp. Stat. no.1. 255 p. xviii pl. Mr.1932.

Res. Bull. Agr. Exp. Stat. So. Manchuria Railw. Co. (J107So8R)
Ikeda, S.
On the cold-resistance of the mulberry-tree. (Preliminary note). Relations between hardness of shoots and their cold-resistance. (Résumé).
Res. Bull. Agr. Expt. Stat. So. Manchuria Railw. Co. 1932:35-49. Ag.1932. no.8.
In Japanese with English summary: p.47-49.

Rev. Bot. Appl. (Paris) (26R323)
Canaby, M.
Le caoutchouc de cueillette à Madagascar.
Rev. Bot. Appl. 12:609-621. Ag.1932. no.132.

Rev. Chim. Industr. (383R326)
Gloess, P.
Les plantes marines et leurs utilizations. (concl.) Rev. Chim. Industr. 41:218-221. Ag.1932. no.488.

Toussaint, R.
La mousse de chêne. Rev. Chim. Industr. 4:221-225. Ag.1932. no.488.
Evernia prunastri, E. furfuracea.

Rev. Gén. Bot. (Paris) (450R326)
Moreau, F. & Moreau, Mme, F.
Recherches sur les lichens du genre "Dermatocarpon". Rev. Gen. Bot. 45:305-315. pl.xiii-xvi. Ag.1932. no.524.

Py, G.
Recherches cytologiques sur l'assise nourricière des microspores et les microspores des plantes vasculaires. Rev. Gen. Bot. 45:316-368. illus., pl.xvii-xix. Ag.1932. no.524.

Rev. Gén. Sci. (Paris) (473R324)
Mascart, J.
La végétation et les variations de climat.
Rev. Gén. Sci. 43:477-480. Ag.15/31,1932. no.15/16.

Rev. Zool. et Bot. Afr. (410R326)
Chermezon, H.
Sur quelques cypéracées du Congo belge. Rev. Zool. et Bot. Afr. 22:63-71. Ag.1,1932. no.1.
Cyperus wittei, Bulbostylis wittei n. spp.

Lebrun, J.
Note sur un caféier spontané au Kivu, Coffea kivuensis, Lebrun. Rev. Zool. et Bot. Afr. 22:43-45. Ag.1,1932. no.1.

Rhodora (Boston) (450R34)

Eaton, R. J.

The status of two introductions by Minot Pratt at Concord, Massachusetts: Camptosorus rhizophyllus and Helenium autumnale. Rhodora 34: 172-173. S.1932. no.405.

Fernald, M. L., & Weatherby, C. A.

Abies balsamea (L.) Mill., forma hudsonia (Bosc.), comb. nov. Rhodora 34:190-191. S.1932. no.405.

A.balsamea hudsonia (Picea fraseri hudsonia).

Fernald, M. L.

Lathyrus japonicus versus L. maritimus. Rhodora 34:177-187. S.1932. no.405.

Fernald, M. L., and Weatherby, C. A.

Picea glauca, forma parva. Rhodora 34:187-189. S.1932. no.405.

P. glauca parva (P. canadensis parva).

Standley, P.C.

Records of United States plants, chiefly from the Chicago region. Rhodora 34:174-177. S.1932. no.405.

Wilson, R.L.

The identity of Lycopodium porophilum. Rhodora 34:169-172. S.1932. no.405.

Synonym of L. lucidulum var. occidentale n.comb. (L. lucidulum forma occidentale).

Riv. Patol. Veg. (Pavia) (464.8R52)

Gioelli, F.

Fenomeni di antagonismo in "Penicillium digitatum" (Pers) Sacc. e "Penicillium italicum" Weber in nature. (Nota preliminare). Riv. Patol. Veg. 22:195-200. illus. Jl./Ag.1932. no.7/8.

Gioelli, F.

Sopra una probabile azione delle concinazioni potassiche contro il marcio dei frutti degli agrumi. Riv. Patol. Veg. 22:189-193. Jl./Ag. 1932. no.7/8.

Pasinetti, L.

La patogenicità della "toile" in rapporto all'azione dei raggi X. Riv. Patol. Veg. 22: 201-217. 1 pl. Jl./Ag.1932. no.7/8.

Riv. Patol. Veg. (Pavia) (cont.)

Pasinetti, L.

Le variazioni micro-termo-elettriche in alcuni eumiceti patogeni delle piante irradiati con raggi X. Memoria I. Botrytis cinerea, Pythium debaryanum. Riv. Patol. Veg. 22:219-263. illus., 1 pl. tabs. Jl./Ag.1932. no.7/8.

Science (470Sci2)

The enzyme theory of virus disease. Science v.76. no.1968. suppl.p.9-10. S.16,1932. no.1968.

Experiments of Dr. C. G. Vinson on tobacco plants.

Gleason, H. A.

John Isaac Briquet. Science 76:247. S.16, 1932. no.1968.

Plant pathology at the Rockefeller institute for medical research, Princeton, New Jersey. Science 76:250. S.16,1932. no.1968.

Dr. L. O. Kunkel head of the Div. of plant pathology.

Sci. Proc. Roy. Dublin Soc. (501D85)

Murphy, P.A., & McKay, R.

A comparison of some European and American virus diseases of the potato. Sci. Proc. Roy. Dublin Soc. n.s., 20:347-358. Ag.1932. no.27.

Scient. Month. (470Sci23)

Hall, H. M.

Heredity and environment - as illustrated by transplant studies. Scient. Month. 35:289-302. illus. O.1932. no.4.

Studhalter, R. A.

The elusive ruffle plant, Riella. Scient. Month. 35:303-311. illus. O.1932. no.4.

Senckenbergiana (Frankfurt a. M.) (410.9S25)

Kräusel, R., & Weyland, H.

Pflanzenreste aus dem Devon. II. Senckenbergiana 14:183-190. Ap.15,1932(Rec'd S.) no.3.

Sitzungsb. Preuss. Akad. Wiss. (Berlin) (509B452S)

Diels, L.

Die gliederung der anonaceen und ihre phylogenie. Sitzungsb. Preuss. Akad. Wiss. 1932:77-85. no.11.

South Flor. (Fort Worth, Texas) (80So86)

Weiss, F.

Sclerotium rot of bulbous iris. South Flor. 33(24):9-10. illus. S.16,1932. no.24.

Succulenta (Leeuwarden) (450Sul)

Duursma, G.D.

Mooie gasteria's Sect.III. Nigricantes. Succulenta 14:217-219. illus. S.1932. no.9.

Houten, J.M. van den

Erfelijkheid en bastaardeering. II. Succulenta 14:219-223. S.1932. no.9.

Techn. Notes Mech. Farm. Inst. Res. Agr. Engin. Univ. Oxford

Cashmore, W.H. (58.90x2T)

The effect of heat on the germination of grain.

* Techn. Notes Mech. Farm. Inst. Res. Agr. Engin. Univ. Oxford no2.2 7 p. Jl.1932.

Trans. Illinois Acad. Sci. (500I16)

Buchholz, J.T.

A practical drier for botanical specimens. Trans. Illinois Acad. Sci. 24(1931):103-107. illus. D.1931(Ja.1932). no.2.

Cowles, H.C.

Conservation of Illinois areas of botanical value. Trans. Illinois Acad. Sci. 24(1931):86-89. D.1931(Ja.1932) no.2.

Ewer, S.,J.

Life-forms of Illinois plants. Trans. Illinois Acad. Sci. 24(1931):108-119. illus. D.1931 (Ja.1932) no.2.

McCabe, L.C.

Some plant structures of coal. Trans. Illinois Acad. Sci. 24(1931):321-326. D.1931(Ja.1932) no.2.

Chase, V.H.

Frederick Brendel, the pioneer botanist of Peoria. Trans. Illinois Acad. Sci. 24(1931): 73-79. port. D.1931(Ja.1932) no.2.

Grant, F. R., & Hague, S.M.

A list of mosses from Vermillion county, Illinois. Trans. Illinois Acad. Sci. 24(1931:122-123. D.1931(Ja.1932) no.2.

Trans. Illinois Acad. Sci. (cont.)

Miller, J. W.

Progress report on the watermelon wilt project in Illinois. Trans. Illinois Acad. Sci. 24(1931): 124-126. D.1931(Ja.1932). no.2.

Palm, B.T.

Antipodals in zinnia. Trans. Illinois Acad. Sci. 24(1931):143-145. 1 pl. D.1931(Ja.1932) no.2.

Palm, B.T.

Haplosporangium decipiens Thaxter and other microfungi from Illinois. Trans. Illinois Acad. Sci. 24(1931):141-142. D.1931(Ja.1932) no.2.

Turner, L.M.

Plant succession on levees in the Illinois river valley. Trans. Illinois Acad. Sci. 24(1931): 94-102. illus. D.1931(Ja.1932.) no.2.

Vestal, A. G.

Strategic habitats and communities in Illinois. Trans. Illinois Acad. Sci. 24(1931):80-85. D. 1931(Ja.1932) no.2.

Voss, J.

Preliminary report on the paleo-ecology of a Wisconsin and an Illinois bog. Trans. Illinois Acad. Sci. 24(1931):130-137. illus. D.1931 (Ja.1932) no.2.

Trans. Nat. Hist. Soc. Formosa (J410.9M9)

Hosokawa, T.

Revisio ad floram Formosanam. I- Trans. Nat. Hist. Soc. Formosa 22:225-229. Ag.1932. no.121.

Kanehiro, R.

On Cunninghamia lanceolata and C. Konishii. Trans. Nat. Hist. Soc. Formosa 22:233-234. Ag.1932. no.121.

Japanese.

Masamune, G.

Miscellaneous notes on the Formosan plants. II. Trans. Nat. Hist. Soc. Formosa 22:232. Ag.1932. no.121.

In Japanese.

Trans. Sapporo Nat. Hist. Soc. (410.9Sa6)

Fukushi, T.
A contribution to our knowledge of virus diseases of plants in Japan. Trans. Sapporo Nat. His. Soc. 12:130-141. 1932. no.2/3.

Imai, S.
On Stropharia caerulescens, a new species of poisonous toadstool. Trans. Sapporo Nat. Hist. Sci. 12:148-150. illus. 1932. no.2/3.

Imai, S.
Studies on the Hypocreaceae of Japan. I. Podostroma. Trans. Sapporo Nat. Hist. Soc. 12: 114-118. illus. 1932. no.2/3.

Kanei, S.
Notes on the cultural study of a new species of Hyalopsora. Trans. Sapporo Nat. Hist. Soc. 12:124-129. illus. 1932. no.2/3.
H. aculeata.

Kamei, S.
On new species of heteroecious fern rusts. Trans. Sapporo Nat. Hist. Soc. 12:161-174. 1932. no.2/3.
New species of Uredinopsis & Milesina.

Masamune, G.
A list of plants collected in Daitojima. Trans. Nat. Hist. Soc. Formosa 22:215-224. Ag.1932. no.121.

Nagai, M.
On a new species of Sphacelaria. Trans. Sapporo Nat. Hist. Soc. 12:142-147. illus. 1932. no.2/3.
Sphacelaria iridaeophytica.

Tokida, J.
On two new species of Antithamnion from Japan. Trans. Sapporo Nat. Hist. Soc. 12:105-112. illus.,pl.iii. 1932. no.2/3.
A. sparsum, A. corticatum.

Tokunaga, Y.
A new species of Pythium parasitic on Aegagropila sauteri (Nees) Kützing. Trans. Sapporo Nat. Hist. Soc. 12:118-123. illus. 1932. no.2/3.
P. akanense.

Vict. Nat. (Melbourne) (410V66)

Nicholls, W. H.
Orchid notes and new records. Vict. Nat. 49:114. Ag.1932. no.4.

Nicholls, W. H.
Our rarer orchids. 6. Pterostylis truncata FitzGerald. Vict. Nat. 49:115-116. illus. Ag.1932. no.4.

Rupp, H.M.R.
A new Australian subterranean orchid. Vict. Nat. 49:102-104. illus. Ag.1932. no.4.
Cryptanthemis slateri.

Sainsbury, G.O.K.
The study of Australian mosses. (concl.) Vict. Nat. 49:108-111. Ag.1932. no.4.

Zentralbl. Bakt. Abt. II (Jena) (448.3033)

Becze, G. von
Beiträge zu den während des transportes und während der reifung auftretenden fäulniskrankheiten der bananen. Zentralbl. Bakt. Abt. II 86:381-399. illus. Ag.24,1932. no.16/18

Lehmann, E.
Ceratostomella quercus Georgevitch in der schwäbischen Alb. Zentralbl. Bakt. Abt. II 86:404-407. Ag.24,1932. no.16/18.

Stapp, C.
Weitere untersuchungen über die kartoffelpathogenen eigenschaften von Bacterium (Aplanobacter) michiganense E.F.Smith. Zentralbl. Bakt. II 86:399-404. illus. Ag.24,1932. no.16/18.

Der Züchter (Berlin) (442.8Z8)

Appel, O.
Die bestimmung der vitalität der pflanzkartoffel. Der Züchter 4:199-202. illus. Ag.1932. no.8.

Herzfeld-Wuesthoff, F.
Gewerbliches eigentum and neuen pflanzensorten. Der Züchter 4:202-208. Ag.1932. no.8.

Pissarev, V.
Das problem der verbreitung des weizens nach norden in der Sowjetunion. Der Züchter 4:185-191. illus. Ag.1932. no.8.

Der Züchter. (cont.)

Schmidt, M.

Die genetische bedeutung des plasmas bei pflanzen, besonders bei reziprok verschiedenen artbastarden. (Sammelreferat.) Der Züchter 4:191-198. illus. Ag.1932. no.8.

Exper. Stat. Publ.

McClelland, C.K.

Studies of wheat varieties, culture and selection. Arkansas Agr. Exp. Stat. Bull. 278. 34 p. tabs. Je.1932(Rec'd S.) (100Ar42)

Mowry, H.

Variation in the tung-oil tree. Florida Agr. Exp. Stat. Bull. 247. 32 p. illus. My.1932(Rec'd S.) (100F66S)

Weber, G.F., & others

Gray leafspot, a new disease of tomatoes. Florida Agr. Exp. Stat. Bull. 249. 35 p. illus. Je.1932(Rec'd S.) (100F66S)

Stemphylium solani.

New Jersey agricultural experiment station. Dept. of plant pathology.

Some shade tree disease notes. Its Nursery Dis. Notes v.5, no.3. 4 p. S.1932. (464.9N46)

State Publications.

Bellue, M. K.

Weeds of California seed rice. Month. Bull. Dept. Agr. Calif. 21:290-296. illus. Ap./Je. 1932. no.4/6. (2C12M)

Greene, H.D.

Some pest control problems of the Argentine fruit grower. Month. Bull. Dept. Agr. Calif. 21:258-268. illus. Ap./Je.1932. no.4/6. (2C12M)

Scott, I.T., & others

Insect pests and diseases of vegetable and truck crops; their regulation and control. Bull. State Bd. Agr. Missouri v.29. nos.5/7. 80 p. illus. My./Jl.1931(Rec'd S.1932) no.5/7. (2M69B)

Ball, W. S., & Robbins, W. W.

Johnson grass (Holcus halepensis L.). Month. Bull. Dept. Agr. Calif. 21:287-289. Ap./Je.1932. no.4/6. (2C12M)

NEW BOOKS

Bargues, A.
Recherches sur les feuilles du pin maritime. Bordeaux, Imprimerie de l'Université. 1929. (463.5B233)

Bremekamp, C.E.B.
Merkwürdige sukkulententypen aus dem nördlichen Transvaal. In Karsten, G. Vegetationsbilder r.23, h.3. pl.13-13. 1932. (452.9K142)

Burnat, E.
Flore des Alpes Maritimes... continuée par John Briquet et F. Cavillier v.7(Composées Cynaroïdées) Genève, Conservatoire botanique, Ag.1931.(459B93)

Darlington, C. C.
Recent advances in cytology. Phila.,P. Blakiston's son, 1932. (442D24)

Geitler, L.
Cyanophyceae (blaualgen)... lfg.5. Leipzig, 1932(Dr. L. Rabenhorst's Kryptogamen-flora von Deutschland, Oesterreich und der Sceweiz XIV.bd.) (461R11)

Haupt, A.W.
laboratory directions for general biology. 2d ed. N.Y. & London, McGraw-Hill Book Co., 1932. (442H29)

Moreau, F.
Les lichens, morphologie, biologie, systématique. Paris, P. Lechevalier, 1927 (Encyclopédie biologique II) (461.5M81)

Newton, L.
A handbook of the British seaweeds. London, British Museum, 1931. (461.4N48)

Titres et travaux scientifiques de M. Camille Sauvageau. Bordeaux, Imprimerie de l'Université 1931. (240.2Sa8)

Tschirch, A.
Handbuch der pharmakognosie. 2. erweiterte aufl. lfg.11. Leipzig, B.Tauchnitz, 1932. (387.1T78)

Watt, J.M. & Breyer-Brandwijk, M.G.
The medicinal and poisonous plants of southern Africa... Edinburgh, E. & S. Livingstone, 1932. (452.82W34)
Index of English and afrikaans names; Index of native names.

Reprints from Journals not yet rec'd or not available.

Goossens, A.P.
The genus Anthephora, Schreb. Reprinted from Trans. Roy. Soc. So. Afr. 20:189-200. illus. 1932.

Stevens, N.E.
The mycological work of Henry W. Ravenel. Reprinted from Isis Quart. Organ Hist. Sci. Soc. & Intern. Comm. Hist. Sci. 18:133-149. port. Jl.1932.

Trans. Illinois Acad. Sci. (500I16)

Buchholz, J.T.
The pine embryo and the embryos of related genera. Trans. Illinois Acad. Sci. 23(1930):117-125. illus. Mr.1931.

Burunjik, M.
Studies on germination of seeds of native herbaceous plants of the Chicago region. Trans. Illinois Acad. Sci. 23(1930): 136-127. Mr.1931.

Dawson, M.L.
A study of some vegetable rots occurring in Evanston markets. Trans. Illinois Acad. Sci. 23(1930): 131-142. illus. Mr.1931.

Eaton, S.H.
The ligneous flora of Lawrence County. Trans. Illinois Acad. Sci. 23(1930): 149-159. map. Mr.1931.

Graham, V.O.
The genus Hydrophorus in the Chicago region. Trans. Illinois Acad. Sci. 23(1930):160-168. illus. Mr.1931.

Holby, E.E.
A preliminary study of the epidermal appendages of the mallow family. Trans. Illinois Acad. Sci. 23(1930: 169-173. illus. Mr.1931.

Springer, L. L.
An ecological study of the forests of the Sangamon River valley of Champaign County. Trans. Illinois Acad. Sci. 23 (1930):188-189. illus. Mr.1931.

Thornberry, H. H.
The effect of certain dyes on plant pathogenic microorganisms. Trans. Illinois Acad. Sci. 23(1930):200-203. Mr.1931.

Vestal, A.G.
A preliminary vegetation map of Illinois. Trans Illinois Acad. Sci. 23(1930):204-217. maps. Mr.1931.

BOTANY

CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY.
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D.C.

Vol.14, no.20. Sept.26-Oct.8,1932.

Agr. et Élev. Congo Belge (26Ag84*)

L'Heureux, L.
L'agave sisal. Agr. et Élev. Congo Belge 6:147-149. illus. S.24, 1932. no.13.

Ann. Rep. Agr. & Hort. Res. Stat. Univ. Bristol (84B77)

Hinton, J. C.
Studies on maturity of fruit I-III Ann. Rep. Agr. & Hort. Res. Stat. Univ. Bristol 1931: 40-53, 54-67. iii pl. [1932]
I. Introductory. II. Preliminary observations on the rate of softening of apples. III. Starch content in relation to maturity of apples grown under various conditions.

Ogilvie, L.
Hard rot of strawberry fruits. Ann. Rep. Agr. & Hort. Res. Stat. Univ. Bristol 1931: 118. [1932].
Septoria fragariae

Ogilvie, L.
Observations on hop diseases in Herefordshire and Worcestershire with suggestions for their control. Ann. Rep. Agr. & Hort. Res. Stat. Univ. Bristol 1932: 139-142. [1932]

Ogilvie, L.
Progress report on vegetable diseases III. Ann. Rep. Agr. & Hort. Res. Stat. Univ. Bristol 1931: 119-132. 2 pl. [1932]

Swarbrick, T. and Thompson, C. R.
Observations upon the incidence of "reversion" and the control of "big bud" in black currants. Ann. Rep. Agr. & Hort. Res. Stat. Univ. Bristol 1931: 101-111. [1932]

Thompson, C. R.
The identification of red currant varieties. Ann. Rep. Agr. & Hort. Res. Stat. Univ. Bristol 1931: 28-39. [1932]

---

*U.S.Dept. of Agr. Library call number

Ann. Rep. British Columbia Dept. Agr. (7B77R)

British Columbia Dept. of Agriculture

Plant pathology. In its Ann. Rep. 26(1931): U 14-U 17. 1932.

Ann. Rep. Ontario Agr. Coll. & Exp. Farm (101On8)

Ontario agricultural college and experimental farm

Report of Dept. of botany. Its Ann. Rep. 57 (1931): 89-98. 1931.

Ann. Rep. Tea Res. Inst. Ceylon (68.19C33)

Gadd, C. H.

Report of the mycologist Ann. Rep. Tea Res. Inst. (Ceylon) 1931 (Its. Bull. 8): 16-19. [1932]

Arch. Pharm. & Ber. Deut. Pharm. Ges. (Berlin) (396.8Ar2A)

Klein, G.& Boser, D.

Der mikro- und histochemische nachweis der pflanzlichen stickstoffbasen putrescin, cadaverin, phenyläthylamin, tyramin und histamin, Arch. Pharm. & Ber. Deut. Pharm. Ges. 270-374-385. O. 1932. no.7.

Kofler, L. and Steidl, G.

Ueber das vorkommen und die verteilung von saponinen in pflanzlichen drogen. I. Blüten. Arch. Pharm. & Ber. Deut. Pharm. Ges. 270:398-402. O.1932. no.

Massagetow, P. S.

Zur bestimmung des santonins in pflanzenteilen. Arch. Pharm. & Ber. Deut. Pharm. Ges. 270:392-395. O. 1932. no.7.

Bulet. Acad. Stud. Agron. Cluj (21C62)

Mudra, A.

Variabilität der kolbenmerkmale bei vier Rumanischen maissorten. Bulet. Acad. Stud. Agron. Cluj 1:133-145. illus. 1930.

Porucic, T.

Regiunile naturale a le României in general și la răsărit de Prut in particular. (Descriere epigenologica a țării) Bulet. Acad. Stud. Agron. Cluj 1: 77-132. map. 1930.

Comunicare preliminara

Prodan, I.

Descrierea speciei Stachys leucoglossa Griseb. și subspeciei caliacrae Prod. (Beschreibung von Stachys leucoglossa Griseb. und deren subspeciese) Bulet. Acad. Stud. Agron. Cluj 2: 519-523. 1931.

Bulet. Acad. Stud. Agron. Cluj (cont.)

Prodan, I.

Descrierea speciilor, varietătilor şi formelor de Jurinea publicate din cuprinsul ţării (Beschreibung der aus unserem vaterlande publizierten arten, varietäten und formen der gattung Jurinea) Bulet. Acad. Stud. Agron Cluj 1:63-76. viii pl. 1930.

Prodan, I.

Flora campiei Ardelene. Studiu ecologic-botanic si agricol (Flora der Siebenbürger Câmpia...) Bulet. Acad. Stud. Agron. Cluj 2: 80-363. illus., xxix(i.e. 31) pl.; map. 1931.

German version: p.248-363.

Prodan, I.

Plantae novae et rarae. Bulet. Acad. Stud. Agron. Cluj 1: 38-57. illus., 2 pl. 1930.

Euphorbia somboriensis, E. bazargica, E. basarabica, Achillea stojanoffii, Centaurea hayekiana n. spp.

Bull. Bern. Bishop Mus. (Honolulu) (500B45B)

Copeland, E. B.

Pteridophytes of the Society Islands. Bull. Bern. P. Bishop Mus. no.93. 86 p. 16 pl. on 8. 1932.

Bull. Dept. Agr. Brit. Columbia (7B77)

British Columbia. Dept. of agriculture

Weeds and their control. Its. Bull. 106. 54 p. illus., col. plates. 1932.

Prepared by C. Tice, in co-operation with P.A. & G. B. Boving.

Bull. Dept. Agr. Nyasaland Prot. (24N98)

Storey, H. H. and Leach, R.

Tea yellows disease. Bull. Dept. Agr. Nyasaland Prot. no.3. 12 p. Jl.1932

Bull. Min. Agr. Gt. Brit. (10G794B)

Long, H. C.

Weeds of grass land. Bull. Min. Agr. Gt. Brit. 41. 98 p. 92 fig. on 43 pl.(pt.col.) 1932.

Bull. Min. Agr. Prov. Quebec (7Q3Bu)

Baribeau, B.

La pomme de terre. Bull. Min. Agr. Prov. Quebec no.110. 75 p. illus. 1932.

Bull. Soc. Centr. For. Belgique (99.9B83)

Les maladies des peupliers. Bull. Soc. Centr. For. Belgique 35(ann.39):502-512. S.1932. no.9

Maladie des rameaux du peuplier. [Dothichiza populnea]; le chancre du peuplier [organism undetermined]

Bull. Soc. Linn. Normandie (505C11)

Bouygues, H.

Generalites sur le mildiou de la vigne. Bull. Soc. Linn. Normandie VIII, 3: 56-83. 1931.

Bugnon, P.

La theorie du raccord et le cas de l'Echinops ritro L. Bull. Soc. Linn. Normandie VIII, 3: 83-93. 1931.

Bull. Soc. Vaud. Sci. Nat. (Lausanne) (508L37)

Amann, J.

Bryométrie. Étude statistique de l'indice cellulaire chez les mousses. Bull. Soc. Vaud. Sci. Nat. 57:413-476. illus. 1932. no.229.

Bull. Torr. Club. (451T63B)

Emmons, C. W.

The development of the ascocarp on two species of Thielavia. Bull. Torr. Club. 59:415-422. illus.,pl.27-28. O.1932. no.7.

T. terricola; T. sepedonium n. sp.

Spencer, E. L.

Natural distribution of Rhododendron maximum in New Jersey. Bull. Torr. Club 59:401-414. map. O.1932. no.7.

Williams, L.

Field and herbarium studies, I. Bull. Torr. Club 59:427-429. O.1932. no.7.

Corallorhiza purpurea, Eriogonum crispum, E. filiformum, E. nelsonii, Phacelia piersoniae, n.spp. (Rocky Mt. region)

Williams, M. E.

The development of the embryo of Kochia scoparia. Bull. Torr. Club 59:391-400. pl. 25-26. O. 1932. no.7.

Young, V. A.

Regeneration in a sweet cherry leaf. Bull. Torr. Club 59:423-426. illus., pl.29. O. 1932. no.7.

Prunus avium.

Bull. Univ. Coll. Reading (103R22B)

Crane, M. B.
Fertility in relation to yield in cultivated fruits. Bull. Univ. Coll. Reading 41: 119-129. 1931.

Hall, Sir D.
Breeding of fruit. Bull. Univ. Coll. Reading 41: 113-118. 1931.

Moore, M. H.
The control of apple scab. Bull. Univ. Coll. Reading 41: 58-69. 1931.

Cactus (Mont St. Amand, Belg.) (450C112)

Baumann, J.
Philippe Francois von Siebold. Cactus (Mont St. Amand, Belg.) 2(3):11-13. Je.1932.

Coutts, J.
Quelques aspects généraux de l'Euphorbia obesa. Cactus (Mont St. Amand, Belg.) 2(1):9-11. illus. F. 1932.

Frick, G. A.
Les euphorbes qui attrapent le poisson. Cactus (Mont St. Amand, Belg.) 2(2):13-14. Ap.1932.
E. piscatoria, E. macrocarpus, E. mauritanica.

Guillaumin, A.
Une nouvelle ~~de~~ mine plantes grasses: Madagascar Cactus (Mont St. Amand, Belg.) 2(2):1-3. illus. Ap. 1932.

Van de Weghe, G.
Cristatas. Fasciatas. Cactus (Mont St. Amand, Belg.) 2(1):6-8. illus. F.1932

Van de Weghe, G.
Quelques notes sur la classification des cactées. Cactus (Mont St. Amand, Belg.) 1(6):9-11, illus. D.1931; 2(2):11-13, 2(3):6-10, illus. 2(4):4-7. Ap., Je., Ag.1932

Cactus & Succ. Journ. (Los Angeles) (451C11)

Johansen, D. A.
Contributions toward a momograph of the genus Dudleya II. Cactus & Succ. Journ. 4:243-245. illus. S.1932 no.3

White, A. & Sloane, B. L.
The Stapelieae. 13. Miscellaneous groups. Cactus & Succ. Journ. 4:249-251. illus. S. 1932 no.3

Canad. Journ. Res. (Ottawa) (330.9C16C)

Anderson, J. A.

The yellow coloring matter of Khapli wheat, Triticum dicocum. II. The constitution of tricetin. Canad. Journ. Res. 7:285-292. S. 1932 no.3.

Manske, R. H. F.

The alkaloids of fumaraceous plants. I.Dicentra canadensis Walp. II.Dicentra cucullaria (L.) Bernh. Canad. Journ. Res. 7:258-264, 265-269, S. 1932. no.3.

Cereal Chem. (59.8C33)

Mangels, C. E.

Regional and seasonal variation in pigmentation of Durum wheats. Cereal Chem. 9:485-490. map. S.1932. Cereal Chem. 9:485-490. map. S. 1932. no.5.

Compt. Rand. Acad. Sci. Paris (505P11)

Marty, P.

Sur la découverte d'un gisement de plantes fossiles dans la formation pliocène de Perrier près Issoire (Puy-de-Dôme). Compt. Rend. Acad. Sci. Paris 195:544-546. illus. S. 19, 1932. no.12.

Contr. Arnold Arb. (451Ar6C)

Darker, G. D.

The Hypodermataceae of conifers. Contr. Arnold Arb. no.1. 131 p. xxvii pl. Je.15,1932.

Contr. Boyce Thompson Inst. Plant Res. (451B69)

Farr, W. K. & Clark, G. L.

Cotton fibers. II. Structural features of the wall suggested by x-ray diffraction analyses and observations in ordinary and plane-polarized light. Contr. Boyce Thompson Inst. Plant Res. 4:273-295. illus., 1 col. pl. S.1932. no.3.

Holmes, F. O.

Movement of mosaic virus from primary lesions in Nicotiana tabacum L. Contr. Boyce Thompson Inst. Plant Res. 4:297-322. illus. S.1932.

Holmes, F. O.

Symptoms of tobacco mosaic disease. Contr. Boyce Thompson Inst. Plant Res. 4:323-357. illus. S. 1932. no.3.

Kunkel, L. O.

Celery yellows of California not identical with the aster yellows of New York. Contr. Boyce Thompson Inst. Plant Res. 4:405-414. illus. S. 1932. no.3.

Contr. Boyce Thompson Inst. Plant Res. (451B69) (cont.)

Price, W. C.

Acquired immunity to ring-spot in Nicotiana. Contr. Boyce Thompson Inst. Plant Res. 4:359-403. illus. S.1932. no.3.

Wilcoxon, F. & McCallan, S. E. A.

The fungicidal action of sulphur. IV. Comparative toxicity of sulphur, selenium, and tellurium. Contr. Boyce Thompson Inst. Plant Res. 4:415-424. illus. S.1932. no.3.

Contr. Labor. Bot. Univ. Montreal (451M763)

Marie-Victorin, frère

Quelques plantes nouvelles ou reliquales du bassin de la baie des Chaleurs. Contr. Labor. Bot. Univ. Montreal no.20. 22 p. illus. 1932.

Aster gaspensis, Gentiana gaspensis, no.spp.

Marie-Victorin, frère

Sur quelques ptéridophytes Nord-Américaines. Contr. Labor Bot. Univ. Montreal no.21. 7 p. illus. 1932.

1. Une variété arctique du Lycopodium tristachyum. 2. La validité du Botrychium minganense Viet. 3. Le Botrychium minganense dans l'extreme-Nord du Canada.

Desert (Pasadena) (450D45)

Carlock, J.

Unexpected desert plants. Desert (Pasadena) 4:69-70. illus. O.1932. no.6.

Cheilanthes feei, C. lanuginosa, Notholaena standleyi.

Jones, M. E.

Katherine Brandegee. Mary Katherine (Payne) (Curran) Brandegee. Desert (Pasadena) 4:41,51,65,70. Ag.,S.,O. 1932. nos. 4,5,6.

Jones, H. K. and Lowry, W. E.

The therapeutic value of aguamiel. Desert (Pasadena) 4:66,68. O. 1932. no.6.

Longmire, A. A.

How fasciations are formed. Desert (Pasadena) 4:67-68. O. 1932. no.6.

Econ. Geogr. (278.8.Ec7)

Yoakley, I. G.

Wild plant industry of the southern Appalachians. Econ. Geogr. 8: 311-317. illus. Jl.1932. no.3.

Empire Mark. Bd. [Publ.] (London) (280.39G792P)
Wardlaw, C. W. and McQuire, L. P.
Control of wastage in bananas with special reference to time and temperature factors. Empire Mark. Bd. [Publ.] no.60 97 p. 25 pl. on 15. S. 1932.
Appendix(Banana diseases by C. W. Wardlaw) reprinted from Trop. Agr. (Trinidad)

Ernähr. Pflanze (Berlin) (57.8Er6)
Merkenschlager, F.
Studien zum artbild der serradella, zugleich ein beitrag zur agriculturbotanischen osthilfe. Ernähr. Pflanze 28:317-322. illus. S.15, 1932. no.18.

Flor. Exch. (N.Y.) (80F666)
Kile, O. M.
The use of plant patents. Flor. Exch. 80(15): 10. O. 8, 1932.

Weiss, F.
The control of basal rot of narcissus bulbs. A summarizing report, giving results and suggestions, based upon the completion of the federal experiments. Flor. Exch. 80(14): 9,11. illus. O.1, 1932.

Forstarchiv (Hannover) (99.8F7723)
Geyr, H. freiherr von
Rhabdocline-bekämpfung. Forstarchiv 8: 326-327 S. 15, 1932. no.18.

Rohde, T.
Die folgen des Rhabdocline-befalls in deutschen douglasienbeständen. Forstarchiv 8: 317-326. illus. S.15,1932. no.18

Fortschr. Landw. (Vienna) (19F77)
Rademacher, R.
Praktische möglichkeiten zur verhütung und bekämpfung der urbarmachungskrankheit. Fortschr. Landw. 7:457-461. illus. S.15,1932. no.18.

Unterrainer, O.
Saugkraftmessungen an weinreben. Fortschr. Landw. 7:465-469. S.15,1932. no.18.

Gard. Chron. (London) (80G162)

Darnell, A. W.
The genus Androsace. (cont.) Gard. Chron. III, 92:215-216, 234-235. S.17,24, 1932. no.2386-87.

Friend, H.
Corsican plant lore, XVII. Other cultivated fruits. Gard. Chron. III, 92:214. S.17,1932. no. 2386.

Grove, A.
Hybrid lilies. III. Lilium testaceum. Gard. Chron. III, 92:212-214. illus. S.17,1932. no.2386.

Ward, F. K.
Mr. F. Kingdon Ward's eleventh expedition in Asia XIII. Gard. Chron. III, 92; 231-232. illus. S.24, 1932. no.2387.

Gartenfl. (Berlin) (80G19)

Heydenreich, K.
Immergrüne berberitzen für den steingarten. Gartenfl. 81:226-228. illus. S.1932.

Kühn, R.
Seltene stapelien. II. Stalelia. 3.Sektion: Stapletonia, Dcne. Gartenfl. 81:222-225. illus. S.1932.

Liebach, G.
Kulturwerte und seltene buntblattgewächse. V. Ein sortiment buntblättriger Aglaonema. Gartenfl. 81:216-218. illus. S.1932.

Hadar (Jaffa) (80H11)

Menchikovsky, F. and Popper, S.
Organic acids in Palestinian grapefruits. Hadar 5:181-183. Ag.1932.

Hassadeh (Tel-Aviv) (26H27)

Levine, M. N.
The cereal rust fungi: their nature and origin. Hassadeh 12: 1-7, 87-95. O/N., D. 1931.
Original in Hebrew, English version in B.P.I.

Hong Kong Nat. (41CH75)

Crook, A. H.
Some visitors which have come to stay. (cont.) Hong Kong Nat. 3:11-15. 1 pl. Mr.1932(Recd S.) no.1

Hong Kong Nat. (cont.)

Herklots, G.A.C.
The flowering shrubs and trees of Hong Kong. II. Hong Kong Nat. 3:16-31 illus., pl. 3-5. Mr.1932. no.1.

Setchell, W. A.
Hong Kong seaweeds. II. Hong Kong Nat. 2: 237-253. illus. N.1931 (Rec'd O.1932) no.4.

Hoppe-Seyl. Zeitschr. Phys. Chem. (Berlin) (384Z38)

Winterstein, A. & Stein, G.
Untersuchungen in der saponinreihe. XI. Uber die oxy-triterpensäure-glykoside der araliaceen. Hoppe-Seyl. Zeitschr. Phys. Chem. 211:5-18. S. 10, 1932. no.1/2[

Horticulture (Boston) (80H787)

Barrows, F. L.
Ice-box treatment of seeds. Horticulture 10:352. O. 1, 1932. no.19

Indian For. (Dehra Dun) (99.8 In2)

Aiyar, T.V.V.
The sholas of the Palghat division; a study in the ecology and silviculture of the tropical rain-forests of the Western Ghats (concl.) Indian For. 58: 473-486. S.1932. no.9.

Biswas, K.
Herbarium notes on Homalium bhamoense, Cubit and Smith. Indian For. 58: 496-497. Pl.xxvi. S. 1932. no.9.

Conference on the spike disease of sandal, 7th, Bangalore, Apr. 25, 1932.
Proceedings Indian For. 58: 489-495. S.1932. no.9.

Intern. Rev. Agr. (Rome) (241In82)

Garbowski, L.
Poland: Tests of resistance to potato wart disease (Synchytrium endobioticum). Intern. Rev. Agr. 23(M):131-132. Ag. 1932.

Noble, R. J.
Australia: a disease of citrus recorded in New South Wales for the first time. Intern. Rev. Agr. 23(M):131. Ag. 1932.

Iowa State Coll. Journ. Sci. (Ames, Ia.) (470Io9

Gilman, J. C.
First supplementary list of parasitic fungi from Iowa. Iowa State Coll. Journ. Sci. 6:357-365. Jl. 1932. no.4.

Journ. Agr. Prat. (Paris) (14J82)
Giraud, E.
Une grave maladie du tabac, le "féu savage". Journ. Agr. Prat. 96(2): 242-244. illus. S.17, 1932. no.38.

Journ. Agr. Res. (Washington, D.C.) (1Ag84J)
Scheffer, T. C. & Lindgren, R. M.
Some minor stains of southern pine and hardwood lumber and logs. Journ. Agr. Res. 45: 233-237. Ag.15,1932(S.12) no.4.

Journ. N.Y. Bot. Gard. (89N48J)
Small, J. K.
The crux of twisted and contorted tree-trunks. Journ. N. Y. Bot. Gard. 33: 189-195. illus. S. 1932. no.393.

Journ. Pharm. Soc. Japan (J396.9P49)
Fujita, N. and Tanase, Y.
Ueber die anatomie der einigen Juniperus-arten. Journ. Pharm. Soc. Japan 52: 698-709. illus. Ag.1932. no.606.
In Japanese.

Journ. Photomicrogr. Soc. (440.9P56)
Houlder, J. T.
Mr. Houlder's method of section cutting and staining botanical material. Journ. Photomicrogr. Soc. 15: 78-79. 1931.

Pinchin, E. A.
The photography of diatoms. Journ. Photomicrogr. Soc. 15: 105-110. pl. (no.57-59) 1931.

Journ. Rubber Res. Inst. Malaya (78.9R824J)
Napper, R. P. N.
Observations on the root disease of rubber trees caused by Fomes lignosus. Journ. Rubber Res. Inst. Malaya 4: 5-33. Jl.1932. no.1.

Napper, R. P. N.
A scheme of treatment for the control of Fomes lignosus in young rubber areas. Journ. Rubber Res. Inst. Malaya 4: 34-38. Jl.1932. no.1.

Landtm. Tidskr. Landtm. (Stockholm) (11L234)
Lundegårdh, H.
Om gråfläcksjuka och liknande bristsjukdomar hos kulturväxter. Landtm. Tidskr. Landtm. 1932: 775-777. illus. S.17,1932. no.38.

Leafl. West. Bot. (San Francisco) (450L47)

Eastwood, A.
Bottle-brushes in Californian gardens and parks (cont.) Leafl. West. Bot. 1:17-19. S. 21, 1932. no.3.

Eastwood, A.
Cypripedium fasciculatum in California. Leafl. West. Bot. 1:22. S.21,1932. no.3.

Eastwood, A.
The fetid adder's tongue. Leafl. West. Bot. 1:24. S.21, 1932. no.3.
Scoliopus bigelovii.

Eastwood, A.
Verbena bonariensis L. Leafl. West. Bot. 1:21. S.21,1932. no.3.
Found in California.

Goodman, G. J.
A collection of Emex from California. Leafl. West. Bot. 1:21. S.21,1932. no.3.
E. australis.

Howell, J. T.
Descurainia sophia (L.) Webb. (Sisymbrium sophia L.). Leafl. West. Bot. 1:24. S.21, 1932. no.3.

Howell, J. T.
Plants worthy of note II. Leafl. West. Bot. 1:22-23. S.21,1932. no.3.

Purdy, C.
New species of Lewisia. Leafl. West. Bot. 1:20-21. S.21,1932. no.3.
Lewisia whitaea, L. eastwoodiana, L.finchae.

Stokes, S. G.
A new species of Eriogonum. Leafl. West. Bot. 1:23. S.21,1932. no.3.
E. hoffmanni.

Malayan For. (99.8M292)

Watson, J. G.
The silvicultural classification of the commoner trees. Malayan For. 1:92-100. Ja.1932(Rec'd S.) no.3.
Contains alphabetical list of vernacular names with botanical equivalents: p.97-100.

Mem. Acad. Stud. Agron. Cluj (f 21062M)
Prodan, I.
Achileele romaniei. Achilleae romainiae et descriptio aliquot specierum e Peninusla Balcanica nostris speciebus propinquarum facta. Mem. Acad. Stud. Agron. Cluj 2. 68 p. illus., xliii(i.e. 44)Pl., 4 maps. 1931.

Missouri Bot. Gard. Bull. (St. Louis) (89M69B)
Fairburn, D. C.
Keeping the waterlily awake. Missouri Bot. Gard. Bull. 20: 99-101. pl. 33. S.1932. no.7.
"With the aid of a medicine dropper melted paraffin is carefully applied in small quantities to the extreme lower portions of the stamens, the petals, and the sepals."

Jensen, L. P.
The thornless honey locust. Missouri Bot. Gard. Bull. 20: 101-102. pl. 34-35. S.1932. no.7.
Gleditsia triacanthos var. inermis.

Möller's Deut. Gärtn.-Zeit. (Erfurt) (80M73)
Die bekämpfung der älchen an Phlox. Möller's Deut. Gärtn. Zeit. 47: 309-310. S.11,1932. no.26.

Moniteur Jard. Bot. Tiflis (89T44M)
Bordziloveski, E.
O nekotorykh i maloizuchennykh rasteniiakh Armianskoĭ flory (Plantae pro flora Armeniae novae et minus cognitae) Moniteur Jard. Bot. Tiflis n.s., 5: 41-68. illus. 1931.
Russian with Latin diagnosis of new species (Verbascum clinantherum (ad interim), V. hajastanicum, Celsia joannis, C. patris, n. spp.

Kanchaveli, L. A.
Redkie i neizvestnye dlia Kavkazskoĭ mikoflory vidy gribov (Rare and unknown species of the Caucasian mycoflora). Moniteur Jard. Bot. Tiflis n.s., 5: 69-82. 1931.
Russian with English summary.

Kanchaveli, Z.
...Eine neue Campanula-art aus Kachetien und neue angaben über die verbreitung einiger pflanzen innerhalb der Kaukasus. Moniteur Jard Bot. Tiflis n.s., 5: 1-16. 1931.
Georgian with Latin diagnosis of new species (C. kachethica)

Moniteur Jard. Bot. Tiflis (89T44M) (cont.)

Kapeller, O.

Zemetki po flore Kavkaza(Beiträge zue Kaukasus-flora) Moniteur Jard. Bot. Tiflis n.s., 5: 35-40. 1931.

Russian with Latin diagnosis

Nepeta somkhetica, n.sp., Delphinium flexuosum var. glandulosum.

Kemularia-Natadze, L.

Materialy dlia flory Gruzii. Neskol'ko novykh i redkikh vidov (Contribution to the flora of Georgia (Caucasus). Some new and rare species). Moniteur Jard. Bot. Tiflis n.s., 5:17-20. 1931.

Russian with English summary.

Scabiosa letschchumensis, S. schaorica (no Latin diagnosis)

Sosnovsky, D.

O dvukh sektsiíakh roda Centaurea L.s.str. (Ueber zwei sectionen der gattung Centaurea L.s.str.) Moniteur Jard. Bot. Tiflis n.s., 5: 21-34. illus. 1931.

Russian with Latin diagnosis of new and amended species and German summary.

Centaurea eugenii, C. taochia, n.spp.

Nachr. Schädlingsbekampfung (Leverkuscvi b. Köln a. Rh.) (464.8N112)

Baltzer, U.

Die anfälligkeit des roggens für fusariosen. Nachr. Schädlingsbekämpfung 7:84-88. illus. S. 1932. no.3.

Holstein,

Die beizung des wintergetreides- eine wirtschaftliche notwendigkeit zur sicherung der ernte. Nachr. Schädlingsbekämpfung 7:77-84. illus. S. 1932. no.3.

Klemm, M.

Die verbreitung der auswinterung im jahre 1932 (schneeschimmel). Nachr. Schädlingsbekämpfung. 7:88-89. map S. 1932. no.3.

Nat. Greenkeeper (Cleveland, O) (60.18N21)

Boggs, A.

Eradication of brown patch. Nat. Greenkeeper 6(10):7. O.1932. no.10.

Naturforsch. (Berlin) (410N219)

Möbius, M.

Tiere und pflanzen in der altkreitschen kunst. Naturforsch. 9:161-164. illus. Ag.1932. no.5.

New Zeal. Journ. Agr. (Wellington) (23N48J)

Cunningham, G.H.

Orchard sprays in New Zealand. III. The copper series. (cont.). New Zeal. Journ. Agr. 45: 70-77. Ag.20,1932. no.2.

Hewlett, C.H. and Hewlett, J.H.

Hot-water treatment of seed barley. Crop results in Canterbury, seasons 1930,1931,1932. New Zeal. Journ. Agr. 45:104-108. Ag.20,1932. no.2.

Obst- u. Gemüseb. (Berlin) (80P7750)

Heimann, D.O.R.

Zur frage der selektion der steinweichsel, Prunus mahaleb, als veredelungsunterlage für kirschen. Obst- u. Gemüseb. 78:138-141. illus. S.15,1932. no.9.

Occas. Papers Bern. P. Bishop Mus. (500B450)

St. John, H.

Notes on Pritchardia. Occas. Papers. Bern. P. Bishop Mus. v.9. no.19. 5 p. Ap.1932

Planta Arch. Wiss. Bot. (Berlin) (450P693)

Bauch, R.

Ueber die genetischen grundlagen von zwittrigkeit und neutralen verhalten bei brandpilzen. Planta Arch. Wiss. Bot. 17:612-640. S. 6,1932 no.3.

Breslavetz, L.

Polyploide mitosen bei Cannabis sativa L. II. Planta Arch. Wiss. Bot. 17:644-649. illus. S. 6, 1932 no.3.

Ehrke, G.

Ueber die assimilation komplementär gefärbter meeresalgen in lichte von verscheidenen wellenlängen. Planta Arch. Wiss. Bot. 17:650-665. illus. S.6, 1932. no.3.

Klein, G. and Linser, H.

Das verhalten des äsculins beim austreiben der knospen von Aesculus hippocastanum. Planta Arch. Wiss. Bot. 17:641-643. illus. S.6, 1932 no.3.

Silberschmidt, K.

Studien zum nachweis von antikörpern in pflanzen. II. Planta Arch. Wiss. Bot. 17:493-589. illus. S.6, 1932 no.3.

Planta Arch. Wiss. Bot. (Berlin) (450P693)

Talts, J.

Zur kenntnis der klinostatenwirkung. II. Einfluss der rotationsgeschwindigkeit auf die grösse der geotropischen krümmungen der keimwurzeln von Lupinus albus. Planta Arch. Wiss. Bot. 17:590-611. illus. S.6, 1932. no.3.

Troll, W.

Noch einmal über Spathicarpa sagittifolia Schott. Planta Arch. Wiss. Bot. 17:666-668. illus. S.6, 1932. no.3.

Prakt. Blätt. Pflanzenb. u. Pflanzensch. (Freising) (464.8P88)

Gentner, G.

Ueber die auf kleearten und luzerne auftretenden seidearten. Prakt Blätt. Pflanzenb. u. Pflanzensch. 32:121-137. illus. S./O. 1932. no.6/7.

Proc. Leeds Phil. & Lit. Soc. Sci. Sect. (501L51)

Everingham, E.T. and Pearsall, W.H.

The effects of tartaric acid and of glucose on the metabolism of vine leaves. Proc. Leeds Phil. & Lit. Soc. Sci. Sect. 2:303-308. Ja.1932 (Recd S.) no.6.

Gill, N.

The phloem of ash (Fraxinus excelsior Linn.)-its differentiation and seasonal variation. Proc. Leeds Phil. & Lit. Soc. Sci. Sect. 2:347-355. illus., 1 pl. Ap.1932 no.7.

Proc. Linn. Soc.N.S.W. (Sydney) (514Sy2)

Cunningham, G.H.

The Gasteromycetes of Australasia XIV. The family Tulostomataceae. Proc. Linn. Soc. N.S.W. 57:27-39. illus., pl.i. My.16,1932 no.1/2 (no.239/240)

Rupp, H.M.R.

Notes on New South Wales orchids. II. Proc. Linn. Soc. N.S.W. 57:57-63. illus. My.16, 1932. no.1/2 (no.239/240)

Cryptantheris n. gen. (C. slateri)

Waterhouse, W. L.

On the production in Australia of two new physiologic forms of leaf rust of wheat, Puccinia triticina Erikes. Proc. Linn. Soc. N.S.W. 57:92-94. My. 16, 1932. no.1/2(no.239/240)

[Publ.] Nauchno-Issled. Inst. Vinogr. i Vinod.Akad. Sel'sko-khoz. Nauk Lenina([Publ.] Grape Res. Inst. Lenin Acad. Agr. Sci.) (87L54)

Buzin, N.
Issledovanii͡a nad razvitiem kornevoĭ sistemy vinograda (Investigation on the development of the vine root system) [Publ.] Nauchno-Issled. Inst. Vinogr. i Vinod Akad. Sel'sko-Khoz. Nauk Lenina ([Publ.] Grape Res. Inst. Lenin Acad. Agr. Sci.) No.1 101 p. illus. 1932.
Russian with English summary.

Publ. Indiana Dept.Conserv. (279.9In2)

Deam, C. C.
Shrubs of Indiana. 2d ed. Publ. Indiana Dept. Conserv. no.44(rev.ed) 380 p.incl.153 pl. 1932.

Rep. Agr. Dept. St. Lucia (102W527)

St. Lucia.Agricultural Dept.
Control of fungus diseases. Its Report 1931: 15-16. 1932.

Rev. Hort. (Paris)(80R32)

Chevalier, C.
Les Tradescantia et genres voisins. Rev. Hort. 104: 203-206. S.16,1932. no.9.

Jahandiez, E.
Les plantes grasses autre que les cactées, les ficoides ou Mesembryanthemum (suite) Rev. Hort. 104: 195-197. illus. S.16,1932. no.9.

Rhodora (Boston) (450R34)

Fernald, M.L.
Diarrhena festcoides. Rhodora 34:204-206. O. 1932. no.406.

Fernald, M. L.
Notes on Festuca octoflora. Rhodora 34:209-211. O.1932. no.406.

Fernald, M. L.
Phragmites communis Trin., var. berlandieri (Fournier), comb. nov. Rhodora 34:211-212. O. 1932. no.406.

Fernald, M. L. and Weatherby, C. A.
Picea rubens Sarg., forma virgata (Rehder) comb. nov. Rhodora 34:211. O.1932. no.406.

Rhodora (Boston) 450R34) (cont.)

Svenson, H.K.

Monographic studies in the genus Eleocharis. II. Rhodora 34:193-203. pl.219-221. O.1932 no.406.

Tidestrom, I.

Geranium divaricatum in the United States. Rhodora 34:207. O.1932. no.406.

Wadmond, C.

Phymosia remota in captivity. Rhodora 34: 207-209. O.1932. no.406.

Science (470Sci2)

Bressman, E. N.

Spillman's work on plant breeding. Science 76: 273-274. S.23,1932. no.1969.

Deacon, W. E.

An observation on the longevity of Serratia marescens (B. prodigiosus) Science 76: 274. S.23, 1932. no.1969.

Ralph Hoffmann. Science 76: 288-289. S. 30, 1932.

Died, as result of a fall from a cliff on San Miguel Island, Calif., July 21, 1932. no.1970.

Thatcher, R. W.

Some new aspects of plant nutrition. Science 76: 281-285. S.30,1932. no.1970.

Sci. Papers Inst. Phys. & Chem. Res. (Tokyo) (513T577)

Furukawa, S.

Studies on the constituents of Ginkgo biloba L. leaves. Sci. Papers Inst. Phys. & Chem. Res. (Tokyo) 19:27-38, 39-42. Ag. 1932. no.377/378.

Scient. Agr. (Ottawa) (7Sci2)

Jarvis, T. D.

The environmental coincidence as a factor in incidence and control of plant diseases. Scient. Agr. 13:36-57. S.1932. no.1.

Sitzungsb. Akad. Wiss. Wien. Math.-Naturw. Kl. Abt. IIb (510V67)

Schmid, L. & Huber, R.

Der farbstoff des klatschmohns (Papaver rhoeas) II. Stizungsb. Akad. Wiss. Wien.Math.-Naturw. K. Abt. IIb. 141:205-214. 1932. no.4/5.

Special Crops (Skaneateles, N.Y.) (77.8Sp3)
Whetzel, H.H.
The Ramularia root rot or rust of ginseng and its control. Special Crops 31: 171-172. illus. S.1932. no.361.

Subtropiki (Suchum) (20Su1)
Vinogradov-Nikitin, P.
Smolianoi rak - vreditel Kavkazskoi pikhty na Bzybi (Aecidium elatinum Alb. et Schwein.) (Gum cancer - fir tree injurer) Subtropiki 3: 79-81. 1931.
Russian.

Svenden. Zemled. (Renseign. Agr.) Sofia. (21B87)

Dodov, D. N.
Ustoichivost na nekoi nashi i chuzhdi pshenitsi spriamo seden fiziologicheski rasi na Puccinia triticina Erikss. (Resistance of some Bulgarian and foreign wheat varieties agains seven physiologic forms of Puccinia triticina Erikss.) Svenden. Zemled. (Renseign. Agr.) Sofia 12 (11/12): 3-64. illus. N./D.1931.
Bulgarian with English summary

Khristov, A.
Sklerotiniiata po chernitsata (A Sclerotinia disease of the mulberry tree) Sveden. Zemled. (Renseign. Agr.) Sofia. 13(1/2): 127-139. illus. Ja./F.1932.
Bulgarian with English summary.

Kovachevski, I.Kh
Izsledvaniia i kriticheski belezhki vurkhu razprostanenite v Bulgariia vidove Cuscuta (Examinations and critical remarks on the Bulgarian species of Cuscuta) Sveden. Zemled. (Renseign.Agr.) Sofia 12(3/4): 63-99. illus. Mr./Ap.1931.
Bulgarian with English summary.

Sveriges Pomol. För Årsskr. (86Sv2)
Rasmusson, L.
Försök med kylhuslagring av svensk frukt. Sveriges Pomol. För. Årsskr. 1932:49-102. illus. no.2.

Tijdschr. Plantenz. (464.8T44)

Buisman, C.

Over het voorkomen van Ceratostomella ulmi (Schwarz) Buisman in de natuur. Tijdschr. Plantenz. 38:203-204. 1932. no.9.

Fransen, J. J.

De kleine iepenspintkever Scolytus (eccoptogaster) multistriatus Mrsh. als verbreider der iepenziekte. Tijdschr. Plantenz. 38:197-202. illus.,pl.xi-xii. 1932. no.9

Trav. Inst. Sci. Nat. Peterhof (Trudy Petergofs Estestv.-nauchn. Inst.) (410.9P442)

Khodunov, P. A.

K sistematike Phleum pratense var. nodosum Adams. Trav. Inst. Sci. Nat. Peterhof (Trudy Petergofs Estestv.-nauchn.Inst.) 8:243-259. illus. (incl.map) 1932.

Russian with German summary

Koroleva, V. A.

Ob ekotipakh sornogo rasteniia Leontodon autumnalis L. (Ueber die Ökotypen des Leontodon autumnalis L.) Trav. Inst. Sci. Nat. Peterhof (Trudy Petergofs Estestv.-nauchn. Inst.) 8: 173-201. illus., pl.vii-xii. 1932.

Russian with German summary.

Perlova, R. L.

Izmenchivost Galeopsis tetrahit L. (Die variabilität des Galeopsis tetrahit L.) Trav.Inst. Sci. Nat. Peterhof (Trudy Petergofs Estestv.-nauchn.Inst.) 8: 225-241. illus. 1932.

Russian with German summary

Rozanova, M.A.

Opyt analiticheskoi monografii conspecies Ranunculus auricomus Korsh. (Versuch einer analytischen monographie der conspecies Ranunculus auricomus Korsh.) Trav. Inst. Sci. Nat. Peterhof (Trudy Petergofs Estestv.-nauchn. Inst.) 8: 19-148. illus.(incl.maps), pl. i-iv. 1932.

Russian with German summary.

Rozanova, M. A.

Rasovaia ekologiia rastenii i znachenie ee izucheniia dlia teorii i praktiki (Die rassenökologie und die bedeutung ihrer erforschung für die theorie und die praxis) Trav Inst. Sci. Sci. Nat. Peterhof (Trudy Petergofs Estestv.-nauchn. Inst.) 8: 13-18. 1932.

Russian with German summary.

Trav. Inst. Sci. Nat. Peterhof (Trudy Petergofs Estestv.-nauchn. Inst.) (410.9P442) (cont.)

Sokolovskaja, A.

K sistematike i kariologii roda Callitriche (Zur systematik und karyologie der gattung Callitriche) Trav. Inst. Sci. Nat. Peterhof (Trudy Petergofs Estestv.-nauchn.Inst.) 8: 149-172. illus. (incl.maps), pl.v-vi. 1932.

Russian with German summary.

Strelkova, O.

K ekologii i sistematike Anthoxanthum odoratum L. (Zur ökologie und systematik von Anthoxanthum odoratum). Trav. Inst. Sci. Nat. Peterhof (Trudy Petergofs Estestv.-nauchn.Inst.) 8: 203-224 illus. (incl.map), pl.xiii-xv. 1932

Russian with German summary

Trop. Woods, Yale Univ. Sch. For (New Haven) (99.08YlTr)

Bailey, I. W.

Preliminary notes on cribriform and vestured pits. Trop. Woods, Yale Univ. Sch. For. 31: 46-48. illus. S.1,1932.

Ducke, A.

Fifteen new forest trees of the Brazilian Amazon. Trop. Woods, Yale Univ. Sch. For. 31: 10-22. S.1,1932.

See also p.22-29; Notes on new species of brazilian woods by S. J. Record.

Rimbach, A.

The forests of Ecuador. Trop. Woods, Yale Univ. Yale Univ. Sch. For 31:1-9. S.1.1932.

Check list of common names: p.7-9.

Standley P.C.

Additions to the Sapotaceae of Central America Tropical Woods, Yale Univ. Sch. For. 31:38-46. S.1,1932.

Bumelia conglobata, B. lankesteri, B. mayana, Sideroxylond amygdalinum n.spp.

Williams, L.

Peruvian mahogany. Trop. Woods, Yale Univ. Sch. For. 31:30-37. S.1,1932.

Die Umschau (Frankfurt) (474Um7)

Zingher, A.

Eine pflanze, die sich wie ein käfer umdrehen kann. Die Umschau 36:724. illus. S.10 1932. no. 37

Sempervivum soboliferum.

U.S.Dept. Agr. Circ. (1Ag84C)

Porte, W. S.

The Pritchard tomato. U.S. Dept. Agr. Circ. 243, 4 p. illus. S.1932 (Rec'd O.)

Cross of Marglobe on Cooper special.

U. S. Dept. Agr. Techn. Bull. (1Ag84Te)

Brooks, C. & others.

Effect of solid and gaseous carbon dioxid upon transit diseases of certain fruits and vegetables. U.S. Dept. Agr. Techn. Bull. 318. 59 p. S.1932 (Rec'd O.)

Cotter, R. U.

Factors affecting the development of the aecial stage of Puccinia graminis. U.S.Dept. Agr. Techn. Bull. 314. 37 p. 5 pl. Ag.1932(Rec'd) O.)

Veldbode (Maastricht) (12V542)

Doyer, L. C.

Wortelzaad. Over de qualiteit, wat opkomst en gezondheidstoestand betreft; en in hoeverre deze toestand door ontsmetting te verbeteren is. Veldbode (Maastricht) 30:517-518. illus. F. 27,1932. no.1515. (For German transl. see Nachr. Schadlingsbekampfung 7: 107-109. S.1932.)

Zapiski Semenoved. (Ann.Essais Semences Leningr.) (61.4R922)

Kamenskii, V. and Bogoliubova, A.M.

Vozdeistvie moroza na vskhozhest semian krasnogo klevera (Ueber den einfluss von frost auf die keimfähigkeit von rotkleesamen) Zapiski Semenoved. (Ann. Essaid Semences Leningr.) 8:27-46. 1931. no.1.

Russian with German summary.

Predtechenskaja, A.A.

O prorostanii semian v atmosfere o paroobraznoi vodoi (Ueber das keimen von samen in wasserdampfatmosphäre) Zapiski Semenovod. (Ann. Essais Semences Leningr.) 8: 15-26. 1931. no.1.

Russian with German summary

Materialien zur kenntnis der keimung und reife von samen VII.

Znamenskii, I. E.

Vliianie reantsii sredy na prorastanie semian pshenitsy risa, l'na i gorokha (The influence of the medium reaction upon seeds of winter and spring wheat, of rice, flax and pea) Zapiski Semenoved. (Ann. Essais Semences Leningr.) 8:3-14. 1931.no.1.

Russian with English summary

Materialien zur kenntnis der keimung und reife von samen VI.

Zeitschr. Indukt. Abstamm. u. Vererbungel. (Leipzig) (442.8Z34)

Beadle, G. W. and Emerson, R. A.
Studies of Euchlaena and its hybrids with Zea. I-II. Zeitschr. Indukt. Abstamm. u. Vererbungel. 62:291-304,305-315. illus. 1932. no.3.
I. Chromosome behavior in Euchlaena mexicana and its hybrids with Zea mays. II. Crossing over between the chromosomes of Euchlaena and those of Zea.

Schick, R. and Stubbe, H.
Die gene von Antirrhinum majus II. Zeitschr. Indukt. Abstamm. u. Vererbungel. 62: 249-290. illus. 1932. no.3.
For pt. I see Kuckuck, H. & Schick's Die erbfaktoren bei Antirrhinum majus...

Zeitschr. Parasitenk. (442.8Z33F)

Donandt, S.
Untersuchungen über die pathogenität des wirtelpilzes Verticillium alboatrum R.U.B. Zeitschr. Parasitenk. 4: 653-711. illus. S.5, 1932. no.4.

Zeitschr. Pflanzenkr. (Stuttgart) (464.8Z3)

Bredemann, G. and Radeloff, H.
Ueber schädigung von pflanzen durch ammoniakgase und ihren nachweis. Zeitschr. Pflanzenkr. 42: 457-465. 1932. no.9.

Schilberszky, K.
Beitrag zu näheren kenntnis der sepalophyllodie. Zeitschr. Pflanzenkr. 42: 452-456. illus. 1932. no.9.

Schilcher, Erich
Ueber die lebensdauer der uredosporen Puccinia triticina. Zeitschr. Pflanzenkr. 42: 465-467. 1932. no.9.

Tubeuf, Carl von
Rhabocline-erkrankung an der douglasie und ihre bekampfung. Zeitschr. Pflanzenkr. 42: 417-426. illus. 1932. no.9.

Zeitschr. Pilzk. (Leipzig) (450Z352)

Huber, H.
Standorte seltener pilze in der umgebung Wiener-Neustädts (Nierderösterreich und Burgenland) Beitrag zur pilzgeographie VIII. Zeitschr. Pilzk. 16(n.s., 11): 51-58. 1932. no.3.

Killermann, S.
Das pilzwerk von J.B. v. Albertini (1805) Zeitschr. Pilzk. 16(n.s., 11): 58-62. pl.9 (port.) 1932. no.3.

Laubert, R.
Schmarotzerpilze aus dem Thüringer wald. Zeitschr. Pilzk. 16(n.s., 11): 62-68. 1932. no.3.

Schäffer, J.
Psalliota xanthoderma und pequinii. Zeitschr. Pilzk. 16(n.s., 11): 68-75. 1932. no.3.

Exper. Stat. publ.

Erwin, A. T.
The peppers. Iowa Agr. Exp. Stat. Bull. 293:121-152. illus. Je. 1932 (Rec'd O.) (100Io9)

Valleau, W. D. and Johnson E. M.
Tobacco diseases in Kentucky. Kentucky Agr. Exp. Stat. Bull. 328:111-154. illus. Mr.1932 (Rec'd O.) (100K41)

Horsfall, J. G.
Dusting tomato seed with copper sulfate monohydrate for combating damping-off. New York Agr. Exp. Stat. Tech. Bull. 198. 34 p. illus. Jl. 1932 (Rec'd O.) (100N48)

Yeager, A. F. and Latzke, E.
Buttercup squash its origin and use. North Dakota Agr. Exp. Stat. Bull. 258. 19 p. illus. Je.1932(Rec'd S.) (100N813)

Wilson, J. D.
Environmental factors in relation to plant disease and injury: a bibliography. Ohio Agr. Expt. Stat. Tech. ser. Bull. no.9. 203 p. Jul.1932.(100h3S)

Bouquet, A.G.B.
The use of ethylene gas in ripening tomatoes. Oregon Agr. Exp. Stat. Circ. Inform. 72. 3 p. S. 1932. (100Or3E)

Exper. Stat. Publ. (cont.)

Texas agricultural experiment station.
Plant pathology and physiology. In its Ann. Rep. 44(1931): 59-73. [1932] (100T31S)
J. J. Taubenhaus, chief

State Publications

Barrus, M. and Crosby, C. R.
Control of diseases and insect pests of potatoes in up-state New York. Cornell Ext. Bull. 238. 29 p. illus. Je.1932.

NEW BOOKS

Auchter, E.C. and Knapp, H.B.
Orchard and small fruit culture. 2d ed. N. Y., J. Wiley & sons, 1932.

Darlington, C. D.
Chromosomes and plant-breeding. London, Macmillan, 1932.

East Anglian institute of agriculture, Chelmsford, Eng.
Rice grass (Spartina townsendii) Chelmsford, 1931.

Green, E.
Botany by discovery. London, J.M. Dent & sons, 1932.

Lazić, R.
Morphologische studien über die deckblätter bei hopfensorten. Nürnberg-Zirndorff, J. Bollmann, 1930.
Diss.-Techn. Hochschule München.

Landsberg. Hauptstelle für pflanzenschutz in Landsberg (Warthe)
Bericht über die auftreten der krankheiten und beschädigungen der kulturpflanzen...1929/30-30/31 [1931?] (464.9L23)
Erstattet Prof. C. Schander, Dr. G. Goeze, Dr. W. Schlemsener, Dr. K. Krüger.

Pascher, A.
Die süsswasser-flora Mitteleuropas 2. aufl. bearb. V. Czurda h.9 Zygnemales. Jena, G. Fischer, 1932. (463.8P26)

Praeger, R. L.
Sempervivums. London, Royal Horticultural Society, 1932.

Stiles, W. & Leach, W.
Respiration in plants. London, Methuen & Co., 1932.

NEW BOOKS (cont.)

Watt, J. M. & Breyer-Brandwijk, M. G.
The medicinal and poisonous plants of southern Africa. Edinburgh, E. & S. Livingstone, 1932.
Index of English and afrikaans names; Index of native names

Wilder, L. B.
The fragrant path. A book about sweet scented flowers and leaves. N.Y., Macmillan, 1932.

Winton, A.L. & K.B.
Structure and composition of foods. N.Y., J. Wiley & sons, 1932.

Translations filed in Library of Bur. of Plant Industry.

Bouygues, H.
A propos de la nécessité de l'oxygène de l'air sur l'accroissement des racines poussant dans l'eau (The necessity of atmospheric oxygen on the growth of roots in water) Bull. Soc. Bot. France 75: 469-472. 1928.

Cavadas, D. S.
Le wildfire dans les plantations de tabac de Thrace et de Macédoine (Wildfire in tobacco plantations of Thrace and Macedonia) Rev. Path. Veg. & Entom. Agr. 11: 236-242. 1924.

Matz, J.
Un enfermedad danina de la habichuela (A noxious disease of the kidney bean) Circ. Estac. Exp. Insular Puerto Rico 57. 8 p. 1921.
Rhizoctonia microsclerotia

Rivière, G. & Pichard, G.
De la composition chimique de quelques variétes d'oignons comestibles (On the chemical composition of some varieties of edible onions) Journ. Soc. Nat. Hort. France IV, 26: 277-278. 1925.

Stehlik, V. & Neuwirth, F.
Soll man den rübensamen stimulieren und gegen wurzelbrand beizen? (Shall we stimulate the beet-seed and treat it for root rot?) Zeitschr. Zuckerind. Čechocslovak. Rep. 51: 435-449. 1927.

Ber. Deut. Bot. Ges. 50a(Festschrift zur feier des 50-jährigen bestechens) (451D48)

Arthur, J. C.
Terminologie der Uredinales. Ber. Deut. Bot. Ges. 50a:24-27. 1932.

Czaja, A. T.
Die entstehung der cruciaten fiederung bei varietäten von Athyrium filix-femina. Ber. Deut. Bot. Ges. 50a:109-135. illus., pl. iv-v. 1932.

Fritsch, K.
Die systematische gruppierung der monokotylen. Ber. Deut. Bot. Ges. 50a:162-184. 1932.

Gassner, G. and Goeze, G.
Ueber den einfluss der kaliernährung auf die assimilationsgrösse von weizenblättern. Ber. Deut. Bot. Ges. 50a:412-482. illus. 1932.

Gotahn, W.
Strukturzeigende pflanzenreste aus dem untercarbon (Kulm) von Niederschlesien. Ber. Deut. Bot. Ges. 50a:400-411. illus., pl. x. 1932.

Haase-Bessell, G.
Karyologische beobachtungen an zwei rosenbastarden und deren prinzipielle auswertung. Ber. Deut. Bot. Ges. 50a:61-91. illus., pl.ii-iii. 1932.

Jahn, E.
Die organe des plasmodiums. Ber. Deut. Bot. Ges. 50a:367-399. illus. 1932. Myxomycetenstudien nr.14.

Klehahn, H.
Eine monströse rasse des Abutilon darwinii Hook. f. Ber. Deut. Bot. Ges. 50a:246-261. illus. 1932.

Loesener, T.
Ueber die gattung Tripterygium. Ber. Deut. Bot. Ges. 50a:5-14. illus. 1932.

Mansfield, R.
Ueber die heteranthie und das system der gattung Catasetum L. C. Rich. Ber. Deut. Bot. Ges. 50a:92-108. illus. 1932.

Ber. Deut. Bot. Ges. 50a(Festschrift zur feier des 50-Jahrigen bestechen) (451D48)

Muller, K. O.
Ueber die verbreitung der harmelstaude in Anatolien und ihre bindung an die menschlichen wohnstätten. Ber. Deut. Bot. Ges. 50a:262-275. illus., pl.vi-vii. 1932.
Peganum harmala.

Nienburg, W.
Fucus mytili spec. nov. Ber. Deut. Bot. Ges. 50a:28-41. illus., pl. 1932.

Oppenheimer, Heinz R.
Zur kenntnis der hochsommerlichen wasserbilanz mediterraner gehölze. Ber. Deut. Bot. Ges. 50a:185-245. illus. 1932.

Pirschle, L.
Ionenaufnahme aus salzlösungen durch die höhere pflanze II. Ber. Deut. Bot. Ges. 50a:42-60. illus. 1932.

Schellenberg, G.
Ueber systembildung und über die reihe der Santalales. Ber. Deut. Bot. Ges. 50a:136-145. 1932.

Schweizer, G.
Studien über die kernverhältnisse im archikarp von Ascobolus furfuraceus Pers. Ber. Deut. Bot. Ges. 50a:14-23. illus. 1932.

Snell, K.
Die beschleunigung der keimung bei der kartoffelknolle. Ber. Deut. Bot. Ges. 50a:146-161. illus. 1932.

Ulbrich, E.
Ueber den formenkreis von Phallus impudicus. Ber. Deut. Bot. Ges. 50a:276-326. Illus. 1932.

Weisse, A.
Zur kenntnis der blattstellungsverhältnisse bei den zingiberaceen. Ber Deut. Bot Ges. 50a:327-366 pl.viii-ix. 1932

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY,
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D.C.

LIBRARY
RECEIVED
★ NOV 7 - 1932 ★
U. S. Department of Agriculture

Vol.14, no.21. October 10-22, 1932.

Agr. Gaz. N. S. W. (Sydney) (23N472)

Wenholz, H.

Australian wheat. Influence of climate on grain quality. Agr. Gaz. N. S. W. 43:642-646. S.1,1932. no.9.

Whittet, J. N.

Phalaris stenophylla incorrectly named. Agr. Gaz. N. S. W. 43:640-641. illus. S.1, 1932. no.9.

P. tuberosa "Burbank's Selection".

Agr. Journ. Fiji (25F47Ag)

Blackie, W. J.

Derris uliginosa. Agr. Journ. Fiji 5:34-35. S.1932. no.1.

Agron. Colon. (Paris) (26Ag812)

Costantin, J.

La mosaïque de la canne à sucre. Agron. Colon. 21:41-51. Ag.1932. no.176.

Ledreux, A.

Le giroflier à Sainte-Marie et à Madagascar. Agron. Colon. 21(2):1-7, 62-69. 1 pl. Jl., Ag.1932. no.175,176.

Angew. Bot. (Berlin) (450An4)

Dounine, M. S. & Simsky, A. M.

Die haftfähigkeit der fungicide. III. Angew. Bot. 14:89-110. Mr./Ap.1932. no.2.

Richter, O.

Photosynthese und photolyse in ihrer anwendung auf hölzer. Angew. Bot. 14:110-160. illus., iii pl. Mr./Ap.1932. no.2.

Ann. Chim. Appl. (Roma) (385An7)

Parisi, E.

Zuccheri semplici e polisaccaridi dello stelo di canapa. Ann. Chim. Appl. 22:555-560. Ag.1932. no.8.

Ann. Rep. Rubber Res. Scheme Ceylon (78.9C33R)

Murray, R. K. S.

Mycologist's report for 1931. Ann. Rep. Rubber Res. Scheme (Ceylon) 10:14-18. Je. 1932.

Biochem. Journ. (London) (382B52)

Evans, H.

The pentosan content of Kleinia articulata. Biochem. Journ. 26:1095-1100. 1932. no.4.

Gough, G. A. C.

A polysaccharide from the pollen of timothy grass (Phleum pratense). Biochem. Journ. 26:1291-1294. 1932. no.4.

Haas, P. & Hill, T. P.

The occurrence of sugar alcohols in marine algae. II. Sorbitol. Biochem. Journ. 26:987-990. 1932. no.4.

Smith, J. A. B.

The phosphatides of forage grasses. I. Cocksfoot. [Dactylis glomerata] Biochem. Journ. 26:1345-1357. 1932. no.4.

Biol. Zentralbl. (Leipzig) (442.8B523)

Bonner, J.

The production of growth substance by Rhizopus suinus. Biol. Zentralbl. 52:565-582. 1932. no.9/10.

Kisser, J.

Kritische betrachtungen über das wesen und den begriff der samenkeimung. Biol. Zentralbl. 52:534-548. 1932. no.9/10.

Blumen u. Pflanzenb. (Berlin) (80B623)

Görbing, J. & Fortmann, G.

Chrysanthemum indicum. Einfluss von reaktionsstaffeln auf die bewurzelung von stecklingen. Blumen u. Pflanzenb. 47:148-149. illus.(p.150) O.1,1932. no.10.

Goffart, H.

Ueber eine aelchenkrankheit an päonien. Blumen u. Pflanzenb. 47:154. O.1,1932. no.10.

Aphelenchus olesistus.

Bol. Union Panamer. (Washington) (150.9M76B)
Uphof, J. C. T.
La palma de aceite como industria lucrativa.
Bol. Union Panamer. 66:782-796. illus.
N.1932. no.11.

Boll. Sez. Ital. Soc. Intern. Microbiol. (Milano) (448.3Sol)
Mannozzi Torini, L.
Influence des produits d'excrétion des champignons du sol sur le développement du blé.
Boll. Sez. Ital. Soc. Intern. Microbiol. 4:244-248. S.1932. no.9.

Bot. Gaz. (Chicago) (450B652)
Blåsberg, C. H.
Phases of the anatomy of Asparagus officinalis.
Bot. Gaz. 94:206-214. illus. S.1932. no.1.

Doak, C. C.
Multiple male cells in Cupressus arizonica.
Bot. Gaz. 94:168-182. illus. S.1932. no.1.

Gilgut, C. J. & Jones, L. H.
A demonstration of basal growth. Bot. Gaz.
94:221-222. illus. S.1932. no.1.
Experiments with gladiolus.

Graves, G. W.
Ecological relationships of Pinus sabiniana.
Bot. Gaz. 94:106-133. illus. S.1932. no.1.

Greene, R. A.
Composition of the pulp and seeds of Adansonia digitata. Bot. Gaz. 94:215-220. S.1932.
no.1.

Illick, J. T.
Chromosomal configurations of Oenothera species and crosses and their probable significance.
Bot. Gaz. 94:1-50. S.1932. no.1.

Porges, N.
Chemical composition of Aspergillus niger as modified by zinc sulphate. Bot. Gaz. 94:197-205. S.1932. no.1.

Rogers, D. P.
A cytological study of Tulasnella. Bot. Gaz.
94:86-105. illus. S.1932. no.1.

Stebbins, G. L. jr.
Cytology of Antennaria, I, Normal species.
Bot. Gaz. 94:134-151. S.1932. no.1.

Bot. Gaz. (cont.)

Weaver, J. E. & Kramer, J.
Root system of Quercus macrocarpa in relation to the invasion of prairie. Bot. Gaz. 94:51-85. illus. S.1932. no.1.

Whitfield, C. J.
Ecological aspects of transpiration. II. Pike's Peak and Santa Barbara regions: edaphic and climatic aspects. Bot. Gaz. 94:183-196. S.1932. no.1.

Winter, C. W.
Vascular system of young plants of Medicago sativa. Bot. Gaz. 94:152-167. illus. S.1932. no.1.

Bot. Not. (Lund, Sweden) (450B656)

Arwidsson, T.
Riccia beyrichiana funne i Åsele lappmark. Bot. Not. 1932:373-380. map. 1932. no.5.

Lindquist, B.
Taxonomical remarks on Juncus alpinus Villers and some related species. Bot. Not. 1932:313-372. illus. 1932. no.5.

Sylvén, N.
En anmärkningsvärd skånsk inlandslokal för Plantago maritima L. Bot. Not. 1932:381-383. 1932. no.5.

Bull. Mens. Soc. Nat. Hort. France (Paris) (86SC13)

Miedzyrzecki, C.
Seconde floraison chez le poirier. Bull. Mens. Soc. Nat. Hort. France 5:394-399. illus. Ag.1932.

Bŭlgarske Zemled. Druzh. Nauchni Trudove (Bulgar. Agr. Soc. Sci. Publ.) (213874)

Kostov, D.
Prouchvani͡ia vurkhu bezplodieto na někoi ovoshtni dŭrveta (Studies on the sterility in certain fruit trees). Bŭlgarsko Zemled. Druzh. Nauchni Trudove (Bulgar. Agr. Soc. Sci. Publ.) no.28. 63 p. 11 pl. 1931.
Bulgarian with English summary.

Bülgarske Zemled. Druzk. Nauchni Trudove (Bulgar. Agr. Soc. Sci. Publ.)(cont.)

Sachoff, T.

Ixsledvaniia urkhu plodonoshenieto na chereshi, vishni i slivi v vruzka s stepiliteta na tsvetovete (Untersuchungen über die fruchtbarkeit der süsskirschen-, sauerkirschen- zwetschen- und pflaumensorten) Bülgarsko Zemled. Druzh. Nauchni Trudove (Bulgar. Agr. Soc. Sci. Publ.) 27. 120 p. illus., fold. tab. 1931.

Bulgarian with German summary.

Bull. Misc. Inform. Kew (London) (89K51B)

Alston, A. H. G.

Contributions to the flora of tropical America. XIII. Pteridophyta collected by the Oxford expedition to British Guiana, 1929. Bull. Misc. Inform. Kew 1932:305-317. no.7.

Bolus, L.

New south African Iridaceae. Bull. Misc. Inform. Kew 1932:326-330. no.7.

Craib, W. G.

Contributions to the flora of Siam. XXXV. Bull. Misc. Inform. Kew 1932:330-338. no.7.

Fischer, C. E. C.

Plants new to Assam. V. Bull. Misc. Inform. Kew 1932:348-349. no.7.

Kew. Royal gardens

Decades kewenses. Plantarum novarum in herbario Horti regii conservatarum. CXXVIII. Bull. Misc. Inform. Kew 1932:317-326. no.7.

Milne-Redhead, E.

The genus Strobilanthopsis. Bull. Misc. Inform Kew 1932:344-349. no.7.

Sprague, T. A.

Laugeria Vahl = Terebraria Kuntze. Bull. Misc. Inform. Kew 1932:349-350. no.7.

Summerhayes, V. S.

African orchids IV. Bull. Misc. Inform. Kew 1932:338-344. no.7.

Bull. Nat. Hist. Surv. Illinois (410.9I16)
Harris, H. A.
Initial studies of American elm diseases in Illinois. Bull. Nat. Hist. Surv. Illinois 20:1-70. illus. O.1932. no.1.
Most important disease, one caused by Coniothyrium, other diseases caused by Phoma, Sphaeropsis, Vermicularia and Verticillium. Dutch elm disease not present.

Bull. Pan. Amer. Union (150.9M76)
Colom, J. L.
Fermín Tangüis, father of Peruvian cotton. Bull. Pan Amer. Union 66:718-720. port. O.1932, no.10.

Bull. Trim. Off. Rég. Agr. Midi France (14F849)
German, E., Long, J. & Fondard, L.
Contribution à la génétique des blés de Provence. Bull. Trim. Off. Rég. Agr. Midi France 1932:47-129. 10 pl. on 5. Ap.1932. no.42.

Cactus Journ. Gt. Brit. (London) (450C113)
Backeberg, C.
Spherical optunias. Cactus Journ. Gt. Brit. 1:7, 11-12. S.1932. no.1.

Brown, N. E.
About succulent plants, what I learnt at my first introduction to them. Cactus Journ. Gt. Brit. 1:5-6, 12. S.1932. no.1.

China Journ. (Shanghai) (475C44)
Porterfield, W. M.
Lawn and roadside plants of Shanghai. Ser. 2 China Journ. 17:136-142. illus. S.1932. no.3.

Citrus News Melbourne (80C494)
Rind-marked oranges. Grade lowered by prevalence of Septoria and anthracnose spots. Citrus News Melbourne 8:215. illus. S.1, 1932. no.9.
Includes a report by D. B. Adam, plant pathologist of the Victorian Department of agriculture.

Compt. Rend. Acad. Sci. Paris (505P11)
Montet, D.
Action de la radioactivité en physiologie végétale. Compt, Rend. Acad. Sci. Paris 195:582-584. O.3, 1932. no.14.
Les principales plantes étudiées ont été: le blé, l'orge, les balsamines, les jacinthes, les tulipes...

Compt. Rend. Soc. Biol. Paris (442.9P21)
Montet, D.
L'action de l'oxyde noir d'urane en culture industrielle de champignons. Compt. Rend. Soc. Biol. Paris 111(29):20-22. O.3, 1932. no.29.

Coton & Cult. Coton. (Paris) (72.8C821)
Vidal, L. & others
Valeur papetière des tiges de cotonnier. Coton. & Cult. Coton. 7:1-16. iv pl. Ap. 1932. no.1.

Ecol. Monogr. (Durham, N. C.) (410Ec72)
Cain, S. A.
Concerning certain phytosociological concepts. Ecol. Monogr. 2:475-508. illus. O.1932. no.4.

Empire Cotton Grow. Rev. (London) (72.8Em7)
Hewison, R.
Blackarm in the Gezira, season 1931-1932. Empire Cotton Grow. Rev. 9:276-284. O.1932. no.4.

Empire Mark. Bd. [Publ.] (London) (280.39G792P)
Wardlaw, C. W. & McGuire, L. P.
The storage of tropically-grown tomatoes. Empire Mark. Bd. [Publ.] 59. 50 p. S.1932.

Ernähr. Pflanze (Berlin) (57.8Er6)
Bornemann, F.
Die beeinflussung des wurzelwachstums durch die ernährung. Ernähr. Pflanze 28:337-338. O.1, 1932. no.19.

Flor. Exch. (N. Y.) (80F666)
Griffiths, D.
Notes on five new hybrid lilies. Flor. Exch. 80(17):9. illus. O.22, 1932.
Shuksan, Kulshan, Douglas Ingram, Sacajawea, Star of Oregon.

Flor. Rev. (Chicago) (80W41)
Laurie, A.
Chrysanthemum troubles. Flor. Rev. 70(1820):27. illus. O.13, 1932.

Hubbell, D. S.
Growth of roots affected by pots. Flor. Rev. 70(1820):15-17. O.13, 1932.

Forstw. Centralbl. (Berlin) (99.8F7
Hartmann, F.
Untersuchungen über ursache und gesetzmässigkeit exzentrischen dickenwachstums bei nadel- und laubbäumen. (schluss). Forstw. Centralbl. 54:622-634. illus. S.5,1932. no.18.

Fortschr. Landw. (Vienna) (19F77)
Schmidt, E.
Nachweis von quecksilber an gebeiztem getreide. Fortschr. Landw. 7:481-483. illus. O.1, 1932. no.19.

Gard. Chron. (London) (80G162)
Besant, J. W.
Notes from Glasnevin. Lilies. Gard. Chron. III, 92:248-250. illus. O.1,1932. no.2388.

Combs, H. F.
Drymophila cyanocarpa, R. Br. Gard. Chron. III, 92:246. illus. (p.241) O.1,1932. no.2388.

Darnell, A. W.
The genus Androsace. (cont.) Gard. Chron. III, 92:251-252. O.1,1932. no.2388.

Grove, A.
Hybrid lilies. IV. Gard. Chron. III, 92:267-268. O.8,1932. No.2389.
L. parkmanni and other hybrids of L. auratum and of L. speciosum.

Gartenw. (Berlin) (80G196)
Volk, A.
Epidemischer blattfall der platane. Gartenw. 36:585-586. illus. S.30,1932. no.10.
Gnomonia veneta.

Heil & Gewürz-Pflanzen (Munich) (71.8H36)
Branka Akačić-Vuković, Ph.
Die heilpflanzengewinnung in Jugoslawien. Heil & Gewürz-Pflanzen 15:1-13. S.26,1932. no.1.

Indische Cult. (Soerbaja) (26In2)
Poel, J. v.d.
Moeilijkheden op tabaks-zaadbedden. B. Invloed van de bovenlaag van het zaadbed op de keiming van tabakszaad. Indische Cult. 17:409-411. S.1, 1932. no.17.

Industr. Saccarifera Ital. (Genova) (65.8In23)
Parisi, E. & De Vito, G.
Sulla formazione del saccarosio nelle bietole. Industr. Saccarifera Ital. 25:347-353. col. pl. Ag.1932. no.8.

Ital. Agr. (Milan) (16Itl)
Munerati, O. & Milan, A.
Sulla lotta diretta contro le ruggini del grano. Ital. Agr. 69:791-797. illus. S.1932. no.9.

Japan. Journ. Bot. (Tokyo) (450J27)
Fukuda, Y.
Hygronastic curling and uncurling movement of the leaves of Rhododendron micranthus Turcz., with respect to temperature and resistance to cold. Japan. Journ. Bot. 6:191-224. illus. S.12, 1932. no.2.

Kihara, H. & Nishiyama, I.
The genetics and cytology of certain cereals. III. Different compatibility in reciprocal crosses of Avena, with special reference to tetraploid and diploid species. Japan. Journ. Bot. 6:245-305. illus., pl. x-xi. S.12,1932. no.2.

Namikawa, I., Sisa, M. & Asai, K.
On the flower types of Diospyros kaki L. f. Japan. Journ. Bot. 6:139-172. illus. S.12, 1932. no.2.

Ogura, Y.
On the structure of a silicified wood found near "hobashira-ishi" at Najima near Fukuoka City. Japan. Journ. Bot. 6:183-190. illus., pl. iv. S.12,1932. no.2.
Phyllanthinium pseudo-hobashiraishi gen. et sp. nov.

Ogura, Y.
On the structure of "hobashira-ishi", a famous silicified trunk at Najima near Fukuoka City. Japan. Journ. Bot. 6:173-181. illus., pl.iii. S.12,1932. no.2.
Quercinium hobashiraishi n. sp.

U, N.
On the reappearance of haploid in the Japanese morning glory. Japan. Journ. Bot. 6:225-243. illus., pl. v-ix. S.12,1932. no.2.

Journ. Agr. Prat. (Paris) (14J82)

Giraud, E.

Une grave maladie du tabac, le "feu savage". (cont.) Journ. Agr. Prat. 96(2):262-264. S.24,1932. no.39.

Miège, E.

Le développement de l'inflorescence des céréales. Journ. Agr. Prat. 96(2):259-260. S.24,1932. no.39.

Journ. Agr. Res. (Washington, D. C.) (1Ag84J)

Jenkins, A. E.

Rose anthracnose caused by Sphaceloma. Journ. Agr. Res. 45:321-337. illus., 7 pl. S.15,1932. (0.8) no.6.

S. rosarum.

Love, L. D. & Hanson, H. C.

Life history and habits of crested wheatgrass. Journ. Agr. Res. 45:371-383. illus. S.15, 1932(0.8) no.6.

Agropyron cristatum.

McCulloch, L. & Demaree, J. B.

A bacterial disease of the tung-oil tree. Journ. Agr. Res. 45:339-346. illus. S.15, 1932(0.8) no.6.

Bacterium aleuritidis n. sp.

Stone, W. E.

The origin, development and increase of chloroplasts in the potato. Journ. Agr. Res. 45:421-435. illus., 10 pl. 0.1,1932(0.8) no.7.

Journ. Amer. Chem. Soc. (381Am33J)

Barkenbus, C. & Krewson, C. F.

The oil of the bittersweet seed. Journ. Amer. Chem. Soc. 54:3993-3997. 0.1932. no.10.

Journ. Amer. Soc. Agron. (Geneva, N. Y.) (4Am34P)

Elliott, J. W.

A factorial analysis of some quantitative characters in a cross between T. vulgare var. sonora and T. compactum var. club C. I. 4534. Journ. Amer. Soc. Agron. 24:764-778. 0.1932. no.10.

Flor, H. H., Gaines, E. F. & Smith, W. K.

The effect of bunt on yield of wheat. Journ. Amer. Soc. Agron. 24:778-784. 0.1932. no.10.

Journ. Amer. Soc. Agron. (cont.)

Stewart, G. & Dalley, C. L.

A cumulative transgressive segregation in wheat. Journ. Amer. Soc. Agron. 24:755-764. O.1932. no.10.

Hoover, M. M. & Snyder, M. H.

Natural crossing in oats at Morgantown, West Virginia. Journ. Amer. Soc. Agron. 24:784-786. O.1932. no.10.

Schoth, H. A. & Halperin, M.

The distribution and adaptation of Poa bulbosa in the United States and in foreign countries. Journ. Amer. Soc. Agron. 24:786-793. O.1932. no.10.

Journ. Bacteriol. (Baltimore) (448.3J82)

Johnson, D. E.

Some observations on chitin-destroying bacteria. Journ. Bacteriol. 24:335-340. illus. O.1932. no.4.

Journ. Biol. Chem. (Baltimore) (381J824)

Markley, K. S., Hendriks, S. B. & Sando, C. E.

Further studies on the wax-like coating of apples. Journ. Biol. Chem. 98:103-107. illus. O.1932. no.1.

Journ. Dept. Agr. Victoria (Melbourne) (23V66J)

Adams, D. B.

Rust disease in Boronia. Journ. Dept. Agr. Victoria 30:389,391. Ag.1932. no.8.

Puccinia boroniae.

Journ. Inst. Brew. (London) (390.9In7)

Hoerner, G. R.

Downy mildew infection of hop seedlings. Journ. Inst. Brew. 38(n.s.29):470-471. O.1932. no.10.

Journ. Jamaica Agr. Soc. (Kingston) (8J823)

Coconut disease in St. Mary. Journ. Jamaica Agr. Soc. 36:448-452. S.1932. no.9.

Bronzing of coconut leaves not due to disease primarily, but to prevailing unsuitable conditions.

Includes abstract of address of microbiologist given at Highgate, Ag. 23.

Journ. Min. Agr. Gt. Brit. (10G79J)

Wormald, H.

Blossom wilt of fruit trees. Journ. Min. Agr. Gt. Brit. 39:620-626. 1 pl. O.1932. no.7.

Sclerotinia cinerea.

Journ. N. Y. Bot. Gard. (89N48J)

Small, J. K.
Asiatic immigrants in the botanical garden. I-
Journ. N. Y. Bot. Gard. 33:226-228. O.1932.
no.394.

Small, J. K.
Natural grafts. Journ. N. Y. Bot. Gard.
33:213-219. illus. O.1932. no.394.

Teuscher, H.
Trees and shrubs of the Orient. I. Barberries.
Journ. N. Y. Bot. Gard. 33:219-226. O.1932.
no.394.

Journ. Parasitol. (Urbana, Ill.) (448.8J824)

Hall, M. C.
Nathan Augustus Cobb. Journ. Parasitol.
19:1-4. port. S.1932. no.1.

Journ. Roy. Hort. Soc. (London) (84L84J)

Beckett, E.
Mushrooms. Journ. Roy. Hort. Soc.
57:340-346. S.1932. no.2.

Bowler, S.
Root-grafting rhododendrons. Journ. Roy.
Hort. Soc. 57:352-353. 1 pl. S.1932. no.2.

Green, D. E.
Smut disease of dahlias caused by Entyloma
dahliae (Sydow). Journ. Roy. Hort. Soc.
57:332-339. illus., 6 pl. on 3. S.1932.
no.2.

Jolis, H.
Flower decorations. Journ. Roy. Hort. Soc.
57:293-303. illus., 1 pl. S.1932. no.2.

Marquand, C. V. B.
The cultivated gentians of China and the
Himalaya. Journ. Roy. Hort. Soc. 57:188-211.
S.1932. no.2.

Millard, F. W.
Gentians at Camla gardens, Felbridge, East
Grinstead, Sussex. Journ. Roy. Hort. Soc.
57:183-187. 12 pl. on 6. S.1932. no.2.

Musgrave, C. T.
Gentians. Journ. Roy. Hort. Soc.
57:175-182. S.1932. no.2.

Journ. Roy. Hort. Soc. (cont.)

Pettigrew, W. W.
Cacti and other succulent plants. Journ. Roy. Hort. Soc. 57:304-311. 5 pl. on 3. S.1932. no.2.

Stern, F. C.
Chinese lilies. Journ. Roy. Hort. Soc. 57:287-292. S.1932. no.2.

Tincker, M. A. H.
The influence of the daily period of light and the supply of potassium on the rate of growth of tubers and other storage organs. Journ. Roy. Hort. Soc. 57:326-331. S.1932. no.2.

Tincker, M. A. H.
Response of some common garden plants to the daily period of light. Journ. Roy. Hort. Soc. 57:321-325. 4 pl. on 3. S.1932. no.2.

Todd, E. E.
A short survey of the genus Viola. II. The Chamaemelanium and Melanium sections. Journ. Roy. Hort. Soc. 57:212-229. S.1932. no.2.

Journ. Washington Acad. Sci. (500W276J)

Bartram, E. B.
Mosses of northern Guatemala and British Honduras. Journ. Washington Acad. Sci. 22:476-482. illus. O.19,1932. no.17.
Campylopus bartletti sp. nov.

Julk. Suomalaisen Eläin- & Kasvit. Seuran Vanamon (Ann. Soc. Zool.-Bot. Fenn. Vanamo) (410.9Su7)

Krohn, V.
Ueber die vegetation und flora des äussersten schärengürtels Südwest-Kareliens. Julk. Suomalaisen Eläin- & Kasvit. Seuran Vanamon (Ann. Soc. Zool-Bot. Fenn. Vanamo) v.15, Beih. 308 p. map. 1931.

Landw. Jahrb. (Berlin) (18L23)

Lowig, E.
Ueber den einfluss der kalisalz-anionen auf das myzelwachstum von Aspergillus niger. Landw. Jahrb. 76:181-210. illus. 1932. no.2.

Meded. Afd. Handelsmus. K. Ver. Kolon. Inst. Amsterdam (503Am82)
Pulle, A. ed.
Flora of Surinam (Dutch Guyana) V.2 (p.1-112), v.3 (p.164) 1932(Meded. Afd. Handelsmus. K. Ver. Kolon. Inst. Amsterdam no.11)
v.2, Euphorbiaceae, Rhamnaceae, by J. Lanjouw - Monimiaceae by H. F. M. Petter. v.3, Malvaceae, Bombacaceae, Sterculiaceae, Tiliaceae, Elaeocarpaceae, by H. Uittien.

Mem. Amer. Acad. Arts & Sci. (500Am33M)
Fernald, M. L.
The linear-leaved North American species of Potamageton, section Axillares. Mem. Amer. Acad. Arts & Sci. 17:1-183. illus. (maps), xl pl. Jl.27,1932. no.1.

Mem. Fac. Sci. & Agr. Taihoku Imp. Univ. (513T13)
Tanaka, T.
A monograph of the Satsuma orange with special reference to the occurrence of new varieties through bud variation. Mem. Fac. Sci. & Agr. Taihoku Imp. Univ. v.4. 626 p. 53 pl. on 27. My.1932.

Mitt. Eidgenöss. Versuchsanst. Obst-, Wein- u. Gartenb. Wädenswil Flugschr. (106.5W114)
Osterwalder, A.
Die Monilia blüten- und zweigdürre an obstbäume. Mitt. Eidgenöss. Versuchsanst. Obst-, Wein- u. Gartenb. Wädelswil Flugschr. no.27, 6 p. illus. [1932]

Mitt. Naturf. Ges. Bern (508B45)
Tavel, F. v.
Zur erinnerung an den 70. geburtstag von Herrn Prof. Dr. Eduard Fischer. Mitt. Naturf. Ges. Bern 1931:1-34, 92-96. port. 1932.
Verzeichnis der publikationen von Eduard Fischer, zusammengestellt von Dr. G. von Büren: p.7-34. (Nachtrag: p.92-96)

Möller's Deut. Gärtn.-Zeit. (Erfurt) (80M73)
Die bekämpfung der älchen an Phlox. (Schluss) Möller's Deut Gärtn. Zeit. 47:315-316. S.21, 1932. no.27.
Signed: Rothe.

Monatsschr. Deut. Kakteen-Ges. (Berlin) (451D482)
Bödeker, F.
Mammillaria weingartiana Böd., sp. n. Monatsschr. Deut. Kakteen-Ges. 4:219-220. illus. O.1932. no.10.

Monatsschr. Deut. Kakteen-Ges. (Berlin) (cont.)

Poellnitz, K. v.

Die abteilung der gattung Mesembryanthemum L. Monatsschr. Deut. Kakteen-Ges. 4:221-224. O.1932. no.10.

Rudolph, H.

Blattstecklings-vermehrung bei aloe und anderen sukkulenten. Monatsschr. Deut. Kakteen-Ges. 4:230-235. O.1932. no.10.

Nachrichtenbl. Deut. Pflanzenschutzd. (Berlin) (464.9N11)

Voelkel,

Die starken schäden an getreide im jahre 1932. Nachrichtenbl. Deut. Pflanzenschutzd. 12:79-80. maps. O.1932. no.10.

Nature (London) (472N21)

Copisarow, M.

Twisted trees, real and mineral. Nature 130:541-542. O.8,1932. no.3284.

"... tree twisting is primarily due to local soil peculiarities which have in course of time modified the structural constituents of the plants."

Priestley, J. H.

The growing tree. Nature 130:494-497. O.1,1932. no.3283.

Nature Mag. (Washington) (409.6N214)

Brooks, F. E.

A plant whose berries blush unseen. Nature Mag. 20:222, 245. illus. N.1932. no.5.

Disporum lanuginosum.

Hemenway, I.

Cactus pearls. Nature Mag. 20:211-212. illus. N.1932. no.5.

Murrill, W. A.

The hard-skinned puffballs. Nature Mag. 20:242. illus. N.1932. no.5.

Naturforsch. (Berlin) (410N219)

Hennig, Br.

Pilzvergiftungen. Ein häufiger, aber unbekannter giftpilz: der ziegelrote faserkopf. Naturforsch. 9:219-221. pl.44. S.1932. no.6.

Inocybe lateraria.

North West Nat. (Arbroath, Scotland) (41CN81)

Dallman, A. A.

Pollination of Lathraea squamaria L. North West. Nat. 7:232. S.1932. no.3.

Dallman, A. A.

The pollination of the cloudberry, Rubus chamaemorus L. North West. Nat. 7:209-213. S.1932. no.3.

Elliott, G. F. S.

The earth nut, Conopodium denudatum Koch. North West. Nat. 7:182-191. S.1932. no.3.

Greaves, C. D.

Colour variation in the flowers of Tropaeolum majus L. North West. Nat. 7:213-217. S.1932. no.3.

Weiss, F. E.

Some abnormal catkins of the hazel. North West. Nat. 7:191-195. illus. S.1932. no.3.

Orchid Rev. (Richmond, Engl.) (800r15)

Arnold, R. E.

Sir Hugh Low in Sarawak, (cont.) Orchid Rev. 40:292-294. O.1932. no.472.

Cooper, E. W.

Cymbidium suavissimum. Orchid Rev. 40:296-297. O.1932. no.472.

Orchidee (Bandoeng) (800r18)

Brero, J. v.

De orchidee en hare cultuur in tropische gewesten. VI. Orchidee (Bandoeng) 1:145-153. Ag.1932. no.8.

Papers & Proc. R. Soc. Tasmania (Hobart) (514H65)

Rodway, L.

Hymenophyllum minimum, A. Rich. Papers & Proc. Roy. Soc. Tasmania 1931:107. Jl.25,1932.

Philipp. Journ. Agr. (25P543)

Reed, H. S.

Criteria of plant growth and their reliability. Philipp. Journ. Agr. 3:155-161. 1932. no.2.

Phytopath. (464.8P56)

Bressman, E. N.
Lolium infected with bunt of wheat. Phytopath. 22:865-866. illus. O.1932. no.10.

Cochran, L. C.
A study of two Septoria leaf spots of celery. Phytopath. 22:791-812. illus. O.1932. no.10.
S. apii, S. apii-graveolentis.

Tapke, V. F.
An undescribed loose smut of barley. Phytopath. 22:869-870. O.1932. no.10.
Ustilago nigra.

Hockenyos, G. L. & Irwin, G. R.
Studies on Bordeaux deposition. Phytopath. 22:857-860. O.1932. no.10.

Le Clerg, E. L.
Leaf temperature of lettuce and its relation to tipburn. Phytopath. 22:851-855. O.1932. no.10.

Lester-Smith, W. C.
Citrus mildew. Phytopath. 22:870. O.1932. no.10.
Occurs on pummelo and grapefruit in Ceylon (a correction of T. Petch's statement in Phytopath. 9:266. Je.1919).

Ong, E. R. de
Fungicidal value of pine-tar oil and copper resinate. Phytopath. 22:861-864. O.1932. no.10.

Palm, B. T.
Eriodendron as host of Bacterium malvacearum. Phytopath. 22:867-868. O.1932. no.10.

Palm, B. T.
A note on Entyloma dahliae Syd. from Sumatra and Guatemala. Phytopath. 22:868-869. O.1932. no.10.

Porter, D. R.
Some environmental relations of watermelon wilt. Phytopath. 22:813-825. illus. O.1932. no.10.

Phytopath. (cont.)

Samuel, G. & Garrett, S. D.
Rhizoctonia solani on cereals in South Australia. Phytopath. 22:827-836. illus. O.1932. no.10.

Smith, W. K.
Reaction of Martin wheat to three physiologic forms of Tilletia tritici. Phytopath. 22:847-850. illus. O.1932. no.10.

Weindlung, R.
Trichoderma lignorum as a parasite of other soil fungi. Phytopath. 22:837-845. illus. O.1932 no.10.

Planta Arch. Wiss. Bot. (Berlin) (450P693)

Bachmann, F.
Julius Sachs. Planta Arch. Wiss. Bot. 17:i-xviii. port. S.23,1932. no.4.

Cholodny, N.
Ist die wachstumsgeschwindigkeit der wurzel von deren lage abhängig? Planta Arch. Wiss. Bot. 17:794-800. S.23,1932. no.4.

Geitler, L.
Das verhalten der nukleolen in einer tetraploiden wurzel von Crepis capillaris. Planta Arch. Wiss. Bot. 17:801-804. illus. S.23,1932. no.4.

Hoffman, C.
Zur frage der osmotischen zustandsgrössen bei meeresalgen. Planta Arch. Wiss. Bot. 17:805-809. S.23,1932. no.4.

Köckemann, A.
Vergleichend-messende untersuchungen von saugsspannungen, saugleistungen und widerständen bei der wasserleitung in pflanzen. Planta Arch. Wiss. Bot. 17:669-698. illus. S.23,1932. no.4.

Kultzscher, M.
Die biologische NH_3-entgiftung in höheren pflanzen in ihrer abhängigkeit von der wasserstoffionenkonzentration des zellsaftes. Planta Arch. Wiss. Bot. 17:699-757. illus. S.23,1932. no.4.

Tageeva, S.
Zur frage des zusammenhangs zwischen assimilation und ertragsfähigkeit. Planta Arch. Wiss. Bot. 17:758-793. illus. S.23,1932. no.4.

Prakt. Ratg. Obst.-u. Gartenb. (Frankfurt a.d. O.) (80P883)
Koch. O.
Die grindfäule oder der polsterschimmel der birne. Prakt. Ratg. Obst.- u. Gartenb. 47:487. illus. O.9,1932. no.41.
Sclerotinia fructigena.

Proc. Indiana Acad. Sci. (500In2)
Andrews, F. M.
A measurement of growth. Proc. Indiana Acad. Sci. 41(1931):77-80. 1932.
Form of arc-indicator devised by authur.

Andrews, F. M.
Preservation of dry plant material. Proc. Indiana Acad. Sci. 41(1931):80-81. 1932.

Durkett, G. W.
Anatomical studies within the genus Hydrangea. Proc. Indiana Acad. Sci. 41(1931):83-92. iii pl. on.2. 1932.

Cain, S. A.
Plants of Spring Mill state park, Lawrence county, Indiana. I. Ferns. II. Trees, shrubs and woody vines. Proc. Indiana Acad. Sci. 41(1931):97-98, 99-104. 1932.

Cain, S. A.
Studies on virgin hardwood forest. I. Density and frequency of the woody plants of Donaldson's Woods, Lawrence county, Indiana. Proc. Indiana Acad. Sci. 41(1931):105-122. 1932.

Deam, C. C.
Plants new or rare to Indiana XVII. Proc. Indiana Acad. Sci. 41(1931):123. 1932.

Demaree, D.
Plant responses to sawdust. Proc. Indiana Acad. Sci. 41(1931):125-126. 1932.

Girton, R. E.
An inexpensive recording transpirometer. Proc. Indiana Acad. Sci. 41(1931):127-132. illus. 1932.

Hessler, R.
A note on Passiflora lutea L. Proc. Indiana Acad. Sci. 41(1931):133. 1932.

King, R.
Plasmolysis. Proc. Indiana Acad. Sci. 41(1931):135-136. 1932.

Proc. Indiana Acad. Sci. (cont.)

Morgan, W. P.
Growth irregularities in hybrid freesias induced by X-rays. Proc. Indiana Acad. Sci. 41(1931):139-144. illus. 1932.

Mottier, D. M.
Studies on Berberis vulgaris and related species. I. On seed germination and the survival of seedlings of Berberis vulgaris in Monroe county, Indiana. Proc. Indiana Acad. Sci. 41(1931):145-148. 1932.

Porter, C. L.
Mixed cultures of bacteria and fungi. Proc. Indiana Acad. Sci. 41(1931):149-152. 1932.

Potzger, J. E.
Plants previously unreported for Monroe county, Indiana. Proc. Indiana Acad. Sci. 41(1931):175-176. 1932.

Potzger, J. E.
Some observations on Pinus virginiana Mill. in Monroe county, Indiana: an ecological study. Proc. Indiana Acad. Sci. 41(1931):153-174. illus. 1932.

Rose, J. K.
Climate and corn yield in Indiana, 1887-1930. Proc. Indiana Acad. Sci. 41(1931):317. 1932.

Smith, B. H.
The algae of Indiana. Proc. Indiana Acad. Sci. 41(1931):177-206. 1932.

Welch, W. H.
An ecological study of the bald cypress in Indiana. Proc. Indiana Acad. Sci. 41(1931):207-213. illus. 1932.

Protoplasma (Leipzig) (442.8P94)

Bank, O.
Der einfluss des koffeins auf plasmolyseform und -zeit bei Allium cepa. Protoplasma 16:452-453. Ag.1932. no.3.

Brooks, M. M.
The penetration of 1-naphthol-2-sulphonate indophenol, O-chloro phenol indophenol and O-cresol into Valonia ventricosa J. Agardh, no.XIII. Protoplasma 16:345-356. Ag.1932.

Protoplasma (cont.)

Dent, K. W.
Studies on toxic action. V. The toxicity of aliphatic aldehydes towards potato tuber. Protoplasma 16:357-368. Ag.1932. no.3.

Gamma, H.
Zur kenntnis der saugkraft und des grenzplasmolyse-wertes der submersen. Protoplasma 16:489-575. S.1932. no.4.

Guilliermond, A.
La structure des cellules végétales a l'ultramicroscope. Protoplasma 16:454-477. illus. Ag.1932. no.3.

Schwabe, G.
Ueber die wirkung der aminosäuren auf den sauerstoffverbrauch submerser gewächse. Protoplasma 16:397-451. Ag.1932. no.3.

Steward, F. C., Wright, R. & Berry, W. E.
The absorption and accumulation of solutes by living plant cells. III. The respiration of cut discs of potato tuber in air and immersed in water, with observations upon surface: volume effects and salt accumulation. Protoplasma 16:576-611. illus. S.1932. no.4.

Vouk, V.
Ueber skelett- und membranstoffe bei myxomyzeten. Protoplasma 16:478-485. Ag.1932. no.3.

Publ. Field Mus. Nat. Hist. Bot. Ser. (500C432B)

Sherff, E. E.
Revision of the genus Cosmos. Publ. Field Mus. Nat. Hist. 313, Bot. Ser. 8:401-447. S.2, 1932. no.6.

Rec. Trav. Bot. Néerl. (Amsterdam) (451N28R)

Algera, L.
Energiemessungen bei Aspergillus niger mit hilfe eines automatischen mikrokompensationscalorimeters. Rec. Trav. Bot. Néerl. 29:47-163. illus. 1932.

Lanjouw, J.
Ueber die verwendung des begriffes "varietät" in taxonomischen arbeiten. Rec. Trav. Bot. Néerl. 29:36-46. 1932.

Rec. Trav. Bot. Néerl. (cont.)

Paauw, F. v.d.
The indirect action of external factors on photosynthesis. Rec. Trav. Bot. Néerl. 29: 497-620. 1932.

Schoute, J. C.
On pleiomery and meiomery in the flower. Rec. Trav. Bot. Néerl. 29:164-226. illus. 1932.

Weij, H. G. v.d.
Der mechanismus des wuchsstofftransportes. Rec. Trav. Bot. Néerl. 29:379-496. diagrs. 1932.

Wildervanck, L. S.
Osmotic adaptation of Nitella translucens Agardh. Application of Barger's method for determining the osmotic value to vacuole sap. Rec. Trav. Bot. Néerl. 29:227-378. 1932.

Repert. Spec. Nov. Beih. (Dahlem bei Berlin) (450R29B)

Hayek, A.
Prodromus florae peninsulae Balanicae... Post mortem auctoris edendum curavit Fr. Margraf. v.3, lfg. 1. Ag.15,1932 (Repert. Spec. Nov. Beih. v.30(3)).

Repert. Spec. Nov. Fedde Sonderbeih. (450R29S)

Keller, R.
Monographie und iconographie der orchideen Europas und des Mittelmeergebietes. Repert. Spec. Nov. Fedde Sonderbeih. A, v.2, lfg.4/5; v.3, lfg.5/6. Je.30,Ag.1,1932.

Rev. Gén. Bot. (Paris) (450R326)

Py, G.
Recherches cytologiques sur l'assise nourricière des microspores et les microspores des plantes vasculaires. Rev. Gén. Bot. 44:369-413. illus. S.1932. no.525.

Rhodesia Agr. Journ. (Salisbury) (24R34)

Christian, H. B.
Notes on African aloes. I. Rhodesia Agr. Journ. 29:687-691. 3 pl. on 2. S.1932. no.9.

Hopkins, J.C.F.
Further notes on leaf curl of tobacco in southern Rhodesia. Rhodesia Agr. Journ. 29:680-686. 1 pl. S.1932. no.9.

Science (470Sci2)

Autumn leaf colors. Science v.76, no.1971. suppl. p.14. O.7,1932.

"Dr. Charles E. Sando of the U.S. Department of agriculture, has summarized the process by which leaves turn from green to gray, when promises of frost begin to cool the air".

Webber, H. J.

Dermatitis produced by Encelia californica Nutt. Science 76:324-325. O.7,1932. no.1971.

Science Progr. (London) (472Sci22)

Atkins, W. R. G.

The chemistry of sea water in relation to the productivity of the sea. Science Progr. 27:298-312. O.1932. no.106.

Scient. Agr. (Ottawa) (7Sci2)

Harrington, J. B.

Seedling hairiness as a varietal identification character in wheat. Scient. Agr. 13:119-125. illus. O.1932. no.2.

Newton, W., Hastings, R.J. & Bosher, J. E.

Botrytis tulipae (Lib.) Lind. II. Bulb dips. Scient. Agr. 13:110-113. illus. O.1932. no.2.

Sanford, G.B. & Broadfoot, W.C.

Epidemiology of stripe rust in western Canada. Scient. Agr. 13:77-96. illus. O.1932. no.2.

Seed World (Chicago) (61.8Se52)

Bebb, H.

The plant patent law in operation. Seed World 32(8):7-9. O.14,1932.

Sinensia Contr. Metrop. Mus. Nat. Hist. Nanking (410.9Si62)

Cheng, W. C.

Enumeration of gymnosperms from Kweichow collected by Y. Tsiang in 1930-31. Sinensia Contr. Metrop. Mus. Nat. Hist. Nanking 2:103-108. O.1931/F.1932. no.4/8.

Chien, S. S.

Enumeration of Cornaceae from Kweichow collected by Y. Tsiang in 1930-1931. Sinensia Contr. Metrop. Mus. Nat. Hist. Nanking 2:93-102. illus. O.1931/F.1932. no.4/8.

Cornus parviflora sp. nov.

Sinensia Contr. Metrop. Mus. Nat. Hist. Nanking (cont.)

Hu, H. H.

A new Rehderodendron from Kweichow. Sinensia Contr. Metrop. Mus. Nat. Hist. Nanking 2:109-110. illus. O.1931/F.1932. no.4/8.

R. kweichowense.

Hu, H. H.

Plantae tsiangianae. Corylaceae. Sinensia Contr. Metrop. Mus. Nat. Hist. Nanking 2:79-93. illus. O.1931/F.1932. no.4/8.

Carpinus kweichowensis, C. tungtzeensis, C. autosinensis, C. tsiangiana n. spp.

P'ei, C.

Enumeration of the verbebaceous plants collected by R. C. Ching and Y. Tsiang. Sinensia Contr. Metrop. Mus. Nat. Hist. Nanking 2:65-77. illus. O.1931/F.1932. no.4/8.

Vitex kweichiwensis sp. nov.

Sitzungsb. Akad. Wiss. Wien Math.-Naturw. Kl. Abt. I (510V67)

Fritsch, K.

Beobachtungen über blütenbesuche insekten in Steiermark, 1912. Sitzungsb. Akad. Wiss. Wien Math.-Naturw. Kl. Abt. I, 141:183-194. 1932. no.3/4.

Hofmann, E.

Der parasit Psittacanthus schiedeanus (Cham. et Schlechtend.) auf Persea gratissima. Sitzungsb. Akad. Wiss. Wien Math.-Naturw. Kl. Abt. I, 141:175-181. illus., pl. 1932. no.3/4.

Linsbauer, K.

Kerne, nukleolen und plasmabewegungen in den blasenzellen von Mesenbryanthemum cristallinum. Stizungsb. Akad. Wiss. Wien Math.-Naturw. Kl. Abt. I, 141:1-30. illus. 1932. no.1/2.

Scharfetter, R.

Die vegetationsverhältnisse der gerlitzen in Kärnten. Sitzungsb. Akad. Wiss. Wien Math.-Naturw. Kl. Abt. I, 141:63-110. illus., pl. 1932. no.1/2.

Soil Sci. (Baltimore) (56.8So3)

Eaton, F. M.

Boron requirements of cotton. Soil Sci. 34:301-305. O.1932. no.4.

Soil Sci. (cont.)

Ligon, W.S. & Pierre, W.H.

Soluble aluminum studies II. Minimum concentration of aluminum found to be toxic to corn, sorghum and barley in culture solutions. Soil Sci. 34:307-318. 2 pl. O.1932. no.4.

So. African Gard. (Johannesburg) (80So87)

Bolus, L.

Plants new or noteworthy. South African plants cultivated at the National botanic gardens, Kirstenbosch. (cont.) So. African Gard. 22:243, 253. S.1932. no.9.

Babiana longibracteata, B. hiemalis, B. lata, B. odorata.

Lavis, M.

A new Conophytum from Namaqualand. So African Gard. 22:257. illus. S.1932. no.9.

C. approximatum.

Transvaal veld flowers. (cont.) So. African Gard. 22:253. illus. S.1932. no.9.

Huernia kirkii.

South Flor. (Fort Worth, Texas) (80So86)

Shamel, A. D.

Bud selection studies are described by scientist. South. Flor. 34(2)10-11, 15. O.14,1932.

Succulenta (Leeuwarden) (450Su1)

Duursma, G. D.

Mooie gasteria's. Sect. IV. Caulescents. Succulenta 14:241-245. illus. O.1932. no.10.

Tectona (Buitenzorg) (99.8B65)

Coster, C.

Wortelstudien in de tropen. (Wurzelstudien in den tropen.) I. De jeugdontwikkeling van het wortelsel van een zeventigtal boomen en groenbemesters. (Die jugendentwicklung des wurzelsystems von 70 arten von bäumen und gründüngungsgewächsen.) Tectona 25:828-872. illus. S.1932. no.9.

Torreya (450T63)

Atwell, C. B.

Three dune associations compared. Torreya 32:111-115. S./O.1932. no.5.

Seven-mile Island, New Jersey; west shore of Lake Michigan near Waukegan, Ill.; on the Pacific coast at Seaside, Oreg.

Porter, C. L.

The pteridophytes of Wyoming. Torreya 32:116-118. S./O.1932. no.5.

Torreya (cont.)

Sefferien, M. L.

'Wild flowers of the Spuyten-Duyvil and Riverdale sections of New York City.' Torreya 32:119-127. S./O.1932. no.5.

Torrey, R. H.

Another report of Marchantia polymorpha after forest fires. Torreya 32:128-129. S./O. 1932. no.5.

Old Rag mountain, Virginia.

Trans. Wisc. Acad. (500W75)

Davis, J. J.

Notes on parasitic fungi in Wisconsin XIX. Trans. Wisc. Acad. 27:183-192. 1932.

Greene, H. C.

Wisconsin myxomycetes. Trans. Wisc. Acad. 27:141-181 incl. vi pl. 1932.

Helgeson, E. A.

Impermeability in mature and immature sweet clover seeds as affected by conditions of storage. Trans. Wisc. Acad. 27:193-206. 1932.

Preliminary reports on the flora of Wisconsin XV-XX. Trans. Wisc. Acad. 27:207-225, 227-230, 231-234, 235-236, 237-246, 247-249. illus.(maps) 1932.

XV. Polygonaceae. K.L. Mahony. XVI. Xyridales. N. C. Fassett. XVII. Myricaceae, Juglandaceae. N. C. Fassett. XVIII. Sarraceniales. F. B. Livergood. XIX. Saxifragaceae. N. C. Fassett. XX. Malvales. A.M. Hagen.

Věstník Českol. Zeměd. Mus. (Praze) (19.5P882)

Blattný, C.

Sbirka Škůdců a chorob chmele v Československém zemědělském museu v Praze. (Collection of the pests and diseases of hops in the Agrarian museum of Czechoslovakia.) Věstník Českol. Zeměd. Mus. 5:228-230. 1932. no.3.

English summary: p.303.

Vict. Nat. (Melbourne) (410V66)

Barrett, C.

A naturalist in the Bunya mountains. Vict. Nat. 49:126-131. pl.viii-ix. S.1932. no.5.

Zeitschr. Bot. (Jena) (450Z32)

Molisch, H.
Ueber die bedeutung des lignins für die pflanze. Zeitschr. Bot. 25:583-595. 1932. no.11/12.

Schreiber, E.
Ueber die entwicklungsgeschichte und die systematische stellung der desmarestiaceen. Zeitschr. Bot. 25:561-582. illus. 1932. no.11/12.

Zeitschr. Vergl. Phys. (444.8Z3)

Mast, S. O.
The rate of adaptation to light and to darkness in Volvox globator. Zeitschr. Vergl. Phys. 17:644-658. S.21,1932. no.3.

Der Züchter (Berlin) (442.8Z8)

Fleischmann, R.
Züchtung von zwei neuen futterpflanzen für trockengebiete. Der Züchter 4:219-225. illus. S.1932. no.9.

Herzfeld-Wuesthoff, F.
Amerikanische pflanzenpatente nr. 9 bis 13. Der Züchter 4:232. illus. S.1932. no.9.

Hüttig, W.
Die grundlagen zur immunitätszüchtung gegen brandpilze (Ustilagineen). Die Züchter 4:209-219. illus. S.1932. no.9.

Exper. Stat. Publ.

Pearson, O. H.
Breeding plants of the cabbage group. California Agr. Exp. Stat. Bull. 532. 22 p. illus. Je.1932. (Rec'd O.) (100C12S)

McWhorter, F. P. & Weiss, F.
Diseases of narcissus. Oregon Agr. Exp. Stat. Bull. 304. 41 p. illus. Je.1932(Rec'd O.) (100Or3)

New books.

Chamberlain, C. J.
Methods in plant histology. 5th rev. ed. Chicago, University of Chicago press, 1932. (463.1C355)

New books (cont.)

Fischer, G.
Untersuchungen über veränderungen des mineralstoffgehalts und des mineralstoffverhältnisses in gemüsearten, unter besonderer berücksichtigung des jods. Jena, 1931. (463.2F52)
Inaug.-diss.-Jena.

Haldane, J. B. S. & Stern, K. C.
Allgemeine chemie der enzyme. Dresden & Leipzig, T. Steinkopff, 1932 (Wissenschaftliche forschungsberichte. Naturwissenschaftliche reihe bd. XXVIII) (390H12A)

Hall, C. J. J. v.
Cacao. 2d. ed. London, Macmillan, 1932.
Diseases and enemies: p.226-303. (68.3H14)

International congress of genetics, 6th, Ithaca, 1932.
Proceedings v.2. Condensed articles and descriptions of exhibits. Menasha, Wis., Brooklyn botanic garden, 1932. (442.9In82C6)

Das pflanzenreich h. 98c(IV,165) Sapindaceae III, von L. Radlkofer. Leipzig, W. Engelmann, 1932. (452EneP)

Rawitscher, F.
Der geotropismus der pflanzen. Jena, G. Fischer, 1932. (463.36R19)

Trevisan, L.
Piante grasses... Milano, U. Hoepli, 1932. (97T72)

Translations filed in Library of Bur. of Plant Industry.

Bremer, H.
Die abhängigkeit der zuckerrübenkeimung von der temperatur (On the relationship between the germination of sugar beets and the temperature) Angew. Bot. 11:112-115. 1929.

Buisman, C. J.
Verslag van de phytopathologische onderzoekingen over de iepenziekte, verricht in het laboratorium "Willie Commelin Scholten" gedurende 1931 (Report of the phytopathological investigation on the elm disease conducted in the Laboratory "Willie Commelin Scholten" during 1931) Tijdschr. Plantenz. 38:17-36. 1932.

Translations filed in Library of Bur. of Plant Industry. (cont.)

Stolze, K. V.

Beitrag zur biologie, epidemiologie und bekämpfung der blattfleckenkrankheit der zuckerrübe (Cercospora beticola Sacc.) (Contribution to the biology, epidemiology and control of the leaf-spot disease of sugar beets (Cercospora beticola Sacc.) Arb. Biol. Reichsanst. Land-u. Forstw. Berlin 19:337-402. 1931.

Takenouchi, M.

The genus Viola in Kyushi I. Fukuoki, 1932.
V. biflora & xanthopetala.

Reprinted from v.1, no.1, Journ. Nat. Hist. Fukuoka (Fukuoka hakubutsu-gaku zasshi) My. 1932.

Westerdyk, J., Buisman, C. & Doorenbos, S. G. A.

Wat kunnen der Nederlandsche boomweekers doen in verband met de iepenziekte? (What can the Dutch tree growers do in connection with the elm disease?) Tijdschr. Plantenz. 38:37-40. 1932.

Wilhelm, P.

Studien zur speialisierungsweise des weizengelbrostes, Puccinia glumarum f. sp. tritici (Schmidt) Erikss. et Henn. und zur keimungsphysiologie seiner ureiosporen (Studies on specialization in the yellow rust of wheat, Puccinia glumarum f. tritici (Schmidt) Erikss. and Henn. and on the physiology of germination of its uredospores) Arb. Biol. Reichsanst. Land- u. Forstw. Berlin 19:95-113. 1931.

Vol.14, no.19, p.18.

Vol. no. should be 44 under Rev. Gén. Bot.

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

LIBRARY
RECEIVED
★ NOV 15 1932 ★
U. S. Department of Agriculture

Vol. 14, no. 22. Oct.24-Nov. 5, 1932.

Addisonia (N.Y.) (450Ad2)

Addisonia v.17, no.3. S.1932. col. pl.561-568.

Crataegus arnoldiana, Polycodium floridanum, Lonicera morrowi xanthocarpa, Ilex myrtifolia, Solanum blodgettii, Solanum sanitwongsei, Tamala littoralis, Viburnum wrightii.

Agron. Colon. (Paris) (26Ag812)

Ledreux, A.

Le giroflier à Sainte-Marie et à Madagascar. (fin.) Agron. Colon. 21(2): 99-106. 1 pl. S. 1932. no.177.

Amer. Bot. (Indianapolis, Ind.) (450Am33)

Clark, F. R.

Molds in saline solutions. Amer. Bot. 38: 199. O.1932. no.4.

Clute, W. N.

Meaning of plant names. 52. Opulaster, mezereum and leatherwood. Amer. Bot. 38: 178-183. O. 1932. no.4.

Clute, W. N.

Seed distribution in Fraxinella. Amer. Bot. 38: 167-169. 1 pl. O. 1932. no.4.

McFarland, J. H.

What is "Standardized plant names"? Amer. Bot. 38: 170-177. O.1932. no.4.

Amer. Fern Journ. (450Am35)

Ferns as weeds in New Zealand. Amer. Fern Journ. 22: 99. Jl./S. 1932. no.3.

Schaffner, J. H.

Diagnostic key to the species of Equisetum. Amer. Fern Journ. 22: 69-75. Jl./S. 1932. no.3.

Smith, L. B.

Diplazium petersenii as an escape. Amer. Fern Journ. 22: 99-100. Jl./S. 1932. no.3.

Amer. Fern Journ. (cont.)

Wherry, E. T.

Range-extension and other observations, 1931-32. Amer. Fern Journ. 22: 79-86. illus. Jl./S. 1932. no. 3.

Wiggins, I. L.

The pteridophytes of San Diego County, California. (cont.) Amer. Fern Journ. 22: 87-93. Jl./S. 1932. no.3.

Amer. Journ. Bot. (450Am36)

Chrysler, M. A.

A new cycadeoid from New Jersey. Amer. Journ. Bot. 19: 679-692. illus., pl.xlviii-xlix. O.1932. no.8.

Cycadeoidea peridermalis.

Foster, A. S.

Investigations on the morphology and comparative history of development of foliar organs. IV. The prophyll of Carya buckleyi var.arkansana. Amer. Journ. Bot. 19: 710-728. illus., pl.L-LI. O.1932. no.8.

Scott, F. M.

Some features of the anatomy of Fouquieria splendens. Amer. Journ. Bot. 19: 673-678. illus. O. 1932. no.8.

Thut, H. F.

The movement of water through some submerged plants. Amer. Journ. Bot. 19: 693-709. illus. O. 1932. no.8.

Weier, T. E.

The structure of the bryophyte plastid with reference to the Golgi apparatus. Amer. Journ. Bot. 19: 659-672. pl. xlvi-xlvii. O. 1932. no.8.

Amer. Journ. Sci. (New Haven) (470Am34)

Schuchert, C.

Permian floral provinces and their interrelations. Amer. Journ. Sci. 24: 405-413. N.1932. no.143.

Amer. Midl. Nat. (Notre Dame, Ind.) (410M58)

Benke, H. C.

New asters from Illinois. Amer. Midl. Nat. 13: 326-328. S. 1932. no.5.

Aster furcatus elaciniatus var.nov., A.ericoides gramsii f.nov.

Amer. Orchid Soc. Bull. (80Am329)

Ames, O.

The Cattleyeae. Amer. Orchid Soc. Bull. 1: 37-39. S.1932. no.2.

Ames, O.

John Lindley (1799-1865). Amer. Orchid Soc. Bull. 1: 35-36. port. S.1932. no.2.

Ames, O.

A new variety of Laelia digbyana. Amer. Orchid Soc. Bull. 1: 59. illus. S.1932. no.2.

L. digbyana fimbripetala.

Bracey, B. O.

Raising seedling orchids at Sawtelle. Amer. Orchid Soc. Bull. 1: 60-64. illus. S.1932. no.2.

Lager, J. E.

Reminiscences of an orchid collector. Amer. Orchid Soc. Bull. 1: 40-48. illus. S.1932. no.2.

Amer. Potato Journ. (75.8P842)

Folsom, D.

Potato virus diseases in 1931. Amer. Potato Journ. 9: 173-181. O.1932. no.10.

Anales Soc. Cient. Agr. (Buenos Aires) (516Sol)

Molfino, J. F.

Teodoro Stuckert (1852-1932). Anales Soc. Cient. Agr. 114: 116-121. port. S.1932. no.3.

Lista bibliográfica de Teodoro Stuckert: p.119-120.

Stuckert, T.

Les malváceas Argentinas. (concl.) Anales Soc. Cient. Arg. 114: 99-115. S.1932. no.3.

Ann. Rep. Dept. Agr. Kenya (24Af8A)

Burton, G.J.L.

Annual report, 1931 by the senior plant breeder. Ann. Rep. Dept. Agr. Kenya Colony 1931: 176-201. 1931.

Under wheat breeding, particular reference to rust resistance.

McDonald, J.

Annual report, 1931 by the senior mycologist and staff. Ann. Rep. Dept. Agr. Kenya Colony 1931: 118-130. 1932.

Ann. Rep. Dept. Agr. Nyasaland Prot. (24N98A)

Leach, R.

Report of the mycologist. Ann. Rep. Dept. Agr. Nyasaland Prot., 1931: 47-50. [1932?]

Ann. Rep. Smithsonian Inst. (500Sm6R)

Johnston, E. S.

Growing plants without soil. Ann. Rep. Smithson. Inst. 1930/31: 381-387. 4 pl. 1932.

Wood, C. A.

Some wild flowers from Swiss meadows and mountains. Ann. Rep. Smithson. Inst. 1930/31: 503-513. illus., 6 pl. 1932.

Arb. Biol. Reichsanst. Land- u. Forstw. Berlin. (410.9G31)

Goffart, H.

Untersuchungen am hafernematoden Heterodera schachtii Schm. unter besonderer berücksichtigung der schleswigholsteinischen verhältnisse. I. Arb. Biol. Reichsanst. Land- u. Forstw. Berlin 20: 1-26. illus. Jl. 1932. no.1.

III. Beitrag zu: Rassenstudien an Heterodera schachtii Schm.

Hey, A. B. F.

Zur biologie der kartoffel XIV. Die diagnose des abbaugrades von kartoffelknollen durch elektrometrische messung. Arb. Biol. Reichsanst. Land- u. Forstw. Berlin 20: 79-90. illus. Jl. 1932. no.1.

Vorläufige mitteilung.

Klinowski, M.

Zur biologie der kartoffel. XV. Beiträge der kartoffelknollenkatalase. Arb. Biol. Reichsanst. Land- u. Forstw. Berlin 20: 91-99. Jl. 1932. no.1.

Moritz, O.

Weitere studien über die ophiobolose des weizens. Arb. Biol. Reichsanst. Land- u. Forstw. Berlin 20: 27-48. illus. Jl.1932. no.1.

Schropp, W.

Zur biologie der kartoffel. XIII. Die kartoffel in wasserkultur. Arb. Biol. Reichsanst. Land- u. Forstw. Berlin 20: 49-77. illus.,iii pl. Jl.1932. no.1.

Austral. Journ. Exp. Biol. & Med. Sci. (Adelaid) (442.8Au7)
Cheney, G. M.
Phthium root rot of broad beans in Victoria. Austral. Journ. Exp. Biol. & Med. Sci. 10: 143-155. illus. S.16, 1932. no.3.
P. fabae n.sp.

Beitr. Biol. Pflanz. Cohn (Breslau)
Alechin, W. W.
Die ältere russische steppenforschung mit besonderer berücksichtigung der quantitativen methoden. Beitr. Biol. Pflanz. Cohn 20: 25-58. 1932. no.1.
Aus dem manuskript übersetzt von S. und H. Ruoff.

Kisser, J.
Zur analyse chemischer reizerfolge auf die samenkeimung. Beitr. Biol. Pflanz. Cohn 20: 59-76. 1932. no.1.

Regel, C.
Pflanzensoziologische studien aus dem nördlichen Russland. I. Die fleckentundra von Nowaja Semlja. Beitr. Biol. Pflanz. Cohn 20: 7-24. 1932. no.1.

Sidorin, M. I.
Eine neue lebensreaktion. Beitr. Biol. Pflanz. Cohn 20: 1-6. 1932. no.1.

Bergcultures. (Batavia, Java) (22.5B45)
Jong, J.K.de.
Bijdragen tot de anatomie van de theeplant. I. Bergcultures 6: 1030-1032. illus. S.24, 1932. no.39.

Bol. R. Soc. Españ. Hist. Nat. (Madrid) (506M263B)
González Guerrero, P.
Un ficacantos planctónico eulimnofitico en el rio Manzanares. Bol. R. Soc. Españ. Hist. Nat. 32: 195-203. illus. My.15, 1932. no.4.

Martínez Martinez, M.
Contribución al estudio de las Digitales. VII. Bol. R. Soc. Españ. Hist. Nat. 32: 205-212. illus. My.15, 1932. no.4.

Miranda, F.
Sobre la homologia de polisporangios y tetrasporangios de las florideas diplobiontes. Bol. R. Soc. Españ. Hist. Nat. 32: 191-194. My.15, 1932. no. 4.

Bol. R. Soc. Españ. Hist. Nat. (cont.)

Urríes y Azara, M. J. de.

Datos sobre micromicetos de la provincia de Huesca. Bol. R. Soc. Españ. Hist. Nat. 32: 213-229. illus. My.15, 1932. no.4.

Bot. Mag. Tokyo (450B651)

Kanehira, R.

New or noteworthy trees from Micronesia I-II. Bot. Mag.Tokyo 46: 449-457, 487-495. Jl., Ag. 1932. no.547, 548.

Karasawa, K.

On triploid Thea. Bot. Mag. Tokyo 46: 458-460. illus. Jl. 1932. no.547.

Nagao, S. & Takusagawa, H.

Ueber die chromosomen einiger amaryllidaceen. Bot. Mag. Tokyo 46: 473-478. illus. Jl.1932. no.547.

Japanese with German résumé; p. 478.

Okabe, S.

Parthenogenesis bei Ixeris dentata Nakai (Vorläufige mitteilung). Bot. Mag. Tokyo 46: 518-523. illus. Ag.1932. no.548.

Japanese with German résumé; p.522-523

Sakurai, K.

Beobachtungen über japanische moosflora. II. Bot. Mag. Tokyo 46: 496-509. Ag.1932. no.548.

Yasuda, S.

Physiological researches on the fertility in Petunia violacea. X. On the relation between the self incompatibility and the tissue juice of the ovary. Bot. Mag. Tokyo 46: 510-517. illus. Ag. 1932. no.548.

Japanese with English summary.

Bull. Agence Gén. Colon. France. (Paris) (260C71B)

Renaud, M.

Contribution à l'étude des bois de la Guyane française (suite et fin). Bull. Agence Gén. Colon. France 25: 1265-1308, 1372-1433. plates. Ag., S. 1932. no.281-282.

Bull. For. Comm. Gt. Brit. (99.9G795)

Laing, E. V.

Studies on tree roots. Bull. For. Comm. Gt. Brit. no.13. 73 p. illus., xvii pl. on 8. 1932.

Bull. Stat. Rech. For. Nord. Afr. (Alger) (99.9A13)

Saint-Laurent, J. de.

Etudes sur les caractères anatomiques du bois et du liber secondaire dans les essences du Sahara et particulièrement du Hoggar. Bull. Stat. Rech. For. Nord. Afr. 2: 1-48. double pl. i-xii. Je. 1932. no.1.

Saint-Laurent, J. de.

Études sur les caractères anatomiques du bois et du liber secondaire dans quelques essences forestieres du Maroc dernièrement récoltées par M. le Dr. R. Maire. Bull. Stat. Rech. For. Nord. Afr. 2: 49-60. double pl. xiii-xv. Je. 1932. no.1.

Calif. Citrogr. (Los Angeles) (80C125)

Fawcett, H. S.

Citrus brown rot control. Calif. Citrogr. 18: 3, 31. n.1932. no.1.

La Cellule (Lierre, Belgium) (442.8C33)

Hsu-Siang,

Structure of somatic chromosomes in Lilium tigrinum. La Cellule 41: 165-178. 1 fold.pl. 1932. no.2.

Janaki-Ammal, E. K.

Chromosome studies in Nicandra physaloides. La Cellule 41: 89-110. illus., 2 pl. (1 fold.) 1932. no.2.

Martens, P. & Chambers, R.

Études de microdissection V. Les poils staminaux de Tradescantia. La Cellule 41: 131-144. 1 pl. 1932. no.2.

Mosseray, R.

Influence de zinc sur les Aspergillus de la série "niger" et sur quelques autres. La Cellule 41: 113-128. 1 fold.pl. 1932. no.2.

Scheuber, L. M.

A cytological study of Timmia cucullata. La Cellule 41: 147-162. 2 fold.pl. 1932. no.2.

Citrus Indust. (Tampa, Fla.) (80C49)

Ruehle, G. D.

Life history and control studies for melanose and scab of citrus. Citrus Indust. 13(10): 8, 27, 34. O. 1932.

Compt. Rend. Acad. Sci. Paris (505P21)

Abbayes, H. des.

Observations sur les lichens des environs de Banyuls (Pyrenées-Orientales). Compt. Rend. Acad. Sci. Paris 195: 673-676. O.17, 1932. no.16.

Daniel, L.

Production expérimentale de bulbilles chez le poireau. Compt. Rend. Acad. Sci. Paris 195: 567-569. O.3, 1932. no.14.

Compt. Rend. Soc. Biol. Paris (442.9P21)

Dufrénoy, J. & Radoëff, A.

Coloration vitale des vacuoles de plantules de riz, en cours de croissance. Compt. Rend. Soc. Biol. Paris 111(30):188-190. illus. O.14, 1932. no.30.

Dufrénoy, J.

Les facteurs écologiques de l'apparition des lésions de Plasmopara viticola sur la vigne. Compt. Rend. Soc. Biol. Paris 111(30): 187-188. O.14, 1932. no.30.

Genevois, L. & Saric, R.

Action des dinitrophénols sur la croissance et le métabolisme de la levure de Boulanger. Compt. Rend. Soc. Biol. Paris 111(30): 181-183. O.14, 1932. no.30.

Moreau, F. & Moruzi, C.

Sur les caractères des souches issues de qualques spores de grande taille chez les ascomycètes du genre Neurospora. Compt. Rend. Soc. Biol. Paris 111: 266-268. O.21, 1932. no.31.

Curt. Bot. Mag. (450C94)

Curt. Bot. Mag. v.155, pt.4, col.pl.9282-9292. O.8, 1932.

Irish dykesii, Berberis xanthoxylon, Syringa villosa, Salvia mexicana, Coprosma propinqua, Ourisia alpina, Tulipa urumiensis, Primula conchoba, Rhododendron floccigerum, Vaccinium retusum, Papaver triniifolium.

Doświadczaln. Roln. (Exper. Agr.) Warszawa) (20.5D74)

Boczkowska, M.

Rdze i mączniak traw na zbożach uprawianych na torfach (Rusts and mildew on cereals in Experimental stations for peatbogs culture in Sarny (Poland). Doświadczaln. Roln. (Exper. Agr.) Warszawa 7(1): 36-46. 1931.

Polish with English summary.

Ernähr. Pflanze (Berlin) (57.8Er6)

Wiese,

Ist kali ein mittel gegen getreiderost? Ernähr. Pflanze 28: 362-363. O.15, 1932. no.20.

Flor. Rev. (Chicago) (80W41)

Hubbell, D. S.

Root growth affected by pots. (cont.) Flor. Rev. 71(1821): 23-25. illus. O.20, 1932.

For. Leaves (99.8F763)

May, R. M.

Blister rust threatens white pine in Penn's woods. For. Leaves 23: 121-123. 2 pl. O. 1932. no.8.

Gard. Chron. (London) (80G162)

Bunyard, E. A.

The early history of the sweet pea. Gard. Chron. III, 92: 284-285. illus. O.15, 1932. no.2390.

Comber, H. F.

The Tasmanian species of Coprosma. Gard. Chron. III, 92: 283. illus. O.15, 1932. no.2390.

Crane, M. B.

The chromosome constitution and pollenation of apples. Gard. Chron. III, 92: 309-310. O.22, 1932. no.2391.

Darnell, A. W.

The genus Androsace. (cont.) Gard. Chron. III, 92: 307. O.22, 1932. no.2391.

Friend, H.

Corsican plant lore. XVIII. Nuts and edible seeds. Gard. Chron. III, 92: 303-304. O.22, 1932. no.2391.

Gard. Chron. (cont.)

Grove, A.

Hybrid lilies. V.L. sulphurgale, L. princeps and other hybrid lilies of the Eulirion group. Gard. Chron. III, 92: 300-301. O.22, 1932. no.2391.

Ward, F.K.

Mr. F. Kingdon Ward's eleventh expedition in Asia. XV. Life and work at the base. Gard.Chron. III,92: 302-303. illus. O.22, 1932, no.2391.

Ware, W. M.

High temperature injury on the growing apple. Gard. Chron. III, 92: 287-288. illus. O.15, 1932. no.2390.

Weston, T. A.

Lilium testaceum. Gard. Chron. III, 92: 300. O.22, 1932. no.2391.

Gartenfl. (Berlin) (80G19)

Buchholz, V.

Der "fächerblattbaum" Ginkgo biloba L. als strassenbaum. Gartenfl. 81: 241-244. illus. O. 1932.

Genetics (442.8G28)

Lammerts, W. E.

Inheritance of monosomics in Nicotiana rustica. Genetics 17: 689-696. illus. N.1932. no.6.

McCray, F. A.

Compatibility of certain Nicotiana species. Genetics 17: 621-636. illus. N.1932. no.6.

McCray, F. A.

A partially fertile triple species hybrid in Nicotiana. Genetics 17: 660-673. illus. N. 1932. no.6.

... (rustica x paniculata) x Langsdorffii...

Hoppe-Seyl. Zeitschr. Phys. Chem. (Berlin) (384Z38)

Euler, H.v., Burström, D., Hellström, H. & Köhler, B.v.

Entwicklungschemische studien an chlorophyllmutaten der gerste. Hoppe-Seyl. Zeitschr. Phys. Chem. 212: 53-60. illus. O.11, 1932. no.1/2.

Hoppe-Seyl. Zeitschr. Phys. Chem. (cont.)
Hirohata, R.
Ueber die globuline einiger cucurbitaceensamen. Hoppe-Seyl. Zeitschr. Phys. Chem. 212: 1-6. O.11, 1932. no.1/2.

Indian For. (Dehra Dun) (99.8In2)
Trimurti, N.
Study of spectrum in the choice of species for underplanting. Indian For. 58: 567-570. O. 1932. no.10.

Indian Journ. Agr. Sci. (Calcutta) (22Ag83I)
Akhtar, A. R.
Studies in Indian Brassicae. I. Sterility and selective pollen tube growth. Indian Journ. Agr. Sci. 2: 280-292. illus., pl. xxiii. Je.1932. no.3.

Ayyangar, G.N. Rangaswami & others.
The inheritance of characters in ragi, Eleusine coracana (Gaertn.). VI. Earhead shapes. Indian Journ. Agr. Sci. 2:254-265. pl.xvii-xix. Je. 1932. no.3.

Ayyangar, G. N. Rangaswami & Ayyar, M. A. S.
Inheritance of characters in sorhgum. I. Chlorophyll deficiencies. Indian Journ. Agr. Sci. 2: 266-270. pl. xx-xxi. Je.1932. no.3.

Dharmarajulu, K.
A study of the pathological anatomy of the cotton plant in connection with the wilt disease. Indian Journ. Agr. Sci. 2: 293-313. illus., pl. xxiv-xxv. Je.1932. no.3.

Mitra, S. K., & Ganguli, P.M.
Some observations on the characters of wild rice hybrids. Indian Journ. Agr. Sci. 2: 271-279. pl.xxii. Je. 1932. no.3.
Oryza sativa var. fatua.

Indische Cult. (Soerbaja) (26In2)
Poel, J. van der.
Moeilijkhedan op tabaks-zaadbedden. B. Invloed van de bovenlaag van het zaadbed op de kieming van tabakszaad. (cont.). Indische Cult. 17: 437-441. S.16, 1932. no.18.

Journ. Agr. Res. (Washington, D. C.) (1Ag84J)

Briggs, F. N.

Inheritance of resistance to bunt, Tilletia tritici, in hybrids of White Federation and Odessa wheat. Journ. Agr. Res. 45: 501-505. O.15, 1932(Recd O.26) no.8.

Cotter, R. U. & Levine. M. N.

Physiologic specialization in Puccinia graminis secalis. Journ. Agr. Res. 45: 297-315. illus. S.1, 1932(Recd O.26) no.5.

Miller, E. V. & Brooks, C.

Effect of carbon dioxide content of storage atmosphere on carbohydrate transformation in certain fruits and vegetables. Journ. Agr. Res. 45: 449-459. O.15, 1932(Recd O.26) no.8.

Rodenhiser, H. A.

Heterothallism and hybridization in Sphacelotheca sorghi and S. cruenta. Journ. Agr. Res. 45: 287-296. 3 pl. on 2. S.1, 1932(Recd O.26) no.5.

Wellman, F. L.

Rhizoctonia bottom rot and head rot of cabbage. Journ. Agr. Res. 45: 461-469. illus. O.15, 1932(Recd O.26) no.8.

Journ. & Proc. Roy. Soc. N.S.W. (Sydney) (514Sy24)

Cheel, E.

Notes on the Pericalymmae section of the genus Leptospermum (with descriptions of three new species). Journ. & Proc. Roy. Soc. N.S.W. 65: 194-206. Ap.6, 1932. no.2.

L. semibaccatum, L. sphaerocarpum, L. trivalvum, n.spp.

Cheel, E. & Welch, M.B.

An undescribed species of wattle. Acacia filicifolia. Journ. & Proc. Roy. Soc. N.S.W. 65: 232-234. pl.vii-viii. Ap.6, 1932. no.2.

Earl, J.C. & Reynolds, T. M.

The celluloses of two water plants, Ottelia ovalifolia (Richard) and Eichornia crassipes (Solms) Journ. & Proc. Roy. Soc. N.S.W. 65: 75-79. 1931 (Recd N. 1932). no.1.

Journ. & Proc. Roy. Soc. N.S.W. (cont.)

Finnemore, H. & Cox, C.B.

The amount of hydrocyanic acid in sorghum, sudan grass and some hybrids. Journ. & Proc. Roy. Soc. N.S.W. 65: 145-152. Ap.6, 1932. no.2.

Morrison, F. R.

A contribution to the chemistry of the fruit obtained from the white cedar tree (Melia azedarach, L. var. australasica C.DC.; Syn. Melia australasica, A. Juss.) growing in New South Wales, with notes on its reputed toxicity. Journ. & Proc. Roy. Soc. N.S.W. 65: 153-177. Ap.6, 1932, no.2.

Penfold, A. R.

The essential oil of Leptospermum liversidgei, variety B., and the occurrence of isopulegol. Journ. & Proc. Roy. Soc. N.S.W. 65: 185-193. Ap.6, 1932. no.2.

Welch, M. B. & Others.

Notes on wattle barks. III. Journ. & Proc. Roy. Soc. N.S.W. 65: 207-231. Ap.6, 1932. no.2.

Journ. Arnold Arb. (Cambridge, Mass.) (451Ar6J)

Dermen, H.

Cytological studies of Cornus. Journ. Arnold Arb. 13:410-416. pl.53. O.1932. no.4.

Howard, F. L. & Currie, M. E.

Parasitism of myxomycete plasmodia on fungous mycelia. Journ. Arnold Arb. 13: 438-447. pl.54. O. 1932. no.4.

Palmer, E. J.

Leaves from a collector's note book. Journ. Arnold Arb. 13: 417-437. illus. O.1932. no.4.

Fraxinus profunda ashei var. nov., Crataegus leonensis sp.nov. & other species described from Florida, Alabama, Mississippi, Missouri and Oklahoma.

Rehder, A. & Kobuski, C. E.

Enumeration of the ligneous plants collected by J.F. Rock on the Arnold Arboretum expedition to northwestern China and northeastern Tibet (Additions and continuation.) Journ. Arnold Arb. 13: 385-409. O.1932. no.4.

Journ. Bot. (London) (450J82)

Alston, A.H.G.

Notes on Selaginella. III. Notes on South American species. Journ. Bot. 70: 281-282. O.1932. no.838.

Selaginella valida, S. rosea, S. delicatula, n.spp.

Drabble, E.

The genus Crepis in Great Britain. Journ. Bot. 70: 274-281. O.1932. no.838.

Novitates africanae. (cont.) Journ. Bot. 70: 282-287. O.1932. no.838.

Taylor, G.

Notes on Labiatae. I. The genus Fuerstia T.C.E. Fr. Journ. Bot. 70: 269-274. O.1932. no.838.

Journ. Dept. Agr. Porto Rico (Rio Piedras) (8P832J)

Chardon, C. E.

New or interesting tropical American Dothideales III. Journ. Dept. Agr. Porto Rico 16: 167-192. pl. xiv-xvi. Ap.1932. no.2.

Cook, M. T.

Marasmius sacchari; a parasite on sugar cane. Journ. Dept. Agr. Porto Rico 16: 213-226. pl. xix-xxiii. Ap.1932. no.2.

Cook, M. T.

Thielaviopsis paradoxa; an important disease of sugar cane. Journ. Dept. Agr. Porto Rico 16: 205-211. Ap.1932. no.2.

Guiscafré, J. R.

The brown rot fungus in Puerto Rico. Journ. Dept. Agr. Porto Rico 16: 193-202. pl. xvii-xviii. Ap.1932. no.2.

Phytophthora citrophora.

Nolla, J. A. B.

The damping off of tobacco and its control in Puerto Rico. Journ. Dept. Agr. Porto Rico 16: 203-204. Ap.1932. no.2.

Journ. Dept. Agr. Victoria (Melbourne) (23V66J)

Adam, D. B.

Potato disease control. Effects of "seed" treatment. Journ. Dept. Agr. Victoria 30: 455-461. illus. S.1932. no.9.

Barnard, C., & Read, F. M.

Studies of growth and fruit bud formation. II. A year's observations on Victorian pears. Journ. Dept. Agr. Victoria 30: 463-468. illus. S.1932. no.9.

Journ. Elisha Mitchell Sci. Soc. (Chapel Hill, N.C.) (500E14)

Coker, W.C. & Totten, H. R.

Notes on extended ranges of plants in North Carolina. Journ. Elisha Mitchell Sci. Soc. 48: 138-140. O.1932. no.1.

Coker, W.C., Holmes, J. S. & Korstian, C. F.

William Willard Ashe. Journ. Elisha Mitchell Sci. Soc. 48: 40-47. O.1932. no.1.

Hall, E. H.

Some preliminary notes on the ecology of the upland communities in the vicinity of Greensboro. Journ. Elisha Mitchell Sci. Soc. 48: 123-124. O.1932. no.1.

Mathews, A. C.

The seed development in Pinus palustris. Journ. Elisha Mitchell Sci. Soc. 48: 101-118. pl.6-12. O. 1932. no.1.

Scholz, R.

Microchemical studies of the changes during vernal activity in Ginkgo biloba. Journ. Elisha Mitchell Sci. Soc. 48: 133-137. O.1932. no.1.

Williams, H. F.

Absorption of water by the leaves of common mesophytes. Journ. Elisha Mitchell Sci. Soc. 48: 83-100. pl.4-5. O.1932. no.1.

Journ. Indian Chem. Soc. (Calcutta) (385In27)

Ghatak, N. & Kaul, R.

Chemical examination of the seeds of Abrus precatoruis, Linn. I- Journ. Indian Chem. Soc. 9: 383-387. Ag.1932. no.8.

Journ. Indian Chem. Soc. (cont.)

Malhotra, R. C.

Composition of kapok seeds. Journ. Indian Chem. Soc. 9: 413. Ag.1932. no.8.

Journ. Jamaica Agr. Soc. (Kingston) (8J823)

Smith, F. E. V.

Citrus scab. Journ. Jamaica Agr. Soc. 36: 500-502. O.1932. no.10.

Smith, F. E. V.

Panama disease of bananas. Journ. Jamaica Agr. Soc. 36: 506-508. O.1932. no.10.

Journ. Linn. Soc. Bot. (London) (451L64J)

Cockayne, L. & Sledge, W.A.

A study of the changes following the removal of subalpine forest in the vicinity of Arthur's Pass, Southern Alps, New Zealand. Journ. Linn. Soc. Bot. 49: 115-131. Pl. 20-21. S.30, 1932. no.327.

Pal, B.

Burmese Charophyta. Journ. Linn. Soc. Bot. 49: 47-92. illus., pl.8-18. S.30, 1932. no.327.

Pugsley, H. W.

Further notes on the genera Fumaria and Rupicapnos. II. Journ. Linn. Soc. Bot. 49: 93-113. pl.19. S.30, 1932. no.327.

Journ. Pharm. Soc. Japan. (J396.9P49)

Hachiya, T. & Nishimura, J.

Action of some aromatic sulphocompounds upon pathogenic fungi. Journ. Pharm. Soc. Japan. 52: 89-91. S.1932. no.607.

Journ. Sapporo Soc. Agr. & For. (J22.5So1)

Shimada, S.

Size of the cells of the bakanae seedlings. Journ. Sapporo Soc. Agr. & For. 24: 170-178. S.1932. no.109.

Japanese with English résumé.

Journ. Soc. Trop. Agr. Japan (Taiwan) (26So13)

Hosokawa, T.

Notulae leguminosarum ex Asiae-orientale. I- Journ. Soc. Trop. Agr. Japan 4: 197-202. Je.1932. no.2.

Cassia garambiensis, Indigofera ramulosissima, I. byobiensis, n.spp.

Journ. Soc. Trop. Agr. Japan. (cont.)

Kanehira, R. & Sasaki, S.
An enumeration of Formosan trees in the Taihoku herbarium. II. Journ. Soc. Trop. Agr. Japan. 4: 182-186. Je.1932. no.2.

Masamune, G., Kamikoti, S., Suzuki-Tokio & Fukuyama, N.
Étude des types biologiques de Raunkiaer dans la flore autour de Garanbi. Journ. Soc. Trop. Agr. Japan 4: 204-212. Je.1932. no.2.

Masamune, G.
Symbolae florae Australi-Japonicae I. Journ. Soc. Trop. Agr. Japan 4: 191-196. Je.1932. no.2.

Matsumoto, T., and Somazawa, K.
Immunological studies of mosaic diseases. II. Distribution of antigenic substance of tobacco mosaic in different parts of host plants. Journ. Soc. Trop. Agr. Japan 4: 161-167. Je.1932. no.2.

Nakamura, M.
Daily changes in the occurrence of the imperfect pollen grains in Impatiens balsamina Linn. Journ. Soc. Trop. Agr. Japan. 4: 149-160. illus. Je.1932. no.2.

Yamamoto, Y.
Observationes ad floram Formosanan III. Journ. Soc. Trop. Agr. Japan 4: 187-190. illus. Je.1932. no.2.

Landbouwk. Tijdschr. Maandbl. Nederl. Genootsch. Landbouwwetensch. (Amsterdam) (105.20r3)

Laar, J.H.H. van de.
Het kweeken van voor zeikten onvatbare rassen. Landbouwk. Tijdschr. Maandbl. Nederl. Genootsch. Landbouwwetensch. 44: 515-523. Ag./S. 1932. no.536/537.

Roodenburg, J.W.M.
Electrisch licht als hulpmiddel bij het kweeken van planten in den winter. Landbouwk. Tijdschr. Maandbl. Nederl. Genootsch. Landbouwwetensch. 44: 493-501. illus. Ag./S. 1932. no.536/537.

Landw. Jahrb. Schweiz. (Bern) (17L23)

Neuweiler, E.

Der kartoffelkrebs in der Schweiz. Landw. Jahrb. Schweiz 46: 680-688. map. 1932. no.5.

Wiesmann, R.

Untersuchungen über die ueberwinterung des apfelschorfpilzes Fusicladium dendriticum (Wallr.) Fckl. im toten blatt sowie die ausbreitung der sommersporen (konidien) des apfelschorfpilzes. Landw. Jahrb. Schweiz 46: 621-679. illus. 1932. no.5.

Meded. Inst. Suikerbeit. (Bergen op Zoom) (66.9B45)

Brandenburg, E.

Eenige gevallen van physiologische ziekten der bieten. I. Meded. Inst. Suikerbiet. 1: 89-128. 2 pl. Jl.1931. no.4.

Missouri Bot. Gard. Bull. (St. Louis) (89M69B)

Ulrich, A.

Bulbous plants for St. Louis. Missouri Bot. Gard. Bull. 20: 111-128. pl.37-42. O.1932. no.8.

Mitt. K. Naturw. Inst. Sofia. (410.9So2)

Andres, H.

Herbarstudien zur bulgarischen flora. I. Pirolaceae. Mitt. K. Naturw. Inst. Sofia 4: 61-64. 1931.

Stefanov, B.

Notes supplémentaires pour l'etude du chenes roburoides de Strandja Planina (Bulgarie du sud-est). Mitt. K. Naturw. Inst. Sofia 4: 65-77. illus. 1931.

Stojanov, N.

Kritische studien und kleine mitteilungen aus dem herbar des Königlichen naturhistorischen museum in Sofia III. Mitt. K. Naturw. Inst. Sofia. 4: 139-156. illus, 1931.

Mycologia (450M99)

Carpenter, E. I.

The viability of cultures of Rhizopus nigricans. Mycologia 24: 512-514. N./D. 1932. no.6.

Mycologia (cont.)

Höhnk, W.
A new parasitic Pythium. Mycologia 24: 489-507. illus., pl.20. N./D. 1932. no.6.
P. epigynum, s.sp.

Jenkins, A.E. & White, R.P.
Identification of Diaporthe umbrina on rose from England. Mycologia 24: 485-488. pl.18-19. N./D. 1932. no.6.

Lohman, M.L.
Three new species of Mytilidion in the proposed subgenus, Lophiopsis. Mycologia 24: 477-484. illus., pl.17. N./D.1932. no.6.
M. scolecosporum, M. parvulum, M. australe.

Martin, G. W.
The genus Protodontia. Mycologia 24: 508-511. illus. N./D. 1932. no.6.

Whetzel, H.H. & Drayton, F.L.
A new species of Botrytis on rhizomatous iris. Mycologia 24: 469-476. illus., pl.15-16. N./D. 1932. no.6.
B. convoluta.

Nat. Hort. Mag. (Washington, D.C.) (81N219)

Averett, M. J.
Color again. Nat. Hort. Mag. 11: 336, 338. O. 1932. no.4.

DeBevoise, F.
Saxifraga notes. III. Nat. Hort. Mag. 11: 296-302. illus. O.1932. no.4.

Ryerson, K. A.
The cherimoya - An Inca fruit of distinction. Nat. Hort. Mag. 11: 269-272. illus. O.1932. no.4.

Skeels, H. C.
Foreign seeds. Nat. Hort. Mag. 11: 308-311. 5 pl. on 3. O. 1932. no.4.

Slavin, A. D.
Our deciduous conifers. Nat. Hort. Mag. 11: 261-269. illus. O.1932. no.4.

Nature (London) (472N21)
Prof. Karl E. ritter von Goebel. Nature 130: 572. O.15,1932. no. 3285.
Notice of death.

Naturwissensch. (Berlin) (474N213)
Stoll, A. & Wiedemann, E.
Ueber die kernstruktur des chlorophylls und seine katalytische hydrierung. Naturwissensch. 20: 791-792. O.21, 1932. no.43.

New Zeal. Journ. Agr. (Wellington) (23N48J)
Chamberlain, E. E.
Tomato leaf-mould (Cladosporium fulvum) New Zeal. Journ. Agr. 45: 136-142. illus. S.20, 1932. no.3.

Obst- u. Gemüseb. (Berlin) (80P7750)
Kraatz, W. H.
Formalingas zur bekämpfung der erkrankung von früchten auf dem lager. Obst- u. Gemüseb. 78: 160-161. O.15,1932. no.10.

Rupprecht, G.
Schwefelnebel gegen die braunfleckenkrankheit der tomaten. Obst- u. Gemüseb. 78: 160. O.15, 1932. no.10.

Peanut Journ. & Nut World. (Suffolk) (77.8P313)
Zschokke, T. C.
The kukui oil of Hawaiian Islands. Peanut Journ. & Nut World. 12: 15, 23, 36. illus. N.7,1932. no.1.
Obtained from Aleurites moluccana.

Pharm. Journ. (London) (396.8P49)
Wallis, T. E.
New vegetable drugs. Pharm. Journ. 129(IV, 75): 327-328, 351-352. illus. O.15,22, 1932. no.3598-3599.
Agar, ispaghula and psyllium, harmal seeds, Digitalis leaves, Ephedra and thyme, Kurchi bark, Mowrah seeds and Derris root.

Philipp. Journ. Sci. (Manila) (475P53)
Humphrey, C.J. & Leus-Palo, S.
Studies and illustrations in the Polyporaceae, III. Supplementary notes on the Ganoderma applanatum group. Philipp. Journ. Sci. 49: 159-184. 12 pl. O.1932. no.2.

Philipp. Journ. Sci. (cont.)

Lam, H. J.
A monotypic plant order new to the Philippine flora. Philipp. Journ. Sci. 49: 143-146. O.1932. no.2.
Sarcosperma paniculatum (Discocalyx macrocarpa Elmer, Apoia macrocarpa (Elm.) Merrill) belonging to the Sapotaceae.

Mendoza, J. M.
New or noteworthy fungi, II. Philipp. Journ. Sci. 49: 185-196. 10 pl. O.1932. no.2.

Quisumbing, E.
Teratology of Philippine orchids. Philipp. Journ. Sci. 49:137-139. 3 pl. O.1932. no.2.

Skvortzow, B. W.
Desmids from Korea, Japan. Philipp. Journ. Sci. 49: 147-158. 5 pl. O.1932. no.2.

Phosphorsäure (57.8P562)

Pollinger, T.
Die bedeutung der phosphorsäure im pflanzenschutzdienst. Phosphorsäure 2: 355-372. 1932. no.5/6.
Bekampfung pflanzlicher schädlinge: p.362-365.
Bodenreaktion und pflanzenkrankheiten: p.365-370.

Planta Arch. Wiss. Bot. (Berlin) (450P693)

Talts, J.
Zur kenntnis der klinostatenwirkung. I-II. Planta Arch. Wiss. Bot. 16: 178-194. F.12,1932; 17: 590-611. illus. S.6,1932.
I. Einfluss der rotationsgeschwindigkeit auf die geotropische erregbarketi der keimwurzeln von Lupinus albus. II. Einfluss der rotationsgeschwindigkeit auf die grösse der geotropischen krummungen der keimwurzeln von Lupinus albus.

Proc. Nat. Acad. Sci. (500N21P)

Emerson, S.
Chromosome rings in Oenothera, Drosophila and maize. Proc. Nat. Acad. Sci. 18:630-632. O. 1932. no.10.

Rep. Bot. Soc. &Exch. Club Brit. Isles. (451B653)

Britton, C. E.
The naturalised and alien asters of the British plant list, ed. II. Rep. Bot. Soc. & Exch. Club Brit. Isles 9(1931): 710-718. S.1932. no.5.

Rep. Bot. Soc. & Exch. Club Brit. Isles. (cont.)

Chase, C. D.

Botanising in Sicily. Rep. Bot. Soc. & Exch. Club Brit. Isles. 9(1931): 801-803. S. 1932. no.5.

Corstorphine, M.

Roses in Angus. Rep. Bot. Soc. & Exch. Club. Brit. Isles 9(1931): 695-709. S.1932. no.5.

Dahlstedt, H.

New British species of Taraxaca. In Dalgleish, J. G. Plant notes... for 1931. Rep. Bot. Soc. & Exch. Club Brit. Isles 9: 562-566. S.1932. no.5.

Doctor George Claridge Druce. Rep. Bot. Soc. & Exch. Club Brit. Isles 9(1931): 549-551. port. (Pl.5) S.1932. no.5.

Drabble, E. & Long, J. W.

A list of plants from the Isle of Wight. Rep. Bot. Soc. Exch. Club Brit. Isles 9(1931): 734-757. S. 1932. no.5.

Fraser, J.

Some planted or cultivated willows. Rep. Bot. Soc. & Exch. Club Brit. Isles 9(1931): 719-723. S. 1932. no.5.

Hall, P. M.

Notes on British Orchidaceae. Rep. Bot. Soc. & Exch. Club Brit. Isles 9(1931): 724-725. S.1932. no.5.

Jaquet, F.

A new Alchemilla for the British Isles. Rep. Bot. Soc. & Exch. Club Brit. Isles 9(1931): 726-727. S. 1932. no.5.

A. controversa.

Johnston, H. H.

Additions to the flora of Orkney. As recorded in Watson's Topographical botany, second edition (1883). Rep. Bot. Soc. & Exch. Club Brit. Isles 9(1931): 728-733. S.1932. no.5.

Rep. Bot. Soc. & Exch. Club Brit. Isles (cont.)

Lindquist, B.

Investigation into north-west European Juncus alpinus forms. Rep. Bot. Soc. & Exch. Club Brit. Isles 9(1931): 769-784. pl.6-13. S. 1932. no.5.

Lindquist, B.

Two varieties of north-west European Ulmus glabra Hudson. Rep. Bot. Soc. & Exch. Club Brit. Isles 9(1931): 785. pl.14-16. S.1932. no.5.

Var. scabra, var. montana.

Publications by George Claridge Druce. Rep. Bot. Soc. & Exch. Club Brit. Isles 9(1931): 804-814. S. 1932. no.5.

Trethewy, A. W.

A visit to Morocco, 1931. Rep. Bot. Soc. & Exch. Club Brit. Isles 9(1931): 793-800. S.1932. no.5.

Watson, W.

Some British Rubi, new and old. Rep. Bot. Soc. & Exch. Club Brit. Isles 9(1931): 761-768. S. 1932. no.5.

R.hirtior n.sp., R. radula cantiana n.var.

Rep. Rothamsted Exp. Stat. (103R47Ga)

Glynne, M. D.

Fungus diseases of crops on experimental plots at Rothamsted and Woburn, 1931. Rep. Rothamsted Exp. Stat. 1931: 49-52. [1932]

Science (470Sci2)

Blunt, G. M.

The structure of chromosomes of Zea mays as revealed by the Feulgen reaction. Science 76:372. O.21, 1932. no.1973.

Link, K. P.

Crystalline d-mannuronic acid. Science 76: 386. O.28, 1932. no.1974.

Obtained by decomposing barium d-mannuronate, prepared from algin of Macrocystic pyrifera and Fucus serratus...

A new variety of beet. Science suppl. v.76, p. 8. O.21,1932. no.1973.

U.S. no. 1.

Science (cont.)
Wellman, F. L.
Celery mosaic control in Florida by eradication of the wild host Commelina nudiflora. Science 76: 390-391. O.28, 1932. no.1974.

Sci. Bull. Dept. Agr. N.S.W. (23N47S)
Wenholz, H.
Plant breeding in New South Wales. 5th year of progress, 1930-31. Sci. Bull. Dept. Agr., N.S.W. no.39. 51 p. illus. Mr.1932.

Sci. Papers Inst. Phys. & Chem. Res. (Tokyo) (513T577)
Yamamoto, R., Osima, Y. & Goma, T.
Carotin in mango fruit (Magnifera indica Lin.) Sci. Papers Inst. Phys. & Chem. Res. (Tokyo) 19: 122-126. O.1932. no.384/392.

Yamamoto, R. & Muraoka, T.
The catechin in the fruit of Areca catechu Lin. Sci. Papers Inst. Phys. & Chem. Res. (Tokyo) 19: 142-143. O.1932.no.384/392.

Yamamoto, R., Osima, Y. & Goma, T.
On the organic acids in the fruits of Ceylon olive (Elaeocarpus serratus Lin.) Sci. Papers Inst. Phys. & Chem. Res. (Tokyo) 19:133-133. O.1932. no.384/392.

Yamamoto, R. & Osima, Y.
On the red colouring matter of Hibiscus sabdariffa L. (A new glycoside hiviscin). Sci. Papers Inst. Phys. & Chem. Res. (Tokyo) 19:134-141. O. 1932. no.384/392.

Scient. Month. (470Sci23)
Bennett, H. H.
Relation of erosion to vegetative changes. Scient. Month. 35: 385-415. illus. N.1932. no.5.

Scott. For. Jour. (99.7R81T)
Gregor, M. J. F.
The possible utilisation of disease as a factor in bracken control. Scott. For. Journ. 46: 52-59. illus. Mr.1932. no.1.

Scott. Journ. Agr. (Edinburgh) (10Sco82So)
O'Brien, D. G. & Dennis, R. W. G.
Further experiments on leaf stripe of oats. Scott. Journ. Agr. 15: 406-410. illus., pl. i. O.1932. no.4.

Scott. Journ. Agr. (cont.)

Skilbeck, D. & Coles, H. G.

Weed control by sulphuric acid spraying in France. Scott. Journ. Agr. 15: 410-414. O. 1932. no.4.

Tropenpfl. (Berlin) (26T75)

Becze, G.von

Ueber die haltbarmachung der bananen während des transportes und während der reifung. Tropenpfl. 35: 419-424. O.1932. no.10.

Die Umschau (Frankfurt) (474Um7)

Hennig, Br.

Der grüne knollenblatterpilz. Unser gefährlichster giftpilz. Die Umschau 36: 813-814. illus. O.8, 1932. no.41.

K. Svenska Vetenskapsakad. Arsbok (502St6A)

Halle, T. G.

Jakob Eriksson. K. Svenska Vetenskapsakad. Arsbok 1932: 237-247. port. (pl.1)

Skottsberg, C.

Hans Oscar Juel. K. Svenska Vetenskapsakad. Arsbok 1932: 273-287. port. (pl.3.)

Förteckning över skrifter utgivna av Oscar Juel: p.284-287.

U.S. Dept. Agr. Circ. (1Ag84C)

Stevens, N.E. & Nance, N. W.

Spoilage of tomatoes in transit, as shown by inspection certificates, 1922 to 1930. U.S. Dept. Agr. Circ. 245. 4 p. O.1932.

U. S. Dept. Agr. Plant Dis. Rep. (1.9P69P)

Miller, P. R.

Apple rust survey. U.S. Dept.Agr. Plant Dis. Rep. 16:158-163. map. O.15, 1932. no.15.

Rankin, W. H. & Cooley, L. M.

Virus diseases in an intensive raspberry section in New York. U.S. Dept. Agr. Plant Dis. Rep. 16; 156-157. O.15, 1932. no.15.

U. S. Dept. Agr. (misc. mimeogr. publ.)

Swingle, W.T. & Robinson, T.R.

Acid citrus fruits suited to Florida and the Gulf Coast region. Washington, D. C., S.1932. (1.9P772Ac)

Mimeographed publication from Bur. of Plant Industry.

U.S. Dept. Agr. (misc. mineogr. publ.) (cont.)

Weiss, F.

The mosaic disease of bulbous iris. Washington, D. C., S.1932. (1.9P772Mo)

Mimeographed publication from Bur. of plant industry.

Watson's Micros. Rec. (London) (440.3W33)

Brown, N. E.

The structure of diatoms. Watson's Micros. Rec. 27: 12-14. S.1932.

Jane, F. W.

The microscopic examination of woody material. Watson's Micros. Rec. 27: 3-6. illus. S.1932.

Zeitschr. Indukt. Abstamm. u. Vererbungsl. (Leipzig) (442.8Z34)

Haupt, G.

Beiträge zur zytologie der gattung Marchantia (L.) Zeitschr. Indukt. Abstamm. u. Vererbungsl. 62: 367-428. illus., pl. i. 1932. no.4.

Gruber, F.

Ueber die verträlichkeitsverhältnisse bei einigen selbststerilen wildsippen von Antirrhinum und über eine selbstfertile mutante. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 62: 429-462. illus. 1932. no.4.

Gruber, F. & Kühl. O.

Untersuchungen über selbststerilität bei Antirrhinum und über koppelung der sterilitätsallele mit dem factor für radiare blütenform. Zeitschr. Indukt. Abstamm. u. Vererbungsl. 62: 463-503. illus. 1932. no.4.

Zeitschr. Pflanzenernähr. Düng. u. Bodenk. A, Wiss. Teil. (Leipzig) (384Z343A)

Blattný, C.

Zur diskoloration der haferblätter infolge magnesiummangels. Zeitschr. Pflanzenernähr. Düng. u. Bodenk. A. Wiss. Teil 26: 216-218. illus. 1932. no.3/4.

Zentralbl. Bakt. Abt.II. (Jena) (448.3C33)

Roberg, M.

Zur frage nach der assimilation des molekularen stickstoffs durch aspergilleen. Zentralbl. Bakt. Abt.II. 86: 466-479. O.7, 1932. no.19/26.

Exper. Stat. Publ.

McCormick, F. A.

A microchemical study of the seed of Nicotiana tabacum. In Vickery, H.B. Chemical investigations of the tobacco plant. III. Tobacco seed. Conn. Agr. Exp. Stat. Bull. 339: 646-651. pl.18-19. Je.1932. (100C76St)

Gardner, F. E.

The vegetative propagation of plants. Maryland Agr. Exp. Stat. Bull. 335: 79-111. illus. Je. 1932(Rec'd O.) (100M36S)

Bennett, C. W.

Further observations and experiments with mosaic diseases of raspberries, blackberries, and dewberries. Michigan Agr. Exp. Stat. Tech. Bull. 125. 32 p. illus. Ag. 1932. (100M58S)

Bolley, H. L. & Manns, T. F.

Fungi of flaxseed and of flax-sick soil. North Dakota Agr. Exp. Stat. Bull. 259. 57 p. illus. Je. 1932. (100N813)

Fusarium russianum, F. terrestris, Colletotrichum lini, n. spp.

Bouquet, A.G.B. & McWhorter, F.P.

Suggestions for the control of leaf-mold disease of tomatoes. Oregon Agr. Exp. Stat. Circ. Inform. no.73. 4 p. S.1932. (100Or3C)

Mimeographed.

Sprague, R.

The Columbia Basin foot rot in winter wheat. Oregon Agr. Exp. Stat. Circ. Inform. no.74. 6 p. O. 1932. (100Or3C)

Mimeographed.

Drain, B. D.

The McClintock strawberry. Tenn. Agr. Exp. Stat. Bull. 146. 8 p. illus. S.1932(Rec'd O.) (100T25S)

Kadow, K. J. & Jones, L. K.

Fusarium wilt of peas with special reference to dissemination. Washington Agr. Exp. Stat. Bull. 272. 30 p. illus. Jl.1932(Rec'd O.) (100W27E)

Morris, O. M.

Peach maturity at harvest as related to quality. Washington Agr. Exp. Stat. Bull. 266. 35 p. Jl. 1932(Rec'd O.) (100W27E)

New books.

Appel, O.
Taschenatlas der getreidekrankheiten. Berlin, P. Parey, 1931(Pareys Taschenatlanten 10)(464.02Ap4)

Arnaud, G. & Barthelet, J. J.
Les maladies. Congr. Comm. Poire de table 1., Angers, 1930. Paris, 1931. p.205-211. illus. (93C7636)

Bonnier, G.
Flore complète illustrée en couleurs de France ... Suisse et Belgique.... t.12, fasc.112, par. R. Douin. pl. 667-672. [1932] (f9459B64)
Grasses (cont.)

Campos Góes, O.
A doença da raiz da cana em Pernambuco. Recife, Pernambuco, 1932.
Separata do Boletim da Scretaría da agricultura.

Hawlitschka, E.
Die heterokonten-gattung Tribonema. Jena, G. Fischer, 1932(Pflanzenforschung hrsg. von Prof. dr. R.Kolkwitz... h.15).(563.3K83P)

Lwoff, A.
Recherches biochimiques sur la nutrition des protozoaires. Paris, Masson et Cie., 1932. (439.L99)

Maione, R.
Il cedro. Torino, &c., G. B. Paravia & C., 1931. (93M28)

Rowe, Mrs. W. S.
Living with our flowers through the four seasons of the year. Cincinnati, S. Kidd, 1932 (97R79)

Sansome, F. W. & Philp, J.
Recent advances in plant genetics. Philadelphia, P. Blakiston's sons & co., 1932. (463.2Sa5)
Inheritance in diploids. The chromosome theory of heredity. Constitution of the factor. Origin of polyploidy.

Zahlbruckner, A.
Catalogus lichenum univeralis bd.8, bog.31-39. (Schluss des bandes) Leipzig, Borntraeger, [1932.] (461.5Z1C)

Correstion.

v.14, no.6, p.28.
Planta, title under Plotnikowa, paging should be 174-177.

BOTANY

CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY.
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D.C.

LIBRARY
RECEIVED
★ DEC 8 - 1932 ★
U. S. Department of Agriculture

Vol. 14, no. 23. Nov. 7-19, 1932.

Agr. Engin. (St. Joseph, Mich.) (58.8Ag83)
Arthur, J. M.
Effects of artificial light on plant growth. Agr. Engin. 13: 288-291. illus. N.1932. no.11.

Agr. Gaz. N.S.W. (Sydney) (23N472)
Seddon, H. R.
Chenopodium carinatum. ("crested goosefoot" or "boggabri"). Poisonous to stock under certain circumstances. Agr. Gaz. N.S.W. 43:763-764. O.1, 1932. no.10.

Agr. Puertorriqueno (San Juan) (8Ag833)
Kuntz, P.R.
Resistencia relativa al matizado de cañas producidas en el país comparadas con las importadas. Agr. Puertorriqueno 12(18): 13-16. O.15, 1932. no.18.

Amer. Nat. (470Am36)
Campbell, D. H.
Recent contributions to plant evolution. Amer. Nat. 66: 481-510. illus. N./D. 1932. no.707.

Karper, R. E.
A dominant mutation of frequent recurrence in sorghum. Amer. Nat. 66: 511-529. illus. N./D. 1932. no.707.

MacArthur, J. W.
The distribution of genes among isometric chromosomes. Amer. Nat. 66:560-566. N./D.1932. no.707.

Ann. Missouri Bot. Gard. (St. Louis) (451 M69)
Child, M.
The genus Daldinia. Ann. Missouri Bot. Gard. 19: 429-480. illus., pl.26-33. N.1932. no.4.

Fuller, H. J.
Some effects of radiations from a mercury arc in quartz upon enzymes. Ann. Missouri Bot. Gard. 19: 505-531. illus. N.1932. no.4.

Ann. Missouri Bot. Gard. (cont.)

Mathias, M. E.

Studies in the Umbelliferae. IV. Ann. Missouri Bot. Gard. 19: 497-498. pl.34. N. 1932. no.4.

Moore, J. A.

A new species of Parmelia from Texas. Ann. Missouri Bot. Gard. 19:503-504. N.1932. no.4.

P. incorrupta.

Moore, M.

Coccidioidal granuloma: a classification of the causative agent, Coccidioides immitis. Ann. Missouri Bot. Gard. 19: 397-428. pl.25. N. 1932. no.4.

Coccidioidaceae fam.nov. (Coccidioides immitis Stiles, C. esferiformis (Canton) n.comb.)

Steyermark, J. A.

Some new spermatophytes from Texas. Ann. Missouri Bot. Gard. 19: 389-395. N.1932. no.4.

Cladothrix lanuginosa var. carnosa, n.var., Polygala rimulicola, Laphamia quinqueflora, Valeriana texana, n.spp.

Woodson, R. E., jr.

New or otherwise noteworthy Apocynaceae of tropical America. III. Ann. Missouri Bot. Gard. 19:375-387. N.1932. no.4.

Wynd, F. L.

An apparatus for the determination of carbon dioxide production in physiological plant studies. Ann. Missouri Bot. Gard. 19:499-501. illus. N.1932. no.4.

Arch. Inst. Gd.-Duc. Luxembourg. (503L97A)

Klein, E. J.

Ein neues vorkommen einer kalkfreundlichen pflanze im kalkarmen oesling und dessen deutung. Arch. Inst. Gd.-Duc. Luxembourg. n.s. 12: 38-43. illus. 1932.

Asplenium ruta-muraria.

Letellier, A.

Sur la relation entre le nombre de pétales et la place des fleurs chez Aquilegia vulgaris fl. pl. Arch. Inst. Gd.-Duc. Luxembourg n.s., 12: 1-11. 1932.

Arch. Pflanzenb. (Wiss. Arch. Landw. Abt.A) (Berlin) (18W76)

Hurwitz, S.

Einfluss der temperatur und aussaatzeit auf die entwicklung der wintergetreide. Arch. Pflanzenb. (Wiss. Arch. Landw. Abt. A) 9: 427-469. illus. O.11, 1932. no.3.

Krüger, K.

Beiträge zur physiologie der blattrollkrankheit der kartoffel. Arch. Pflanzenb. (Wiss. Arch. Landw. Abt.A) 9:496-524. illus. O.11,1932. no.3.

Arch. Protistenk. (Jena) (439.8Ar2)

Conrad, W. W.

Flagellates nouveaux ou peu connus. III. (Formes nouvelles du genre Trachelomonas Ehrgb.) Arch. Protistenk. 78: 463-472. illus. O.12,1932. no.2.

Lohwag, H.

Mykologische studien. VII. Mycenastrum coricum Desv., ein für Deutscheuropa neuer gastromycet. Arch. Protistenk. 78: 473-484. illus. O.12,1932. no.2.

Richards, O. W.

The second cycle and subsequent growth of a population of yeast. Arch. Protistenk. 78:263-301. illus. O.12,1932. no.2.

Bergcultures (Batavia, Java) (22.5B45)

Jong, J. K. de.

Bijdrage tot de anatomie van de theeplant. II. Bergcultures 6: 1057-1058. O.1,1932. no.40.

Boll. Ist. Sieroterapico Milan. (448.3M53)

Aichelburg, U.

Osservazioni sulle proprieta biochimiche di alcune specie di monilie. Boll. Ist. Sieroterapico Milan 11: 577-584. S.1932. no.9.

Brief English summary: p.583.

Bull. Agr. Congo Belge (Bruxelles) (24K83)

Lebrun, J.

Etudes botaniques dans le District de l'Ubangi. Bull. Agr. Congo Belge 23: 135-165. illus., map. Je. 1932 no.2.

Opsomer, J. E.

La culture du kapokier à Java avec quelques notes sur sa culture en d'autres regions. Bull. Agr. Congo Belge 23: 1-53, 166-204. illus. Mr.,Je.1932. no. 1, 2.

Bull. Agr. Congo Belge. (cont.)

Pynaert, L.

Arbres fruitiers remarquables à la Mission de Kisantu. Bull. Agr. Congo Belge 23: 258-264. illus. Je.1932 no.2.

1. Le pomelo à chair rouge. 2. La grande papaye du Mexique.

Pynaert, L.

Le sorgho. (cont.) Bull. Agr. Congo Belge 23: 92-104. illus. Mr.1932. no.1.

Steyaert, R. L.

Rapport d'inspection phytopathologique des cultures de la regie des plantations de la Colonie (rayon de Stanleyville). Bull. Agr. Congo Belge 23: 105-126. illus. Mr.1932(Recd N.) no.1.

Bull. Agr. Dept. Cyprus, Entomol. Ser. (423.9C99)

Morris, H. M.

Insect pests and fungus diseases of Cyprus and their control. Bull. Agr. Dept. Cyprus, Entomol. Ser. no.3. 56 p. illus. S.1932.

Fungus diseases and fungicides: p.43-50.

Bull. Bur. Amer. Ethnol. Smithson. Inst. (500Sm63B)

Conzemius, E.

Ethnographical survey of the Miskito and Sumu Indians of Honduras and Nicaragua. Bull. Bur. Amer. Ethnol. Smithson. Inst. no.106. 191 p. illus., 10 pl. on 5. 1932.

Notes on food plants, etc.

Bull. Cl. Sci. Acad. Roy. Belg. (Bruxelles) (504B83B)

Homes, M. V.

A propos de deux méthodes d'étude de la perméabilité cellulaire chez les végétaux. Bull. Cl. Sci. Acad. Roy. Belg. 18: 557-572. 1932. no.6.

Vandendries, R. & Martens, P.

Oïdies haploïdes sur mycélium diploïde chez "Pholiota aurivella" Batsch. Bull. Cl. Sci. Acad. Roy. Belg. 18: 468-472. illus. 1932. no.5.

Bull. Fan Mem. Inst. Biol. (442.9F21)

Hsu-Hu, H.

Rehderodendron, a new genus of Styracaceae from Szechuan. Bull. Fan Mem. Inst. Biol. 3: 77-79. 2 pl. Mr.18, 1932. no.5.

Bull. Misc. Inform. Kew. (London) (89K51B)

Bullock, A. A.

Canthium in British East Africa. Bull. Misc. Inform. Kew 1932. 353-389. illus. 1932. no.8.

Holland, J. H.

Oiticica (Licania rigida). Bull. Misc. Inform. Kew 1932: 406-411. 1932. no.8.

Pratt, C. A.

Researches on Silene maritima and S. vulgaris. X. Investigation of the vascular anatomy of the flowers of Silene maritima. Bull. Misc. Inform. Kew. 1932: 390-394. Illus. 1932. no.8.

Sandwith, N. Y.

Contributions to the flora of tropical America. XIV. Mora and Dimorphandra in British Guiana. Bull. Misc. Inform. Kew. 1932: 395-406. 1932. no.8.

Bull. Pop. Inform. Arnold Arb. (99.9Ar6B)

Anderson, E.

Growing oranges in Boston. Bull. Pop. Inform. Arnold Arb. III,6: 45-46. illus. N.5, 1932. no.12/13.

Poncirus trifoliata grown in Jamaica Plain.

Bull. Soc. Bot. France (Paris) (451F84B)

Benoist, R.

La phyllotaxie du Phyllactis rigida Pers. Bull. Soc. Bot. France 79: 490-491. S.28, 1932. no.5/6.

Chassagne, M.

Le genre Rosa en Auvergne. Essai sur sa systématique et son évolution. Bull. Soc. Bot. France 79: 419-473. illus. S.28,1932. no.5/6.

Cuénod, A.

Hypothèse relative à la place des monocotylédones dans la classification naturelle. Bull. Soc. Bot. France 79: 365-393. illus. S.28, 1932. no.5/6.

Dangeard, P.

Sur un Microspora symbiotique d'une éponge, Ficulina ficus (M. ficulinae sp.nov.) Bull. Soc. Bot. France 79: 491-494. illus. S.28,1932. no.5/6.

Deflandre, G.

Note sur les archaeomonadacées. Bull. Soc. Bot. France 79: 346-355. illus. S.28, 1932. no.5/6.

Bull. Soc. Bot. France. (cont.)

Deflandre, G.
Sur la systématique des silicoflagellés. Bull. Soc. Bot. France 79: 494-506. illus. S.28, 1932. no.5/6.

Genty, P.
A propos de la ballote à veilleuse (Ballota acetabulosa Benth.) Bull. Soc. Bot. France 79: 473-474. S.28,1932. no.5/6.

Genty, P.
Le gui (Viscum album L.) au jardin botanique de Dijon. Bull. Soc. Bot. France 79: 474-477. S.28, 1932. no.5/6.

Genty, P.
Sur un Ophrys arachnites Murr. anormal. Bull. Soc. Bot. France 79: 482-484. illus. S.28, 1932. no.5/6.

Genty, P.
Les truffes de Bourgogne. Bull. Soc. Bot. France. 79: 477-482. S.28, 1932. no.5/6.

Gillot, P. & Vigneron, J.
Variations et migrations de quelques glucides, dans les organes souterrains de l'Epilobium hirsutum L., au cours de la végétation annuelle. Bull. Soc. Bot. France 79: 355-363. illus. S.28, 1932. no.5/6.

Guillaumin, A.
Matériaux pour la flore de la Nouvelle-Calédonie XXIX-XXX Bull. Soc. Bot. France 79:321-335, 515-516. S.28, 1932. no.5/6.
XXIX. Révision des sapindacées. XXX. Révision des malpighiacees.
Podonephelium balansae, Cupaniopsis ? godefroyi, C. pennelii, C. sebertii, Ryssopteris gymnopoda, n.spp.

Guinochet, M.
Remarques sur les pelouses xérophiles de la cotière méridionale de la Dombes et de la plaine de l'est Lyonnais. Bull. Soc. Bot. France 79: 321-335. S.28, 1932. no.5/6.

Hédin, L.
Une asclépiadée à tubercule comestible de l'ouest africain: Asclepias lineolata Schlechter. Bull. Soc. Bot. France 79: 341-345. S.28, 1932. no.5/6.

Bull. Soc. Bot. France. (cont.)

Le Henaff, M. & Guy, R.

Sur la conservation, en milieu liquide, de la coloration des organes végétaux chlorophylliens. Bull. Soc. Bot. France 79: 506-508. S.28, 1932. no.5/6.

Lenoble, F.

Les végétations comparées de la Côte bourguignonne et de la Falaise occidentale du Jura. Bull. Soc. Bot. France 79: 409-415. S.28, 1932. no.5/6.

Loubière, A.

Sur deux bactériacées isolées d'un cancer végétant du sein. Bull. Soc. Bot. France 79: 363-365. S.28, 1932. no.5/6.

Moreau, F. & Moreau, Mmd.

Sur un lichen du genre Stereocaulon Schreb., le S. coralloides Fries. Bull. Soc. Bot. France 79: 508-515. illus. S.28,1932. no.5/6.

Pavillard, J.

Le Cytinus rubra dans l'Hérault. Bull. Soc. Bot. France 79: 415-416. S.28, 1932. no.5/6.

Bull. Soc. Chim. Biol. (Paris) (383Sol)

Mousseron, M. & Fauroux, P.

Le zinc dans les champignons. Bull. Soc. Chim. Biol. 14: 1235-1239. S/O. 1932. no.8.

Terroine, E. F. & Wurmser, R.

Sur l'énergie de croissance de l'Aspergillus niger. Bull. Soc. Chim. Biol. 14: 1163-1167. S./O. 1932. no.8.

Bull. Soc. Hist. Nat. Afr. Nord. (Alger) (410.9So125)

Fournier, M.

Sur la carpologie des Oenanthe nord-africains. Bull. Soc. Hist. Nat. Afr. Nord 23: 143-153. pl.xiv-xv. Jl.1932. no.7.

Maire, R.

Champignons nord-africains nouveaux ou peu connus. fasc.6. Bull. Soc. Hist. Nat. Afr. Nord. 23:223-224. Jl.1932. no.7.

Mycena peyerimhofii, n. sp.

Bull. Soc. Hist. Nat. Afr. Nord. (cont.)
Maire, R.
Contributions à l'étude de la flore de l'Afrique du Nord. fasc.19. Bull. Soc. Hist. Nat. Afr. Nord. 23:163-222. Jl.1932. no.7.

Bull. Torr. Club. (451T63B)
Amidei, T. P.
The anatomy of the leaf of Panicum palmifolium. Bull. Torr. Club. 59: 491-499. illus. N.1932. no.8.

Mann, M. L.
Calcium and magnesium requirements of Aspergillus niger. Bull. Torr. Club 59: 443-490. illus. N.1932. no.8.

Cactus (Mont St.Amand, Belg.) (450C112)
Van de Weghe, G.
Notes sur la classification des cactées. (suite) Cactus (Mont St.Amand,Belg.) 2(5):9-11. 0.1932.

Van de Weghe, G.
De vetplanten. Cactus (Mont St.Amand,Belg.) 2(5): 4-8. illus. 0.1932.

Cactus & Succ. Journ. (Los Angeles) (451C11)
Fosberg, F. R.
The study of the Cactaceae. Cactus & Succ. Journ. 4: 270-271. 0.1932. no.4.
Notes on collecting and preserving, also corrections and comments on notes in the Journal on California cacti.

Frick, G. A.
An American Euphorbia. Cactus & Succ. Journ. 4: 260-261. illus. 0.1932. no.4.
Eupedilanthus macrocarpus.

Walther, E.
Notes on Aloe. Cactus & Succ. Journ. 4: 262-263. illus. 0.1932.
A. confusa.

White, A. & Sloane, B. L.
The Stapelieae. 13. The miscellaneous groups. Cactus & Succ. Journ. 4: 258,264. illus. 0.1932. no.4.

Canad. Field Nat. (Ottawa) (410.90t8)
Mousley, H.
Further notes on the birds, orchids, ferns and butterflies of the Province of Quebec, 1931. Canad. Field Nat. 46: 171-173. N.1932. no.8.

Canad. Journ. Res. (Ottawa) (330.9C16C)
Lloyd, F. E.
Is the door of Utricularia an irritable mechanism? Canad. Journ. Res. 7: 383-425. illus., vi pl. O.1932. no.4.

Chacaras e Quintaes. (S. Paulo) (9.2C34)
Carneiro, J. G.
As molestias mais graves do abacateiro e seus tratamentos. Chacaras e Quintaes 46: 423-426. illus. O.15, 1932. no.4.

Citrus Riv. Camera Agrum. Messina (286.83M56)
Petri, L.
La lotta contro il mal secco dei limoni. Citrus Riv. Camera Agrum. Messina II,18: 268-271. S.1932. no.9.

Compt. Rend. Acad. Sci. Paris (505P11)
Chevalier, A. & Kilian, C.
Sur la presence du Silurien et d'une flore paleozoique entre le Kaouar et le Tibesti (Sahara oriental) Compt. Rend. Acad. Sci. Paris 195: 718-719. O.24, 1932. no.17.

Lesage, P.
Sur l'acquisition progressive de la précocité dans le Lepidium sativum. Compt. Rend. Acad. Sci. Paris 195: 719-721. O.24, 1932. no.17.

Contr. Arnold Arb. (451Ar6C)
Faull, J. H.
Taxonomy and geographical distribution of the genus Milesia. Contr. Arnold Arb. 2. 138 p. ix pl. 1932.

Country Life (London) (80C83)
Taylor, G. C.
Lilies and their allies. Country Life 72: 510-512. illus. N.5, 1932. no.1868.

Desert (Pasadena) (450D45)
Gibson, F.
Agave palmeri forms "hijos". Desert (Pasadena) 4: 75-76. illus. N.1932. no.7.

Higgins, E. B.
Acanthocereus pentagonus. Desert (Pasadena) 4: 80. illus. N.1932. no.7.

Desert (Pasadena) (cont.)

Johansen, D. A.
John Wynn Gillespie. Desert (Pasadena) 4: 79. port. N.1932. no.7.
Notice of death.

Johansen, D. A.
Stylophyllum attenuatum. Desert (Pasadena) 4: 76-77. illus. N.1932. no.7.

Ernähr. Pflanze (Berlin) (57.8Er6)

Arland, A.
Die beurteilung des düngerbedürfnisses des bodens nach dem transpirationsvermögen der pflanzen. Vorläufige mitteilung. Ernähr. Pflanze 28: 377-381. illus. N.1, 1932. no.21.

Stägmeyr, E.
Zur bekämpfung der blattrandkrankheit im obstbau. Ernähr. Pflanze 28: 382-384. illus. N.1, 1932. no.21.

Farming South Africa (Pretoria) (24So842)

Anderssen, F. G.
Chlorosis of deciduous fruit trees. Farming South Africa 7: 286-288. illus. 0.1932. no.79.

Doidge, E. M.
A wilt disease of cucurbits. Farming South Africa 7: 299-300. illus. 0.1932. no.79.
Fusarium javanicum v. theobromae.

Verwoerd, L.
Jonathan spot of apples. Farming South Africa 7: 276. illus. 0.1932. no.79.

Flor. Exch. (N.Y.) (80F666)

Darlington, H.
How growers can avoid gas injury losses. Flor. Exch. 80(20): 11. N.12, 1932. no.20.

Flor. Rev. (Chicago) (80W41)

Ball, G. J.
Why seed doesn't grow. Flor. Rev. 71(1823): 23-24, 59-60. illus. N.3, 1932. no.1823.

Gard. Chron. (London)

Comber, J.
Lilium wallichianum. Gard. Chron. III, 92: 324. 0.29, 1932. no.2392.

Darnell, A. W.
The genus Androsace. (cont.) Gard. Chron. III, 92: 325. 0.28,1932. no.2392.

Gard.Chron. (cont.)

McIntosh, T. P.
Potato notes. Gard. Chron. III,92: 328. O.29, 1932. no.2392.

Roberts, W.
"The Botanical keepsake", 1846. Gard. Chron. III, 92: 320. O.29, 1932. no.2392.

Weston, T. A.
Longevity of seeds. Gard. Chron. III, 92: 323-324. O.29, 1932. no.2392.

Gartenz. (Wien) (80W632)

Cammerloher, H.
Afrikanische sukkulenten. Gartenz. (Wien) 1932: 148-149. illus. O.1932. no.10.

Hadar (Jaffa) (80H11)

Reichert, I. & Hellinger, E.
Conditions affecting the appearance of Diplodia rot in citrus fruits. Hadar 5: 203-206. S.1932. no.9.

Helvetica Chim. Acta (Basel) (385H36)

Karrer, P. & others.
Pflanzenfarbstoffe XLII-XLV. Helvetica Chim. Acta 15: 1158-1165, 1195-1204, 1204-1212, 1212-1217. O.1, 1932. no.5.
XLII. Zur kenntnis der isomeren carotine und ihre beziehungen zum wachstumsvitamin A. XLIII. Zur kenntnis der carotinoide der blüten. XLIV. Einige beobachtungen über umsetzungen des gossypols. XLV. Zur konstitution der diglucosidischen anthocyane.

Stoll, A. & Wiedemann, E.
Ueber den reaktionsverlauf der phasenprobe und die konstitution von chlorophyll a und b. Helvetica Chim. Acta 15: 1128-1136, 1280-1285. illus. O.1, 1932. no.5.
II. has title: Ueber die konstitution des chlorophylls und die bildung der ihm zu grunde liegenden dicarbonsäuren.

Indische Cult. (Soerbaja) (26In2)

Jochems, S.C.J.
Toprot en rotstelen bij Deli-tabak (Bac. aroideae Townsend). Indische Cult. 17: 465-470. illus. O.1, 1932. no.19.

Intern. Bull. Plant Prot. (464.8In8)

Garbowski, L.

Poland: Wheat attacked by black rust (Puccina graminis) in 1932. Intern. Bull. Plant Prot. 6: 164. O. 1932. no.10.

Ital. Agr. (Milan) (16Itl)

Ceroni, R. R.

Il piertro. Prove sperimentali di coltivazione e della sua azione. Ital. Agr. 69: 916-933. illus. O.1932. no.11.

Jahrb. Wiss. Bot. (Leipzig) (450P93J)

Furlani, J.

Studien über die elektrolytkonzentration in böden. [VI] Ueber die beziehungen des karbonats zum silikat in lösungen. Jahrb. Wiss. Bot. 77: 252-281. 1932. no.2.

Iljin, W. S.

Ueber öffnen der stomata bei starkem welken der pflanzen. Jahrb. Wiss. Bot. 77: 220-251. illus. 1932. no.2.

Mittmann, G.

Kulturversuche mit einsportstämmen und zytologische untersuchungen in der gattung Ceratostomella. Jahrb. Wiss. Bot. 77: 185-219. illus. 1932. no.2.

Journ. Agr. Assoc. China (C22.5Ag862)

Ling, H. H.

A study of genus, "Tripterygium". Journ. Agr. Assoc. China 100: 48-73. illus. My.1932

In Chinese.

Journ. Agr. Sci. (London) (10J822)

Knowles, F. & Watkin, J.E.

The amounts and distribution of some phosphorous and nitrogen compounds in wheat during growth. Journ. Agr. Sci. 22: 755-766. O.1932. no.4.

Journ. Cell. & Comp. Phys. (Philadelphia) (444.8J822)

Brooks, S. C.

The rate of penetration of rubidium into living cells of Valonia and its relation to apparent ionic radii. Journ. Cell. & Comp. Phys. 2: 223-231. O.20, 1932. no.2.

Journ. Chem. Soc. London (382L84J)
Goodson, J. A.
Echitamine in Alstonia barks. Journ. Chem. Soc. London 1932: 2626-2630. O.1932.

Journ. Genetics (London) (442.8J823)
Gates, R.R. & Catcheside, D. G.
Gamolysis of various new oenotheras. Journ. Genetics 26: 143-178. pl. vii-xii, 2 fold.tab. O. 1932. no.2.

Hedayetullah, S.
The genetics and cytology of Oenothera rubricalyx x O. eriensis. Journ. Genetics 26: 179-197. illus., pl.xiii-xiv. O.1932. no.2.

Larter, L.N.H.
Chromosome variation and behaviour in Ranunculus L. Journ. Genetics 26: 255-283. illus. O.1932. no.2.

Robb, W.
Notes on the inheritance of grain colour in certain oat hybrids. Journ. Genetics 26: 231-238. O.1932. no.2.

Journ. Hered. (Washington) (442.8Am3)
Hayes, H. K.
Heritable characters in maize. XLIII. Zebra seedlings. Journ. Hered. 23: 415-419. illus. O. 1932. no.10.

MacArthur, J. W.
Inherited characters in the tomato. 1. The self-pruning habit. Journ. Hered. 23: 395-396. 1 pl. O. 1932. no.10.

Smith, C. O.
Double flowers and multiple fruits of the Japanese apricot. Journ. Hered. 23: 411-414, incl. 2 pl. O.1932. no.10.
Prunus mume.

Whitaker, T. W.
Fertile gourd-pumpkin hybrids. The inheritance of factors for shape and color in summer squash-gourd-pumpkin crosses of Cucurbita pepo. Journ. Hered. 23: 427-430, incl.pl. O.1932. no.10.

Journ. Washington Acad. Sci. (500W276J)
Miner, E. L.
Megaspores ascribed to Selaginellites, from the upper Cretaceous coals of Western Greenland. Journ. Washington Acad. Sci. 22: 497-506. illus. N.19,1932.

Kosmos (Stuttgart) (474K842)
Anthony, N. E.
Vorgeschichtliche wälder. Kosmos 1932: 379-382. illus. N.1932. no.11.
Araucaria.

Lesnická Práce (L'Oeuvre For.) (Pisek, Moravia) (99.8L56)
Polanský, B.
Studium nékterých vlivů kosmických na vegetaci (Studium einiger kosmischen einflüsse auf die vegetation). Lesnická Práce (L'Oeuvre For.) 11: 483-496. 1932. no.10.

Madroño (San Francisco) (450M26)
Jepson, W.L.
Note on the genus Krameria in California. Madroño 2: 73. O.1932. no.9.

Matières Grass. (Paris) (307.8M42)
Gillot, P.
Recherches sur les graines de l'"Euphorbia stricta" L. Matières Grass. 24: 9631-9632. O.15,1932. no.294.

[Meded] Lab. Tuinbouwpl. Landbouwhoogesch. Wageningen. (86W12)
Mulder, R. & Sprenger, A.M.
Proeven met het bewaren van tomaten bij lage temperatuur. Meded. Lab. Tuinbouwpl. Landbouw-Hoogesch. Wageningen no.16. 96 p. pl. Jl.1932.
Overdruk uit de Mededeelingen. no.68 van de Nederlandsche vereeniging voor koeltechniek.

Mem. Tanaka Citrus Exp. Stat. (107.6T15)
Tanaka, T.
Botanical discoveries on the citrus flora of China. Mem. Tanaka Citrus Exp. Stat. 1: 12-36. Je.1932. no.2.

Tanaka, T.
Citrus wilsonii, species nova. Mem. Tanaka Citrus Exp. Stat. 1: 37-38. Je.1932. no.2.

Tanaka, T.
Propagation of citrus fruits in Japan. Mem. Tanaka Citrus Exp. Stat. 1: 1-11. Je.1932. no.2.
English text, Japanese appeared in Studia Citrol. v.3.

Mezögazd. Kutat. Budapest. (19M57)
Csorba, Z.
Vizsgálatok az almafafajták lisztharmat iránt való fogékonyságának és ellenállóságának okairól. (Untersuchungen über die ursachen der empfänglichkeit und widerstandsfähigkeit der apfelsorten gegen den apfelmehltau). Mezögazd. Kutat. Budapest. 5: 326-340. S.1932. no.9.
German summary: p.340.

Mitt. Deut. Landw. Ges. (Berlin) 18D48M)

Feistritzer, W.

Haben die neueren untersuchungsergebnisse über fusskrankheit einen einfluss auf die sortenwahl? Mitt. Deut. Landw. Ges. 47:791-793. 0.29,1932. no.44.

Gassner, G.

Methodik der prüfung auf winterfestigkeit bei getreide und nutzanwendung der ergebnisse für die praktische pflanzenzüchtung. Mitt. Deut. Landw. Ges. 47:793-795. illus. 0.29,1932. no.44.

Möller's Deut. Gärtn.-Zeit. (Erfurt) (80M75)

Otte, H.

Die wahre ursache des grossen ulmensterbens. Möller's Deut. Gärtn.-Zeit. 47: 365-370. N.1,1932. no.31.

Nature (London) 472N21)

Bower, F. O.

Prof. Karl, ritter von Goebel. Nature 130: 653-654. 0.29, 1932. no.3287.

Dixon, H. H. & Gibbon, M.W.

Bast-sap in plants. Nature 130: 661. 0.29, 1932. no.3287.

New Phytol. (London) (450N42)

Bancroft, H.

A fossil cyatheoid stem from Mount Elgon, East Africa. New Phytol. 31: 241-253. illus., pl. ix-x. 0.27, 1932. no.4.

Dendropteridium cyatheoides.

Buxton, B. H. & Darlington, C.D.

Crosses between Digitalis purpurea and Digitalis ambigua. New Phytol. 31: 225-240. illus., pl.vi-viii. 0.27,1932. no.4.

D. mertonensis (D.purpurea x D.ambigua)

Godwin, H.

Anatomy of the stele of Cyathea medullaris Sw. New Phytol. 31: 254-264. illus. 0.27, 1932. no.4.

Halket, A. C.

A note on the occurrence of abnormal flowers of Nasturtium officinale R.Br. New Phytol. 31: 284-286. illus. 0.27,1932. no.4.

Halket, A.C.

A note on the origin of lateral roots and the structure of the root-apex of Lyginopteris oldhamia. New Phytol. 31: 279-283. illus., pl.xi. 0.27, 1932. no.4.

New Phytol. (cont.)

Holden, H.S.

Variations in megaspore number in Bothrodendron mundum. New Phytol. 31: 265-269. illus. 0.27, 1932. no.4.

Sahni, B.

On the general Clepsydropsis and Cladoxylon of Unger, and on a new genus Austroclepsis. New Phytol. 31: 270-278. illus. 0.27, 1932. no.4.

Austroclepsis australis (Clepsydropsis australis)

Nuovo Giorn. Bot. Ital. (Firenze) (450N92)

Allegri, E.

Nota preliminare sulle essenze forestali delle Alpi Albanesi. Nuovo Giorn. Bot. Ital. 39: 538-544. 1932. no.3.

Barsali, E.

Prodomo de la flora Umbra. (fine) Nuovo Giorn. Bot. Ital. 39: 549-602. 1932. no.3.

Colla, S.

Una laboulbeniale nuova per l'Italia: Rachomyces aphaenopsis Th. Nuovo Giorn. Bot. Ital. 39: 512. 1932. no.3.

Colla, S.

Troglomyces manfredii n.gen. et n.sp.: nuova laboulbeniacea sopra un miriapode. Nuovo Giorn. Bot. Ital. 39: 450-453. illus. 1932. no.3.

Gavioli, O.

Note sulla flora Lucana. Primo contributo allo studio della flora del Volturino. Nuovo Giorn. Bot. Ital. 39: 513-522. 1932. no.3.

Messeri, A.

Il legno centripeto nei coni delle Cycadaceae. Nuovo Giorn. Bot. Ital. 39: 427-449. illus. 1932. no.3.

Milan, A.

Sul grado di accestimento delle piante di grano colpite dalla carie. Nuovo Giorn. Bot. Ital. 39: 603-612. 1932. no.3.

Ponzo, A.

Sulla filogenia delle monocotiledoni. Nuovo Giorn. Bot. Ital. 39: 477-511. 1932. no.3.

Verona, O.

Note micologiche sulle pandanacee. Nuovo Giorn. Bot. Ital. 39: 454-476. illus. 1932. no.3.

Nuovo Giorn. Bot. Ital. (cont.)

Vignolo-Lutati, F.

Le Langhe e la loro vegetazione, Aggiunte e considerazioni sui loro confini orientali. Nuovo Giorn. Bot. Ital. 39: 523-527. map. 1932. no.3.

Pflanzenbau (Berlin) (18P48)

Rathlef, H. von.

Genetik, pflanzenzüchtung und sortenkunde in Russland und den skandinavischen ländern. Pflanzenbau 9: 109-125. 1932. no.3.

Philipp. Agr. (Los Banos) (25P542)

Ocfemia, G.O. & Mendiola, V. B.

The Fusarium associated with some field cases of heart rot of abacá. Philipp. Agr. 21: 296-308. illus. O.1932. no.5.

Identical with F. moniliforme subglutinans.

Phytopath. (464.8P56)

Baker, K.F. & Heald, F.D.

Some problems concerning blue mold in relation to cleaning and packing of apples. Phytopath. 22: 879-898. illus. N.1932. no.11.

Brown, N. A.

Another gall-forming Bacterium. Phytopath. 22: 924-925. illus. N.1932. no.11.

Gall-forming bacterium found on Gypsophila paniculata.

Cooley, L. M.

Mild streak of black raspberries. Phytopath. 22: 905-910. N.1932. no.11.

Called mild streak to differentiate between this disease and eastern blue stem, which author designates as severe streak.

Dunegan, J. C.

The occurrence of the perfect stage of Phomopsis mali in the United States. Phytopath. 22: 922-924. N.1932. no.11.

Diaporthe perniciosa (?)

Fawcett, H. S.

Diaporthe citri (Faw.) Wolf, the perfect stage of Phomopsis citri and P. californica. Phytopath. 22: 928. N.1932. no.11.

Haasis, F. W.

A preliminary study on the use of indelible pencils as indicators of the moisture content of wood. Phytopath. 22:899-904. N.1932. no.11.

Phytopath. (cont.)

McCubbin, W. A.
The rôle of diseases in plant quarantine. Phytopath. 22: 921-922. N.1932. no.11.

Neal, D.C. & Wester, R.E.
Effects of anaerobic conditions on the growth of the cotton-root-rot fungus, Phymatotrichum omnivorum. Phytopath. 22: 917-920. illus. N.1932. no.11.

Quick, C.R. & Patty, F. A.
A convenient method of bleaching and clearing leaves. Phytopath. 22: 925-926. N.1932. no.11.

Spaulding, P.
Leigh Humboldt Pennington, 1877-1929. Phytopath. 22: 873-877. port. N.1932. no.11.

Steiner, G. & Buhrer, E. M.
The nonspecificity of the brown-ring symptoms in narcissus attacked by nematodes. Phytopath. 22: 927-928. illus. N.1932. no.11.

Stevens, N. E.
Notable outbreaks of cranberry fruit rots in Massachusetts. Phytopath. 22: 911-916. N.1932. no.11.

Plant Physiol. (450P692)

Addoms, R.M. & Mounce, F.C.
Further notes on the nutrient requirements and the histology of the cranberry, with special reference to the sources of nitrogen. Plant Physiology 7: 643-656. illus. O.1932. no.4.

Cannon, W. A.
Absorption of oxygen by roots when the shoot is in darkness or in light. Plant Physiology 7: 673-684. O.1932. no.4.

Darrow, G. M.
Methods of measuring strawberry leaf areas. Plant Physiology 7: 745-747. O.1932. no.4.

Dexter, S. T.
Studies of the hardiness of plants: a modification of the Newton pressure method for small samples. Plant Physiology 7: 721-726. O.1932. no.4.

Plant Physiol. (cont.)

Doneen, L. D.
A micro-method for nitrogen in plant material. Plant Physiol. 7: 717-720. 0.1932. no.4.

Gourley, J. H.
Response of iris to soil reaction. Plant Physiol. 7: 739-742. illus. 0.1932. no.4.

Hopkins, E.W., Wilson, P.W. & Peterson, W.H.
Influence of potassium nitrate of nodule formation and nitrogen fixation by clover. Plant Physiology 7: 597-611. 0.1932. no.4.

Howell, J. jr.
Relation of western yellow pine seedlings to the reaction of the culture solution. Plant Physiology 7: 657-671. illus. 0.1932. no.4.

McHargue, J.S. & Calfee, R.K.
Manganese essential for the growth of Lemna major. Plant Physiology 7: 697-703. illus. 0.1932. no.4.

Nightingale, G.T., Schermerhorn, L.G. & Robbins, W.R.
Effects of sulphur deficiency on metabolism in tomato. Plant Physiology 7: 565-595. illus. 0.1932. no.4.

Oserkowsky, J.
Relation between the green and the yellow pigments in chlorotic leaves. Plant Physiology 7: 711-716. 0.1932. no.4.

Rea, H. E.
Callusing and rooting of cotton stem cuttings. Plant Physiology 7: 733-737. 0.1932. no.4.

Saywell, L.G. & Robertson, D.P.
Carbohydrate content of tomato fruit. Plant Physiology 7: 705-710. 0.1932. no.4.

Schlenker, F. S.
Comparison of existing methods for the determination of ammonia nitrogen and their adaptability to plant juice. Plant Physiology 7: 685-695. illus. 0.1932.

Steinbauer, G. P.
Growth of tree seedlings in relation to light intensity and concentration of nutrient solution. Plant Physiology 7: 742-745. illus. 0.1932. no.4.

Plant Physiology (cont.)

Wadsworth, H. A.

The optical lever as a tool in physiologycal studies. Plant Physiology 7: 727-731. illus. O. 1932. no.4.

White, P.R.

Influence of some environmental conditions on the growth of excised root tips of wheat seedlings in liquid media. Plant Physiology 7: 613-628. illus. O.1932. no.4.

Williams, R.J. & Honn, J. M.

Role of "nutrilites" in the nutrition of molds and other fungi. Plant Physiology 7: 629-641. O.1932. no.4.

Proc. Amer. Cranberry Grow. Assoc. (81Am35C)

Wilcox, R.B.

Adjustments to cranberry false blossom in New Jersey. Proc. Amer. Cranberry Grow. Assoc. 63: 7-11, 14-15. Ag.25, 1932.

Proc. Univ. Durham Phil.Soc. (501D93)

McCullagh, D. M.

Preliminary notes on the morphology of chromosomes in Plantaginaceae. Proc. Univ. Durham Phil. Soc. 9: 40-46. illus. Je. 1932. no.1.

Publ. Mens. Min. Indust. Dir. Agron.Montevideo (9.9Ur83)

Spangenberg, J.

Observaciones sobre la modalidad e intensidad de ataque de la Puccinia glumarum en los cultivos trigueros del pais. Publ. Mens. Min. Indust. Dir. Agron. Montevideo. 4: 147-152. illus., 1 col.pl. Ap. 1932. no.8.

Repert. Spec. Nov. Fedde. (Berlin) (450R29)

Bosshard, W.

Botanische ergebnisse der Deutschen Zentralasien-expedition 1927-1928. Repert. Spec. Nov. Fedde 31: 1-76. pl. cxxii-cxxxiii. S.30, 1932. no. 816/825.

Algae, von H. Skuja. - Zygnemataceae, von H. Czurda - Lichenes, von A. Zahlbruckner. - Bryophyta. von I. Thériot. - Pteridophyta, Gymnospermae, Angiospermae, von E. Schmid.

Repert. Spec. Nov. Fedde. (cont.)

Heimerl, A.
Allionia incarnata L. Repert. Spec. Nov. Fedde 31: 91-98. S.30, 1932. no.816/825.

Mansfeld, R.
Die gattung Catasetum L.C. Reich. (concl.) Repert. Spec. Nov. Fedde 31: 99-125. S.30, 1932. no.816/825.

Parker, R. N.
Plantae novae in Burma atque Assam indigenae. I- Repert. Spec. Nov. Fedde 31: 125-128. S.30,1932. no.816/825.
Eugenia anisopetala, Cinnamomun cacharensis, Cymbopogon osmastonii,Cephalostachyum burmanicum,n.spp.

Poellnitz, K. von
Zur kenntnis der gattungen Haworthia Duval und Gasteria Duval II. Repert. Spec. Nov. Fedde 31: 82-91. S.30, 1932. no.816/825.

Rechinger, K. H. fil.
Einige neue balkanische pflanzen. Repert. Spec. Nov. Fedde 31(Repert. Europ. & Med. 3,38/39): 158-160. S.30, 1932. no.816/825.

Ronniger, K.
Beitrag zur kenntnis der kaukasischen Ziziphora-arten. Repert. Spec. Nov. Fedde 31(Repert. Europ. & Med. 3,38/39): 157-158. S.30, 1932. no.816/825.

Ronniger, K.
Bestimmungs-schlüssel für die Thymus-arten der flora von Württemberg (einschliesslich der zunächst angrenzenden gebiete). Repert. Spec. Nov. Fedde 31(Repert. Europ. & Med. 3,38/39): 129-135. S.30, 1932. no.816/825.

Ronniger, K.
Die Thymus-arten des Kaukasus und der südlich angrenzenden gebiete. Repert. Spec. Nov. Fedde 31(Repert. Europ. & Med. 3,38/39): 135-157. S.30, 1932. no.816/825.

Ronniger, K.
Eine unbeschriebene Thymus-Art (Th. schimperi) aus Abessinien. Repert. Spec. Nov. Fedde 31: 98-99. S.30, 1932. no.816/825.

Repert. Spec. Nov. Fedde. (cont.)

Smith, J. J.

Drei neue orchideen. (Tainia malayana, Dendrobium lasianthera, Phalaenopsis singuliflora). Repert. Spec. Nov. Fedde 31: 76-82. S.30, 1932. no.816/825.

Rev. Bryol. (Caen) (450R325)

Allorge, P. & Theriot, I.

Orthodontium gaumei sp.nov. Rev. Bryol. n.s.,4: 194-196. pl.vi. 1931. no.4.

Dixon, H. N.

Contributions to Japanese bryology. I. Brachytheciaceae. (Rigodiopsis japonica gen.et sp.nov.) Rev. Bryol. n.s.,4: 154-169. 1931. no.4.

Györffy, I.

Sphagnum-monstruositaten aus der Hohen-Tàtra. Rev. Bryol. n.s.,4: 189-193. pl.v. 1931. no.4.

Hillier, L.

A propos de Didymodon luridus Horn. Sa répartition dans les monts Jura. Rev. Bryol. n.s., 4: 197-199. 1931. no.4.

Theriot, I.

Liste et correction des fautes orthographiques ou autres erreurs contenues dans la 2e édition des musci de Brotherus, in Engler-Prantl, Die naturlichen pflanzenfamilien. Rev. Bryol. n.s., 4: 170-185. 1931. no.4.

Theriot, I.

Sur les règles de nomanclature botanique. Rev. Bryol. n.s.,4: 186-188. 1931. no.4.

Rev. Path. Vég. & Entom. Agr. (Paris) (464.9Sol)

Faes, H.

Insectes et champignons parasites des arbres fruitiers. Rev. Path. Vég. & Entom. Agr. 19: 81-87. Mr.1932 (Recd N.) no.3.

Joessel, P. H.

Quelques observations sur les traitements à envisager pour l'abricotier et le pêcher dans la vallée du Rhone. Rev. Path. Vég. & Entom. Agr. 19: 88-105. pl.iii. Mr.1932(Recd N.) no.3.

Rev. Hort. (Paris) (80R32)

Jahandiez, E.

Les plantes grasses autres que les cactees, les ficoides ou Mesembryanthemum. (cont.) Rev. Hort. 104: 219-221. illus. 0.16, 1932. no.10.

Sabourin, L.

Les nénuphars et leur culture. Rev. Hort. 104: 232-234. illus. 0.16, 1932. no.10.

Rev. Vitic. (Paris) (95.8R322)

Meyer, A.

Recherches sur l'utilisation des matieres colorantes organiques et de la 8-oxyquinoleine dans la lutte contre les maladies cryptogamiques de la vigne. Rev. Vitic. 77: 117-120. Ag.25, 1932. no.1991.

Rhodora. (Boston) (450R34)

Clover, E. U.

Astrophytum asterias in the United States. Rhodora 34:227-228. pl. 223. N.1932. no.407.

Fernald, M. L.

Carex richardsonii in New England. Rhodora. 34: 229-232. pl.223. N.1932. no.407.

Lovell, J. H. & Lovell, H.B.

The pollination of rhodora. Rhodora 34: 213-214. pl.222. N.1932. no.407.

Svenson, H. K.

Monographic studies in the genus Eleocharis. II. (concl.) Rhodora 34: 215-227. N.1932. no.407.

Weatherby, C. A.

An addition to the wool-waste flora of eastern Massachusetts. Rhodora 34: 214-215. N.1932. no.407.

Martynia or Proboscidea fragrans.

Science (470Sci2)

Herrick, E. H.

Further notes on twisted trees. Science 76: 406-407. illus. N.4, 1932. no.1975.

Rosen, H. R.

Control of the blossom blight stage of fire blight. Science 76: 447-448. N.11,1932. no.1976.

Science Bull. Univ. Kansas (500K132S)

Elias, M. K.

Grasses and other plants from the tertiary rocks of Kansas and Colorado. Science Bull. Univ.Kansas 20: 333-362. pl.xxviii-xxx. My.15, 1932 (Recd N.) no.2.

Hanna, G. D.

Pliocene diatoms of Wallace County, Kansas. Science Bull. Univ. Kansas 20: 369-387. pl.31-34. My.15, 1932(Recd N.) no.2.

The Shade Tree N.J. (99.8Sh1)

Crocker, W.

The effect of illuminating gas on trees. The Shade Tree N.J. 5(10): [1]-[5]. O.1932. no.10.

Smithson. Misc. Coll. (Washington) (500Sm6M)

Johnston, E. S.

The functions of radiation in the physiology of plants. II. Some effects of near infra-red radiation on plants. Smithson. Misc. Coll. v.87, no.14. 15 p. 4 pl. N.15, 1932. (Publication 3180)

Soil Sci. (Baltimore) (56.8So3)

Smith, N.R. & Griggs, R. F.

The microflora of the ash of Katmai volcano with especial reference to nitrogen fixing bacteria. Soil Sci. 34: 365-373. N.1932.

So. African Gard. (Johannesburg) (80So87)

Bolus, L.

Plants - new or noteworthy. South African plants cultivated in our readers' gardens. (cont.) South African Gard. 22: 275-276, 277. illus. O.1932. no.10.

Babiana framesii, B. intermedia, B. macrantha var. blanda, Ferraria vandermerwei, Geissorhiza subrigida, Lithops aucampiae, Streptanthera cuprea var. nonpicta.

Transvaal veld flowers. (cont.) Euphorbias schinzii. So. African Gard. 22: 281. illus. O.1932. no.10.

Succulenta (Leeuwarden) (450Su1)

Duursma, G.D.

Mooie gasteria's V. Carinatae. Succulenta 14: 268-271. illus. N.1932. no.11.

Harders, C.L.

Crassulaceae. I. Succulenta 14: 271-275. illus. N.1932. no.11.

Succulenta (cont.)
Karsten, M.C.
Rudolf Marloth (1855-1931). Zijn leven en werken. III. Succulenta 14: 265-268. N. 1932. no.11.

Sveriges Pomol. För. Årsskr. (86Sv2)
Lindfors, T.
Några aktuella växtpatologiska spörsmål inom trädgårdsodlingen. Sveriges Pomol. För. Årsskr. 1931: 238-246. illus. (Recd N.1932) no.4.
Diseases of currant.

Mörner, C. Th.
Kapplommon. Utredning i en nomenklaturfråga. Sveriges Pomol. För. Årsskr. 1931: 97-102. (Rec'd N.1932.) no.2.
Pappea capensis.

La Terre et la Vie. (Paris) (410T27)
Guillaumin, A.
Les plantes grasses du Mexique. La Terre et la Vie. 1931: 90-98. illus. Mr.1931(Recd N.11) no.2.

Viala, P.
Bizarres maladies de plantes. Mycolithes. La Terre et la Vie. 1931: 67-76. illus. Mr.1931 (Recd N.11) no.2.
Phthiriose "due à la symbiose d'une cochenille ... et d'un champignon très particulier, le Bornetina corium" - Lithomyces nidulans.

Trans. Amer. Micros. Soc. (440.9Am33)
Christie, J. R.
Nathan Augustus Cobb. Trans. Amer. Micros. Soc. 51: 276-278. O.1932. no.4.

Trans. Roy. Canad. Inst. (517T63T)
Adams, J. & Norwell, M.H.
A bibliography of Canadian plant geography, 1926-1930. Trans. Roy. Canad. Inst. 18: 343-373. Jl.1932. no.2.

Univ. Iowa Stud. Nat. Hist. (500Io9)
Baker, G.E.
A comparative morphological study of the myxomycete fructification. Univ. Iowa Stud. Nat. Hist. v.14, no.8, 36 p. 9 pl. Ja.1, 1933. no.8.

U.S. Dept. Agr. Farm. Bull. (1Ag84F)
Coville, F.
Growing Christmas holly on the farm. U.S. Dept. Agr. Farm Bull. 1693. 21 p. illus. O.1932.

U.S. Dept. Agr. Plant Dis. Rep. (1.9P69P)

Anderson, H. W.
Diseases of Latham raspberry in Illinois. U.S. Dept. Agr. Plant Dis. Rep. 16: 172-173. N.15, 1932. no.16.

Guba, E.F.
Tomato diseases in Massachusetts in 1932. U.S. Dept. Agr. Plant Dis. Rep. 16: 175-176. N.15, 1932. no.16.

Hunter, H. A.
Notes on some of the important diseases of canning crops in Maryland, 1932. U.S. Dept. Agr. Plant Dis. Rep. 16: 173-175. N.15, 1932. no.16.

Poole, R. F.
Late infection of peach leaf curl in the Carolinas. U.S. Dept. Agr. Plant Dis. Rep. 16: 171-172. N.15, 1932. no.16.

Vict. Nat. (Melbourne) (410V66)

Albison, K. W.
The study of Australian hepatics. Vict. Nat. 49: 143-150. O.1932. no.6.

Field Naturalists' Club of Victoria.
Alien plants recorded as naturalised in Victoria. Vict. Nat. 49: 153-155. O.1932. no.6.

Rupp, H. M. R.
Australian and New Zealand orchids. Vict. Nat. 49: 151-152. O.1932. no.6.

Vierteljahrsschr. Natuurf. Ges. Zurich (508Z8)

Karrer, P. & Schwarz, K.
Eine chemische untersuchung der Harzmäntel von Sarcocaulon rigidum Schinz. Vierteljahrsschr. Naturf. Ges.Zürich 77: 78-82. Je.30, 1932. no.1/2.

Kobel, F.
Die entstehung neuer formen im pflanzenreich. Vierteljahrsschr. Naturf. Ges. Zürich 77: 22-35. illus. Je.30, 1932. no.1/2.

Schmid, W.
Beiträge zur kenntnis von Sarcocaulon rigidum Schinz. Vierteljahrsschr. Naturf. Ges. Zürich 77: 36-77. illus., 5 pl. on 3. Je.30, 1932. no.1/2.

Weekbl. Bloembollencult. (Haarlem) (80W412)

Beijer, J. J. & Van Slogteren, E.

Vroegbroei van narcissen. Weekbl. Bloembollencult. 43: 39-43, 47-50, 50-60, 65-66. illus. Jl.1932.

Reprinted as Meded. Lab. Bloembollenonderz. Lisse. no.45. Ag.1932.

Zentralbl. Bakt.Abt.I (448.3C33)

Ács, L.

Weitere angaben zur mitogenetischen strahlung der bakterien. Zentralbl. Bakt. Abt.I, 126: 125-127. O.25,1932. no.1/2.

Exper. Stat. Publ.

Beckett, S.H. & Dunshee, C.F.

Water requirements of cotton on sandy loam soils in southern San Joaquin valley. California Agr. Exp. Stat. Bull. 537. 48 p. illus. Ag. 1932 (Rec'd N.) (100C12S)

Weimer, J.L. & Madson, B.A.

Alfalfa diseases in California. California Agr. Exp. Stat. Circ. 326. 19 p. illus. Je.1932. (Recd N.) (100C12S)

Idaho agricultural experiment station.

Plant pathology. In its Rep. Director 1931 (Its Bull. 192): 34-36. My.1932(Rec'd N.)(100Id1)

C.W. Hungerford plant pathologist.

Arny, A. C.

Variations in the organic reserves in underground parts of five perennial weeds from late April to November. Minnesota Agr. Exp. Stat. Techn.Bull. 84. 28 p. illus. Jl.1932.(100M66)

Miles, L.E.

Annual report of the Dept. of plant pathology. Ann. Rep. Mississippi Agr. Exp. Stat. 45(1931/32): 41-43. 1932.(100M69)

Murneek, A. E.

Apple pollination, an evaluation of methods and pollenizers. Missouri Agr. Exp. Stat. Res. Bull. 175. 31 p. illus. O.1932(100M693)

New Jersey agricultural experiment station - Dept. of plant pathology.

Influence of inoculates sulfur on soil acidity. Its Nursery Dis. Notes. v.5, no.4. 4 p. O.1932. (464.9N46S)

With reference to rhododendrons.

New Books.

Beijerinck, W.

De subfossiele plantenresten in de terpen van Friesland en Groningen. 3 v. Wageningen, 1929-1931. (Publicatie Fonds landbouw export bureau 1916-1918, no.2,3,7.) (402.1B39)

Braun-Blanquet, J.

Plant sociology: the study of plant communities. Authorized English transl. of Pflanzensoziologie... Transl., rev. and ed. by G.D. Fuller and H.S. Conard. N.Y., London, McGraw-Hill, 1932.(463.8B73P)

Delevoy, M.G.

Études systématiques des bois du Katanga. fasc.7. Bruxelles, J. Lebègue & Cie., 1932.(99.79D37)

Ewert, R.

Die nektarien in ihrer bedeutung für bienenzucht und landwirtschaft. Leipzig, Leipziger bienenzeitung, 1932.(463.38Ew32N)

Kisser, J.

Die botanisch-mikrotechnischen Schneidemethoden. In Abderhalden, E. Handbuch der biologischen arbeitsmethoden. Abt.XI, t.4, h.3. (lfg. 389): 391-532. illus. 1932; h.3(393): 533-738. illus., pl.iv. 1932. (386.2Ab3Ha)

Leonard, L.Y. & Sylvain, P.G.

Traité de culture fruitière. Port-au-Prince, Haiti, 1931.(93L552)

Section on diseases under each fruit.

Over, W. H.

Flora of South Dakota. An illustrated checklist of flowering plants, shrubs and trees of South Dakota. Vermillion, University of South Dakota, 1932. (455.77Ov2F)

Pearson, R.S. & Brown, H.P.

Commercial timbers of India. Their distribution, supplies, anatomical structure, physical and mechanical properties and uses. 2 v. Calcutta, Central publication branch, 1932.(99.79P313)

Sanford, A. E.

Aboretum catalog and planting list, Aug.1, 1932. Knoxville, 1932. (452.5Sa5)

New Book (cont.)

Sinnott, E. W. & Dunn, L.C.
Principles of genetics... 2d ed. N.Y., McGraw-Hill, 1932. (442Si6)

Small, J.K.
Ferns of Florida. N.Y., Science press, 1931. (451.2SmlFe)

Correction.

v.14, no.16, p.12.
Second entry on page should read:
Vinet, E.
Le diagnostic ligneux des plantes vivaces (vignes) dans ses rapports avec la production. Compt. Rend. Acad. Agr. France 18: 806-814. Je.6, 1932. no.24.

Non-current indexing

Acta Bot. Bohemica (450Ac82)

Domin, K.
Ficus lentiginosa Vahl. in Dominica. Acta. Bot. Bohemica 9: 46-48. pl. 1930.
Var. subcuspidata, imrayana (n.v.)

Domin, K.
Generis Centaureae species nova slovenica. Acta Bot. Bohemica 9: 53-54. 1930.
C. ternatinensis.

Domin, K.
A new division of Czechoslovakia into natural geobotanical districts. Acta Bot.Bohemica 9: 55-58. 1930.

Domin, K.
A new species of Psittacanthus from Dominica. Acta Bot. Bohemica 9: 3-4. 1930.
P. domincensis.

Domin, K.
A revision of the genera and species of Compositae from the island of Dominica in the Lesser Antilles. Acta. Bot. Bohemica 9: 59-84. 1930.

Domin, K.
Schedae ad floram Čechoslovenicam exsiccatam. Cent. II. Acta Bot. Bohemica 9: 175-259. illus. 1930.
Genus Festucam (n.116-129) V.Krajina exposuit.

Le

BOTANY

CURRENT LITERATURE

LIBRARY
RECEIVED
★ DEC 17 1932 ★
U. S. Department of Agriculture

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY,
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

Vol. 14, no. 24. Nov.21-Dec.3,1932.

Acta Phytochim. (Tokyo) (451Ac8)

Tamiya, H.

Beiträge zur atmungsphysiologie der schimmelpilze. I-II. Acta Phytochim. 6:227-263, 265-304. Jl.1932. no.2.

I. Zur theorie des respiratorischen quotienten nebst einer bemerkung über den einfluss der oxydoreduktiven zellvorgange auf den gaswechsel der zellen. II. Zur energetik des wachstums.

Watanabe, A.

Ueber die beeinflussung der atmung von einigen grünen algen durch kaliumcyanid und methylenblau. Beiträge zur stoffwechselphysiologie der algen. I. Acta Phytochim. 6: 315-335. Jl.1932. no.2.

Agr. et Elev. Congo Belge (26Ag54)

Leplae, E.

A propos des maladies du coton dans l'Uele. Agr. et Elev. Congo Belge. 6:169-171. illus. N.5, 1932. no.15.

Le black arm au Soudan Egyptien.

Agriculture (Louvain) (13R32)

Dumon, A.G.

Genetisch onderzoek bij rogge (Secale cereale L.) Agricultura (Louvain) 35: 271-286. illus. N.1932. no.4.

French summary: p.287-289.

Agron. Colon. (Paris) (26Ag812)

Ledreux, A.

La culture des caféiers à Madagascar. Agron. Colon. 21(2): 121-136. pl.i. O.1932. no.178.

Angew. Bot. (Berlin) (450An4)

Arland, A.

Das bioelektrische verhalten der pflanzen und seine verwertung im pflanzenbau unter besonderer berücksichtigung der kartoffel. Angew. Bot. 14: 440-459. S./O. 1932. no.5.

Gäumann, E.

Der einfluss der fällungszeit auf die dauerhaftigkeit des fichten- und tannenhalzes. Angew. Bot. 14: 387-411. illus. S./O. 1932. no.5.

Angew. Bot. (cont.)

Rasmusson, L.

Studien über den reifungsprozess und die haltbarkeit des schwedischen obstes bei der aufbewahrung im kühlhause. Angew. Bot. 14: 460-506. illus. S./O.1932. no.5.

Apple, pear.

Wenkel, O.

Untersuchungen über die beeinflussung des knollensitzes einiger kartoffelsorten durch verschiedene aussenfaktoren. Angew. Bot. 14: 411-440. S./O. 1932. no.5.

Ann. Appl. Biol. (London) (442.8An72)

Blackman, G. E.

A comparison between the effects of ammonium sulphate and other forms of nitrogen on the botanical composition of closely cut turf. Ann. Appl. Biol. 19: 445-461. illus. N.1932. no.4.

Bunting, R. H.

Actinomyces in cacao-beans. Ann. Appl. Biol. 19: 515-517. N.1932. no.4.

Gregory, P.H.

The Fusarium bulb rot of narcissus. Ann. Appl. Biol. 19: 475-514. illus., pl. xxvii. N.1932. no.4.

Hamilton, M. A.

On three new virus diseases of Hyoscyamus niger. Ann. Appl. Biol. 19: 550-567. pl.xxviii-xxx. N.1932. no.4.

... described under the names of Hyoscyamus virus (Hy.) II, III and IV.

Muskett, A.E. & Cairns, H.

The effect of seed disinfection upon the oat crop in northern Ireland. Ann. Appl. Biol. 19: 462-474. N.1932. no.4.

Whitehead, T. & Currie, J.F.

Virus disease in relation to commercial seed potato production. Ann. Appl. Biol. 19: 529-549. illus. N.1932. no.4.

Ann. Univ. Stellenbosch. (Capetown) (515St3)

Du Plessis, S. J.

Parasitisme, morphologie en physiologie van Fusarium solani (Mart.) Sacc. op uie. Ann. Univ. Stellenbosch. v.10, A.no.2. 19 p. illus. S.1932.

English summary: p.18.

Causing a storage rot of onions.

Annuaire Agr. Suisse (17An7)
Faes, H.
Rapport annuel 1931. Station federale d'essais viticoles à Lausanne et domaine de Pully. Annuaire Agr. Suisse 33: 153-213. 1932. no.3.

Arch. Pharm. & Ber. Deut. Pharm. Ges. (Berlin) (396.8Ar2A)
Müller, J. A.
Zur kenntnis der inhaltsstoffe der nordischen mistel, Viscum album L. Arch. Pharm. & Ber. Deut. Pharm. Ges. 270: 449-476. N. 1932. no.8.

Ark. Bot. (Stockholm) (451Sv2)
Degelius, G. N.
Zur flechtenflora des südlichsten Lapplands (Åsele Lappmark.) I Strauch- und laubflechten.) Ark. Bot. v.25A, no.1. 72 p. illus. 1932(Je.9, 1932) no.1.

Malme, G.O.A.
Lichenes orae Sibiriae borealis inde ab insula Minin usque ad promontorium Ryrkajpia in expeditione Vegae lecti. Ark. Bot. v.25A no.2. 42 p. 1932. (Je.17,1932)

Atti R. Accad. Naz. Lincei VI, Rend. Cl. Sci. Fis., Mat. e Nat. (Rome) (507R66)
Parisi, E. & Vito, G.de.
Distribuzione dei nitrati ed "organicazione" dell'azoto nelle foglie delle piante verdi. Atti R. Accad. Naz. Lincei VI, Rend. Cl. Sci. Fis., Mat. e Nat. 16: 270-274. 1932. no.5/6.

Bergcultures. (Batavia, Java) (22.5B45)
Nieuwe gezichtspunten omtrent de wortelzeikte veroorzaakt door de witte wortelschimmel. Bergcultures 7: 1111-1112. O.15, 1932. no.42.

Ber. Bayer. Bot. Ges.-Erforsch. Heim. Flora (München) (451B34B)
Paul, H.
Pollenstatistische und stratigraphische mooruntersuchungen im südlichen Bayern. II. Moore in den gebieten der Isar-, Allgäu- und Rheinvorlandgletscher. Bayer. Bot. Ges.-Erforsch. Heim. Flora. v.20. 266 p. iv pl., tab. 1932.

Ber. Deut. Bot. Ges. (Berlin) (451D48)
Budde, H.
Versuche über die anpassung einiger algen an den wechselnden salzgehalt. Ber. Deut. Bot. Ges. 50: 343-349. illus. O.27,1932. no.7.

Ber. Deut. Bot. Ges. (cont.)

Küster, E.
Ueber die bildung semipermeabler kernmembranen. Ber. Deut. Bot. Ges. 50: 350-358. illus. O.27, 1932. no.7.
Beitrag zur pathologie des zellkerns.

Lepeschkin, W. W.
Nekrobiotische strahlen. Ber. Deut. Bot. Ges. 50: 367-370. O.27, 1932. no.7.
Vörlaufige mitteilung.

Ulbrich, E.
Dictyophora duplicata (Bose) Ed.Fischer, ein für Europa neuer vertreter der Phallaceae. Ber. Deut. Bot. Ges. 50: 359-366. O.27, 1932. no.7.

Bot. Arch. (Leipzig) (450B6526)

Ciferri, R. & Herter, W. G.
Usilaginales uruguayenses; Itinera herteriana. IV. Bot. Arch. 34: 527-540. O.1932. no.3/4.
Thecaphora hertiana n.sp.

Kruck, M. & Ziegenspeck, H.
Die zwei vorhandenen drüsenarten der insektivoren and ihre physiologische bedeutung. Bot. Arch. 34: 363-393. illus. O.1932. no.3/4.
Brief English abstract: p.391.

Künemund, A.
Die entstehung verholzter lamellen, untersucht besonders an Salix alba. Bot. Arch. 34: 462-521. illus. O.1932. no.3/4.
English abstract: p.518-519.

Majdrakoff, P.
Versuche mit der streiferkrankheit der gerste (Helminthosporium gramineum Rabh.) Bot. Arch. 34: 337-362. illus. O.1932.no.3/4.
English abstract: p.360-362.

Reverdatto, V.
Die vegetation des Siberski Krai. Versuch einer gliederung in kleine einheiten- "Mikrorayonierung". Bot. Arch. 34: 419-461. O.1932. no.3/4.

Tamamschjan, S.
Eine neue Scandix-art aus Armenien. Bot. Arch. 34: 524-526. illus. O. 1932. no.3/4.
Scandix manjurkiana.

Bot. Arch. (cont.)

Tamamschjan, S.
Ueber ein neues vorkommen und die systematische stellung der gattung Actinolema Fenzl. Bot. Arch. 34: 522-523. O. 1932. no.3/4.

Torka, V.
Diatomeen des faulschlammes von kostenthal in Oberschlesien. Bot. Arch. 34: 541-551. illus. O.1932. no.3/4.

Wein, K.
Die älteste einführungs- und einbürgerungsgeschichte des Erigeron canadensis. Bot. Arch. 34: 394-418. O. 1932. no.3/4.
Brief English abstract: p.417.

Broteria Cienc. Nat. (410B79C)

Luisier, A.
Les mousses de l'Archipel de Madère et en général des Iles Atlantiques (cont.) Broteria Cienc. Nat. 1: 164-182. N.1, 1932. no.4.

Rick. J.
Monografia das Roselinias riograndenses. Broteria Cienc. Nat. 1: 183-192. N.1, 1932. no.4.
R. longispora, R. stenasca, Creosphaeria verruculosa, n.spp.

Bull. Basic Sci. Res. Univ. Cincinnati (470B87)

Goode, G. P.
The formation of vitamin A in corn sprouts by light, and the transfer of the vitamin from the sprout to the grain. Bull. Basic Sci. Res. Univ. Cincinnati 4: 55-58. 1932. no.1/2.

Bull. Econ. Indochine Sect.B. (22.5In2B)

Barat, H.
[Rapport] laboratoire de mycologie. Bull. Econ. Indochine Sect.B, 35: 375-514. Jl/Ag.1932.

Bull. Imp. Inst. Gt. Brit. (London) (26G79)

Shea nuts from the Gold Coast. Bull. Imp. Inst. Gt. Brit. 30: 282-293. O.1932. no.3.

Tung seed and oil from Empire sources. Bull. Imp. Inst. Gt. Brit. 30: 271-282. O.1932. no.3.

Bull. Jard. Bot. Etat Bruxelles. (89B83)

Boulenger, G. A.

Les roses d'Europe de L'Herbier Crepin (Grande-Bretagne, France, Belgique, Pays-Bas, Suisse, Allemagne). v.2. Bull. Jard. Bot. Etat Bruzelles 12: 193-542. Ap.1932.

Bull. Murithienne Soc. Valais. Sci. Nat. (St.Maurice)(508Si75)

Cavillier, F.

John Briquet (1870-1931). Bull. Murithienne Soc. Valais. Sci. Nat. 49: 117-125. port. 1932.

Christ, H.

Rosiers du Vallais. III, 1931. Bull. Murithienne Soc. Valais. Sci. Nat. 49: 25-33. 1932.

Bull. Trim. Off. Rég. Agr. Midi France (14F849)

Dusseau, A.

Contribution à l'étude ecologique des blés de la région du Rhône moyen (Drôme - Ardèche). Bull. Trim. Off. Reg. Agr. Midi France 1932: 145-198. illus., 16 pl. on 8. Jl.1932(Recd N.) no.43.

Bult. Sci. Fak. Terkult. Kjusu Imp. Univ. (J107.6K996B)

Fukano, H.

Cytological studies in Hypochnus sasakii Shirai, causing a sclerotial disease of rice plant. Bult. Sci. Fak. Terkult. Kjusu Imp. Univ. 5: 117-136. illus., pl.1-4. O.1932. no.2.

Japanese with English summary: p.136.

Kosaka, H.

Physiologisch-anatomische untersuchungen ueber die verteilung der an verschiedenen vegetationsorganen in erscheinung tretenden anthozyanfarbstoffe von einigen pflanzen. Bult. Sci. Fak. Terkult, Kjusu Imp. Univ. 5: 186-207. illus. O.1932. no.2.

Japanese with German summary: p.206-207.

Kôyama, T. & Idemitu, K.

Development and activities of roots of the cucumber and the eggplant as related to the distribution of nutrient salts among different layers of the soil. Bult. Sci. Fak. Terkult. Kjusu Imp. Univ. 5: 137-158. illus. O.1932. no.2.

Japanese with English summary: p.157-158.

Carnegie Mag. (Pittsburgh) (500C213)

Jennings, O. E.

Autumn colorings. Carnegie Mag. 6: 174-176. illus. N.1932. no.6.

Comunic. Herb. Corn. Osten (Montivideo) (451H412)
Osten, C.
Una Gunnera en el Uruguay, Gunnera herteri Osten n.sp. Comunic. Herb. Corn. Osten 1932: 33-38. pl. Ag.1932. no.2.
German transl.: p.36-38.

Compt. Rend. Acad. Sci. Colon. (505AclC)
Maire, R.
Un voyage botanique dans le Sahara central. Compt. Rend. Acad. Sci. Colon. Paris 12(1928/29): 203-214. iv pl. 1932.

Compt. Rend. Acad. Sci. Paris (505P21)
Simonet, M.
Numerations chromosomiques dans les genres Baptisia, Thermopsis et Lathyrus. Compt. Rend. Acad. Sci. Paris 195: 738-740. N.2, 1932. no.18.

Contr. Biol. Lab. Sci. Soc. China Bot. Ser. (442.9Sci2B)
Cheng, W.
A new Tsuga from southwestern China. Contr. Biol. Lab. Sci. Soc. China Bot. Ser. 7: 1-2. 1 pl. Ja.1, 1932(Recd N.1) no.1.
Tsuga longibracteata.

Sun, Y. Z.
A study of Nanking Labiatae. Contr. Biol. Lab. Sci. Soc. China. Bot. Ser. 7:5-68. illus. Ja.15, 1932(Recd N.) no.2.
Ajuga lanosa, Mosla remotiflora n.spp.

Teng, S. C.
Fungi from southwestern China.I- Contr. Biol. Lab. Sci. Soc. China Bot. Ser. 7: 69-127. 2 pl. (1 col.) F.20, 1932 (Recd N.) no.3/4.
I. Fungi of Nanking, [Verrucosia gen.nov.(V. corticola), Hypholoma cinnabarinum, H. stellatum, Leotia castanea n.spp.]

Current Science (Bangalore) (475Sci23)
Joshi, A. C.
Multicarpellary apocarpous pistils in Poinciana regia Boj. Current Science 1: 104. illus. O. 1932. no.4.

Mitra, S. K.
Albino and white-striped characters in rice. Current Science 1: 102. O.1932. no.4.

Current Science. (cont.)

Rao, L. N.
Peculiar bisexual cones of Pinus longifolia.
Current Science 1: 103. illus. O.1932. no.4.

Seshagiriah, K.N.
Development of the female gametophyte and embryo in Spiranthes australis (Lindley). Current Science 1: 102. illus. O.1932. no.4.

Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) (511P444)

Nadson, G. & Krassilnikov, N.A.
O kapliakh sery v kletkakh drozhzhei (Sur les gouttes de souffre dans les cellules de levûre). Dokl. Akad. Nauk. SSSR (Compt. Rend. Acad. Sci. URSS) 1932: 248-250. illus. no.10.
Russian with German summary.
Saccharomyces cerevisiae, Saccharomycodes ludwigii.

Nadson, G. & Krassilnikov, N.A.
Stroenie i razvitie Pontothrix longissima Nads. et Krassiln. (Chlamydothrix longissima Molisch) bestsvetnoi vodorosli iz gruppy Schizophyceae (La structure et l'evolution de Pontothrix longissima Nads. et Krassiln. (Chlamydothrix longissima Molisch) une alge incolore du groupe de Schizophyceae. Dokl. Akad. Nauk SSSR (Compt. Rend. Acad. Sci. URSS) 1932: 243-247. pl. no.10.
Russian with German summary.

Ecology (Brooklyn, N.Y.) (410Ec7)

Campbell, R. S. & Keller, J. G.
Growth and reproduction of Yucca elata. Ecology 13: 364-374. illus. O.1932. no.4.

Chapman, H. H.
Is the longleaf type a climax? Ecology 13:328-334. O.1932. no.4.

Emerson, F. W.
The tension zone between the grama grass and pinon juniper associations in northeastern New Mexico. Ecology 13: 347-358. illus. O.1932. no.4.

Taylor, R. F.
The successional trend and its relation to second-growth forests in southeastern Alaska. Ecology 13: 381-391. O.1932. no.4.

Forstw. Centralbl. (Berlin) (99.8F775)
Wilde, Jul.
Der französische ahorn, Acer monspessulanum L. in der Pfalz. Forstw. Centralbl. 54: 716-720. N.1, 1932. no.21.

Fortschr. Landw. (Vienna) (19F77)
Degen, A. von
Adonis-vergiftung. Fortschr. Landw. 7: 556-558. N.15, 1932. no.22.
Poisonous to stock.

Winkelmann, A.
Versuche zur bekämpfung des gerstenflugbrandes mit chemischen mitteln. Fortschr. Landw. 7: 535-536. N.1, 1932. no.21.

Zade, A.
Neue untersuchungen über den latenten pilzbefall und seinen einfluss auf die kulturpflanzen. Fortschr. Landw. 7: 529-532. illus. N.1,1932, no.21.

Fruit, Flower & Veg. Trades Journ. (London) (80F946)
The preparation and treatment of mushroom beds. Fruit,Flower & Veg. Trades Journ. 62: 674-675. N.19, 1932. no.21.
Address given at the Literary Institute, Worthing, by Mr. E. Hereford, Oct.5,1932.

Gard. Chron. (London) (80G162)
Banfield, F. S.
Gigantochloa aspera and some of its uses. Gard. Chron. III, 92: 378. illus. No.19, 1932. no.2395.

Darnell, A. W.
The genus Androsace (cont.) Gard. Chron. III, 92: 376-377. N.19, 1932. no.2395.

Downes, A. C.
Black spot of roses. Gard. Chron. III,92: 358-359. N.12, 1932. no.2394.
Communication also by T. Weston: p.259-260.

Friend, H.
Corsican plant lore.XIX. Medicinal and aromatic plants. Gard. Chron. III,92: 356. N.12, 1932. no.2394.

Gard. Chron. (cont.)

Grove, A.

Hybrid lilies. VI. Hybrids of L. martagon and of the martagon section. Gard. Chron. III, 92: 339-341. N.15, 1932. no.2393.

Pethybridge, G.H. & Smith, K.M.

A suspected virus disease of Zonal Pelargoniums. Gard. Chron. III,92; 378-379. illus. N.19,1932. no.2395.

Redgrove, H. S.

Labdanum. Gard. Chron. III, 92: 375-376. illus. N.19, 1932. no.2395.

Ward, F. K.

Mr. F. Kingdon Ward's eleventh expedition in Asia. XVI-XVII. Gard. Chron. III, 92: 338-339, 374-375. illus. N.15,19, 1932. no.2392, 2395.

Weston, T.

Aquilegia longissima. Gard. Chron. III, 92: 354. N.12, 1932. no.2394.

A long lost plant received at Brakeslee botanic garden, Santa Barbara, Calif., in seeds from Arizona.

Izv. Istarsk. Prirod. Inst. Sofia (Mitt. K. Naturw. Inst. Sofia) (410.9So2)

Akhtarov, B.

Papratovidni rastenii͡a (Pteridophyta) v Bulgarskii͡a kherbarium pri Tsarskii͡a estestveno istoricheski muzeĭ v Soffii͡a; novi nakhodishcha, novi vidove, varieteti i formi (Farnpflanzen Bulgariens im Herbar des Kgl. naturhistorishchen museums in Sofia; neue fundorte, neue arten, varietäten hnd formen). Izv. Istarsk. Prirod. Inst. Sofia (Mitt. K. Naturw. Ist.Sofia) 5: 162-176. 1932.

Bulgarian with German summary.

Journ. Agr. Prat. (Paris) (14J82)

Ginet, I.

La bactériose du noyer. Journ. Agr. Prat. 96(2): 381-383. illus. N.15,1932. no.45.

Journ. Agr. Res. (Washington, D. C.) (1Ag84J)

Allen, R.F.

A cytological study of heterothallism in Puccinia coronata. Journ. Agr. Res. 45: 513-541. 16 pl. on 8. N.1, 1932(Recd N.28) no.9.

Journ. Agr. Res. (cont.)

Wright, R.C.

Some physiological studies of potatoes in storage. Journ. Agr. Res. 45: 543-555. N.1, 1932(Rec'd N.28) no.9

Journ. Amer. Soc. Agron. (Geneva, N.Y.) (4Am34P)

Arnold, L.E. & Jenkins, M.T.

The relative variability of corn crosses and varieties. Journ. Amer. Soc. Agron. 24: 868-871. N.1932. no.11.

Butler, O. & Murray, H.L.

Effect of nitrate potash on the vigor and productivity of healthy and leaf-roll Green Mountain potato plants and their progenies. Journ. Amer. Soc. Agron. 24: 881-887. N.1932. no.11.

Martin, J. F.

The cold resistance of Pacific coast spring wheats at various stages of growth as determined by artificial refrigeration. Journ. Amer. Soc. Agron. 24: 871-880. N.1932. no.11.

O'Kelly, J.F. & Hull, W. W.

Parent -progeny correlations in corn. Journ. Amer. Soc. Agron. 24: 861-867. N.1932. no.11.

Stewart, G.

Re-assembling the factors for awns and for spike density in Sevier x Federation wheat crosses and back crosses. Journ. Amer. Soc. Agron. 24: 843-861. illus. N.1932. no.11.

Journ. Bacteriol. (Baltimore) 448.3J82)

Lewis, I. M.

Dissociation and life cycle of Bacillus mycoides. Journ. Bacteriol. 24: 381-414. pl.1-4. N.1932. no.5.

Journ. Bot. (London) (450J82)

Britton, C. E.

Notes on Surrey plants. Journ. Bot. 70: 314-318. N.1932. no.839.

Cambridge university. Herbarium.

Notes from the university herbarium, Cambridge. Journ. Bot. 70(suppl.): 17-24. N.1932. no.839.

Journ. Bot. (cont.)

Rilstone, F.
Abnormal panicles of Rubus argenteus Wh. & N.
Journ. Bot. 70: 318-319. N.1932. no.839.

Spratt, E. R.
The gynoecium of the family Cruciferae.
Journ. Bot. 70: 308-314. illus. N.1932. no.839.

Journ. Dept. Agr. West. Austral. (Perth) (23W52J)

Pittman, H.A.
Downy mildew of tobacco. Two recent outbreaks near Perth. Journ. Dept. Agr. West. Austral. II,9: 452-456. illus. S.1932. no.3.

Journ. Gen. Physiol. (Baltimore) (447.8J822)

Damon, E. B.
Bioelectric potentials in Valonia. The effect of substitution KCl for NaCl in artificial sea water. Journ. Gen. Physiol. 16: 375-395. N.20, 1932. no.2.

Emerson, R. & Arnold, W.
The photochemical reaction in photosynthesis. Journ. Gen. Physiol. 16: 191-205. N.20, 1932. no.2.

Journ. Landw. (Berlin) (18J825)

Tornau, O. & Meyer, K.
Experimentelle untersuchungen zur ökologie des hafers. 2. Ueber das keimverhalten in zuckerlösungen unter dem einfluss äusserer wachstumsbedingungen sowie über die beziehungen zwischen kornausbildung, keimlingssaugkraft und ertrag. Journ. Landw. 80: 271-292. illus. 1932. no.4.

Journ. N.Y. Bot. Gard. (89N48J)

Seaver, F. J.
An unusual fungus growth. Journ. N.Y. Bot. Gard. 33: 246-247. illus. N.1932. no.395.
Polyporus frondosus growing from log 18 inches under ground which had been buried 12 years ago.

Teuscher, H.
Trees and shrubs of the orient. II. Evergreen barberries. Journ. N.Y. Bot. Gard. 33: 239-245. illus. N.1932. no.395.

Journ. Pharm. & Chim. (Paris) (363J825)

André, E.
Histoire de l'arachide. Journ. Pharm. & Chim. 16: 390-397. N.1932. no.9.

Kühn-Arch. (Berlin) (105.8H15Ku)
Hülsemann, H. H.
Fluoreszenz-untersuchungen an wintergersten.
Kühn-Arch. 30: 93-139. 1932.

Landw. Versuchsst. (Berlin) (105.8L23)
Esdorn, I. & Stütz, H.
Die bewertung harter leguminosensamen.
Landw. Versuchsst. 114: 137-147. 1932. no.3/4.

Scharrer, K. & Schropp, W.
Die wirkung des fluor-ions auf keimung und jugendwachstum einiger kulturpflanzen. Landw. Versuchsst. 114: 203-214. illus. 1932. no.3/4.

Leafl. West. Bot. (San Francisco) (450L47)
Baker, M. S.
A new species of Arctostaphylos. Leafl. West. Bot. 1: 31-32. N.18, 1932. no.2.
A. densiflora.

Eastwood, A.
Bottle-brushes in Californian gardens and parks. (cont.) Leafl. West. Bot. 1: 25-26. N.18,1932. no.4.

Stokes, S. G.
New western Eriogonums. Leafl. West. Bot. 1: 29-30. N.18, 1932. no.4.
E. rixfordii, n.sp., E. ovalifolium v. bellum, E. herrmanni v. occidentale var.nov.

Walther, E.
Cotyledon, Echeveria, or Dudleya? Leafl. West. Bot. 1: 27-29. N.18,1932. no.4.
Dudleya lagunensis (Echeveria).

Malayan Agr. Journ. (Kuala Lumpur) (22.5F312)
Georgi, C.D.V. & Teik, G. E.
The rotenone content of Malayan tuba root. Malayan Agr. Journ. 20: 498-507. O.1932. no.10.

Malayan For. Rec. (99.8M29)
Buckley, T. A.
The damars of the Malay Peninsula. Malayan For. Rec. 11, 94 p. 1932.

Meded. Proefst. Vorstenl. Tabak. Java (Klaten) (69.9K66)
Thung, T.H.
Phytopathologische waarnemingen. In Jaarverslag Proefst. Vorstenl. Tabak. Java 1931/32. Its Meded. 76:30-51. illus. 1932.

Mem. R. Acad. Cienc. y Artes Barcelona. (506B29M)

Barrachina y Almeda, J.

Tulipero de Virginia estudio botánico, selvicola e industrial. Mem. R. Acad. Cienc. y artes Barcelona 23: 39-66. illus. (col.pl.) 1932. no.2.

Mitt. Bayerisch. Bot. Ges. Erforsch. Heim. Flora (451B34)

Wein, K.

John Ray als erforscher der flora von Bayern. Mitt. Bayerisch. Bot. Ges. Erforsch. Heim. Flora 4: 191-196. Ja.10,1931. no.11.

Mitt. Biol. Reichsanst. Landw. u. Forstw. Berlin. (410.9G31M)

Werth, E.

Krankheiten und beschädigungen der kulturpflanzen im jahre 1930. Mitt. Biol. Reichsanst. Land- u. Forstw. Berlin 44. 50 p. illus. (maps) Je.1932.

Mitt. Deut. Landw. Ges. (Berlin) (18D48M)

Hiltner, E.

Der tau, ein vernachlässigter lebensfaktor der pflanzen. Mitt. Deut. Landw. Ges. 47: 825-827. N.12, 1932. no.46.

Mitt. Ges. Vorratsschutz. (Berlin) (420G32)

Laubert, R.

Was sollte der obstzüchter über die sooty-blotch- und fly-speck-krankheit (russflecken und fliegenflecken-krankheit) der äpfel wissen. Mitt. Ges. Vorratssch. Berlin-Steglitz 8: 31-34. illus. My. 1932. no.3.

Pape, H.

Fäulnis an lagerndem gemüse und ihre verhütung. Mitt. Ges. Vorratsschutz 8: 10-11, 21-24. Ja., Mr. 1932. no.1,2.

Möller's Deut. Gartn.-Zeit. (Erfurt) (80M75)

Seidel, T.J.H.

Moorbeetpflanzen nach dem winter 1931/32. Möller's Deut. Gärtn.-Zeit. 47: 376-378. illus. N.11,1932. no.32.

Rhododendron.

Monatsschr. Deut. Kakteen-Ges. (Berlin) (451D482)

Bödeker, F.

Echinocactus calochlorus Böd. sp.n. Monatsschr. Deut. Kakteen-Ges. 4: 260-262. illus. N.1932. no.11.

Monatsschr. Deut. Kakteen-Ges. (cont.)
Rost, E. C.
Cereus childsi Blanc 1890. Monatsschr. Deut. Kakteen-Ges. 4: 258-260. N.1932. no.11.
Ergänzung... von W. Weingart: p.260.

Nachr. Schädlingsbekämpfung (Leverkuser b. Köln a Rh.) (464.8N112)
Hanow, R.
Steigerung von keimfähigkeit und triebkraft durch trockenbeizen bei erbsen aus verschiedenen erntejahren. Nachr. Schädlingsbekämpfung 7: 20-22. F.1932. no.1.

Honig, F.
Beiträge zur kohlkropffrage. Nach. Schädlingsbekämpfung. 7: 22-27. illus. F.1932.

Nachricntehbl. Deut. Pflanzenschutzd. (Berlin) (464.9N11)
Voekel,
Die starken schäden an getreide im jahre 1932. (schluss). Nachrichtenbl. Deut. Pflanzenschutzd. 12: 89-90. illus. N.1932. no. 11.

Nat. Nut News. (Chicago) (94.68N21)
Miller, P. R.
Peanut disease survey of Georgia. Nat. Nut News 25(11): 29. N.1932. no.11.

Nat. & Appl. Sci. Bull, Univ. Philipp. (475P532)
Quisumbing, E.
The distribution of Philippine orchids. Nat. & Appl. Sci. Bull. Univ. Philipp. 2: 187-191. O.1932. no.2/3.

Nature (London) (472N21)
Brown, A. M.
Diploidisation of haploid by diploid mycelium of Puccinia helianthi Schw. Nature 130: 777. illus. N.19, 1932. no.3290.

Rama Rao, L. & Prasannakumar, C.
Occurrence of Lithothamnion in the South Indian Cretaceous. Nature 130: 776-777. N.19, 1932. no.3290.

Seward, A. C.
The redwoods of California: the past in the present. Nature 130: 723-726. illus. N.12, 1932. no.3289.

Nature Mag. (Washington) (409.6N214)
Collins, J.L.
The "Judas" flower of the milkweed. Nature Mag. 20: 282. illus. D.1932. no.6.
Asclepias speciosa.

Naturforsch. (Berlin) (410N219)
Budde, E.
Die berühmten Elberfelder pflanzen. Naturforsch. 9: 288-292. illus. N.1932. no.8.

Gräbner, P.
Pflanzenformen der wüste Namib. Naturforsch. 9: 287-288. pl.57-59. N.1932. no.8.

Naturwissensch. (Berlin) (474N213)
Pringsheim, E. G.
Julius Sachs, der botaniker und physiologie. Naturwissensch. 20: 831-833. N.11, 1932. no.46

Rawitscher, F.
Julius Sachs und das problem des plagiotropismus der pflanzen. Naturwissensch. 20: 834-839. illus. N.11, 1932. no.46.

Schmucker, T.
Bor als physiologisch entscheidendes element. Naturwissensch. 20: 839. N.11, 1932. no.46.

New Zeal. Journ. Agr. (Wellington) (23N48J)
Brien, R. M.
"Delicious spot" on apples due to Gloeosporium perennans. New Zeal. Journ. Agr. 45: 215-218. illus. O.20, 1932. no.4.

Cottier, W.
Insect transmission of dry-rot (Phoma lingam) of swedes. New Zeal. Journ. Agr. 45: 219-224. illus. O.20, 1932. no.4.

Northwest Fruit Growers (Wenatchee) (80W48)
Rogers, W. S.
The importance of the root system in fruit growing. Northwest Fruit Grower 4(10): 4-5, 10. illus. O.1932. no.10.

Nyt Mag. Naturvidensk. (Oslo) 410N98)
Christophersen, E.
A collection of plants from the Galapagos Islands. Nyt Mag. Naturvidensk. 70: 67-95. 1 pl. 1931.

Nyt Mag. Naturvidensk. (cont.)
Degelius, G. N.
Nagra lavar fran Helgeland i N$_o$rdland. Nyt Mag. Naturvidensk. 70: 289-295. 1931.

Fransrud, S.
Gamle hager og hageplanter pa Ringerike. Nyt Mag. Naturvidensk. 70: 199-271. illus. 1931.

Gyelnik, V.
Alectoria studien. Nyt Mag. Naturvidensk. 70: 35-62. 1931.

Jørstad, I.
Notes on Uredineae. Nyt Mag. Naturvidensk. 70: 325-408. illus. 1931.

Printz, H.
Observations on the structure and reproduction in Urospora Aresch. Nyt Mag. Naturvidensk. 70: 273-288. 2 pl. 1931.

Obst- u. Gemüseb. (Berlin) (80P7750)
Passecker, F.
Schädliche pilze in champignonkulturen. Obst. u. Gemüseb. 78: 26-27. illus. F.1932. no.2.

Pam. Pánstw. Inst. Nauk. Gospod. Wiejsk. Puławach (Mém. Inst. Nat. Polon. Econ. Rur. Pulawy) (Krakow)
Swederski, W. & Szafran, B.
Typy florystyczne polonin w karpatach wschodnich. (Alpwiesentypen der ostkarpaten). Pam. Pánstw. Inst. Nauk. Gospod. Wiejsk. Pulawach (Mem. Inst. Nat. Polon. Econ. Rur. Pulawy) 12: 62-114. 1931. no.1.
German summary: p.113-114.

Parfums France (Grasse) (308.8P21)
Chiris, (Etablissements Antoine Chiris)
Notes sur l'origine du géranium rosat. Parfums France 10: 282-289. illus. O.1932. no.115.
In French and English.

Prace Roln.-Leśne Polska Akad. Umiej. (Krakow) (20.5Y185)
Ralski, E.
Laki, polany i hale pasma Babiej Góry (Talwiesen und alpen der gebirgskette von Babia Gora) Prace Roln.-Lesne Polska Akad. Umiej. 4. 86 p. map. 1931.
German summary.

Prakt. Ratg. Obst.-u. Gartenb. (Frankfurt a.d.O) (80P883)
Arnoldi, Th.v.
Beeinflusst die kirschenunterlage das auftreten von krankheit? Prakt. Ratg. Obst- u. Gartenb. 47: 531-532. N.6, 1932. no.45.

Kruft, F.
Beeinflusst die sauerkirschenunterlage das auftreten von Fusicladium? Prakt. Ratg. Obst- u. Gartenb. 47: 437-438. S.11, 1932. no.37.

Proc. Roy. Soc. Ser. B. (London) (501L84B)
Storey, H. H.
The inheritance by an insect vector of the ability to transmit a plant virus. Proc. Roy. Soc. Ser. B, 112: 46-60. N.1, 1932. no.B774.

Progr. Agr. & Vitic. (Montpellier) (14P94)
Cadoret, A.
La défense positive contre le mildiou en 1932. Progr. Agr. & Vitic. 98: 447-449. N.6, 1932. no.45.

Protoplasma (Leipzig) (442.8P94)
Brooks, M.M.
Studies on the permeability of living cells. XIV. The penetration of certain oxidation-reduction indicators into different species of Valonia.

Milovidov, P. F.
Einfluss von wasser hoher temperatur auf den kern der pflanzenzellen im lichte der nuklealreaktion. (Beitrag zur physikalischen chemie des zellkernes). Protoplasma 17: 32-88. illus., pl. i-ii (1 col.) 0.1932. no.1.

Rep. North. Nut Grow. Assoc. (81N813)
Beattie, R. K.
Oriental chestnuts for the United States. Rep. North. Nut Grow. Assoc. 22(1931): 25-31. [1932]

Nebel, B. R.
Cytological aspects of breeding nuts. Rep. North. Nut Grow. Assoc. 22(1931): 22-23. [1932]

Reed, C. A.
Varieties of nuts for northern planting. Rep. North. Nut Grow. Assoc. 22(1931): 77-100. [1932]

Rep. North. Nut Grow. Assoc. (cont.)

Van Eseltine, G.P.

Horticultural notes on the botany of nut-bearing trees. Rep. North. Nut. Grow. Assoc. 22(1931): 116-121. [1932]

Rhodesia Agr. Journ. (Salisbury) (24R34)

Christian, H. B.

Notes on African aloes. II. Rhodesia Agr. Journ. 29: 811-812. 1 pl. O.1932. no.10.

Rattray, J.M.

A parasite on cowpeas. (Alectria vogelii Benth.) Rhodesia Agr. Journ. 29: 791-794. illus. O.1932. no.10.

Roczn. Nauk. Rolnicz. i Leśn. (Polish Agr. & For. Ann.) (Poznań)

Górski, M. (20.5R59)

Wpływ zwiazków boru na wzrost roślin (w zwiazku zuzawartościa boru w nawozach potasowych). (Die wirkung von borverbindungen auf das wachstum der pflanzen. Im zusammenhange mit dem vorkommen von borverbindungen in kalidüngemittel). Roczn. Nauk. Rolnicz. i Leśn. (Polish Agr. & For. Ann.) 28: 27-44. illus. 1932. no.1/2.

German summary: p.44.

Korczewski, M. & Majewski, F.

Wpływ potasu na wzrost roslin w różnych okresach rozwoju. (Ueber den einfluss des kaliums auf das wachstum in verschiedenen entwickelungsstadien der pflanzen). Roczn. Nauk. Rolnicz i Leśn.(Polish Agr. & For. Ann.) 28: 1-26. 1932. no.1/2.

German summary: p.25-26.

Schweiz. Zeitschr. Forstw. (Bern) (99.8Sch9)

Gäumann, E. & Campbell, E.

Ueber eine kiefernkrankehti im gebiete des Ofenberges. Schweiz. Zeitschr. Forstw. 83: 329-332. photo. N.1932. no.11.

Hallimasch (Agaricus melleus)

Jaag, O.

Ueber die Rhabdocline-erkrankung der Douglasien. Schweiz. Zeitschr. Forstw. 83: 332-337. N.1932. no.11.

Science (470Sci2)

The Morris arboretum and the University of Pennsylvania. Science 76: 459. N.18, 1932. no.1977.

Science (cont.)

Todd, R. L.

Phycomycetes, ascomycetes and fungi imperfecti in Oklahoma soil. Science 76: 464. N.18, 1932. no.1977.

... Wilhelm N. Suksdorf... Science 76: 457. N.18, 1932. no.1977.

Died Oct.3, 1932. His herbarium and library go to the State college of Washington.

Science News Letter (470Sci24)

Knowledge of chromosomes founded synthetic species. Science News Letter 22: 337. N.26, 1932. no.607.

Three new species of a common weed (Datura) were manufactured to order as the result of the research of Dr. A.F. Blakeslee and Dr. D.A. Bergner.

Scient. Agr. (Ottawa) (7Sci2)

Berkeley, G.H. & Madden, G.O.

Transmission of streak and mosaic diseases of tomato through seed. Scient. Agr. 13: 194-197. 1 pl. N.1932. no.3.

Johnson, T., Newton, M. & Brown, A.M.

Hybridization of Puccinia graminis tritici with Puccinia graminis secalis and Puccinia graminis agrostidis. Scient. Agr. 13: 141-153. illus., 1 pl. N.1932. no.3.

Palmer, R.C. & Strachan, C.C.

Bud vatiation in the apple. Scient. Agr. 13: 178-184. N.1932. no.3.

Sigfusson, S. J.

Smooth-awned wheat: inheritance of barbing and awn colour. Scient. Agr. 13: 185-193. illus. N. 1932. no.3.

Welsh, J. N.

The effect os smut on rust development and plant vigour in oats. Scient. Agr. 13: 154-164. illus. N.1132. no.3.

Scient. Month. (470Sci23)

Chamberlain, C. J.

The age and size of plants. Scient. Month. 35: 481-491. illus. D.1932. no.6.

Seed World. (Chicago) (61.8Se52)
Wilt resistant asters developed by Bodger. Seed World 32(11): 12. illus. N.25, 1932. no.11.

Smithson. Misc. Coll. (Washington) (500Sm6M)
Brackett, F. S. & Johnston, E. S.
The functions of radiation in the physiology of plants. I. General methods and apparatus. Smithson. Misc. Coll. v.87 no.13. 10 p. illus., pl. i. N.14, 1932 (Publ. 3179)

Trans. Nat. Hist. Soc. Formosa (J410.9N19)
Masamune, G.
Phytogeographic position of Formosa when her indigenous genera of vascular cryptogamic plants are concerned. Trans. Nat. Hist. Soc. Formosa 22: 365-371. O.1932. no.122.
Pteridophytes.

Simada, Y.
Plants of Senkyakuseki virgin forests in Shinchiku coast strand. Trans. Nat. Hist. Soc. Formosa 22: 372-386. O.1932. no.122.
Japanese.

U.S. Dept. Agr. Off. Rec. (1Ag84Or)
Chemist's study of an American weed yields important results. U.S. Dept. Agr. Off. Rec. 11: 233. N.19, 1932. no.47.
Discovery of Dr. E.P. Clark.
Cracca virginiana.

Thirty-nine plant patents have been granted under amended law. U.S. Dept. agr. Off. Rec. 11: 237,240. N.26, 1932. no.48.

Veldbode (Maastricht) (12V542)
Doyer, L. C.
Aflevering van onstmet zaaizaad verdient in vele gevellen aanbeveling. De Veldbrode 30: 354-355. illus. Ja.9,1932.
German transl. in Nachr. Schädlingsbekämpfung 7: 18-20. illus. F.1932. (Lieferung gebeizten saatgutes ist in vielen fällen empfehlenswerte).

Verh. Naturf. Ver. Brünn. (510B83)
Cernik, L. F.
Krankheiten und teratologische missbildungen an pflanzen der Olmützer flora. IV. Verh. Naturf. Ver. Brünn. 63: 51-74. illus. 1932.

Verh. Naturf. Ver. Brünn.
Frimmel, F.
Hofrat Prof. Dr. Dr. h.c. Richard Wettstein-Westersheim. Verh. Naturf Ver. Brünn 63: 166-178. 1932.
Publications of R.v. Wettsteins: p.172-178.

Hruby, J.
Botanische notizen aus Mähren-Schlesien. Verh. Naturf. Ver. Brünn 63: 12-50. 1932.

Zapiski Gosud. Nikitsk. Opytn. Bot. Sada (Journ. Gov. Bot. Gard. Nikita) (Ialta) (106Ia5Z)
Meleev, O. F.
Nikitskii sad pri Stevens (1812-24 g.) (The Nikita botanical garden under Steven (1812-24) Zapiski Gosud. Nikitsk. Opytn. Bot. Sada (Journ. Gov. Bot. Gard. Nikita) v.17, no.1. 34 p. 1931.
Botanical work of Chr. Stevens: p.33.
Russian with very brief English summary.

Voinov, G. V.
Parkovaia͡ ratitel'nost Severo-Kavkazskogo poberezh'ia͡ (The vegetation of the parks on the north Caucasian coast). Zapiski Gosud. Nikitsk. Opytn. Bot. Sada (Journ. Gov. Bot. Gard. Nikita) v.17, no.2. 24 p. 1931.
Russian with English summary.

Zeitschr. Pflanzenernähr. Düng. u. Bodenk. A, Wiss. Teil. (Leipzig)
Niethammer, A. (384Z343A)
Kritsch vergleichende zuckerbestimmungen und betrachtungen über ein polysacchrid und die blausäure an samenmaterial verscheidener lebenskraft. Zeitschr. Pflanzenernähr. Düng. u. Bodenk. A. Wiss. Teil 26: 350-357. 1932. no.5/6.

Zeitschr. Zellforsch. & Mikrosk. Anat. (Berlin) (442.8Z33B)
Nebel, B. R.
Chromosome structure in Tradescantiae. I-Zeitschr. Zellforsch. & Mikrosk. Anat. 16: 251-284, 285-304; illus., pl.v-xii. 0.27, 1932. no.2/3.
I. Methods and morphology. II. The direction of coiling of the chromonema in Tradescantia reflexa Raf., T. virginiana L., Zebrina pendula Schnizl. and Rhoeo discolor Hance.

Der Züchter (Berlin) (442.8Z8)
Buchinger, A.
Unser wichtigster primelbastard. Der Zuchter 4: 242-245. 0.1932. no.10.

Der Züchter. (cont.)

Grüber, F.
Beerenobstzüchtung. Der Züchter 4: 237-242. illus. O.1932. no.10.

Grünbaum, H.
Der korkbaum und seine bedeutung für mitteleuropa. Der Züchter 4: 254-256. O.1932. no.10.
Phellodendron.

Schick, R.
Ueber das verhalten von Solanum demissum, Solanum tuberosum und ihren bastarden gegenüber verschiedenen herkünfter von Phytophthora infestans. Der Züchter 4: 233-237. illus. O.1932. no.10.

Exper. Stat. Publ.

Arkansas agricultural experiment station.
Plant pathology. 1931/32 In its Ann. Rep. 44(1931/32): 54-58. O.1932. (100Ar42)
V.H. Young in charge.

Muenscher, W. C.
Killing perennial weeds with chlorates during winter. Cornell Agr. Exp. Stat. Bull. 542. 8 p. illus. S.1932(Rec'd N.) (100N48C)

Copple, R.F. & Aldous, A.E.
The identification of certain native and naturalized grasses by their vegetative characters. Kansas Agr. Exp. Stat. Tech. Bull. 32. 73 p. illus. Mr.1932(Recd N.) (100K13S)

State Publications.

Pearson, O.H. & Porter, D.R.
Tomato production in California. California Agr. Ext. Serv. Circ. 66. 57 p. illus. O.1932.(275.29C12C)
Diseases: p.42-54.

Smith, R. E.
The diamond canker disease of the French prune in California. California Agr. Ext. Serv. Circ. 67. 22 p. illus. O.1932.(275.29C12C)

Ball, W. S. & Robbins, W. W.
Bermuda grass (Cynodon dactylon). Month. Bull. Dept. Agr. Calif. 21: 322-323. 1 col.pl. (front.) Jl./S.1932. no.7/9.(2C12M)

Ball, W.S. & Robbins, W. W.
White horse nettle (Solanum elaeagnifolium Cav.) Month. Bull. Dept. Agr. Calif. 21: 348-349. 1 col.pl. Jl./S.1932. no.7/9. (2C12M)

State Publications (cont.)

Harris, M.R.

Some examples of cold injury to plants in California during the winter of 1931-32. Month. Bull. Dept. Agr. Calif. 21: 354-357. illus. Jl./S. 1932. no.7/9. (2C12M)

Stout, G. L.

Chlorine injury to lettuce and other vegetation. Month. Bull. Dept. Agr. Calif. 21; 340-344. illus. Jl./S.1932. no.7/9. (2C12M)

New Books.

Académie malgache.

Catalogue des plantes de Madagascar. 1931-32. Separate monographs. (460.51Acl)

Pteridophyta. C. Christensen - Anonaceae, Menispermaceae. L. Diels, - Asclepiadaceae, Sapindaceae. P. Choux. - Chlaenaceae, Dioscoreaceae, Scrofulariaceae. H. Perrier de la Bathie. - Loranthaceae, Sapotaceae. H. Lecomte.

Bassi, E.

Frutticoltura. Torino, 1932 (Nuova enciclopedia agraria italiana, pte.5) (93B29)

Diseases under each group.

Kelly, A.P.

The literature of mycorrhizae. Abstracts of seven hundred publications dealing with the relations of fungi to roots, with indexes to the fungi and the hosts. Malvern, Pa., 1932(241.75K28)

Typewriten.

Lemée, A.

Dictionnare descriptif et synonymique des genres de plantes phanérogames. Vol. 4. (Leo - Pal) Brest, 1932. (452L542)

Lindeijer, E. J.

De bacterie-ziekte van den wilg veroorzaakt door Pseudomonas saliciperda n.sp. Baarn, N.V. Hollandia-drukkerij, 1932. (474.07L64)

Proefschr. Univ. Amsterdam.

English summary: p.77-79.

Loehwing, W. F.

Plant physiology, laboratory directions. Iowa City, [1932](463.3Io9)

Multigraphed.

New Books (cont.)

Porsch, O.
Costa Rica. In Karsten, G. Vegetationsbilder r.23, h.4/5, pl.19-30. 1932. (f°452.9K142)

Schiller, J.
Dinoflagellata lfg.2. Leipzig, 1932. (Dr. L. Rabenhorst's Kryptogamen-flora von Deutschland ... bd.10, abt.3)(461R11)

Simonsen, J.L.
Terpenes v.2. Cambridge, University press, 1932 (387.1Si52)

Vageler, P.
Der kationen- und wasserhaushalt desmineralbodens. Berlin, J. Springer, 1932.(56V17K)
Die pflanze als wasser verbrauchendes system: p.260-270.

Zander, R.
Handwörterbuch der pflanzennamen und ihre erklärung. 2. aufl. Berlin, Gärtnerische verlagsgesellschaft, [1932] (452.1Z1)

Correction.

v.14, no.22, p.27.
Title under Bolley, H.L. & Manns, T.F. Manns in sole author, Bolley being author of preface only; both names, however, appear on cover.

Non-current indexing.

Acta Bot. Bohemica (Praze) (450Ac82)

Domin, K.
The species of the genus Cyathea J.E.Sm. Acta Bot. Bohemica 9:85-174. 1930.
A preliminary list.

Domin, K.
A synopsis of Melastomaceae from the island of Dominica in the Lesser Antilles. Acta Bot. Bohemica 9: 34-45. 1930.

Krajina, V.
Generis Gunnerae species hawaiienses. Acta Bot. Bohemica 9: 49-52. illus. 1930.
G.dominii n.sp.

Suza, J.
Lichenses Slovakiae III. Acta Bot. Bohemica 9: 5-33. 1930.

Non-current Indexing. (cont.)

Arch. Anat. Micr. (Paris)(444.8Ar21)
Wagner, N.
Le chrondriome des embryons des graines au cours de la maturation et de la germination. Arch. Anat. Micr. 26:419-432. pl.xiii. D.15,1930. no.3.

Bull. Serv. Techn. Dép. Agr. Haiti. (EH122)
Barker, H. D.
L'amélioration du coton Haïtien par le sélection. Deuxième rapport. Bull. Serv. Techn. Dép. Agr. Haiti no.25. 38 p. Mr.1931

Journ. Exp. Biol. (London) (442.8B77)
Brooks, S. C., Giese, A. C., & Giese, R. I.
Potential differences across natural membranes separating unlike salt solutions. Journ. Exp. Biol. 8:124-132. illus. Ap.1931. no.2.
Experiments with onions.

Journ. Gen. Physiol. (Baltimore, Md.)(447.8J822)
Bailey, I. W. & Zirkle, C.
The cambium and its derivative tissues VI. The effects of hydrogen ion concentration in vital staining. Journ. Gen. Phys. 14:363-383. Ja.20,1931. no.3.

Osterhout, W. J. V. & Hill, S. E.
Salt bridges and negative variations. Journ. Gen. Physiol. 13:547-552. illus. My.20,1930. no.5.

Rahn, O.
The order of death of organisms larger than bacteria. Journ. Gen. Physiol. 14:315-337. illus. Ja.20,1931. no.3.

Journ. Imp. Agr. Exp. Stat. Nishigahara, Tokyo.(107.6N635)
Tasugi, H.
On the pathogenicity of Typhula graminum Karsten. Journ. Imp. Agr. Exp. Stat. Nishigahara 1:183-198. pl.xvii-xviii. Mr. 1930. no.3.
Japanese with English summary.

Non-current Indexing. (cont.)

Kendyr-rami. (73.8K34)

Rusanov, F.

Mesto kendyria v zarosli͡akh gigantskikh zlakov -- tugai͡akh doliny r. Piandzha i ego pritokov (The place of kendyr in the thickets of giant weeds in the valley of R. Piandj and its tributatries) Kendyr-rami 6:33-51. illus. 1930.

Russian.

Starosel'ski, Y.

K biologii tsveteniia kenafa.(The biology of flowering of kenaph). Kendyr-rami 6:63-93. illus. 1930.

Russian.

Mat. Sluzh. Ucheta Vred. i Bolezn. S.-Kh. Rast. Inst. Zashch. Rast. Lening. (464.9L54)

Jaczewski, A. A.

Spravochnik fitopatologicheskikh nabli͡udenii [A guide to phytopathological observations] Mat. Sluzh. Ucheta Vred. i Bolezn. S.-Kh. Rast. Inst. Zashch. Rast. Lenin. no.1. 236 p. 1930.

Russian. English summary in Rev. Appl. Mycol. 10:397.

Nat. Appl. Sci. Bull. Univ. Philipp. (475P532)

Barcelon, T.

Further study on the chemistry of Quisqualis indica Linnaeus. Nat. Appl. Sci. Bull. Univ. Philipp. 1:379-388. N.1931. no.4.

Pastrana, M. D. & Santos, J. K.

A contribution on the life history of Dendrobium anosmum Lindley. Nat. Appl. Sci. Bull. Univ. Philipp. 1:133-144. pl.i-iii. Ja.1931. no.2.

Santos, A. C.

On the alkaolids of Archangelisia flava (L.) Merr. Nat. Appl. Sci. Bull. Univ. Philipp. 1:153-161. Ja.1931. no.2.

Santos, J. K.

Scientific contribution of the department of botany. Nat. Appl. Sci. Bull. Univ. Philipp. 1:405-413. 2 pl. N.1931. no.4.

Non-current Indexing. (cont.)

Nat. Appl. Sci. Bull. Univ. Philipp. (cont.)

Stevens, F. L. & Roldan, E. F.
Diseases of ornamentals in the Philippines.
Nat. Appl. Sci. Bull. Univ. Philipp. 1:249-250.
3 pl. Jl.1931. no.3.

Valasquez, G. T. & Santos, J. K.
Anatomical study of the culm of five Philippine
bamboos. Nat. Appl. Sci. Bull. Univ. Philipp.
1:281-318. illus., 10 pl. N.1931. no.4.

Pam. Państw. Inst. Nauk. Gospod. Wiejsk. Puławach (Mém. Inst.
Nat. Polon. Écon. Rur. Pulawy) (Krakow)
(20.5P19)

Barbacki, S.
Z badań nad jęczmieniem. Cz. II. Zmienność i
dziedziczenie niektórych cech fizjologicznych.
Selekcyjna ważność cech. (Studies on barley.
Variability and inheritance of some physiological
characters. The importance of breeding characters).
Pam. Państw. Inst. Nauk. Gospod. Wiejsk. Puławach
(Mém. Inst. Nat. Polon. Écon. Rur. Pulawy) 11:579-610. 1930. no.2.
In Polish with English summary, p.607-610.

Sypniewski, J.
O odmianach i rasach Lupinus angustifolius L.
(Les variétés et les races de Lupinus angustifolius
L.) Pam. Państw. Inst. Nauk. Gospod. Wiejsk.
Puławach (Mém. Inst. Nat. Polon. Écon. Rur. Pulawy)
11:496-552. illus. 1930. no.2.
In Polish with French summary, p.535-539.

Proc. Crop Sci. Soc. Japan. (22.5C88)

Inouye, C.
On the tetrad chromosomes of Linum. Proc.
Crop. Sci. Soc. Japan 2:185-193. 1 pl.
N.1930. no.3.
In Japanese with English summary, p.192-193.

Kagawa, F. & Nakajima, G.
Genetical and cytological studies of species
hybrids in Quamoclit. Proc. Crop Sci. Soc.
Japan. 2:280-286. D.1930. no.4.
In Japanese with English summary, p.285-286.

Katayama, T.
The significance of investigation of the
node-number in rice plant. Proc. Crop Sci.
Soc. Japan 2:278-279. D.1930. no.4.
In Japanese.

Non-current Indexing. (cont.)

Proc. Crop Sci. Soc. Japan. (cont.)

Matsuda, K.

On the germination of seeds of rice varieties at low temperatures (Preliminary). Proc. Crop. Sci. Soc. Japan 2:263-268. D.1930. no.4.

In Japanese.

Tabata, K. & Takizawa, T.

On the relation between the varieties of rice and their physical characters. Proc. Crop Sci. Soc. Japan 2:287-300. D.1930. no.4.

In Japanese.

Teshima, T.

Inequality of reciprocal crosses between tororoaoi (Hibiscus manihot) and okra (Hibiscus esculentus). Proc. Crop. Sci. Soc. Japan 2:230-234. N.1930. no.3.

In Japanese.

Proc. Florida State Hort. Soc. (81F66)

Shippey, W. B.

The diseases of ornamental trees. Proc. Florida State Hort. Soc. 43:127-132. 1930.

Sitzungsb. Akad. Wiss. Wien Math.-Naturw. Kl. Abt. I. (510V67)

Hofmann, E.

Ueber die anatomie des blattes von Oncidium ascendens Lindl. Sitzungsb. Akad. Wiss. Wien Math.-Naturw. Kl. Abt.I, 139:189-193. ii pl. 1930.

Subtropiki (Suchum) (20Sul.)

Mikheev, A. A.

Estestvenno-istoricheskie uslovii͡a proizrostanii͡a kauchukonosa khondrilly v Azerbaĭdzhane (Natural conditions in which caoutchouc-yielding chondrilla is met with in Azerbajdjan) Subtropiki 2(5/6):3-18. My./Je.1930.

Russian with English summary.

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D.C.

LIBRARY
RECEIVED
★ JAN 6 - ★
U.S. Department of Agriculture

Vol.14, no.25. Dec.5-17, 1932.

Acta Bot. Inst. Bot. Univ. Zagreb. (451Z1)

Horvat, I.
Grada za briogeografiju Hrvatske. (Materialien zur bryogeographie Kroatiens). Acta Bot. Inst. Bot. Univ. Zagreb 7: 73-128. 1932.
Crotian with German summary.

Klas, Z.
Quelques remarques sur la présence du iode chez les algues adriatiques. Acta Bot. Inst. Bot. Univ. Zagreb 7: 59-72. 1932.

Kušan, F.
Ueber die systematische bewertung gewisser merkmale im formenkreise von Parmelia conspersa sensu lat. Kritische bemerkungen zu neuen Parmelia conspersa-formen in Jugoslavien. Acta. Bot. Inst. Bot. Univ. Zagreb 7: 1-34. 1932.

Vouk, V. & Klas, Z.
Ueber einige kulturbedingungen des insektentötenden pilzes Metarrhizium anisophiae (Metsch.) Sor. Acta.Bot. Inst. Bot. Univ. Zagreb 7: 35-58. illus. 1932.

Agr. & Live-stock, India. (Calcutta) (22Ag83A)

Ayyangar, G. N. R.
The inheritance of characters in ragi, Eleusine coracana (Gaertn.) Agr. & Live-stock, India 2: 369-379. Jl. 1932. no.2.

Robertson, H. F. & Thein, B.
The occurrence of water hyacinth (Eichhornia Crassipes, Solms.) seedlings under natural conditions in Burma. Agr. & Live-stock, India 2: 383-390. illus., pl. xiv-xv. (1 col.) Jl.1932. no.2.

Agr. Gaz. N.S.W. (Sydney) (23N472)

Birmingham, W.A.
Two fungous diseases of the loquat. Agr. Gaz. N.S.W. 43: 863-867. illus. N.1,1932. no.11.
Entomosporium sp.; Fusicladium eriobotryae.

Agr. Gaz. N.S.W. (cont.)
Macindoe, S.L.
Recording disease in crop plants. I. Smuts of cereals. Agr. Gaz. N.S.W. 43: 806-808. N.1, 1932. no.11.

Amer. Jour. Bot. (450Am36)
Gleason, H. A.
Some undescribed flowering plants from South America. Amer. Jour. Bot. 19: 740-754. N. 1932. no.9.

Harlow, W. M.
Contributions to the chemistry of the plant cell wall. VI. Further studies on the location of lignin in the cell walls of wood. Amer. Journ. Bot. 19: 729-739. illus., pl. lii-liii. N. 1932. no.9.

Johansen, D.A.
The chromosomes of the California Liliaceae I. Amer. Jour. Bot. 19: 779-783. illus. N.1932. no.9.

Munz, P.A.
Studies in Onagraceae VIII. The subgenera Hartmannia and Gauropsis of the genus Oenothera. The genus Gayophytum. Amer. Jour. Bot. 19: 755-778. N.1932. no.9.

Stevens, O. A.
The number and weight of seeds produced by weeds. Amer. Jour. Bot. 19: 784-794. N. 1932. no.9.

Ann. Ecole Nat. Agr. Montpellier (105.3M76)
Branas, M.
Recherches caryologiques sur la vigne. Ann Ecole Nat. Agr. Montpellier n.s.22: 5-10. [1932] no.1.

Ann. Épiph. (Paris) (464.9F84)
Foex, E.
Station centrale de pathologie vegetale (Rapport). Ann. Épiph. 18: 66-73. Jl.4, 1932. no.1.

France. Min. de l'agriculture - Institut des recherches agronomiques.
Rapport phytopathologique pour l'année 1931. Ann. Epiph. 18: 1-53. Jl.4, 1932. no.1.
Includes Maladies non parasitaires et maladies causees par des parasites vegetaux: p.22-53.

Ann. Gembloux (Brussels) (13G28)

Kufferath, H. & Ghesquière, J.

La mosaïque du manioc. Ann. Gembloux 38: 365. N.1932. no.11.

Ann. Bot. (London) (450An7)

Arber, A.

Studies in flower structure. I. On a peloria of Digitalis purpurea L. Ann. Bot. 46: 929-939. illus. O.1932. no.184.

Ashby, E.

Studies in the inheritance of physiological characters. II. Further experiments upon the basis of hybrid vigour and upon the inheritance of efficiency index and respiration rate in maize. Ann. Bot. 46: 1007-1032. illus. O.1932. no.184.

Billings, F. H.

Microsporogenesis in Phoradendron. Ann. Bot. 46: 979-992. illus. O.1932. no.184.

Blaikley, N.M.

The transpiration of the sporophyte of Polytrichum commune. Ann. Bot. 46: 1067-1068. O. 1932. no.184.

Brodie, H. J.

Oidial mycelia and the diploidization process of Coprinus lagopus. Ann. Bot. 46: 727-732. O.1932. no.184.

Butcher, R. W.

Studies in the ecology of rivers. II. The microflora of rivers with special reference to the algae on the river bed. Ann. Bot. 46: 813-861. illus., pl. xxxiii-xxxiv. O.1932. no.184.

Chona, B. L.

An analysis of the factors underlying specialization of parasitism, with special reference to certain fungi parasitic on apple and potato. Ann. Bot. 46: 1033-1050. O.1932. no.184.

Studies in the physiology of parasitism. XIII. Botrytis cinerea, Fusarium fructigenum, F. caeruleum, Phytophthora erythroseptica, Pythium sp. (debaryanum?)

Dark, S. O. S.

Chromosomes of Taxus, Sequoia, Cryptomeria and Thuya. Ann. Bot. 46: 965-977. illus. O. 1932. no.184.

Ann. Bot. (cont.)

Dastur, R. H. & Asana, R. D.
Effect of plane-polarized light on the formation of carbohydrates in leaves. Ann. Bot. 46:879-891. pl.xxxii. O.1932. no.184.

Dix, E.
On a sporocarp probably attached to a frond of Neuropteris schlehani, Stur. Ann. Bot. 46: 1064-1067. illus. O.1932. no.184.

Haines, F. M.
A self-recording potometer with a note on rate of transpiration under pressure. Ann. Bot. 46: 1051-1060. illus. O.1932. no.184.

Harries, R.
An investigation by cultural methods of some of the factors influencing the development of the gametophytes and the early stages of the sporophytes of Laminaria digitata, L. saccharina, and L. cloustoni. Ann. Bot. 46:894-928. pl. xxxvii-xxxix. O.1932. no.184.

Latter, J.
The effect of fixatives on the prophase stages and heterotypic chromosomes of Lathyrus odoratus. Ann. Bot. 46: 808-811. pl. xxxii. O.1932. no.184.

Rees, T. K.
A note on the longevity of certain species of the Fucaceae. Ann. Bot. 46: 1062-1064. O. 1932. no.184.
Fucus, Ascophyllum.

Renouf, L.P.W. & Rees, T. K.
A note on experiments concerned with biotic factors of the sea-shore. Ann. Bot. 46: 1061-1062. O.1932. no.184.

Skrine, P. M., Newton, L. & Chater, E. H.
A salt marsh form of Fucus ceranoides, L., from Llanbedr, Merioneth. Ann. Bot. 46: 769-779. illus., pl.xxx. O.1932. no.184.
F. ceranoides ecad proliferatus.

Thoday, D. & Davey, A.J.
Contractile roots. II. On the mechanism of root-contraction in Oxalis incarnata. Ann. Bot. 46: 993-1005. illus., pl.xl. O.1932. no.184.

Arch. Mikrobiol. (Berlin) (442.8Ar26)

Brussoff, A.

Ueber eine eigenartig verzweigte, an pilzhyphen sitzende, eisenspeichernde bakterienzooglöa. Arch. Mikrobiol. 3: 580-587. illus. N.7, 1932. no.5.

Gistl, R.

Zur kenntnis der erdalgen. Arch. Mikrobiol. 3: 634-649. illus. N.7, 1932. no.5.

Sacchetti, M.

Contributo alla conoscenza della flora microbica di alcuni formaggi italiani. I- Arch. Mikrobiol. 3: 650-662. illus. N.7, 1932. no.5.

Zygosaccharomyces casei, n.sp., Saccharomyces cartilaginosus italica, n.var.

Arch. Suikerind. Nederl. Indië (Meded.) (Soerabaja) (65.8Ar2)

Booberg, G. & Broekhuizen, S.

Suikervorming en rijpingsverloop bij suikerriet. I. De voorbemonstering in het oogstjaar 1931. Arch. Suikerind. Nederl. Indië (Meded.) 1932, pt.3 (Meded.18): 1259-1324. illus. 1932. no.18.

Coelingh, W.M. & Koningsberger, V.J.

Suikervorming en rijpingsverloop bij suikerriet. II. Over zetmeelvorming in de bladeren van suikerriet. Arch. Suikerind. Nederl. Indië. 1932, pt.3. (Meded. 19): 1325-1340. illus. 1932. no.18.

Bergcultures. (Batavia, Java) (22.5.B45)

Coster, C.

Wortelconcurrentie en aanverwante vraagstukken. Bergcultures 6: 1150-1155. illus. O.22, 1932. no.43.

Ber. Deut. Bot. Ges. (Berlin) (451D48)

Berg, H. vom

Ueber serologische organspezifität bei pflanzen. Ber. Deut. Bot. Ges. 50(Generalversamml.-heft 1): (93)-(99). N.17, 1932. no.1.

Boas, F.

Versuche zu einer zelldifferenzierungslehre. Ber. Deut. Bot. Ges. 50: 376-382. N.24,1932. no.8.

Ber. Deut. Bot. Ges. (cont.)

Hirmer, M.

Die deutung des weiblichen blütenzapfens der coniferen. Ber. Deut. Bot. Ges. 50(Generalversamml.-heft 1): (47)-(52). N.17, 1932. no.1.

Höfler, K.

Vergleichende protoplasmatik. Ber. Deut. Bot. Ges. 50(Generalversamml.-heft 1): (53)-(67). N.17, 1932. no.1.

Huber, B.

Einige grundfragen des wärmehaushalts der pflanzen. I. Die ursache der hohen sukkulententemperaturen. Ber. Deut. Bot. Ges. 50(Generalversamml.-helt 1): (68)-(76). illus. N.17, 1932. no.1.

Laibach, F.

Pollenhormon und wuchsstoff. Ber. Deut. Bot. Ges. 50: 383-390. N.24, 1932. no.8.

"Pollenhormon" and "wuchsstoff" chemically identical.

Lindenbein, W.

Karyologische studien an Daucus carota L. Ber. Deut. Bot. Ges. 50: 399-406. pl. ix. N.24, 1932. no.8.

Moritz, O.

Zur frage der antigen-antikörperreaktionen bei pflanzen. Ber. Deut. Bot. Ges. 50(Generalversamml.-heft 1): (100)-(106). N.17, 1932. no.1.

Münch, E.

Ergänzende versuche über stoffbewegungen. Ber. Deut. Bot. Ges. 50: 407-426. N.24, 1932. no.8.

Mussack, A.

Beeinflussung der blütenfarbe bei Primula auricula durch blutdüngung. Ber. Deut. Bot. Ges. 50: 391-392. illus. N.24, 1932. no.8.

Overbeck, F.

Ein billiger einfacher klinostat. Ber. Deut. Bot. Ges. 50: 393-398. illus. N.24, 1932. no.8.

Strugger, S.

Die beeinflussung des wachstums und des geotropismus durch die wasserstoffionen. Ber. Deut. Bot. Ges. 50(Generalversamml.-helt 1): (77)-(92). N.17, 1932. no.1.

Vorläufige mitteilung.

Experiments with Helianthus annuus.

Ber. Deut. Chem. Ges. (Berlin) (384B45)

Schmid, L. & Tadros, F.

Die konstitution des farbstoffs von Robinia pseudacacia. Ber. Deut. Chem. Ges. 65: 1689-1691. N.9, 1932. no.10.

Biochem. Journ. (London) (382B52)

Bailey, K. & Norris, F. W.

The nature and composition of the mucilage of the seed of white mustard (Brassica alba). Biochem. Journ. 26: 1609-1623. 1932. no.5.

Cowell, S. J.

A note on the calcium content of cabbage. Biochem. Jour. 26: 1422-1423. 1932. no.2.

Hanes, C. S.

Studies on plant amylases. I. The effect of starch concentration upon the velocity of hydrolysis by the amylase of germinated barley. Biochem. Journ. 26: 1406-1421. 1932. no.5.

Robinson, G. M. & Robinson, R.

A survey of anthocyanins. II. Biochem. Journ. 26: 1647-1664. 1932. no.5.

Boll. R. Staz. Patol. Veg. Roma (Firenze) (464.9R662)

Gigante, R.

Risultati di un'esperienza sull'ereditarieta della maculatura interna dei tuberi di patata. Boll. R. Staz. Patol. Veg. Roma n. s., 12: 275-277. 1932. no.3.

Goidanich, G.

La verticilliosi dell' "Acer campestre" L. e alcuni altri casi di tracheomicosi in Italia. Boll. R. Staz. Patol. Veg. Roma n. s., 12: 285-297. illus. 1932. no.3.

Savastano, G.

Una gommosi del limone causata de "Dothiorella". Isolamento del parassita a Londra da limoni provenienti dalla Scilia. Boll. R. Staz. Patol. Veg. Roma n. s., 12: 245-274. illus., pl.vi-xi. 1932. no.3.

D. ribis.

Savastano, G.

Ricerche sperimentali sul marcio dei frutti degli agrumi. I. Specie batteriche e fungine isolate ed alcune loro caratteristiche biologiche. Boll. R. Staz. Patol. Veg. Roma n.s.12: 306-342. pl.xii-xviii. 1932.

Boll. R. Staz. Patol. Veg. Roma (cont.)

Sereni, D. R.
Sopra una mallattia batterica dei limoni. Boll. R. Staz. Patol. Veg. Roma n.s., 12: 278-284. 1932. no.3.
Bacillus citramaculans.

Sibilia, C.
Esperienze di lotta contro la scabbia delle patate. Boll. R. Staz. Patol. Veg. Roma n.s., 12: 298-305. 1932. no.3.

Boll. Soc. Ital. Biol. Sper. (Napoli) (442.8So12)

Colla, S.
Ricerche sul movimento degli stami di alcune berberidacee. V. Cambiamento di pH nelle cellule durante la contrazione. Boll. Soc. Ital. Biol. Sper. 7: 1073-1077. Ag.1932. no.8.

Gibelli, C.
Possono le piante produrre delle sostanze antitossiche? Boll. Soc. Ital. Biol. Sper. 7: 1207-1211. Ag.1932. no.8.

Moruzzi, G.
L'albimina e la globulina del Pennisetum spicatum. Boll. Soc. Ital. Biol. Sper. 7: 1250-1252. Ag. 1932. no.8.

Moruzzi, G.
La prolamina del Pennisetum spicatum. Boll. Soc. Ital. Biol. Sper. 7: 1253-1255. Ag.1932. no.8.

Botaniste. (Paris) (450B657)

Chow, C. H.
Le cycle evolutif du Coprinus tomentosus, Fries ex Bulliard. Botaniste 24: 187-215. pl.xix-xxi. Ag.1932. no.3/4.

Dangeard, P.
Notes sur l'Halosphaera viridis Schmitz. Botaniste 24: 261-275. pl. xxv-xxvi. Ag.1932. no.3/4.

Dangeard, P.A.
Observations sur la famille des labyrinthulees et sur quelques autres parasites des Cladophora. Botaniste 24: 217-259. illus., pl.xxii-xxiv. Ag.1932. no.3/4.
Labyrinthula chattonii, Achlyogeton salinum, Entophylyctic maxima n. spp.

Bull. Biol. France & Belgique. (Paris) (473B87)
Simonet, M.
Recherches cytologiques et génétiques chez les Iris. Bull. Biol. France and Belgique 66: 255-444. illus., pl. iv-v. (fold.) 1932. no.3.

Bull. Counc. Sci. & Ind. Res. Austr. (Melbourne) (514Au72B)
Angell, H. R. & Hill, A. V.
Downy mildew (blue mould) of tobacco in Australia. Bull. Counc. Sci. & Ind. Res. Austr. 65: 9-30. illus., 4 pl. on 2. 1932.

Cashmore, A. E.
An investigation of the taxonomic and agricultural characters of the Danthonia group. Bull. Counc. Sci. & Ind. Res. Austr. no.69. 22 p. 1 pl. 1932.

Bull. Dept. Agr. Mauritius Sci. Ser. (24M443Bsc)
Shepherd, E. F. S.
A preliminary list of plant diseases occurring in Mauritius. Bull. Dept. Agr. Mauritius Sci. Ser. no.18. 8 p. 1932.

Bull. Misc. Inform. Kew (London) (89K51B)
Ballard, F.
The genus Mariscopsis. Bull. Misc. Inform. Kew 1932: 457-458. no.9.

Cotton, A. D.
A new species of arborescent Senecio from Ruwenzori (Senecio erioneuron). Bull. Misc. Inform. Kew. 1932: 438-439. pl. viii. no.9.

Craib, W. G.
Contributions to the flora of Siam. Additamentum XXXVI. Bull. Misc. Inform. Kew. 1932: 425-437. no.9.

Dyer, R. A.
Notes on the flora of Southern Africa: II. New or noteworthy plants. Bull. Misc. Inform. Kew. 1932: 443-450. no.9.

Maitland, T. A.
The grassland vegetation of the Cameroons Mountain. Bull. Misc. Inform. Kew. 1932: 417-425. pl.vi-vii. no.9.

Sprague, T. A.
The name Pinus laricio. Bull. Misc. Inform. Kew 1932: 462-463. no.9.

Bull. Misc. Inform. Kew. (cont.)

Sprague, T. A.

A new Berberis from Chile and Argentina. Bull. Misc. Inform. Kew 1932: 454-457. no.9.

Berberis chillanensis.

Turrill, W. B.

On the flora of the nearer East: XIII. Miscellaneous new records and extensions of known distributions. Bull. Misc. Inform. Kew. 1932: 450-454. no.9.

Mainly Grecian.

Bull. Mus. Hist. Nat. Paris (410.9P213)

Chevalier, A.

Plantes nouvelles ou peu connues récoltées en Afrique occidentale. Bull. Mus. Hist. Nat. Paris II,4: 583-590. illus. Je.1932. no.5.

Gagnepain, F.

Huit genres nouveaux d'orchidées Indochinoises. Bull. Mus. Hist. Nat. Paris II,4: 591-601. Je.1932. no.5.

Allochilus, Anaphora, Donacopsis, Epigeneium, Evrardia, Parhabenaria, Semiphajus, Thylacis, nov.gen.

Mettler, A.

Cattleya dolosa Reichb. f. et Cattleya Walckeriana Gardn. Bull. Mus. Hist. Nat. Paris. II, 4: 608. Je.1932. no.5.

C. dolosa a morphologic variation of C. Walckeriana.

Russell, W.

Sur la désarticulation des gousses d'Aeschynomene. Bull. Mus. Hist. Nat. Paris. II,4: 607. Je.1932. no.5.

Sacleux, P.

Un genre nouveau d'hippocratéacéee d'Abyssinie. Bull. Mus. Hist. Nat. Paris II, 4: 602-603. Je.1932. no.5.

Dillonia abyssinica.

Trochain, J.

Oldenlandia (rubiacées) nouveau du Sénégal. Bull. Mus. Hist. Nat. Paris II,4: 604-606. illus. Je.1932. no.5.

O. parva.

Bull. Soc. Mycol. France. (Paris) (451P213)

Bourdot, H.
Hymenomycetes nouveaux ou peu connus. Bull. Soc. Mycol. France 48: 204-232. pl.xxv. 0.31, 1932. no.2.
Clavaria propera, Poria pilati, n.spp.

Gilbert, E. J.
Russula rhodella nov. sp. Bull. Soc. Mycol. France 48: 109-111. col.pl.xii. 0.31, 1932. no.2.

Josserand, M.
Sur la nature de la trame dans les genres "Paxillus" et "Phylloporus". Bull. Soc. Mycol. France 48: 112-117. pl.xiii. 0.31,1932. no.2.

Kuhner, R. & Boursier, J.
Notes sur le genre Inocybe. I. Les Inocybes goniospores (suite). Bull. Soc. Mycol. France 48: 118-161. illus. 0.31,1932. no.2.
I. pseudoasterospora, I. subcarpta. n.spp.

Martin-Sans, E. & Mathou, Mlle. Th.
Note sur le Melanogaster variegatus (Vittadini) Tulasne var. broomeianus (Berkeley) Tulasne. Bull. Soc. Mycol. France 48: 190-195. col. pl. xxiii. 0.31,1932. no.2.

Melzer, V.
Russula subfoetens Smith. Bull. Soc. Mycol. France 48: 196-203. illus., col.pl.xxiv. 0.31, 1932. no.2.

Pilat, A.
Contribution à l'étude des Hymenomycetes dell' Asie Mineure. Bull. Soc. Mycol. France 48: 162-189. pl.xiv-xxii. 0.31,1932. no.2.
Leptoporus bourdotii, Boletus satanicolor, n.spp.

Sauger, M.
Étude sur la valeur taxonomique de deux caractères microscopiques fondamentaux des hyménomycètes: trame et cystides. Bull. Soc. Mycol. France 48: 233-237. 0.31,1932. no.2.

Zvara, J.
Rectification à mon article: à propos de Russula chameleontina Fries. Bull. Soc. Mycol. France 48: 238-239. 0.31,1932. no.2.

Bull. Soc. Sci. Nat. Maroc. (Rabat) (410.9So125)

Emberger, L.

Matériaux pour l'étude de la flore et de la végétation du Maroc. II. Bull. Soc. Sci. Nat. Maroc 11: 176-186. D.31, 1931(Recd D.1932) no.7/8.

Centaurea maireana n.sp.

Gattefossé, J. & Werner, R.G.

Catalogus lichenum Marocanorum adhuc cognitorum. Bull. Soc. Sci. Nat. Maroc 11: 187-257. D.31,1931(Recd D.1932) no.7/8.

Lépiney, J. de & Mimeur, J.M.

Les parasites du Myoporum dans la région de Rabat. Bull. Soc. Sci. Nat. Maroc 11: 137-140. D.31, 1931(Recd D.1932) no.7/8.

Insects and Heterodera radicicola.

Bull. Torr. Club (451T63B)

Christensen, C.

Cultural races and the production of variants in Pestalozzia funerea. Bull. Torr. Club. 59: 525-544. illus. D.1932. no.9.

Smith, A.C.

Studies of South American plants. II. New Loranthaceae and Monimiaceae from the northern Andes. Bull. Torr. Club. 59: 513-524. D.1932. no.9.

Butler Univ. Bot. Stud. (Indianapolis) (451B97)

Craw, J.R.

Hydrogen-ion reaction of native Indiana fern soils. Butler Univ. Bot. Stud. 11: 151-162. N.1932.

Cactus & Succ. Journ. (Los Angeles) (451C11)

Backeberg, C.

Some interesting Cereus problems. Cereus lanatus, sericatus, melanostele, pseudomelanostele, versicolor, multangularis. Cactus & Succ. Journ. 4: 279-280. N.1932. no.5.

Translated from the German by James West.

Britton, N.L.

The eastern local distribution of Lemaireocereus hystrix. Cactus & Succ. Journ. 4:285. illus. N.1932. no.5.

Johansen, D.A.

Contributions toward a monograph of the genus Dudleya III. Cactus & Succ. Journ. 4: 286-287. illus. N.1932.no.5.

D.gatesii, D. regalis, n.spp.

Cactus & Succ. Journ. (cont.)

White, A.

The Stapelieae. 14. Pectinaria. By N.E.Brown. Cactus & Succ. Journ. 4: 275-278. illus. N.1932.no.5.

Wright, Y.

Coryphantha hesteri, sp.nov. Cactus & Succ. Journ. 4: 274. illus. N.1932. no.5.

Canad. Journ. Res. (Ottawa) (330.9C16C)

Foster, W.R. & MacLeod, H.S.

A new stem-end rot of potato. Canad. Journ. Res. 7: 520-523. 1 pl. N.1932. no.5.

Phomopsis tuberivora.

Godel, G. L.

Some considerations in regard to experiments with chemical herbicides. Canad. Journ. Res. 7: 499-519. N.1932. no.5.

China Journ. (Shanghai) (475C44)

Porterfield, W.M.

Lawn and roadside plants of Shanghai (cont.) China Journ. 17: 238-244. illus. N.1932. no.5.

Compt. Rend. Acad. Agr. France (Paris) (14P215Bc)

Lesage, P.

Quelques résultats des experiences de 1932 sur l'échange des graines de "Lepidium sativum" entre stations différentes. Compt. Rend. Acad. Agr. France 18: 1030-1034. N.23,1932. no.30.

Compt. Rend. Acad. Sci. Paris (505P21)

Chaze, J.

De l'existence d'un nouveau principe actif dans Bryonia dioica. Compt. Rend. Acad. Sci. Paris 195: 825-827. N.7, 1932. no.17.

Costantin, J.

La secret de Java. Compt. Rend. Acad. Sci. Paris 195: 741-744. N.7, 1932. no.19.

Wild plant, Kassoer, immune to sereh.

Coupin, H.

Sur le déterminisme de la formation des sporanges et des zygospores chez le Sporodinia grandis. Compt. Rend. Acad. Sci. Paris 195: 1037-1039. N.28, 1932. no.22.

Compt. Rend. Acad. Sci. Paris. (cont.)

Daniel, L.
Sur les variations de l'Helianthus dangeardi à la cinquième génération. Compt. Rend. Acad. Sci. Paris 195: 924-926. N.21,1932. no.21.

Gavaudan, P.
Sur quelques observations concernant la structure physique du cytoplasme d'un champignon hémiascomycète, l'Ascoidea rubescens Brefeld. Compt. Rend. Acad. Sci. Paris. 195: 1039-1041. N.28, 1932. no.22.

Guerin, P.
L'acide cyanhydrique chez le Glyceria aquatica Wahlb. (G. spectabilis M. et K.) Compt. Rend. Acad. Sci. Paris 195: 1036-1037. N.28,1932. no.22.

Jonesco, S.
Sur les mouvements des fleurs de l'Ipomoea purpurea. Compt. Rend. Acad. Sci. Paris 195: 819-821. illus. N.7, 1932. no.17.

Joyet-Lavergne, Ph.
Pouvoir oxydant, chondriome et sexualisation cytoplasmique chez les champignons. Compt. Rend. Acad. Sci. Paris 195: 894-896. N.14, 1932. no.20.
Saprolegnia, Pythium de baryanum.

Martens, P.
Alternance de phases et sexualité dans un cycle conidien, chez Pholiota aurivella. Compt. Rend. Acad. Sci. Paris 195: 821-823. N.7, 1932. no.17.

Molliard, M.
Tuberisation aseptique et caractères morphologiques résultant de l'action des aliments sucrés sur l'oignon (Allium cepa L.) Compt. Rend. Acad. Sci. Paris 195: 840-844. N.14, 1932. no.20.

Obaton, F.
Sur la présence de saccharose dans les rameaux et dans les feuilles de l'Evonymus europaeus L. Compt. Rend. Acad. Sci. Paris 195: 823-825. N.7, 1932. no.17.

Wang, D. T.
Observations cytologiques sur l'Ustilago hordei (Pers.) Kell. et Sw. Compt. Rend. Acad. Sci. Paris 195: 1041-1044. N.28,1932. no.22.

Compt. Rend. Soc. Biol. Paris (442.9P21)

Bouillenne, R. & Prévost, P.

Note préliminaire sur les phenomènes de néoformation chez Begonia rex Putz. Compt. Rend. Soc. Biol. Paris 111(36): 639-643. illus. N.25,1932.no.36.

Joyet-Lavergne, Ph.

Sur les caractères de sexualisation cytoplasmique d'un champignon: Pythium de baryanum. Compt. Rend. Soc. Biol. Paris 111: 588-590. N.18, 1932. no.35.

Moreau, F. & Moruzi, C.

Sur quelques variations brusques observées chez les ascomycètes du genre Neurospora. Compt. Rend. Soc. Biol. Paris 111(37):676-677. D.2, 1932. no.37.

Munerati, O.

Races de betteraves à racine fasciculée. Compt. Rend. Soc. Biol. Paris 111(36): 603. illus. N.25, 1932. no.36.

Munerati, O.

Sur le mécanisme de la germination du blé en gerbes. Compt. Rend. Soc. Biol. Paris 111: 552-554. N.18,1932. no.35.

Talice, R.V. & MacKinnon, J.E.

La valeur de voile des cultures en milieu liquide pour la classification des champignons levuriformes (mycotorulées). Compt. Rend. Soc. Biol. Paris 111: (34) 534-535. N.14,1932. no.34.

Wurmser, R.

Sur l'emploi de certains colorants pour l'évaluation des propriétés oxydantes du cytoplasme. Compt. Rend. Soc. Biol. Paris. 111(37):690-692. D.2, 1932. no.37.

Contr. Boyce Thompson Inst. Plant Res. (451B69)

Bourn, W. S.

Ecological and physiological studies on certain aquatic angiosperms. Contr. Boyce Thompson Inst. Plant Res. 4: 425-496. illus. D.1932. no.4.

Denny, F.E. & Miller, L.P.

Effect of ethylene chlorhydrin vapors upon dormant lilac tissues. Contr. Boyce Thompson Inst.Plant Res. 4: 513-528. illus. D.1932. no.4.

Contr. Boyce Thompson Inst. Plant Res. (cont.)

McCool, M.M.

Effect of various factors on the pH of peats. Contr. Boyce Thompson Inst. Plant Res. 4: 497-511. D.1932. no.4.

Deutsche Forst.-Zeit. (Neudamm) (99.8D48)

Bertog, H.

Sollen wir den anbau der Douglasie wegen der schütte aufgeben? Deutsche. Forst.-Zeit. 47: 993-995. N.18, 1932. no.47.

Farming So.Africa (Pretoria) (24So842)

Evans, I.B.P.

Arable farming and pasture problems. Farm. So. Africa 7: 341-352. illus. N.1932. no.80.

This is report of the Div. of Plant Industry and includes report of work of Botanical survey and Plant pathology and mycology.

Flor. Exch. (N.Y.) (80F666)

Levine, M.

Daisies and cancer. An humble plant's part in man's struggle against disease. Flor. Exch. 79(23):52. illus. Je.4, 1932. no.23.

Crown gall on Chrysanthemum frutescens.

Forstarchiv. (Hannover) (99.8F7723)

Rohde, T.

Welche Douglasien sind in Deutschland durch Rhabdocline gefährdet? Forstarchiv. 8: 389-392. illus. N.15,1932. no.22.

Friesia Nord. Mykol. Tidsskr. (København) (450F91)

Buchwald, N.F.

Notitser om storsvampe.II. Friesia Nord. Mykol. Tidsskr. 1: 53-59. 1932.no.1.

English summary.

1. appeared in Medd. For. Svamp. Fremme v.4, p.93-94. 1930.

Christiansen, M.P.

To sjaeldne Lepiota-arter, L. brunneo-incarnata og L. brebissoni. Friesia Nord. Mykol. Tidsskr. 1: 46-50. illus. 1932.no.1.

Brief English summary.

Jørstad, I.

Norske resupinate hydnaceer. Friesia Nord. Mykol. Tidsskr. 1: 3-20. 1932. no.1.

Friesia Nord. Mykol. Tidsskr. (cont.)

Lange, J. E.
Mykologiske indtryk fra en studierejse i Nordamerika. Friesia Nord. Mykol. Tidsskr. 1: 21-27. 1932. no.1.

Møller, F. H.
Lepiota hetieri Boudier (klidskaellet parasolsvamp). Friesia Nord. Mykol. Tidsskr. 1: 28-33. illus. 1932. no.1.
German summary.

Mörner, C. Th.
Förefinnes Urnula craterium (Schw.) Fr., rökpipswampen, inom Skandinavien utanför Sveriges gränser? Friesia Nord. Mykol. Tidsskr. 1: 51-52. illus. 1932.

Nannfeldt, J.A.
Bleka stenmurklan, Gyromitra gigas (Krombh.) Cke. Friesia Nord. Mykol. Tidsskr. 1: 34-45. illus. 1932. no.1.
English summary.

Gard. Chron. (London) (80G162)

Comber, H.F.
Some shrubby verbenas. Gard. Chron. III, 92: 373, 391, 412-413. N.19, 26, D.3, 1932. no.2395-2397.

Darnell, A.W.
The genus Androsace. (cont.) Gard. Chron. III, 92: 396-397, 413. N.26, D3, 1932. no.2396-2397.

Friend, H.
Crosican plant lore. XX. Some pests and parasites. Gard. Chron. III, 92: 394-395. N.26, 1932. no.2396.

Grove, A.
Hybrid lilies. VII. Gard. Chron. III, 92: 393-394. N.26, 1932. no.2396.
L. thunbergianum, L.umbellatum and hybrids of the Isolirion section.

Hay, T.
Nepal Meconopses. Gard. Chron. III, 92: 392, 409. N.26, D.3, 1932. no.2396, 2397.

Gartenbauwiss. (Berlin) (80G195)

Husfeld, B.
Ueber die züchtung plasmoparawiderstandsfähiger. Gartenwauwiss. 7: 15-92. illus. N.8, 1932. no.1.

Gartenbauwiss. (cont.)

Niethammer, A.

Weitere biochemische studien im zusammenhange mit frühtreibeproblemen. Gartenbauwiss., 7: 1-6. N.8,1932. no.1.

Oskamp, J.

Root studies of young apple trees. Gartenbauwiss. 7: 7-14. illus. N.8,1932. no.1.

Hedwigia. (Dresden) (450H35)

Blochwitz, A.

Die urformen der aspergillen. Hedwigia 72: 173-174. O.1932. no.4/5.

Carl, H.

Ueber die vegetative vermehrung in der lebermoosgattung Plagiochila. Hedwigia 72: 148-155. illus. O.1932. no.4/5.

Dietzow, L.

Die bedeutung der hyalinzellen im torfmoosblatt. Hedwigia 72: 156-172. illus. O.1932. no.4/5.

Krasske, G.

Diatomeen deutscher solquellen und gradierwerke. II. Die diatomeen von Bad Nauheim, Wisselsheim und Bad Salzungen a.d. Werra. Hedwigia 72: 135-143. illus. O.1932. no.4/5.

Voigtlaender-Tetzner, W.

Beobachtungen über die dauer des wachstums der cladonien and den gaazfichten bei Arnswalde in der Neumark. Hedwigia 72: 144-147. O.1932. no.4/5.

Hilgardia (Berkeley, Cal.) (100C12H)

Haas, A.R.C.

Injurious effects of manganese and iron deficiencies on the growth of citrus. Hilgardia 7: 181-206. illus., pl.1-3. N.1932. no.4.

Parker, E.R. & Batchelor, L.D.

Variation in the yields of fruit trees in relation to the planning of future experiments. Hilgardia 7: 81-161. O.1932. no.2.

Severin, H.H.P.

Transmission of carrot, parsley, and parsnip yellows by Cicadula divisa. Hilgardia 7: 163-179. illus. N.1932. no.3.

Hong Kong Nat. Suppl. (410H75A)

Cook, W. R. I.

The parasitic slime-moulds. Hong Kong Nat. Suppl. 1: 29-39. illus., pl.9-18. N.1932.

Setchell, W. A.

Balania harlandii (Hook, F.) V.T., of the Hong Kong region and its relatives. Hong Kong Nat. Suppl. 1: 2-14. pl.1-8. N.1932.

Proposes a new genus Balaneikon, B. tobiracola (Balanophora tobiracola), B. wrightii (Balanophora wrightii, B. dioica, Balania japonicae)

Indische Cult. (Soerbaja) (26In2)

Jochems, S.C.J.

Toprot en rotstelen bij Deli-tabak. (Bac. aroideae Townsend) Indische Cult. 17: 520-524. illus. N.1, 1932. no.21.

Journ. Agr. Res. (Washington, D.C. (1Ag84J)

Pugh, G. W., Johann, H. & Dickson, J.G.

Relation of the semipermeable membranes of the wheat kernel to infection by Gibberella saubinetii. Journ. Agr. Res. 45: 609-626. illus. N.15, 1932. (Rec'd D.5) no.10.

Journ. Dept. Agr. Victoria (Melbourne) (23V66J)

Grieve, B.J.

Rose diseases and their control XXI. Dieback of rambler roses. XXII. Briar scab. XXIII. An infectious chlorosis of rose. XXIV. Euryachora rosicola Av.Saccá. XXV. Hendersonia rosicola Av. Sacc. Journ. Dept. Agr. Victoria 30: 553-556. illus. N.1932. no.11.

Journ. Indian Bot. Soc. (Madras) (450J821)

Asana, J.J. & Sutaria, R.N.

Microsporogenesis in Luffa aegyptiaca, Mill. Journ. Indian Bot. Soc. 11: 181-187. 3 pl. Jl. 1932. no.3.

Banerji, I.

The development of the embryo-sac and fertilisation in jute. Journ. Indian Bot. Soc. 11: 228-240. illus., 1 pl. Jl.1932. no.3.

Bhaduri, P.N.

The development of ovule and embryo sac in Solanum melongena L. Journ.Indian Bot.Soc. 11: 202-224. 6 pl. Jl.1932. no.3.

Journ. Indian Bot. Soc. (cont.)

Majumdar, G.P.
Hetero-archic roots in Enhydra fluctuans Lour. Journ. Indian Bot. Soc. 11: 225-227. 1 pl. Jl. 1932. no.3.

Malhotra, R.C.
Influence of some solutions on the rate of permeability in Zea mays seeds. Journ. Indian Bot. Soc. 11: 188-201. illus. Jl.1932. no.3.

Narasimhan, M.J.
The Phalloideae of Mysore. Journ. Indian Bot. Soc. 11: 248-254. 3 pl. Jl.1932. no.3.

Sahni, B.
Staminal movements in Gerbera lanuginosa. Journ. Indian Bot. Soc. 11: 241-242. Jl.1932. no.3.

Venkatarayan, S.V.
Tylenchus sp. forming leaf-galls on Andropogon pertusus Willd. Journ. Indian Bot. Soc. 11: 243-247. 2 pl.. Jl.1932. no.3.

Journ. Pomol. & Hort. Sci. (London) (80J825)

Green, F. M.
The infection of oranges by Penicillium. Journ.Pomol. & Hort. Sci. 10: 184-215. illus. N.1932. no.3.

Knight, L.D.M. & Wallace, T.
The effects of various manurial treatments on the chemical composition of strawberries. Journ. Pomol. & Hort. Sci. 10: 147-180. N.1932. no.3.

Moffett, A. A.
Note on the cytology of Prunus rootstocks. Journ. Pomol. & Hort. Sci. 10: 181-183. illus. N.1932. no.3.

Journ. Roy. Soc. Arts. (London) (501L897J)

Bryce, J.
The economic possibilities of rice grass. (Spartina Townsendii) Journ. Roy. Soc. Arts 81: 62-78. illus. D.2, 1932. no.4176.

Malayan For. (99.8M292)

Strugnell, E.J.
Notes on Malayan timbers. Malayan For. 1: 194-197, 246-250. Jl., O. 1932. no.5,6.

Nature (London) (472N21)
Cockerell, T.A.D.
Discontinuous distribution in plants. Nature 130: 812. N.26, 1932. no.3291.
Critical note on Steyermark's A revision of the genus Menodora. Considers that the South African plant of the genus should rank as separate species, M.australis, not as a variety.

Davy, J.B.
The redwoods of California. Nature 130: 845. D.3, 1932. no.3292.

Newman, I. V.
Delayed split and pairing of chromosomes at meiosis. Nature 130: 849. D.3, 1932. no.3292.

Rendle, B. J.
Wood anatomy as a link between botany and forestry. Nature 130: 834-836. D.3, 1932. no.3292.

New Zeal. Journ. Sci. & Techn. (Wellington) (514N48)
Tiller, L. W.
A superficial spotting disease of the Lord Wolseley apple. New Zeal. Journ. Sci. & Techn. 14: 111-113. illus. O.1932. no.2.
"Scald-like spotting disease".

Nord. Jordbrugsforsnk. (København) (11N752)
Hansen, H.P.
Forsøg paa aktiv immunisering af kaalroe, Brassica napus mod rhizoctoniose. Nord. Jordbrugsforskn. 1932: 191-200. no.5.
English summary: p.199.

Ohio Journ. Sci. (Columbus) (4100h3)
Transeau, E. N.
The genus Temnogametum. Ohio Journ. Sci. 32: 487-491. pl. N.1932. no.6.
Considers it should be retained as distinct genus.

Orchid Rev. (Richmond, Engl.) (800r15)
Cooper, E.
Teratology in Odontoglossum grande. Orchid Rev. 40: 375-376. D.1932. no.474.

Godfery, M.J.
Apostasiaceae. Orchid Rev. 40: 355-359. illus. D.1932. no.474.

Orchid Rev. (cont.)

Smith, J.J.

Wild orchids in the Buitenzorg botanic gardens. Orchid Rev. 40: 369-373. D. 1932 no.474.

Pflanzenbau (Berlin) (18P48)

Esau, A. & Klapp, E.

Ueber wachstums- und ertragsbeeinflussende wirkungen von ultrakurzwellen auf kulturpflanzen. Pflanzenbau 9: 129-132. 1932. no.4.

Firbas, H.

Beobachtungen über die variabilität und bemerkungen zur frage der selbstbefruchtung bei der erbse. Pflanzenbau 9: 132-136. 1932. no.4.

Philipp. Agr. (Los Banos) (25P542)

Ocfemia, G.O.

An interesting reaction of a sugar cane variety to grass mosaic. Philipp. Agr. 21: 414-419. illus. N.1932. no.6.

Philipp. Journ. Sci. (Manila) (475P53)

Marañon, J.

Nitrogen distribution in the leaves of Philippine camphor trees. Philipp. Journ. Sci. 49: 461-468. N.1932. no.3.

Mendoza, J.M.

The Philippine species of Parasterina. Philipp. Journ. Sci. 49: 443-459. 15 pl. N. 1932 no.3.

P. homalomenae, P. spinosa, n.spp., many new comb.

Reyes, G. M.

An unreported fungous disease of the Philippine migratory locust. Philipp. Journ. Sci. 49: 407-418. 5 pl. N.1932. no.3.

Undetermined, morphological and physiological characteristics are identical with Beauveria globulifera.

Phytopath. (464.8P56)

Alben, A.O., Cole, J.R. & Lewis, R.D.

New developments in treating pecan rosette with chemicals. Phytopath. 22: 979-981. D.1932. no.12.

Zinc sulphate, zinc lime.

Phytopath. (cont.)

Baines, R.C. & Gardner, M.W.
Pathogenicity and cultural characters of the sooty-blotch fungus. Phytopath. 22: 937-952. illus. D.1932. no.12.

Hanna, W.F.
The odor of bunt spores. Phytopath. 22: 978-979. D.1932. no.12.

Hansen, H.N. & Smith, R.E.
The mechanism of variation in imperfect fungi: Botrytis cinerea. Phytopath. 22: 953-964. illus. D.1932. no.12.

Milburn, M. & Gravatt, G. F.
Preliminary note on a Phytophthora root disease of chestnut. Phytopath. 22: 977-978. D.1932. no.12.

Report of the fifth annual cotton root-rot conference. Phytopath. 22: 983-993. D.1932. no.12.
W.N. Ezekiel, chairman of committee.

Report of the sixteenth annual meeting of the Pacific division of the American phytopathological society. Phytopath. 22: 995-1002. D.1932. no.12.
Including abstracts.

Vinson, C. G.
Mosaic diseases of tobacco. V. Decomposition of the safranin-virus precipitate. Phytopath. 22: 965-975. D.1932. no.12.

Proc. Amer. Phil. Soc. (Philadelphia) (500P533)

Crocker, W.
The effect of ethylene upon living organisms. Proc. Amer. Phil. Soc. 71: 295-298. 1932. no.5.

MacDougal, D. T.
The pneumatic system of trees. Proc. Amer. Phil. Soc. 71: 299-307. 1932. no.5.

Proc. K. Akad. Wetensch. Amsterdam. (503Am8P)

Blaauw, A.H., Hartsema, A.M. & Huisman, E.
Temperatuur en strekkingsperiode van de narcis. I. (Temperature and stretching-period of the narcissus) I- Proc. K. Akad.Wetensch. Amsterdam 35: 803-812. no.6.
English summary: p.810-812.

Proc. K. Akad. Wetensch. Amsterdam (cont.)

Honert, T.H. van den

On the mechanism of the transport of organic materials in plants. Proc. K. Akad. Wetensch. Amsterdam 35: 1104-1112. illus. 1932. no.8.

Oort, A.J.P. & Roelofsen, P.A.

Spiralwachstum, wandbau und plasmaströmung bei Phycomyces. Proc. K. Akad. Wetensch. Amsterdam 35: 898-908. illus., pl.i. 1932. no.6.

Queensl. Agr. Journ. (Brisbane) (23Q33)

Bell, A. F.

The Fiji disease menace in Southern Queensland. Queensl. Agr. Journ. 38: 417-420. illus. N.1, 1932. no.5.

Res. Publ. Univ. Hawaii (500H31R)

St.John, H. & Hosaka, E.Y.

Weeds of the pineapple fields of the Hawaiian Islands. Res. Publ. Univ. Hawaii no.6. 196 p. illus. S.1932.

Rev. Bot. Appl. (Paris) (26R323)

Chevalier, A.

Les productions végétales du Sahara et de ses confins Nord et Sud, passé, présent, avenir. Rev. Bot. Appl. 12: 669-672. S./O.1932. no.133/134.

Rev. Gén. Bot. (Paris) (450R326)

Pontillon, C.

Contribution à l'étude physiologique des lipides du Sterigmatocystis nigra. Rev. Gén. Bot. 44: 417-449. O.1932. no.526.

Py, G.

Recherches cytologiques sur l'assise nourricière des microspores et les microspores des plantes vasculaires (cont.) Rev. Gén. Bot. 44: 450-462. O.1932. no.526.

Rev. Sci. (Paris) (473R32)

Hodin, L.

Basses scientifiques et tendances actuelles de l'amelioration des plantes cultivees. Rev. Sci. 70: 677-685. N.26, 1932. no.22.

Rev. Zool. et Bot. Afr. (410R326)

Duchesne, F.

Structure du bois de trois rubiacées du Congo Belge. Rev. Zool. et Bot. Afr. 22: 177-191. illus. O.15, 1932; no.2.

Sarcocephalus diderrichii, Corynanthe paniculata, C. macroceras.

Staner, P.

Contribution à l'etude de la flore du Congo. Rev. Zool. et Bot. Afr. 22: 242-244. O.15, 1932. no.2.

Dialium corbisieri, Philippia lebrunii, Linociera lebrunii, n.spp.

Steyaert, R.L.

Une epiphytie bacterienne des racines de Coffea robusta et C. klainii. Rev. Zool. et Bot. Afr. 22: 133-139. illus., pl.i-ii. O.15, 1932. no.2.

Bacillus coffeicola, n.sp.

Rhodesia Agr. Journ. (Salisbury) (24R34)

Christian, H.B.

Notes on African aloes. Pt.III. Rhodesia Agr. Journ. 29: 906-907. 3 pl. on 2. N.1932. no.11.

Science (470Sci2)

Thom, C.

The arsenic fungi of Gosio. Science 76: 548-550. D.9, 1932. no.1980.

Gosio's organism, Penicillium brevicaule, arsenic fungi more numerous than was previously supposed.

Scient. Agr. (Ottawa) (72ci2)

Dickson, J. G.

Studying the effect of environment upon the development of parasitic diseases and selecting for disease resistance presents problems in cooperation in research. Scient. Agr. 13: 213-224. illus. D.1932. no.4.

Gordon, W.L. & Welsh, J.N.

Oat stem rust investigations in Canada. Scient. Agr. 13: 228-235. D.1932. no.4.

Hockey, J. F.

Gravenstein spot scald. Scient. Agr. 13: 225-227. illus. D.1932. no.4.

"Spot scald".

So. African Gard. (Johannesburg) (80S087)

Bolus, L.

A new Lithops from Griqualand West. So. African Gard. 22: 306. illus. N.1932. no.11.

L. aucampiae.

Trans. Brit. Mycol. Soc. (London) (451B76)

British mycological society - Comm. for plant pathology.

Common names for plant diseases. Trans. Brit. Mycol. Soc. 17: 203-207. N.11,1932. no.3.

Chona, B.L.

The effect of cultural conditions on the growth and sporulation of an organism belonging to the group species Aspergillus glaucus. Trans. Brit. Mycol. Soc. 17: 221-228. N.11, 1932. no.3.

Chona, B.L.

The occurrence in England of a potato wilt disease due to Fusarium oxysporum Schlecht. Trans. Brit. Mycol. Soc. 17: 229-235. pl.xiv. N.11, 1932. no.3.

Dixon-Stewart, D.

Species of Mortierella isolated from soil. Trans. Brit. Mycol. Soc. 17: 208-220. illus. N.11, 1932. no.3.

M. vinacea, M. longicollis, M. renispora, M. stylospora n.spp.

Park, M.

Tuber zeylanicum B. & Br. and Sclerotium rolfsii Sacc. Trans. Brit. Mycol. Soc. 17: 179-181. pl. ix. N-11, 1932. no.3.

Tuber zeylanicum and Sclerocystis coremioides are separate fungi and distinct from Sclerotium rolfsii, Sclerotium zeylanicum is identical with S. rolfsii.

Petch, T.

A list of entomogenous fungi of Great Britain. Trans. Brit. Mycol. Soc. 17: 170-178. N.11, 1932. no.3.

Sampson, K.

Observations on a new species of Olpidium occurring in the root hairs of Agrostis. Trans. Brit. Mycol. Soc. 17: 182-194. illus., pl. x-xii. N.11, 1932. no.3.

Olpidium agrostidis.

Trans. Brit. Mycol. Soc. (cont.)

Woodward, R. C.
Cercospora fabae Fautrey, on field beans. Trans. Brit. Mycol. Soc. 17: 195-202. pl.xiii. N.11, 1932. no.3.

Wormald, H.
Bacterial diseases of stone-fruit trees in Britain IV. The organism causing bacterial canker of plum trees. Trans. Brit. Mycol. Soc. 17: 157-169. pl. vii-viii. N.11, 1932. no.3.
Pseudomonas mors-prunorum.

Trudy Prikl. Bot., Gen.i Selek. Ser.A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser.A, Social. Plant Ind.) (451R92S)

Flaksberger, K.
Belok v zerne pshenits zemnogo shara (Protein in the grain of the wheats of the world) Trudy Prikl. Bot., Gen. i Selek. Ser.A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser. A, Social. Plant Ind.) 2: 15-31. illus.(map) 1932.
Russian.

Kovalev, N.V.
Drok (Spartium junceum), kak priadil'noe rastenie (Spartium junceum as a fiber plant). Trudy Prikl. Bot., Gen. i Selek. Ser.A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser.A, Social. Plant. Ind.) 2: 50-52. 1932.
Russian.

Kostiuchenko, I.A.
K biologii tsveteniia tau-sagyza (Scorzonera tau-saghiz Lipshiz et Bosse). Trudy Prikl. Bot., Gen. i Selek. Ser.A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser.A, Social. Plant Ind.) 2: 53-69. illus. 1932.
Russian.

Moshkov, B. S.
Fotoperiodizm drevesnykh porod i ego prakticheskoe znachenie (Photoperiodism in trees and its practical importance). Trudy Prikl. Bot., Gen.i Selek. Ser. A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser.A, Social. Plant Ind.) 2: 108-123. illus. 1932.
Russian.
Salix, Juglans, Phellodendron, Robinia.

Trudy Prikl. Bot., Gen. i Selek. Ser.A, Sotsial. Rast.(Bull. Appl. Bot., Gen. & Plant-breed.Ser.A, Social.Plant Ind.)(cont.)

Musso, I.O.
Rastenie, kak provodnik elektricheskogo toka (The plant as a conductor of electric current). Trudy Prikl. Bot., Gen. i Selek. Ser.A, Sotsial. Rast. (Bull. Appl. Bot., Gen. & Plant-breed. Ser. A, Social. Plant Ind.) 2: 79-85. 1932.
Russian.

Voskresenskaja, O.
Tsvetushchie klubni kartofelia͡ (Flowering potato tubers). Trudy Prikl. Bot., Gen. i Selek. Ser.A, Sotsial. Rast. (Bull. Appl. Bot.,Gen. & Plant-breed. Ser.A, Social. Plant Ind.) 2: 70-72. illus. 1932.
Russian.

Trudy Prikl. Bot., Gen. i Selek. Ser. V. Zernov Kul't. (Bull. Appl. Bot., Gen. & Plant-breed. V. Ser., Grain Crops) (451R92G)

Dekaprelevich, L.L. & Menabde, V.L.
Plenchatye pshenitsy zapodnoĭ Gruzii (Spelt wheats of western Georgia (Western Transcaucasia) Trudy Prikl. Bot., Gen. i Selek. Ser.V, Zernov Kul't. (Bull. Appl. Bot., Gen. & Plant-breed. V.Ser., Grain Crops) 1: 3-46. illus. 1932.
Russian with English summary.
Tr.macha sp.n., Tr. dicoccum Schrank, Tr. timopheevi Zhuk., Tr. monococcum L.

Eritsian, A.
K tsitologii plenchatykh pshenits Gruzii (Cytology of spelt wheats in Georgia). Trudy Prikl. Bot. Gen. i Selek. Ser.V, Zernov. Kul't. (Bull. Appl. Bot. Gen. & Plant-breed. V.Ser., Grain Crops) 1: 47-51. illus. 1932.
Russian.

I͡achevsky, P.A.
Ustoĭchivost sortov ovsa protiv koronchatoĭ rzhavchiny po dannym sorto-uchastka Shadrinskoĭ opytnoĭ stantsii v 1928 godu (Resistance of the oat varieties to crown rust. According to data from the Shadrinsk Exp. Station). Trudy Prikl. Bot., Gen. i Selek. Ser. V, Zernov. Kul't (Bull. Appl. Bot., Gen. i Plant-breed. V.Ser., Grain Crops) 1: 135-146. 3 tab. 1932.
Russian with English summary.

I͡akubtsiner, M.M.
K poznaniiu͡ dikoĭ pshenitsy Zakavkaz'i͡a (A contribution to the knowledge of wild wheat in Transcaucasia). Trudy Prikl. Bot., Gen. i Selek. Ser. V, zernov. Kul't. (Bull. Appl. Bot., Gen. i Plant-breed. V.Ser., Grain Crops) 1: 147-198. illus.(incl.map) 1932.
Russian with English summary.

Kamenskii, K.V. & Orekhova, T.A.
Bezzarodyshevost khlebnykh zlakov (Embryoless seeds of cereals). Trudy Prikl. Bot., Gen. i Selek. Ser.V, Zernov. Kul't. (Bull. Appl. Bot. Gen. & Plant-breed. V.Ser., Grain Crops) 1: 199-206. illus. 1932.
Russian with very brief English summary.
Wheat and rye.

Troitsky, N. A.
Botanicheskaia kharakteristika mestoobktanii dikikh pshenits v Armenii (Erivan) (Botanical characteristics of the habitats of wild wheats in Armenia) Trudy Prikl. Bot., Gen. i Selek. Ser.V, Zernov. Kul't. (Bull. Appl. Bot., Gen. & Plant-breed. V.Ser., Grain Crops) 1: 53-68. illus. 1932.
Russian with brief English summary.

Trudy Prikl. Bot., Gen. i Selek. Ser. VIII, Plod. i Iagodn. Kul't. (Bull. Appl. Bot., Gen. & Plant-breed. VIII Ser. Fruit & Berry Grow.) (451R92F)

Gurskii, A.V.
Orekhi zapadnogo Kopet-daga (The walnuts of western Kopet-Dagh). Trudy Prikl. Bot., Gen. i Selek. Ser. VIII, Plod. i Iagodn. Kul't. (Bull. Appl. Bot. Gen. & Plant-breed. VIII. Ser., Fruit & Berry Grow.) 1: 173-199. illus. 1932.
Russian with English summary.

Kostina, K. & Riabov, I.
Persiki Ferganskoi doliny (The peaches of Fergana Valley). Trudy Prikl. Bot., Gen. i Selek. Ser.VIII, Plod. i Iagodn. Kul't. (Bull. Appl. Bot., Gen. & Plant-breed. VIII. Ser., Fruit & Berry Grow.) 1:293-370. illus. 1932.
Russian with English summary.

Kostina, K.F. & Linchevsky, I.A.
Prunus silvestris M. Pop. i ee formy. Trudy Prikl. Bot., Gen. i Selek. Ser. VIII, Plod. i Iagodn. Kul't. (Bull. Appl. Bot., Gen. & Plant-breed. VIII, Ser., Fruit & Berry Grow.) 1: 223-262. illus. 1932.
A contribution to the knowledge of the hybridisation process in nature.
Russian with English summary.

Rozanova, M. A.
Dostizheniia i zadachi nauchnogo issledovaniia sortovogo sostava iagodnykh kul'tur (Purposes and attainments of scientific research in the field of berry growing). Trudy Prikl. Bot., Gen. i Selek. Ser. VIII, Plod. i Iagodn. Kul't. (Bull. Appl. Bot., Gen. & Plant-breed. VIII. Ser., Fruit & Berry Grow.) 1: 263-291. 1932.
Russian with English summary.

Trudy Prikl. Bot., Gen.i Selek. Ser. VIII, Plod. i I͡agodn. Kul't. (Bull. Appl. Bot., Gen. & Plant-breed. VIII.Ser. Fruit & Berry Grow.) (cont.)

Vasil'ev, V. F..

Qvzor dikikh i odichalykh plodivykh derev'ev i kustarnikov Kryma (A survey of the wild or escaped fruit trees and shrubs of the Crimea). Trudy Prikl. Bot., Gen. i Selek. Ser. VIII, Plod. i I͡agodn. Kul't. (Bull. Appl. Bot., Gen.& Plant-breed. VIII. Ser., Fruit & Berry Grow. 1: 371-410. illus. 1932.

Russian with English summary.

U.S. Dept. Agr. Miscellaneous mimeographed publications.

Long, J. C.

The cashew nut. Washington, D.C., N.1932. (1.9P6915Cn)

Mimeographed publication of Bureau of Plant Industry, U.S. Dept. of Agriculture.

Post, T.B.

Diseases of Phlox. Washington, D. C., N.1932. (1.9P772Dp)

Mimeographed publ. Div. Hort. Crops & Dis., Bur. of Plant Industry, U.S. Dept. of agriculture.

U.S. Dept. Agr.Plant Dis. Rep. (1.9P69P)

Miller, P.R.

A field survey of sweetpotato diseases in Virginia. U.S. Dept. Agr. Plant Dis. Rep. 16: 182-183. D.1, 1932. no.17.

Guba, E. F.

Comparative susceptibility of carnation varieties to rust. U.S. Dept. Agr. Plant Dis. Rep. 16: 184. D.1, 1932. no.17.

U.S. Geol. Surv. Prof. Paper (407G29Pr)

Howe, M. A.

The geologic importance of the lime-secreting algae, with a description of a new travertine-forming organism. U.S. Geol. Surv. Prof. Paper 170: 57-69. pl.19-23. 1932.

Lithomyxa calcigena.

Verh. Naturh. Ver. Preuss. Rheinl. u. Westf.

Oberheidt, K.

Die entwicklung der protonemata und die anlage der stämmchen bei einigen laubmoosen. Verh. Naturh. Ver. Preuss. Rheinl. u. Westf. 87: 1-72. illus. 1931.

Verh. Naturh. Ver. Preuss. Rheinl. u. Westf. (cont.)
Schumacher, A.
Die Sphagnum-moore der Wahner Heide. Verh. Naturh. Ver. Preuss. Rheinl. u. Westf. 88: 1-38. illus. 1932.

Věstnik Českol. Zeměd. Mus. (Praze) (19.5P882)
Chmelár, F. & Mostovoj, K.
Laboratorní metoda na rozlišovani jednosečného a dvojsečného červeného jetele podle růstu za prodlouženého dne. (A laboratory method for distinguishing of single and double cut red clover after growth under lengthened day). Věstnik Českol. Zeměd. Mus. 8: 734-741. illus. N./D.1932. no.9/10.
English summary: p.741.

Hampl, J.
Vyšetření stavu kultur nestačí jako soudní důkoz škod způsobených kouřem určitého zdroje (Die untersuchung des vegetationszustandes genügt nicht als gerichtliches beweismittel der schäden, welche durch bestimmte quellen entstanden sind). Věstnik Ceskol. Zeměd. Mus. 8: 761-764. N./D. 1932. no.9/10.
German summary: p.873-764.

Vict. Nat. (Melbourne) (410V66)
Nicholls, W.H.
Notes on Diuris pedunculata R.Brown. Vict. Nat. 49: 174-176. illus. N.1932. no.7.

Rayment, T.
Abnormal forms of composite flowers. Vict. Nat. 49: 172-173. illus. N.1932. no.7.

Zeitschr. Indukt. Abstamm. u. Vererbungsl. (Leipzig) (442.8Z34)
Gassner, G. & Straib, W.
Ueber mutationen in einer biologischen rasse von Puccinia glumarum tritici (Schmidt) Erikss. und Henn. Zeitschr. Indukt.Abstamm. u. Vererbungsl. 63: 154-180. illus. 1932. no.1/2.

Schiemann, E.
Zur genetik einer fadenblättrigen tomatenmutante. Zeitschr.Indukt. Abstamm. u. Vererbungsl. 63: 43-93. illus. 1932. no.1/2.

Exper. Stat. Publ.
New Jersey agricultural experiment station - Dept. Plant pathology.
A bacterial disease of rose. In its Nursery Dis. Notes. v.5, no.5, p.1-2. N.1932 (464.9K46)
Mimeographed.

Exper. Stat. Publ. (cont.)

Laurie, A. & Poesch, G.H.

Photoperiodism. The value of supplementary illumination and reduction of light on flowering plants in the greenhouse. Ohio Agr. Exp. Stat. Bull.512. 42 p. illus. O.1932 (Recd D.) (100 Oh3S)

Tilford, P.E.

Diseases of ornamental plants. Ohio Agr. Exp. Stat. Bull. 511. 82 p. illus. O.1932(Recd D.) (100 Oh3S)

McWhorter, F.P.

Digest of books, bulletins, circulars, and articles useful to northwest lily growers. Oregon Agr.Exp. Stat. Circ. Inform. 77. 5 p. N., 1932(100 Or3C)

Hoover, M.M.

Inheritance studies of the reaction of selfed lines of maize to smut (Ustlago zeae). West Virginia Agr. Exp. Stat. Bull. 253. 32 p. N.1932. (100W52)

New Books.

Barker, H.D. & Dardeau, W.S.

La flore d'Haiti. Port-au-Prince, Service technique du Department de l'agriculture, 1930 - (456.3B24)

Fedchenko, B.A.

Flora transbaicalica... pars 2, Monocotyledoneae. Leningrad, 1931. (460.16F312T)

Russian.

Gabrielson, I.N.

Western American alpines. N.Y., Macmillan, 1932 (455.8G11)

Goebel, K.

Organographie der pflanzen... 3. umgearb. aufl. 3. teil, Samenpflanzen. Zena, G. Fischer, 1932. (463.4G530)

Grout, A.J.

Moss flora of North America north of Mexico.. v.3, pt.3. Newfane, Vt., The author, N.1932 (461.31G9Mo)

Jahandiez, E. & Maire, R.

Catalogue des plantes du Marec (spermatophytes et ptéridophytes). v.l. Alger, Imprimerie Minerva, 1931. (460.41J19)

New Books. (cont.)

Jávorka, S. & Verá, C.
A Magyar flóra képekben (Iconographia florae Hungaricae) pt.12-13. Budapest,1932. (f°459.7J32Ma)

Die pflanzenáreale. r.3, h.7. Soó, R.v. Die orchideen Europas und des Mediterrangebiets I. Jena, G.Fischer, 1932 (f°452.9H192)

Pitard, J.C.
Contribution à l'étude de la flore du Maroc. Paris, E. Le Moult, 1931 (460.41P68)

Pulle, A.
Flora of Surinam (Dutch Guyana) v.1, p.1-48; v.4, p.1-112. Amsterdam,1932 (Meded. XXX Afd. Handelsmus.K. Ver. Kolon. Inst. Amsterdam. no.11) (503Am82)

V.1, Gnetaceae, Loranthaceae, Amarantaceae, Balanophoraceae, Ulmaceae; v.4, Apocynaceae, Convolvulaceae, Loganiaceae, Pedaliaceae.

Read, B. E.
Ephedra... Abstracted from the work of J.C. Liu with additional notes from Stapf, Meyers,Groff and others. Pt.2,The Botany of mahuang. Peiping, 1930. (452.3R22)

Sawada, K.
List of fungi found in Formosa. By Kaneyoshi Sawada. Taiwan, Formosa, Government research institute,1931 (462Sa9L)

Alphabetically arranged under scientific name with Japanese equivalents in some cases.

Host index: p.33-92.

Index to Japanese names (transliterated): p.93-103.

Williams, R.O.
Flora of Trinidad and Tobago. v.1, pt.5, Rosales (concl.), Myrtales (pars) Trinidad, 1932 (456.3T13)

Correction.

v.14, no.20, p.5.
First heading should read

Bull. Fac. Agr. & Hort. Univ. Reading (103R223) and citation should be corrected to conform under Crane, M.B. & Hall, Sir D.

La

BOTANY
CURRENT LITERATURE

ADDITIONS TO THE BOTANICAL CATALOGUE, BUREAU OF PLANT INDUSTRY
COMPILED FROM PUBLICATIONS RECEIVED IN THE
LIBRARY OF THE UNITED STATES DEPARTMENT OF AGRICULTURE, WASHINGTON, D. C.

LIBRARY
RECEIVED
JAN 17 1933
U. S. Department of Agricu

Vol. 14, no. 26. Dec. 19-30, 1932.

Acta Soc. Scient. Fenn. (511H36A)
Lindberg, H.
Itinera mediterranea. Ein beitrag zur kenntnis der westmediterranen flora auf grund eines materials von gefässpflanzen, gesammelt in Tunesien und Sizilien im jahre 1924 und in Spanien und Marokko im jahre 1926. Acta Soc. Scient. Fenn. n.s.,B. v.1, no.2. 178 p. 50 fig. on 32 pl. 1932.

Addisonia. (N.Y.) (450Ad2)
Addisonia. v.17, no.4. col.pl.569-576. D.1932.
Manfreda variegata, Pitcairnia corallina, Chirita lavandulacea, Oenothera argillicola, Begonia wadei, Harrisia simpsonii, Kleinia ficoides, Hibiscus cardiophyllus.

Agricultura (Madrid) (15Ag84)
Benlloch, M.
La "Cercospora" de la remolacha. Agricultura (Madrid) 4: 699-701. illus. N.1932. no.47.

Amer. Journ. Sci. (New Haven) (470Am34)
Berry, Edward W.
Carboniferous plants interbedded in the marine section of Bolivia. Amer. Journ. Sci. 25: 49-54. illus. Ja.1933. no.145.

Amer. Potato Journ. (75.8P842)
Kovalenko, G.M.
Hardy frost-resistant potato varieties. Amer. Potato Journ. 9: 205-209. D.1932. no.12.

Voskressenskaja, O.
Flowering potato tubers. Amer. Potato Journ. 9: 209-211. D.1932. no.12.

Ann. Agron. (Paris) (14An75)
Labrousse, F. J.
L'etat sanitaire des plantes cultivees dans ses rapports avec leur nutrition. Ann. Agron. (Paris) 2: 774-808. N./D.1932. no.6.

Ann. Rep. Dept. Agr. & Stock Queensland (23Q3)

Simmonds, J. H.

The work of the pathological branch. Ann. Rep. Dept. Agr. & Stock Queensland. 1931/32: 56-57. 1932.

White, C. T.

Poisonous plants. In his Rep. Gov't Bot. Ann. Rep. Dept. Agr. & Stock Queensland 1931/32: 58-61. 1932.

Poisonous to stock.

Arch. Bot. Sist. Fitogeogr. e Gen. (Forlì) (450Ar24)

Beguinot, A.

Una importante stazione di Tulipa silvestris L. Arch. Bot. Sist. Fitogeogr. e Gen. 8: 312-318. D.1932. no.3/4.

Béguinot, A.

Osservazioni sul polimorfismo del genere Ostrya e descrizione di alcune nuove varietà di O. carpinifolia Scop. Arch. Bot. Sist. Fitogeogr. e Gen. 8: 308-311. D.1932. no.3/4.

O. carpinifolia var. euganea, cesatiana, corsica, caramanica.

Cengia-Sambo, M.

Il microclima di una valle alpina attraverso i licheni. Osservazioni fitogeografiche nella campagna lichenologica in Val Badia (Alto Adige) 1931. Arch. Bot. Sist. Fitogeogr. e Gen. 8: 193-206. D.1932. no.3/4.

Guadagno, M.

Flora capraearum nova flora di Capri. (concl.) Arch. Bot. Sist. Fitogeogr. e Gen. 8: 275-295. D.1932. no.3/4.

Luzzatto, G.

Anemone hortensis L., A. pavonina Lam., A. fulgens Gay e A. regina Risso. Studio sistematico e fitogeografico. Arch. Bot. Sist. Fitogeogr. e Gen. 8: 256-274. D.1932. no.3/4.

Morton, F.

Pflanzengeographische monographie der Quarneroinsel Cherso. Arch. Bot. Sist. Fitogeogr. e Gen. 8: 321-344. D.1932. no.3/4.

Arch. Bot. Sist. Fitogeogr. e Gen. (cont.)

Nannizzi, A.

Nuove specie di micromiceti parassiti o saprofiti su piante coltivate. Arch. Bot. Sist. Fitogeogr. e Gen. 8: 296-301. D.1932. no.3/4.

Phomopsis phellodendri, Phyllostictella draconis, Coniothyrium garrayae, C. manihotis, Septoria iridis-japonicae, Coryneum feijoae.

Pampanini, R.

Una erborizzazione nella Sirtica cirenaica. Arch. Bot. Sist. Fitogeogr. e Gen. 8: 302-307. D.1932. no.3/4.

Sbarbaro, C.

Contributo alla flora lichenologica Ligure. (concl.) Arch. Bot. Sist. Fitogeogr. e Gen. 8: 207-255. D.1932. no.3/4.

Vaccari, A.

Hedysarum humile L. laeve Rouy nuovo acquisto per la flora italiana. Arch. Bot. Sist. Fitogeogr. e Gen. 8: 319-320. D.1932. no.3/4.

Arch. Pharm. & Ber. Deut. Pharm. Ges. (Berlin) (396.8Ar2A)

Dieterle, H. & Schaffnit, K.

Ueber solanthren, ein neues nebenalkaloid aus kartoffelkeimen. Arch. Pharm. & Ber. Deut. Pharm. Ges. 270: 550-551. D.1932. no.9.

Arch. Protistenk. (Jena) (439.8Ar2)

Cholnoky, B.v.

Vergleichende studien über kern- und zellteilung der fadenbildenden conjugaten. Arch. Protistenk. 78: 522-542. illus. N.22, 1932. no.3.

Hanatschek, H.

Der phasenwechsel bei der gattung Vaucheria. Arch. Protistenk. 78: 497-513. illus. N.22,1932. no.3.

Beiträge zur entwicklungsgeschichte der protophyten. X.

Korshikov, A. A.

Studies in the Vacuolatae I. Arch. Protistenk. 78: 557-612. illus. pl.7-12. N.22,1932. no.3.

Chlorangiopsis, Chlorangiochloris, Gloeochloris, Chaetochloris new genera.

Arch. Suikerind. Nederl. Indië (Soerabaja) (65.8Ar2)

Levert, L., Woude, C.A.A. van der & Dillewijn, C. van
Onderzoekingen over het rijpingsverloop bij 2878 poj. III. De brixverdeeling in den geheelen stok. Arch. Suikerind. Nederl. Indië 1932(2): 957-971. N.15, 1932.

Bergcultures (Batavia, Java) (22.5B45)

Jong, J.K.de.
Bijdrage tot de anatomie van de the plant. III. Bergcultures. 6: 1261-1262. illus. N.19,1932. no.47.

Bibl. Genetica ('s-Gravenhage) (442B47)

Harland, S. C.
The genetics of Gossypium. Bibl. Genetica 9: 107-182. 1932.

Bot. Gaz. (Chicago) (450B652)

Bailey, A. A.
Effects of ultraviolet radiation upon representative species of Fusarium. Bot. Gaz. 94: 225-271. illus., pl.i. D.1932. no.2.

Couch, J. C.
Gametogenesis in Vaucheria. Bot. Gaz. 94: 272-296. illus. D.1932. no.2.

Green, R. A.
Composition of the beans of Parkinsonia aculeata. Bot. Gaz. 94: 411-415. D.1932.no.2.

Kienholz, R.
Fasciation in red pine. Bot. Gaz. 94: 404-410. illus. D.1932. no.2.

Kräusel, R.
Relation of Pinoxylon dakotense Knowlton to Protopiceoxylon Gotham. Bot. Gaz. 94: 419-420. D.1932. no.2.

McHargue, J.S. & Roy, W.R.
Mineral and nitrogen content of the leaves of some forest trees at different times in the growing season. Bot. Gaz. 94: 381-393. D.1932. no.2.

Meyer, B. S.
Further studies on cold resistance in evergreens, with special reference to the possible rôle of bound water. Bot. Gaz. 94: 297-321. D.1932. no.2.

Bot. Gaz. (cont.)

Michaels, W. H.
Relation of lenticels and surface area to respiration in the potato tuber. Bot. Gaz. 94: 416-418. D.1932. no.2.

Roberts, E.A. & Lawrence, J.R.
Root formation from leaf cuttings. Bot. Gaz. 94: 421-422. illus. D.1932. no.2.

Sass, J. E.
Formation of callus knots on apple grafts as related to the histology of the graft union. Bot. Gaz. 94: 364-380. iv pl. D.1932. no.2.

Smith, S. G.
Cytology of Anchusa and its relation to the taxonomy of the genus. Bot. Gaz. 94: 394-403. illus. D.1932. no.2.

Stebbins, G. L.
Cytology of Antennaria. II. Parthenogenetic species. Bot. Gaz. 94: 322-345. illus., ii pl. D.1932. no.2.

Wilson, P.W. & Georgi, C.E.
Methods for controlling the environment of greenhouse plants. Bot. Gaz. 94:346-363. illus. D.1932. no.2.

Bull. Jard. Bot. Buitenzorg. (89B86B)

Boedijn, K.B.
The genus Sarcosoma in Netherlands India. Bull. Jard. Bot. Buitenzorg III,12: 273-279. illus. N.1932. no.2.

Smith, J. J.
Orchidaceae novae malayenses XIV. Bull. Jard. Bot. Buitenzorg III,12: 105-150. N.1932. no.2.

Steenis, C.G.G.J. van
Botanical results of a trip to the Anambas and Natoena Islands. Bull. Jard. Bot. Buitenzorg. III,12: 151-211. illus.pl.i. N.1932. no.2.
Notes on the vegetation of Djemadja by M.R. Henderson.

Steenis, C.G.G.J. van
The Styracaceae of Netherlands India. XXI. Bull. Jard. Bot. Buitenzorg III,12: 212-272. illus. N.1932. no.2.
Contributions a l'etude de la flore des Indes Neerlandaises. XXI.

Bull. Mens. Soc. Linn. Lyon. (505L992B)

Henry, R.
Un cortinaire rare: C. (Dermocybe) queletu F.B. Bull. Mens. Soc. Linn. Lyon 1: 100-104. illus. S.1932. no.7.

Josserand, M. M.
Un nouveau champignon producteur d'acide cyanhydrique: "Clitocybe gigantea Sow." Bull. Mens. Soc. Linn. Lyon 1: 159-162. illus. D.1932. no.10.

Konrad, P.
Notes sur la classification des bolets. I-III. Bull. Mens. Soc. Linn. Lyon 1: 115-118, 140-143, 148-152. O.,N.,D., 1932.no.8-10.

Pouzet, M.E.
Notes sur l'"Herbier de la flore Francaise". de Cusin et Ansberque. Bull. Mens. Soc. Linn. Lyon 1: 109-111, 118-119. S., O.1932. no.7,8.

Thiébaut, J. & Gombault, R.
Une excursion botanique au Djebel Tenf (désert de Syrie). Bull. Mens. Soc. Linn. Lyon 1: 70-74. My.1932. no.5.

Bull. Sci. Pharm. (Paris) (396.8B872)

Mascre, M. & Crete, P.
Localisation des alcaloïdes et des tanins chez les Lobelia. Bull. Sci. Pharm. 39: 603-607. N.1932. no.11.

Calif. Citrogr. (Los Angeles) (80C125)

Fawcett, H.S.
Prevention of brown rot gummosis on young citrus trees. Calif. Citrogr. 18: 84. Ja.1933. (D.1932) no.3.

Compt. Rend. Acad. Sci. Paris (505P21)

Mercier, L.J. & Mercier, F.
Sur un nouveau procedee de préparation de la marrubiine. Compt. Rend. Acad. Sci. Paris 195: 1102-1104. D.5, 1932. no.23.

Miège, E.
Sur l'anabiose et la reviviscence des plantules du blé. Compt. Rend. Acad. Sci. Paris 195: 1104-1107. D.5, 1932. no.23.

Compt. Rend. Soc. Biol. Paris (442.9P21)

Maze, P. & Maze, P.J.
Sur l'evolution du charbon (Ustilago maidis) sur nos cultures de mais en 1932. Compt. Rend. Soc. Biol. Paris 111(38): 759-761. D.9, 1932. no.38.

Comp. Rend. Soc. Biol. Paris (cont.)

Moreau, F. & Moruzi, C.
Les variations brusques présentées en cours de végétation par les Ascomycetes du genre Neurospora. Compt. Rend. Soc. Biol. Paris 111(38): 755-757. D.9, 1932. no.38.

Saksena, R.K.
Observations sur le chondriome de Pythium de baryanum Hesse. Compt. Rend. Soc. Biol. Paris. 111(38): 751-753. illus. D.9, 1932. no.38.

Contr. Biol. Lab. Sci. Soc. China Bot.Ser.(442.9Sci2B)

Chien, S.S.
Vegetation of the Rocky Ridge of Chung Shan, Nanking. Contr. Biol. Lab. Sci. Soc. China Bot. Ser. 7: 215-227. Je.1, 1932. no.9.

Chien, S. S.
The wood of Chung Shan, Nanking. Contr. Biol. Lab. Sci. Soc. China Bot. Ser. 7: 191-204. My.1, 1932. no.7.

Fang, W.-P.
Preliminary notes on Chinese Aceraceae. Contr. Biol. Lab. Sci. Soc. China Bot.Ser. 7: 143-183. 1 pl. Ap.15, 1932. no.6.
Acer pauciflorum n. sp.

P'ei, C.
Additional notes on Chinese verbenaceous plants of China. Contr. Biol. Lab. Sci. Soc. China. Bot. Ser. 7: 205-212. 1 pl. My.1932. no.8.

Shen, C. I.
Species of Pestalozzie and Monochaetia in China. Contr. Biol. Lab. Sci. Soc. China Bot. Ser. 7: 131-139. illus. Mr.20, 1932. no.5.

Sun, Y. Z.
An enumeration of Labiatae from Kweichow collected by Y. Tsiang in 1930. Contr. Biol. Lab. Sci. Soc. China Bot.Ser. 7: 229-243. Je.10, 1932. no.10.

Current Science (Bangalore) (475Sci23)

Rao, L. N.
Studies in the life-history of Balanophora indica. Current Science 1: 134-135. illus. N.1932. no.5.

Sreenivasaya, M.
Present position of the problem of spike disease. Current Science 1: 126-127. N.1932. no.5.

Florida Grow. (Tampa) (80F6622)

Weber, G. F.

Mosaic, a virus disease of many plants. Contagious infection affecting important Florida crops, symptoms and other known facts; control methods advised. Florida Grow. 40(12): 10-11. illus. D.1932. no.12.

Gard. Chron. (London) (80G162)

Friend, H.

Corsican plant lore. XXI. Factors affecting plant life. Gard. Chron. III, 92: 429-430, 446. D.10,17, 1932. no.2398-99.

Gertrude Jekyll, V.M.H. Gard. Chron. III, 92: 439. port. D.17, 1932. no.2399.
Notice of death.

Smith, R.B.

Pentstemons at Calma. Gard. Chron. III, 92: 445. illus. D.17, 1932. no.2399.

Summerhayes, V.S.

Paphiopedilum wardii. Gard. Chron. III, 92: 446-447. illus. D.17,1932. no.2399.
Discovered by F.K. Ward in Upper Burma.

Vokes, H.V.

New dwarf hybrid asters. Gard. Chron. III, 92: 427. illus. D.10,1932. no.2398.
Aster dumosus x A. novi-belgii.

Wallace, T.

High temperature injury on the growing apple. Gard. Chron. III, 92: 433, 450. D.10,17, 1932. no.2398-99.

Ward, F.K.

Mr. F. Kingdon Ward's eleventh expedition in Asia. XVIII. Rhododendrons at eight thousand feet. Gard. Chron. III,92: 428-429. illus. D.10,1932. no.2398.

Ware, W. M.

Mushroom growing. Gard. Chron. III, 92: 451-452. D.17,1932. no.2399.

Gard. Illus. (London) (80G169)

Gertrude Jekyll, V.M.H. November 29th, 1843-December 8, 1932. Gard. Illus. 54: 754-755. port. D.17, 1932. no.2806.

Giuseppi, P.L.

Plant hunting in Persia. I-II. Gard. Illus. 54: 736-737, 756-757. illus. D.10, 17, 1932. no.2805, 2806.

Gartenw. (Berlin) (80G196)

Laubert, R.

Bemerkungen über den mahonienrost. Gartenw. 36: 710. illus. D.9, 1932. no.50.

Uropyxis sanguinea.

Pape, H.

Mosaikkrankheit an glieder-, blatt- und rutenkakteen. Gartenw. 36: 707-708. illus. D.9, 1932. no.50.

Roth, E.

Häufige blattkrankheit der amaryllis. Gartenw. 36: 695. D.2, 1932. no.49.

Hawaiian Plant. Rec. (Honolulu) (25H311)

Wadsworth, H.A.

Plant wilt and its relation to the rates of water supply and water demand. Hawaiian Plant. Rec. 36: 273-278. illus. 1932. no.3.

Helvetica Chim. Acta. (Basel) (385H36)

Karrer, P., Benz, F., Morf, R., Raudnitz, H., Stoll, M. & Takahashi, T.

Pflanzenfarbstoffe XLVI. Konstitution des crocetins und bixins. Synthese des perhydronorbixins. Helvetica Chim. Acta. 15: 1399-1419. D.1, 1932. no.6.

Hilgardia (Berkeley, Cal.) (100C12H)

Dunne, T. C.

Plant buffer systems in relation to the absorption of bases by plants. Hilgardia 7: 207-234. N.1932. no.5.

Hoppe-Seyl. Zeitschr. Phys. Chem. (Berlin) (384Z38)

Doby, G.v.

Enzyme und salzionen. IV. Saccharasekonzentration in Penicillium glaucum bei stickstoffmangel. Hoppe-Seyl. Zeitschr. Phys. Chem. 213: 71-82. illus. N.28, 1932. no.1/2.

Horticulture. (Boston) (80H787)

McFarland, J. H.

Christening of a fir "sport". Horticulture 10: 456. illus. D.15,1932.

Abies homolepis scottae at Todmorden Farm near Meadia, Pa.

Rehder, A.

Uniformity in plant names. Horticulture 10: 460. D.15, 1932. no.24.

On preliminary list of generic names issued by Comm. on horticultural nomenclature appointed by the last International horticultural congress.

House and Gard. (Greenwich, Conn.) (80H81)

Wilder, L. B.

Beauty in onions and its introduction into the rock garden. House and Gard. 63(1): 24-25, 63. illus. Ja. 1933. no.1.

Indische Cult. (Soerbaja) (26In2)

Jochems, S.C.J.

Toprot en rotstelen bij Deli-tabak (Bact.aroideae Townsend) (concl.) Indische Cult. 17: 548-550. N.16, 1932. no.22.

Industr. & Engin. Chem.(Easton,Pa.) (381J825)

Tisdale, W. H.

Ethylmercury compounds as agricultural disinfectants. Industr. & Engin. Chem. 24: 745-747. illus. Jl.1932. no.7.

For seed and soil disinfection, sprays and to prevent sap stain of lumber.

Ital. Agr. (Milan) (16It1)

Morettini, A.

Sull'autosterilità ed autofertilità dei susini. Ital. Agr. 69: 961-983. illus. N.1932. no.11.

Journ. Amer. Soc. Agron. (Geneva,N.Y.) (4Am34P)

Burnham, C.R. & Brink, R.A.

Linkage relations of a second brown midrib gene (bm$_2$) in maize. Journ. Amer. Soc. Agron. 24: 960-963. D.1932. no.12.

Butler, O.

The use of kainite for the control of poison ivy. Journ. Amer. Soc. Agron. 24: 979-981. D.1932. no.12.

Journ. Bacteriol. (Baltimore) (448.3J82)

Tracy, R.L. jr.

Lethal effect of alternating current on yeast cells. Journ. Bacteriol. 24: 423-438. D.1932. no.6.

Journ. Bot. (London) (450J82)

Britton, C. E.

Notes on Surrey plants. (concl.) Journ. Bot. 70: 332-337. D.1932. no.840.

Cambridge university. Herbarium.

Notes from the University herbarium, Cambridge. (cont.) Journ. Bot. 70(Suppl.): 25-29. D.1932. no.840.

Dandy, J.E.

Some new names in the Monocotyledones. II. Jour. Bot. 70: 328-332. D.1932.no.840.

Milne-Redhead, E. & Turrill, W.B.

Variation in Aneomone nemorosa. Journ. Bot. 70: 325-328. D.1932. no.840.

Novitates africanae. (cont.) Journ. Bot. 70: 337-341. D.1932. no.840.

Rosenia angustifolia, Erica glandulipila, Anomalanthis salteri.

Journ. Fac. Sci. Hokkaido Imp. Univ. Ser.V, Bot. (Sapporo)(451H68)

Akiyama, S.

Conspectus Caricum japonicarum. A general view of Japanese Carices including those from Saghalien, the Kuriles, Hokkaido, Honshiu, Shikoku, Kiushiu, and the Riukius, with special reference to utricles in female flowers. Journ. Fac. Sci. Hokkaido Imp. Univ. Ser. V, Bot. 2: 1-266. illus., pl.i-ii. O.1932. no.1.

Yamada, Y.

Notes on some Japanese algae. IV. Journ. Fac. Sci. Hokkaido Imp. Univ. Ser. V, Bot. 2: 267-276. illus., pl.iii-ix. N.1932. no.2.

Journ. Hered.(Washington.) (442.8Am3)

Bruman, A.J.

"Iarovization". A new factor in plant breeding technique. Journ. Hered. 23: 465-466. N.1932. no.11.

Methods used by T.D. Lissenko at the Odessa institute of plant breeding & genetics for shortening the vegetative period.

Journ. Hered. (cont.)

Collins, J.L. & Hagan, H.R.

Nematode resistance of pineapples. Journ. Hered. 23: 459-465. illus. N.1932, no.11.

Varietal resistance of pineapple roots to the nematode Heterodera radicicola (Greef) Muller.

Griffiths, D. & Wright, R.C.

Effect of storage temperature on date of flowering. Journ. Hered. 23: 467-470. illus. N.1932. no.11.

Kinman, C.F.

A peach mutation. Journ. Hered. 23: 453-456. illus. N.1932. no.11.

Zirkle, C.

Some forgotten records of hybridization and sex in plants. Journ. Hered. 23: 433-448. ports. N.1932. no.11.

Notes concerning Cotton Mather, Thomas Fairchild, Philip Miller, Paul Dudley, James Logan, John Bartram.

Malayan Agr. Journ. (Kuala Lumpur) (22.5F312)

Milsum, J.N.

Seeding of Derris elliptica. Malayan Agr. Journ. 20: 582. 1 pl. N.1932. no.11.

Meded. Rijks Herb. Leiden. (451L59)

Henrard, J. T.

A monograph of the genus Aristida v.2. Meded. Rijks Herb. Leiden no.58a. p.157-325. pl.lxi-clix. Jl.1, 1932.

Naturwissensch. (Berlin) (474N213)

Virtanen, A. I. & Hausen, S.v.

Die vitaminbildung in pflanzen. Naturwissensch. 20: 905. D.10, 1932.no.50.

New Zealand Journ. Agr. (Wellington) (23N48J)

Chamberlain, E. E.

Sclerotium-disease (Sclerotinia sclerotiorum) of tomatoes. Its appearance, cause, and preventive treatment. New Zeal. Journ. Agr. 45: 260-268. illus. N.21, 1932. no.5.

Notes R. Bot. Gard. Edinb. (89Ed4)

Cowan, J.M.

The genus Wendlandia. Notes R. Bot. Gard. Edinb. 16: 233-316. pl.ccxxxii-ccxxxv. O.1932. no.80

Phil. Trans. Roy. Soc. London. (501L84P6)

Sahni, B.

On the structure of Zygopteris primaria (Cotta) and on the relations between the genera Zygopteris, Etapteris and Botrychioxylon. Phil. Trans. Roy. Soc. London 222: 29-45. illus., pl.6-8. 1932.

Planta Arch. Wiss. Bot.(Berlin) (450P693)

Brauner, M.

Untersuchungen über die lichtturgorreaktionen des primärblattgelenkes von Phaseolus multiflorus. Planta Arch.Wiss. Bot., 18: 288-337. illus. N.19, 1932. no.1/2.

Funke, K.

Beitrag zur kenntnis der entwicklungsgeschichte des farnblattes. (Pilularia globulifera L.) Planta Arch. Wiss. Bot. 18: 52-103. illus. N.19, 1932. no.1/2.

Lubimenko, V.N. & Stscheglova, O.A.

Ueber den einfluss des protoplasmareizes auf die photosynthese. Planta Arch. Wiss. Bot. 18: 383-404. illus. N.19, 1932. no.1/2.

Renner, O.

Zur kenntnis des wasserhaushalts javanischer kleinepiphyten. Mit einem anhag: Zu den osmotischen zustandsgrössen. Planta Arch. Wiss. Bot. 18: 215-287. illus. N.19, 1932. no.1/2.

Rahn, H.

Untersuchungen über den N-stoffwechsel pflanzlicher vegetativer speicherorgane. Planta Arch. Wiss. Bot. 18: 1-51. illus. N.19,1932. no.1/2.

Rudloff, C.F. & Schmidt, M.

Untersuchungen über den einfluss ungünstiger witterungsverhältnisse auf die reduktionsteilung und die embryosackentwicklung bei verschiedenen oenotheren. Planta Arch. Wiss. Bot. 18: 104-167. illus. N.19, 1932. no.1/2.

Ruhland, W., Ullrich, H. & Yamaha, G.

Ueber den durchtritt von elektrolyten mit organischem anion und einwertigem kation in die zellen von Beggiatoa mirabilis nebst allgemeinen bemerkungen zum problem der salzpermeabilität. Planta Arch. Wiss. Bot. 18: 338-382. illus. N.19, 1932. no.1/2.

Planta Arch. Wiss. Bot. (cont.)

Schwarze, P.
Ein beitrag zur kenntnis des säurestoffwechsels nichtsukkulenter pflanzen. Planta Arch. Wiss. Bot. 18: 168-210. illus. N.19, 1932. no.1/2.

Wiśniewska, E.
Entstehung der chromosomenringe bei Oenothera. Zytologische beobachtungen über die prophase der reduktionsteilung bei Oe. biennis und Oe. hookeri-velutina vetaurea. Planta Arch. Wiss. Bot. 18: 211-214. illus. N.19,1932. no.1/2.

Proc. Imp. Acad. Tokyo (513T576)

Morinaga, T. & Fukushima, E.
Some observations on the microsporogenesis of the haploid plant of rice. Proc. Imp. Acad. Tokyo 8: 402-405. illus. O.1932. no.8.

Sakamura, T. & Yanagihara, T.
Zur bildung des wuchsstoffs bei Aspergillus niger. Proc. Imp. Acad. Tokyo 8: 397-399. O. 1932. no.8.

Proc. Iowa Acad. Sci. (Des Moines) (500Io93)

Aikman, J.M.
The micro-climate of Zea mays in Central Iowa. Proc. Iowa Acad. Sci. 38(1931): 73-83. [1932]

Anderson, D.A. & Walker, R.H.
Residual effects of some germicides used in sterilizing legume seeds. Proc. Iowa Acad. Sci. 38(1931): 321-325. [1932]

Baskerville, E.
Some misunderstood slime-mold species. Proc. Iowa Acad. Sci. 38(1931): 103-114. illus. [1932]
Oligonema and Hemitrichia.

Burk, M. M. J.
Flowering plants of Black Hawk County, Iowa. Proc. Iowa Acad. Sci. 38(1931): 135-149. [1932]

Cavanagh, L.M.
Notes on Iowa mosses. IV. Proc. Iowa Acad. Sci. 38(1931): 129-132. [1932]

Conard, H.S.
Flora May Tuttle. Proc. Iowa Acad. Sci. 38: 45. port. [1932]

Proc. Iowa Acad. Sci. (cont.)

Fisher, M. C.
A comparative morphological study of certain species of the Dacryomycetaceae. Proc. Iowa Acad. Sci. 38(1931): 115-125. 2 pl. [1932]

Lindstrom, E. W.
Fertility variations in tetraploid tomatoes with different genetic origins. Proc. Iowa Acad. Sci. 38(1931): 85-87. [1932]

Lindstrom, E. W.
Linear order of four genes on the first chromosome of the tomato. Proc. Iowa Acad. Sci. 38(1931): 133-134. [1932]

Leohwing, W. F.
Effects of soil aeration on plant growth and root development. Proc. Iowa Acad. Sci. 38(1931): 71-72. [1932]

Loomis, W.E. & Burnett, K.H.
Photosynthesis in corn. Proc. Iowa Acad. Sci. 38(1931): 150. [1932]

Melhus, I. E.
Some recent contributions to our understanding of corn diseases. Proc. Iowa Acad. Sci. 38(1931): 89-101. [1932]

Shimek, B.
Dr. Louis H. Pammel. Proc. Iowa Acad. Sci. 38(1931): 55-68. port. [1932]
Bibliography: p.56-68, compiled by C.M. King.

Wendt, L. & Wilkinson, J. A.
Quantitative analysis of lettuce ash. Proc. Iowa Acad. Sci. 38(1931): 159-161. [1932]

Proc. Nat. Acad. Sci. (500N21P)

Brooks, M. M.
The penetration of m-bromo-phenol indophenol and of guaiacol indophenol into Valonia ventricosa. Proc. Nat. Acad. Sci. 18: 691. D.15, 1932. no.12.

McClintock, B.
A correlation of ring-shaped chromosomes with variegation in Zea mays. Proc. Nat. Acad. Sci. 18: 677-681. D.15, 1932. no.12.

Proc. Roy. Soc. Victoria (Melbourne) (514M482)

Heyward, J.

The relation between period of flowering and degree of evolution. Proc. Roy. Soc. Victoria. n.s.44: 242. Ap.20, 1932. no.2.

Illichevsky, S.

Does the flowering of plants of the Victorian flora repeat the order of their evolution? Proc. Roy. Soc.Victoria n.s., 44: 239-241. Ap.20, 1932. no.2.

Progr. Agr. & Vitic. (Montpellier) (14P94)

Villedieu, G.

Cuivre et mildiou. Progr. Agr. & Vitic. 98: 536-539. D.4, 1932. no.49.

Protoplasma (Leipzig) (442.8P94)

Pfeiffer, H.

Bemerkungen zur Dittrichschen regel über die beziehung zwischen nitratspeicherung und presssaftazidität pflanzlicher gewebe. Protoplasma 17: 301-316. N.1932. no.2.

Umrath, K.

Der erregungsvorgang bei Nitella mucronata. Protoplasma 17: 258-300. illus. N.1932. no.2.

Quart. Rev. Biol. (Baltimore) (442.8Q2)

Edwards, T. I.

Temperature relations of seed germination. Quart. Rev. Biol. 7: 428-443. D.1932. no.4.

Publ. Estac. Exp. Agros. Argentine (102.5B733)

Brazil. Estação experimental de agrostologia.

Capins guiné, sempre verde e murumbú. Proc. Estac. Exp. Agros. Argentine no.7. 16 p. illus., fold.tab. 1932.

Varieties of Panicum maximum.

Brazil. Estaçao experimental de agrostologia.

O capim gordura Melinis minutiflora, Pal. de Beauv. Publ. Estac. Exp. Agros. Argentine no.6. 8 p. illus. 1931.

Rev. Chil. Hist. Nat. (410R325)

Espinosa, M. R.

Anotaciones botanicas. I-II. Rev. Chil. Hist. Nat. 35: 38-41. illus. 1932.

I. Helechos de "cerro Largo". II. Los primeros helechos recogidos en Chile.

Frenguelli, J.

Analisis microscopico de una muestra de Tripoli de Angostura. (Provincia de Colchagua-Chile). Rev. Chil. Hist. Nat. 35: 9-14. illus. 1932.

Rev. Chil. Hist. Nat. (cont.)

Fuentes, F.
Los romerillos chilenos. Rev. Chil. Hist. Nat. 35: 86-91. illus. 1932.
Species of Baccharis and Chiliotrichum.

Garaventa, A.
Dos cruciferas del genero Sisymbrium, nuevas para la flora advena de Chile. Rev. Chil. Hist. Nat. 35: 97-99. illus. 1932.
S. orientale, L., S. irio, L.

Gunckel, H.
Dos nuevas plantas adventicias de la flora valdiviana. Rev. Chil. Hist. Nat. 35: 95-96. 1932.
Vinca major L., Duchesnea indica (Andr.) Foeke.

Herrera, F. L.
Los pisonaes del departmento del Cuzco. Rev. Chil. Hist. Nat. 35: 35-38. illus. 1932.
Erythrina falcata, E. lorenai.

Lataste, F.
Geotropisme, heliotropisme et stereotropisme. Rev. Chil. Hist. Nat. 35: 46-48. 1932.

Looser, G.
Localidades del helecho Polystichum mohrioides (Bory) Presl en Chile central. Rev. Chil. Hist. Nat. 35: 26-28. 1932.

Urban, O.
Breve nota sobre la biologia floral del pelu. (Sophora tetraptera Ait.) Rev. Chil. Hist. Nat. 35: 92-94. illus. 1932.

Rhodora (Boston) (450R34)

Collins, J. F.
Better herbarium specimens. Rhodora 34: 247-249. D.1932. no.408.

Curtis, J. T.
A new Cypripedium hybrid. Rhodora 34: 239-243. D.1932. no.408.
Cypripedium favillianum.

McFarlin, J. B.
Hollies from Central Florida. Rhodora 34: 233-236. pl.224-231. D.1932. no.408.

Thompson, J. W.
Notes on the flora of the state of Washington I- Rhodora 34:236-239. D.1932. no.408.
Erigeron thompsoni n.sp.

Riv. Biol. (Milan) (442.8R52)
Leonardi, P.
Contributo alla conoscenza delle azioni dei sali sul germogliamento dei semi e sulle sviluppo delle piantine. Riv. Biol. 14: 217-227. My./Ag. 1932. no.3/4.

Schweiz. Zeitschr. Obst- u. Weinb. (Wädenswil) (80Sch9)
Osterwalder, A.
Meisennüsse. Schweiz. Zeitschr. Obst.- u. Weinb. 41: 437-439. illus. N.26, 1932. no.24.

Science (470Sci2)
Pearson, H.M.
Parthenocarpy and seedlessness in Vitis vinifera. Science 76: 594. D.23, 1932. no.1982.

Starkey, E.J.
Photoperiodism and chrysanthemum production. Science 76: 594-595. D.23, 1932. no.1982.

Succulenta (Leeuwarden) (450Su1)
Duursma, G. D.
Mooie gasteria's. VI. Grandiflorae. Succulenta 14: 292-297. illus. D.1932. no.12.

Harders, C. L.
Crassulaceae. II. Succulenta 14: 297-302. illus. D.1932. no.12.

Karsten, M. C.
Rudolf Marloth (1855-1931), Zijn leven en werken. IV. Succulenta 14: 303-307. D.1932. no.12.

Prof. Dr. J. Valckenier Suringar. (24 Dec. 1864-17 Oct. 1932). Succulenta 14: 290-292. port. D.1932. no.12.

Tijdschr. Plantenz. (464.8T44)
Schoevers, T.A.C.
Bestuiven en bestuivers. Tijdschr. Plantenz. 38: 229-252. pl.xiii-xx. N.1932. no.11.
Fungicides: p.238-240.

Torreya (450T63)
Alexander, E. J.
A new Coreopsis from the southeastern United States. Torreya 32: 61. N./D. 1932. no.6.
C. saxicola.

Torreya (cont.)

Gundersen, A.
Flower buds and the directions of floral evolution. Torreya 32: 154-158. illus. N./D. 1932. no.6.

Harper, R. M.
Erigenia bulbosa and some associated and related plants in Alabama. Torreya 32: 141-146. N./D. 1932. no.6.

Lewis, J.K.
Two adventive species unrecorded from the Bahama Islands. Torreya 32: 162. N./D.1932. no.6.
Thlaspi arvense, Holcus halepensis.

Peck, M. E.
More new plants from Oregon. Torreya 32: 147-153. N./D. 1932. no.6.

Torrey, R. H.
More stations for Potentilla tridentata. Torreya 32: 159-161. N./D. 1932. no.6.
Penobscot Knob, Luzerne Co., Cresco Heights, Monroe Co., Penn.; Shawangunks in Ulster Co., N.Y.

Torrey, R. H.
A pseudo plant fossil. Torreya 32: 165. N./D. 1932. no.6.

Trop. Woods, Yale Univ. Sch. For. (New Haven) (99.08Y1Tr)

Record, S. J.
Notes on tropical timbers. Trop. Woods, Yale Univ. Sch. For. 32: 1-6. D.1, 1932. no.32.
Brazilian itapicuru identified (Goniorrhachis marginata elata). No native pine in Costa Rica. Gumaan driftwood in the Philippines (Alstonia). West Indian boxwood (Gossypiospermum praecox)

Record, S. J.
The wood of Gleasonia duidana. Trop. Woods, Yale, Univ. Sch. For. 32: 18-20. D.1, 1932. no.32.

Record, S. J.
Woods of the Ericales, with particular reference to Schizocardia. Trop. Woods, Yale Univ. Sch. For. 32: 11-14. D.1, 1932. no.32.

Trop. Woods, Yale Univ. Sch. For.(cont.)

Rehder, A.
A second species of Gossypiospermum. Trop. Woods, Yale Univ. Sch. For. 32: 6-7. D.1, 1932. no.32.
G. paraguariense (Casearia gossypiosperma)

Smith, A.C. & Standley, P.C.
Schizocardia, a new genus of trees of the family Clethraceae. Trop. Woods, Yale Univ. Sch. For. 32: 8-11. D.1, 1932. no.32.
S. belizensis n.sp.

Standley, P. C.
Six additions to the forest flora of Central America and Mexico. Trop. Woods, Yale Univ. Sch. For. 32: 14-18. D.1, 1932. no.32.
Ananoa grandiflora Muell., Olmediella betschleriana (Goepp.) Loes.; Prunus salasii, Lonchocarpus castilloi, Allophylus kinlochii, Zizyphus yucatanensis, n.spp.

Standley, P.C.
Three new trees from Colombia. Trop. Woods, Yale Univ. Sch. For. 32: 20-21. D.1, 1932. no.32.
Ficus dugandii, Zizyphus angolito, Lucuma espinae.

Trudy Prikl. Bot., Gen.i Selek. Ser. IX, Tekhn. Kul't. (Bull. Appl. Bot., Gen. & Plant-breed.IX, Ser. Techn. Plants) (451R92T)

Enken, V. B.
K poznaniiu ekologo-geograficheskikh tipov soi (A contribution to the knowledge of the geographical types of the soybean) Trudy Prikl. Bot., Gen. i Selek.Ser. IX, Tekhn.Kul't. (Bull. Appl. Bot., Gen. & Plant-breed. IX.Ser. Techn. Plants) 1: 47-69. illus. 1932.
Russian with English summary.

Kuptsov, A. I.
Geograficheskaia izmenchivost vida Carthamus tinctorius L. (The geographical variability of the species of Carthamus tinctorius). Trudy Prikl. Bot., Gen. i Selek. Ser. IX, Tekhn. Kul't. (Bull. Appl. Bot. Gen.& Plant-breed. IX.Ser.,Techn. Plants) 1: 99-181. illus. (incl. map) 1932.
Russian with English summary.

Trudy Prikl. Bot., Gen. i Selek. Ser. IX, Tekhn. Kul't. (Bull. Appl. Bot., Gen. & Plant-breed. IX. Ser. Techn. Plants) (cont.)

Momot, Ia. G.

K voprosu o zasukhoustoĭchivosti soi (A contribution to the question of drought resistance in the soybean). Trudy Prikl. Bot., Gen. i Selek. Ser. IX, Tekhn. Kul't. (Bull. Appl. Bot., Gen. & Plant-breed. IX, Ser., Techn. Plants) 1: 71-97. 1932.

Russian with English summary.

Shchenkova, M.

Geograficheskai͡a izmenchivost i tsentry proiskhozhdenii͡a kress-salata (Lepidium sativum L.) (Geographical variation and centres of origin of the garden cress (Lepidium sativum). Trudy Prikl. Bot., Gen. i Selek. Ser. IX, Tekhn. Kul't. (Bull. Appl. Bot., Gen.& Plant-breed. IX. Ser. Techn. Plant) 1: 183-253. illus., col.pl. 1932.

Russian with English summary.

Sinskai͡a, E.N.

O zadachakh prikladnoĭ fitoekologii (On the purposes of applied ecology). Trudy Prikl. Bot., Gen. i Selek. Ser. IX, Tekhn. Kul't. (Bull. Appl. Bot., Gen. & Plant-breed. IX. Ser., Techn.Plants.) 1:255-275. 1932.

Russian with English summary.

U.S. Dept. Agr. Techn. Bull. (1Ag84Te)

Roberts, J.W. & Dunegan, J.C.

Peach brown rot. U.S. Dept. Agr. Techn. Bull.328. 59 p. 10 pl. on 5. N.1932.

U.S. Nat. Park Serv. Techn. Bull. (410.9Un3)

Patraw, P. M.

Preliminary check-list of plants of Grand Canyon national park. U.S. Nat. Park Serv. Techn. Bull.6. 47 p. [1932]

Mimeographed.

La Vida Agr. (Lima) (9.8V66)

Gonzalez, O. B.

El problema genetica del algodón tangüis. La Vida Agr. 9: 641-652. N.10, 1932. no.108.

Ferrero, R.

Origen del algodón Tangüis. La Vida Agr. 9: 653-670. illus. N.10, 1932. no.108.

Sobre el wilt del algodon, la labor del estado al respecto. La Vida Agr. 9:691-694. N.10, 1932. no.108.

Includes notes by José D. Valdivieso.

Zeitschr. Parasitenk. (442.8Z33f)

Kreis, H. A.

Beiträge zur kenntinis pflanzenparasitischer nematoden. Zeitschr. Parasitenk. 5: 184-194. illus. N.18, 1932. no.1.

Pristionchus longicaudatus n.g., n.sp., Rhabditis macrocheila n.sp.

Zeitschr. Wiss. Mikros. (Leipzig) (440.8Z3)

Küster, E.

Prüfung von pflanzenzellen auf hysteretische veränderungen. Zeitschr. Wiss. Mikros. 49: 367-368. D.1932. no.3.

Zeitschr. Zücht. A. Pflanzenzücht. (Berlin)

Hubert, K.

Beiträge zur züchtung rostresistenter weizen. Zeitschr. Zücht. A. Pflanzenzücht. 18: 19-52. N.1932. no.1.

Der Züchter (Berlin) 442.8Z8

Appel, O.

Die bestimmung der vitalität der pflanzkartoffel. II. Der Züchter 4: 265-266. illus. N.1932. no.11.

Klapp, E.

Zum wachstumsrhythmus von Onobrychis viciaefolia. Der Züchter 4: 280. N.1932. no.11.

Munerati, O.

Die fähigkeit der runkelrübe ohne reservestoffe der wurzeln blütenstengel zu bilden und reife samen zu tragen. Der Züchter 4: 279-280. illus. N.1932. no.11.

Schiemann, E.

Einiges aus der abstammungsgeschichte der kulturpflanzen. Der Züchter. 4: 267-279. illus. N.1932. no.11.

Sengbusch, R.v. & Loschakowa-Hasenbusch, N.

Immunitätszüchtung bei tomaten. Der Züchter 4: 257-264. illus. N.1932. no.11.

Vorlaufige mitteilung über die zuchtung gegen die braunfleckenkrankheit (Cladosporium fulvum Coocke) resistenter sorten.

Exper. Stat. Publ.

Dorsey, M.J. & Potter, J.S.

A study of the structure of the skin and pubescence of the peach in relation to brushing. Illinois Agr. Exp. Stat. Bull.385;407-424. illus. N.1932. (100Il6S)

Wells, B. W.

Research in botany. Ann. Rep. North Carolina Agr. Exp. Stat. 54(1930/1): 67-89. illus. [1932] (100N81)

Div. of plant pathology, S.G. Lehman; Plant disease studies, R.F. Poole.

New Books.

International institute of agriculture.

Bibliography of tropical agriculture, 1931. Roma, 1932. (241In8B)

Kihara, H., Yamamoto, K. & Hosono, K.

Shokubutsu senshokutai-wsu no kenkyu (Studies on chromosome number in plants) Tokyo, 1931. (J463.6K555)

Japanese, with list under scientific names, (p. 195-316)

Literature for the list of chromosome-numbers; p.317-327.

N.Y. academy of sciences.

Scientific survey of Porto Rico and the Virgin Islands, v.8, pt.2, Botany... N.22, 1932 (409N483)

Supplement to mycology, F.J. Seaver, C.E. Chardon, R.A. Toro & F.D. Kern - Revision of the Myxomycetes, R. Hagelstein - Myxophyceae, N.L. Gardner.

North American flora v.10, pt.5, Agaricaceae (pars) N.Y., New York botanical garden, N.21,1932. (454-N48)

Hypodendrum by L.O. Overholts, Cortinarius, by C.H. Kauffman.

Translations filed in Library of Bur. of Plant Industry,

Costantin, J.

Importance de la mosaique de la canne au point de vue de la degenerescence (The importance of sugar cane mosaic from the viewpoint of degeneration). Compt. Rend. Acad. Sci. Paris 194: 1614-1616. My.9, 1932.

Esmarch, F.

Die herz-und trockenfaule der rüben. (Heart and dry rot of beets). Kranke Pflanze 5: 161-163. O.1928.

Translations. (cont.)

Sapèhin, A.A.

Die züchterische bedeutung der verkürzung der vegetationsperiode nach T.D. Lyssenko (The significance of the Lissenko method of shortening the vegetation period in plant breeding). Der Züchter 4: 147-151. Je.1932.

Non-current indexing.

Acta Bot. Inst. Bot. Univ. Zagreb. (451Z1)

Bošnjak, K.

Još jedan prilog gradi za floru Južne Hrvatske (Bijele Stijene) (Ein weiterer beitrag zur flora von Süd-Kroatien). Acta Bot. Inst. Bot. Univ. Zagreb 6: 38-46. 1931.

Croatian with German summary.

Ercegović, A.

Podocapsa et Brachynema deux genres nouveaux chamésiphonales de la cote adriatique de Dalmatie. Acta Bot. Inst. Bot. Univ. Zagreb. 6: 33-37. illus. 1931.

Horvat, I.

Brdske livade i vrištine u Hrvatskoj. (Prethodno saopćenje) (Die berg-wiesen und heiden in Kroatien. (Vorläufige mitteilung). Acta Bot. Inst. Bot. Univ. Zagreb 6: 76-90. 1931.

Croatian with German summary.

Horvatić, S.

Biljeske o nekim manje poznatim biljkama iz hrvatske flore. (Notes sur quelques plantes peu connues dans la flore croate). Acta Bot. Inst. Bot. Univ. Zagreb 6: 56-65. 1931.

Croatian with French summary.

Horvatić, S.

Peucedanum coriaceum Rchb. und seine rassen. Acta Bot. Inst. Bot. Univ. Zagreb 6: 19-32. illus. 1931.

Horvatić, S.

Die verbreitetsten pflanzengesellschaften der wasser- und ufervegetation in Kroatien und Slavonien. Acta Bot. Inst. Bot. Univ. Zagreb 6: 91-108. 1931.

Kušan, F.

Adnotationes ad floram lichenum Bosnae et Hercegovinae. Acta Bot. Inst. Bot. Univ. Zagreb 6: 1-18. 1931.

Non-current indexing (cont.)

Acta Bot. Inst. Bot. Univ. Zagreb. (cont.)
Pichler, A. R.
Prilog poznavanju mahova tresetara Jugoslavije. (Contribution à la connaissance des sphaignes de Yougoslavie). Acta Bot. Inst. Bot. Univ. Zagreb 6: 47-55. 1931.
Croatian with French summary.

Vouk, V. & Wellisch, P.
Zur frage der stickstoffassimilation einiger symbiontischen cyanophyceen. Acta Bot. Inst. Bot. Univ. Zagreb. 6: 66-75. ii pl. 1931.

Ann. Bot. Soc. Zool.-Bot. Fenn. Vanamo (451Su7)
Metsävainio, K.
Untersuchungen über das wurzelsystem der moorpflanzen. Ann. Bot. Soc. Zool.-Bot. Fenn. Vanamo v.1, no.1. 422 p. illus. 1931.

Boll. Soc. Adriatica Sci. Nat. Trieste (510T732)
Negodi, G.
La costituzione sistematica di "Silene conica "L. Boll Soc. Adriatica Sci. Nat. Trieste 30(2): 71-83. illus. 1931. no.2.

Negodi, G.
Formazioni teratologiche in fiori di "Caltha palustris" L. var. "guerangerii" Lamotte e considerazioni sulle stesse. Boll. Soc. Adriatica Sci. Nat. Trieste 30(2): 63-70. illus. 1931. no.2.

Choroby Roślin (464.8C452)
Konopacka, W.
O chorobie lnu, spowodowanej przez grzyb pasorzytniczy, Polyspora lini Lafferty. (On the disease of cultivated flax caused by Polyspora lini Lafferty). Choroby Roślin 1: 11-14. 1931. no.2.
In Polish with brief English summary: p.14.

State Publications.
Ball, O.M.
A contribution to the paleobotany of the Eocene of Texas. Bull. Agr. & Mech. Coll. Texas ser.4, v.2, no.5. 172 p. illus. (incl.map) 48 pl. My.1,1931. (402.1B21)